

NOAA Technical Memorandum NMFS



JANUARY 1988

ICHTHYOPLANKTON AND STATION DATA FOR CALIFORNIA COOPERATIVE OCEANIC FISHERIES INVESTIGATIONS SURVEY CRUISES IN 1966

Barbara Y. Sumida
Richard L. Charter
H. Geoffrey Moser
Deborah L. Snow

PLEASE RETURN
TO
INSTITUTION DATA LIBRARY
McLEAN

NOAA-TM-NMFS-SWFC- 97

U.S. DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration
National Marine Fisheries Service
Southwest Fisheries Center

1265-AB
Atlas
Shelf
[series]
1966

Q
639.25
I28
44

NOAA Technical Memorandum NMFS

The National Oceanic and Atmospheric Administration (NOAA), organized in 1970, has evolved into an agency which establishes national policies and manages and conserves our oceanic, coastal, and atmospheric resources. An organizational element within NOAA, the Office of Fisheries is responsible for fisheries policy and the direction of the National Marine Fisheries Service (NMFS).

In addition to its formal publications, the NMFS uses the NOAA Technical Memorandum series to issue informal scientific and technical publications when complete formal review and editorial processing are not appropriate or feasible. Documents within this series, however, reflect sound professional work and may be referenced in the formal scientific and technical literature.

OUT

1987-
Oceanic Fish
SOUTHWEST FISH
SHF(series) 1

NOAA Technical Memorandum NMFS

This TM series is used for documentation and timely communication of preliminary results, interim reports, or special purpose information, and have not received complete formal review, editorial control, or detailed editing.

JANUARY 1988



**ICHTHYOPLANKTON AND STATION DATA FOR
CALIFORNIA COOPERATIVE OCEANIC FISHERIES
INVESTIGATIONS SURVEY CRUISES IN 1966**

Barbara Y. Sumida
Richard L. Charter
H. Geoffrey Moser
Deborah L. Snow

Southwest Fisheries Center
National Marine Fisheries Service
La Jolla, CA 92038

NOAA-TM-NMFS-SWFC-97

U.S. DEPARTMENT OF COMMERCE

C. William Verity, Jr., Secretary

National Oceanic and Atmospheric Administration

Anthony J. Calio, Administrator

National Marine Fisheries Service

William E. Evans, Assistant Administrator for Fisheries



CONTENTS

	Page
List of Figures	iii
List of Tables	iv
Abstract	1
Introduction	1
Sampling Area and Pattern	2
Sampling Gear and Methods	3
Laboratory Procedures	4
Identification	5
Computer Entry and Editing	10
Species Summary	11
Explanation of Tables	11
Acknowledgments	12
Literature Cited	13
Figures	17
Tables	30
Index	283

LIST OF FIGURES

	Page
Figure 1. Composite arrangement of diagrammatic charts showing areas sampled on each CalCOFI cruise during 1966	17
Figure 2. Station pattern for CalCOFI Cruise 6601 showing tracks for each vessel	18
Figure 3. Station pattern for CalCOFI Cruise 6602	19
Figure 4. Station pattern for CalCOFI Cruise 6604	20
Figure 5. Station pattern for CalCOFI Cruise 6605	21
Figure 6. Station pattern for CalCOFI Cruise 6606	22
Figure 7. Station pattern for CalCOFI Cruise 6607	23
Figure 8. Station pattern for CalCOFI Cruise 6608	24
Figure 9. Station pattern for CalCOFI Cruise 6609	25
Figure 10. Station pattern for CalCOFI Cruise 6610	26
Figure 11. Station pattern for Scripps Tuna Oceanography Research Cruise TO-66-1 (CalCOFI Cruise 6611)	27
Figure 12. Station pattern for CalCOFI Cruise 6612	28
Figure 13. The basic station plan for CalCOFI cruises from 1950 to the present	29

LIST OF TABLES

	Page
Table 1. Station and plankton tow data for CalCOFI cruises in 1966	30
Table 2. Pooled occurrences of fish larvae taken during CalCOFI cruises in 1966	78
Table 3. Pooled numbers of fish larvae taken during CalCOFI cruises in 1966	82
Table 4. Numbers of fish larvae taken on stations occupied during CalCOFI cruises in 1966	86
Table 5. Summary of pooled occurrences of fish larvae taken on CalCOFI cruises from 1961-1969	278
Table 6. List of stations with multiple occupancies in any month during 1966	282

ABSTRACT

This report provides ichthyoplankton and associated station and tow data from California Cooperative Oceanic Fisheries Investigations (CalCOFI) cruises conducted off California and Baja California in 1966. It is the sixteenth report in a series that presents these data for all biological-oceanographic CalCOFI surveys from 1951 to the present. A total of 1977 stations was occupied during 11 monthly multivessel cruises over a survey area which extended from Pt. Reyes, California to Pt. San Juanico, Mexico and seaward to several hundred miles. The data are listed in a series of 6 tables; the background, methodology, and information necessary for interpretation and quantitative analysis of the data are presented in an accompanying text. All pertinent station and tow data, including volumes of water strained and standard haul factors, are listed in the first table. Another key table lists, by station and month, standardized counts of each of the 156 larval fish categories identified from survey samples. This and previous and subsequent reports make the CalCOFI ichthyoplankton and station data available to all investigators and serve as guides to the newly developed computer data base.

INTRODUCTION

This report, the sixteenth of a series, provides ichthyoplankton and associated station and tow data from California Cooperative Oceanic Fisheries Investigations (CalCOFI) joint biological-oceanographic survey cruises conducted in 1966. This program was initiated in 1949, under the sponsorship of the Marine Research Committee of the State of California, to study the population fluctuations of the Pacific sardine (*Sardinops sagax*) and the environmental factors that may play a role in such fluctuations. CalCOFI, known as the California Cooperative Sardine Research Program from 1949 to 1953, was made up of representatives of the South Pacific Fisheries Investigations (SPFI) of the U.S. Fish and Wildlife Service [now the La Jolla Laboratory, National Marine Fisheries Service (NMFS)], the Scripps Institution of Oceanography (SIO), the California Department of Fish and Game (CDFG), the California Academy of Sciences (CAS) and the Hopkins Marine Station of Stanford University. The first three of these agencies supplied ships and personnel to conduct the sea surveys. NMFS processed the plankton samples and analyzed the ichthyoplankton from them. SIO processed and analyzed the hydrographic samples and measurements and also analyzed invertebrate groups from the plankton samples.

The boundaries, station placement, and sampling frequency for the CalCOFI survey area were based on the results of joint biological and oceanographic cruises conducted by NMFS and SIO during 1939-41. Those cruises were designed to collect sardine eggs and larvae and associated hydrographic data over the entire areal and seasonal spawning range of the species. On these survey cruises, plankton tows were made to 70 m, a depth which

encompassed the vertical distribution of sardine eggs and larvae. Wide-ranging joint biological and oceanographic survey cruises were resumed in 1949 with sardine as the focus; however, an increasing interest in other biological components resulted in the deepening of standard tows to 140 m in 1951. This marked the beginning of truly quantitative ichthyoplankton sampling on CalCOFI surveys.

Data resulting from CalCOFI surveys in 1966 have been published in a number of forms. Hydrographic data (Univ. of Calif., SIO, 1968, 1969) and zooplankton volumes (Smith, 1971) were presented in standard formats. Distributional maps of larvae of 5 taxa taken on CalCOFI surveys during 1966 are presented in the CalCOFI Atlas series: jack mackerel (*Trachurus symmetricus*) and Pacific hake (*Merluccius productus*), Ahlstrom, 1969; Pacific sardine (*Sardinops sagax*), Kramer, 1970; rockfish (*Sebastes* spp.), Ahlstrom et al., 1978; northern anchovy (*Engraulis mordax*), Hewitt, 1980.

A computer data base for eggs and larvae of sardine and anchovy, for larvae of hake, jack mackerel and Pacific mackerel (*Scomber japonicus*), and for eggs of Pacific saury (*Cololabis saira*) was established in 1969. The development of a data base for other fish larvae is a complex undertaking because competency of identification has evolved steadily over the past 38 years. We began the task of producing a CalCOFI ichthyoplankton data base and associated data report series in 1983. All available original records for 1966 were subjected to an extensive verification and editing process to produce this report. This and previous (Ambrose et al., 1987a,b,c; 1988; Sandknop et al., 1987a,b; 1988a,b; Stevens et al., 1987a,b,c; 1988; Sumida et al., 1987a,b; 1988) and subsequent reports make the CalCOFI ichthyoplankton and station data available to all investigators and serve as guides to the computer data base. The data base will be modified when additional errors are discovered and when composite taxa from the earlier years are reidentified. These reports are the fundamental reference documents against which subsequent changes in the data base can be compared.

SAMPLING AREA AND PATTERN

In 1966, CalCOFI survey cruises were conducted at monthly intervals, except for part of March. A total of 1977 stations included in this data base was occupied on 11 cruises, with an average of 180 stations per cruise (range 80-236). Coverage of the survey station pattern varied among cruises and the entire survey area was not covered on any single cruise (Figures 1-12, Table 1). Waters off northern California (lines 40-57) were not occupied in 1966. Sampling off central California (lines 60-77) was conducted on six of the eleven cruises: in January, late March-April, June, July, October and December. The area between Pt. Conception, California and Pt. San Juanico, Baja California (lines 80-137) was surveyed on seven cruises. Line 120 off Punta Eugenia, Baja California, was the southernmost line surveyed in

February and September, and line 103 the southernmost line covered in June. Coverage extended seaward to station 140 (approximately 350-460 miles offshore) on lines 90 and 93 in December (Cruise 6612) but typically did not extend beyond station 90 or 100 (approximately 160-300 miles offshore) on most cruises¹. Some inshore stations were occupied during 1966 which were not covered on early CalCOFI surveys. These stations are included in the data base (Table 1) but omitted from the station plots (Figures 2-12).

Three vessels were employed on these cruises: the *Alexander Agassiz* of SIO, the *Alaska* of CDFG, and the *David Starr Jordan* of NMFS. One or two vessels participated on each cruise, with the *Agassiz* employed on six cruises, the *Alaska* on one cruise (6604) and the *Jordan* on nine (Univ. of Calif., SIO, 1968, 1969).

Cruise 6611 was not a CalCOFI cruise but a Scripps Tuna Oceanography Research (STOR) cruise numbered TO-66-1 conducted aboard the NMFS vessel *David Starr Jordan*. Coverage extended from north of Descanso Bay, Baja California (line 97) to the area off Cape San Lucas, Baja California (line 153), seaward to station 60 on about half of the southern end of the pattern (Fig. 11). Plankton samples collected from this cruise were processed by NMFS as standard CalCOFI samples, and the resulting ichthyoplankton data were included in the CalCOFI data base. Summary reports for this cruise are published in Univ. of Calif., SIO (1967).

SAMPLING GEAR AND METHODS

The standard CalCOFI net used from 1949 to 1969 had a 1-m diameter mouth opening (0.785 m² area) and an overall length of about 5 m. The net was constructed of 30xxx gauze, a heavy duty grade of silk bolting cloth, with a mesh size of 0.55 mm after shrinkage. The last 40 cm of the cone and the cod end were constructed of 56xxx grit gauze which had a mesh size of 0.25 mm after shrinkage. The net ring was fastened to a short 3-lead

¹CalCOFI lines (Figure 13) are arranged perpendicular to the coastline and extend from the Canadian border (line 10) to below Cape San Lucas, Baja California (line 157). Stations were established on the basis of a perpendicular to line 80 (off Pt. Conception) at a point designated as station 60. Stations were plotted seaward and shoreward from station 60 on each line. Cardinal CalCOFI lines (those ending in "0") are 120 miles apart and usually bracket two ordinal lines (ending in "3" or "7"), so that lines are 40 miles apart over most of the pattern. Cardinal stations are 40 miles apart and typically these are separated by a station number ending in "5" so that stations are 20 miles apart out to station 90 on most lines. Stations are placed at closer intervals near the coast and islands to accommodate these features (see Kramer et al., 1972 for further details).

bridle connected to several meters of line which attached to the towing cable by a clamp. A current meter was suspended in the center of the net mouth to measure volume of water filtered (see Kramer et al., 1972, for further details).

The standard tow from 1951 through 1968 was an oblique haul to 140 m depth (to 15 m of the bottom in shallow areas) designed to filter a constant amount of water per depth interval (ca. $3\text{ m}^3/\text{m}$ of depth) over the vertical range of most ichthyoplankters. Hauls were made at a ship speed of 1.5-2.0 knots and initiated by clamping the net line to the towing cable with the 45 kg terminal weight about 10-15 m below the surface. The net was lowered to 140 m depth by paying out 200 m of wire over a 4 minute period (35 m of depth/min.). After fishing at depth for 30 seconds, the net was retrieved at 20 m/min. (14 m depth/min.). The angle of stray of the towing cable was recorded every 30 seconds and maintained at 45° ($\pm 3^\circ$) by adjusting the ship speed and course. After reaching the surface, the net was washed down and the samples preserved in 5% formalin buffered with sodium borate. Flowmeter readings were made at the beginning and end of each tow. Detailed descriptions of gear and methods are given by Ahlstrom (1953), Kramer et al. (1972), and Smith and Richardson (1977).

LABORATORY PROCEDURES

Laboratory processing began with the determination of a displacement volume for each sample (methods described in Staff, SPFI, 1953 and Kramer et al., 1972). Zooplankton volumes (including ichthyoplankton) of samples collected in 1966 are presented graphically in Smith (1971).

Sorting involved the removal of ichthyoplankton from the sample and identification and separation of: eggs and larvae of Pacific sardine and northern anchovy; larvae of Pacific hake; and eggs of Pacific saury. In 1966, only one sample was fractionated using a Folsom plankton splitter (McEwen, et al., 1954) prior to sorting. This sample was collected on Cruise 6606, station 63.80 (see Table 1).

A "standard haul factor" (SHF) was calculated for each tow to make them comparable and allow estimations of areal abundance. This factor adjusts the number of eggs or larvae in a haul to the number in 10 m^3 of water strained per meter of depth fished. If the vertical distribution of the species has been encompassed, then the adjusted value is equivalent to the number under 10 m^2 of sea surface. The SHF is calculated for each haul by the formula:

$$\text{SHF} = \frac{10\text{ D}}{\text{V}}$$

where D = depth of haul = cosine of the average angle of stray of the towing cable multiplied by cable length (m)

V = total volume of water (m^3) strained during the haul

$V = R \cdot a \cdot p$

where R = total number of revolutions of the current meter during the haul

a = area (m^2) of the mouth of the net

p = length of column of water (m) needed to produce one revolution of the current meter.

Tow depth, volume of water strained, and standard haul factor are listed in Table 1 for each tow taken during 1966. Detailed descriptions of factors involved in calculating these values are presented in Ahlstrom (1948), Kramer et al. (1972), and Smith and Richardson (1977).

IDENTIFICATION

Identification of ichthyoplankton species beyond those separated during the sorting process was carried out by a separate group of specialists. Ontogenetic stages of fishes are inherently difficult to identify and this is further complicated by the large number and diversity of species which contribute to the ichthyoplankton of the California Current region. Most identifications were accomplished by establishing ontogenetic series on the basis of morphology, meristics, and pigmentation and then identifying these series by relating them to known metamorphic, juvenile, or adult stages with overlapping features (Powles and Markle, 1984). A total of 154 taxa was identified for 1966, with 90 taken to species, 32 to genus, 28 to family, and 4 to order or suborder. Beginning in 1961, larvae in the families Paralepididae and Labridae were identified to genus or species.

The task of producing a reliable and equitable ichthyoplankton data base required extensive procedures to verify, correct, and edit the original identifications. The primary data source was the original identification sheets (see Kramer et al., 1972, for examples); however, a critical resource used in all phases of this process was the CalCOFI ichthyoplankton collection in which the samples are archived. Throughout the course of CalCOFI ichthyoplankton studies, samples have been identified to the lowest taxon possible. In reviewing these identifications for the data base, our approach has been conservative and we have preserved those identifications and counts which we could confirm, while correcting as many of the

errors as possible. After computer entry, taxonomic errors and inconsistencies in the data base were corrected and the most obvious identification errors were corrected. Our current knowledge of ichthyoplankton techniques coupled with a precise understanding of the development of identification competency in the program over the years allowed us to critically judge the historical records. Identifications were changed to different taxa, lumped to a higher taxonomic category, or given a more precise taxonomic name. In some cases, identifications of a taxon were inconsistent among cruises in a year. These records were made equitable by lumping to the higher taxonomic category to avoid biases that could result in quantitative misinterpretations.

Next, statistical, seasonal, and geographic outliers were identified, employing a series of graphic summaries and listings. Examination of geographic outliers proved to be especially effective because of our accumulated knowledge of species distributions. In the course of examining samples for these outliers, other identification errors were discovered and eventually all taxa were scrutinized to some extent. Lastly, certain taxa were reexamined in all samples for the entire CalCOFI time series. These taxa were selected because of their commercial, ecological, phylogenetic, or zoogeographic importance or because taxonomic confusion was at the ordinal level. The following is a list of the taxa for 1966 which received special attention, with explanations and caveats intended to aid in quantitative interpretations:

Anguilliformes - tentative and sporadic identifications to family or lower taxon lumped to order.

Sardinops sagax - all specimens south of line 120 checked for misidentification of *Opisthonema* spp. Two large samples of sardine larvae, mostly small, poor specimens, contained some *Opisthonema* spp.; however, the entire samples were coded as *Sardinops sagax* since the majority of specimens could not be differentiated. The samples are from: Cruise 6607, station 137.22 (265.9 larvae); Cruise 6608, station 137.23 (274.7 larvae).

Engraulis mordax - some nearshore samples of small *E. mordax* may contain other anchovy genera which could not be differentiated.

Nansenia spp. - all specimens checked and identified as *N. candida* or *N. crassa*; all specimens of these species near their range boundaries checked.

Bathylagus spp. - includes small and/or disintegrated specimens of *Bathylagus* or *Leuroglossus stilbius*.

Bathylagus milleri - specimen checked.

Stomiiformes - all specimens checked and identified to genus or species; residuals are small, poorly preserved or unavailable specimens.

Vinciguerria lucetia - specimens taken seaward of station 100 checked for misidentification of *V. poweriae*; some *V. poweriae* may remain in these samples because small larvae of the two species could not be differentiated; sporadic identification of *V. poweriae* began in 1961.

Sternoptychidae - tentative and sporadic identifications of hatchetfishes to genus were lumped to family.

Bathophilus spp. - all specimens checked.

Photonectes spp. - all specimens checked.

Tactostoma macropus - all specimens checked.

Paralepididae - all specimens examined and identified to species.

Scopelarchidae - tentative and sporadic identifications to genus lumped to family.

Lampanyctus spp. - tentative and sporadic identifications to species lumped to genus.

Lampanyctus regalis - underrepresented because of inability to differentiate small larvae (<5 mm) from those of other species of the genus; counts may include other species of the genus because of difficulty in identifying larvae of this large and complex genus.

Lampanyctus ritteri - comment for *L. regalis* applies to this species.

Triphoturus mexicanus - all specimens taken seaward of station 100 checked for misidentification of *T. nigrescens*.

Benthoosema pterota - recognition of this species was inconsistent and some specimens may be included in *Diogenichthys laternatus*.

Diogenichthys atlanticus - all specimens at margins of range checked.

Diogenichthys laternatus - all specimens at margins of range checked.

Electrona rissoi - recognition of this species was inconsistent and others may be included in *Protomyctophum crockeri* or Myctophidae.

Hygophum spp. - all specimens reidentified to species; residuals are small, poorly preserved or unavailable specimens.

Hygophum atratum - all specimens checked.

Hygophum reinhardtii - all specimens checked.

Protomyctophum crockeri - some samples on northern lines may contain *P. thompsoni*, which was not identified originally.

Bregmaceros spp. - all gadiform types (see Index), except *Merluccius productus* and Macrouridae, reexamined.

Ophidiiformes - this category did not exist originally and ophidiiform larvae were included in *Brosomphycis marginata*, "Otophidium", "Zoarcidae", and "blenny"; identifications of *B. marginata* proved to be mostly correct and "Zoarcidae" to be a yet unidentified ophidiiform species; all "Otophidium" and "blenny" were reexamined and the former included *Ophidion scrippsae*, *Chilara taylori* and other ophidiiform taxa (moved to order); "blenny" contained *O. scrippsae*, *C. taylori*, and other ophidiiform taxa.

Trachipteridae - tentative and sporadic identifications to genus were lumped to family.

Melamphaes spp. - all identifications ascribed to Melamphaidae were reexamined and assigned to genus (*Melamphaes*, *Poromitra*) or species (*Scopelogadus bispinosus*); larvae originally identified as *Melamphaes* spp. were not reexamined and this category may contain other melamphaid genera.

Ophiodon elongatus - specimen checked.

Oxylebius pictus - all specimens checked.

Zaniolepis spp. - all specimens checked.

Sebastes spp. - category may contain other scorpaenid genera, particularly in samples south of line 120.

Labridae - all specimens originally identified to family were reexamined and assigned to genus (*Halichoeres* spp.) or species (*Oxyjulis californica*, *Semicossyphus pulcher*).

Pomacentridae - specimens checked; now includes species other than *Chromis punctipinnis*, primarily in the south.

Chromis punctipinnis - specimens taken south of line 120 checked.

Apogonidae - specimen checked.

Howella brodiei - all specimens checked; originally included in Apogonidae; in this report we list *H. brodiei* in the family Apogonidae for convenience, recognizing that its systematic affinities are not resolved.

Carangidae - most specimens checked; tentative and sporadic identifications to genus or species (except *Trachurus symmetricus* and *Seriola lalandi*) were lumped to family.

Seriola lalandi - all specimens checked.

Gerreidae - tentative and sporadic identifications to genus lumped to family.

Haemulidae - tentative and sporadic identifications to genus lumped to family.

Girella nigricans - all specimens checked.

Medialuna californiensis - all specimens checked.

Caulolatilus princeps - all specimens checked.

Sciaenidae - tentative and sporadic identifications to genus lumped to family.

Scombridae - all larvae identified to this family or constituent taxa (except *Scomber japonicus*) were reexamined and reassigned.

Nomeidae - tentative identifications to genus lumped to family.

Pleuronectiformes - all specimens of this category (originally called "flatfish") were examined and reidentified.

Bothidae - all specimens examined and reassigned; most were assigned to various paralichthyid genera.

Citharichthys spp. - all larvae identified to species were lumped to the genus except *C. stigmaeus*; category includes larvae of *Etropus* spp.

Citharichthys stigmaeus - includes larvae larger than ca. 4.5 mm; smaller larvae are in *Citharichthys* spp.

Paralichthys spp. - all specimens of this genus were examined and most were assigned to *P. californicus* or *Xystreurus liolepis*.

Syacium ovale - all specimens examined.

Xystreurus liolepis - originally misidentified as *Paralichthys californicus*; all specimens reidentified.

Glyptocephalus zachirus - all specimens examined.

Hypsopsetta guttulata - specimens were originally identified as *Pleuronichthys* spp.

Lepidopsetta bilineata - specimens checked; originally identified as *Psettichthys melanostictus*.

Microstomus pacificus - all specimens examined.

Platichthys stellatus - all specimens examined.

Pleuronichthys spp. - all larvae of this genus and constituent species were examined and assigned to species.

Psettichthys melanostictus - all specimens examined.

COMPUTER ENTRY AND EDITING

Each taxon on the original identification sheets was given a 3-digit code based on the list of codes in Haight et al. (1979). Taxon codes and counts from these sheets were keypunched by cruise and station, along with pertinent station and tow data and entered into the VAX 11/780 computer at the University of California, San Diego, Computing Center. After entries were completed for an entire year, print-out listings of taxa and counts on each station were compared with the original data sheets to eliminate keypunch errors. Next, data in the file were cross-checked with data on an existing file which contained: station and tow data; numbers of eggs of sardine, anchovy, and saury; numbers of larvae of sardine, anchovy, hake, jack mackerel, and Pacific mackerel; total number of fish eggs; and total number of fish larvae.

Discrepancies in ichthyoplankton data in these two files were corrected by inspecting original records from the sorting laboratory, the original ichthyoplankton identification sheets, and the samples themselves. Station and tow data discrepancies between the two files were corrected by reviewing ships' logs and deck tow sheets, original records from the sorting laboratory, cruise announcements, publications, header information on the ichthyoplankton identification sheets, and station plots generated for each cruise. Eventually all station and tow data were checked by comparing these sources.

The corrected ichthyoplankton data base was then examined statistically and outliers were found and checked as above. Distributional plots were then prepared for each taxon and these were checked by reviewing the data sources mentioned above and by examining archived specimens. A listing of each taxon by station (Table 4) was produced, which became the primary document for subsequent checks. Misidentifications found in geographic outlier checks and other misidentifications and data problems discovered in the course of examining archived samples resulted in several iterations of Table 4. Finally, totals in Table 4 were checked against annual summaries of incidence and abundance (Tables 2 and 3). Ecological analyses of the data were conducted concurrently and provided cross-checks that allowed correction of errors.

SPECIES SUMMARY

Larvae of northern anchovy (*Engraulis mordax*) represented 48.6% of all fish larvae taken on CalCOFI cruises during 1966 and numbered approximately four times as many as the gonostomatid *Vinciguerrria lucetia*, the next most abundant species with 12.6% of the total larvae (Tables 2, 3). Northern anchovy ranked second in incidence; *V. lucetia* ranked third. The next most abundant species was Pacific hake, *Merluccius productus*, with 7.8% of total larvae; it ranked 16th in occurrence. The myctophid *Triphoturus mexicanus* ranked fourth in abundance, but ranked first in occurrence. Rockfish larvae, *Sebastes* spp., a composite of about 70 species, ranked 5th in abundance and 4th in incidence. Another myctophid, *Stenobrachius leucopsarus*, ranked 6th in abundance but 14th in incidence. Larvae of jack mackerel (*Trachurus symmetricus*), the deepsea smelt *Leuroglossus stilbius*, the sardine *Sardinops sagax* and the sanddabs (*Citharichthys* spp.) completed the ten most abundant taxa ranking 7th, 8th, 9th, and 10th, respectively; however, only *T. symmetricus* and *Citharichthys* spp. ranked in the top ten in occurrence, ranking 10th and 7th, respectively. The remaining two taxa, *L. stilbius* and *S. sagax*, ranked 13th and 36th, respectively, in incidence. These 10 top-ranking taxa contributed 87.4% of all larvae taken during 1966. The remaining 12.6% was represented by 144 taxa plus the unidentified and disintegrated categories. Of the 10 taxa, 4 were midwater species, 3 were coastal demersal species or generic groupings, and 3 were coastal pelagic species.

EXPLANATION OF TABLES

Table 1 - This table lists by cruise the pertinent station and tow data for 1966, the volume of water filtered and standard haul factor for each tow, the percent of sample sorted, and the total numbers of fish eggs and larvae. CalCOFI cruises are designated by four digits; the first two indicate the year and the second two the month. Within each cruise the data are listed in order of increasing line and station number (southerly and seaward directions); the order of station occupancy is shown on the station charts (Figures 2-12). Stations are designated by two groups of digits; the first set indicates the line and decimal fraction and the second set indicates the station on the line. Time is listed as Pacific Standard Time at the start of each tow in 24-hour designation. Methods for determining tow depth, volume of water strained, standard haul factor, and percent sorted were described in the methods section. The values for total fish eggs and larvae represent raw counts (unadjusted for percent sorted or standard haul factor). Ship codes are as follows: AL, Alaska; AX, Alexander Agassiz; JD, David Starr Jordan.

- Table 2 - This table lists pooled occurrences of all larval fish taxa taken during 1966 in ranked order.
- Table 3 - This table lists pooled counts of all larval fish taxa taken during 1966 in ranked order. Numbers are adjusted for percent sorted and standard haul factors.
- Table 4 - This table gives numbers of fish larvae for each taxon, listed by station and calendar month in which the tow was taken. Counts are adjusted for percent of sample sorted and standard haul factor. Average values are given for stations occupied more than once during a month. See Table 1 for station and tow data and Table 6 for listing of stations with multiple occupancies during a month. Multiple occupancies occurred when a station was occupied more than once during a calendar month; in some cases, multiple occupancies resulted from separate cruises. The orders are listed in "phylogenetic" sequence modified from Nelson (1984). Subtaxa within each order are listed alphabetically. Page numbers for each taxon are given in the index at the end of the report.
- Table 5 - This table is a summary of pooled occurrences of all larval fish taxa taken on CalCOFI surveys from 1961 to 1969. Taxa are listed in the same order as in Table 4.
- Table 6 - List of stations with multiple occupancies in one month during 1966.

ACKNOWLEDGMENTS

Lois Hunter originally identified larvae from CalCOFI cruises of 1966. Ronald Whyte coded each larval fish taxon or type and Rita Ford entered them into the computer. Cindy Meyer, Larry Zins, and James Ryan provided programming assistance. Dorothy Roll designed the CalCOFI data acquisition system and provided data processing support. Ken Raymond, Roy Allen, and Henry Orr helped with graphics and production of the report. Lorraine Prescott and Diane Forsythe prepared the manuscript for printing. Paul Smith determined statistical outliers, provided assistance during geographical outlier checks and offered helpful suggestions throughout the project. Izadore Barrett, Director of the Southwest Fisheries Center and Reuben Lasker, Chief, Coastal Fisheries Resources Division, SWFC, provided the support critical to the completion of the project. James Thrailkill planned CalCOFI surveys and supervised cruises, data handling, and plankton sorting from 1949 to 1986 and is largely responsible for the high quality of these operations. Without the vision and direction of Elbert Ahlstrom and Elton Sette and the dedicated efforts of the many people who collected, processed, and analyzed the samples, this data base would not exist.

LITERATURE CITED

- Ahlstrom, E. H. 1948. A record of pilchard eggs and larvae collected during surveys made in 1939 to 1941. U.S. Fish Wildl. Serv. SSRF 54, 82 p.
- Ahlstrom, E. H. 1953. Pilchard eggs and larvae and other fish larvae, Pacific Coast - 1951. U.S. Fish Wildl. Serv. SSRF 102, 55 p.
- Ahlstrom, E. H. 1969. Distributional atlas of fish larvae in the California Current region: jack mackerel, *Trachurus symmetricus*, and Pacific hake, *Merluccius productus*, 1951 through 1966. CalCOFI Atlas No. 11:xi + 187 p.
- Ahlstrom, E. H., H. G. Moser, and E. M. Sandknop. 1978. Distributional atlas of fish larvae in the California Current region: rockfishes, *Sebastes* spp., 1950 through 1975. CalCOFI Atlas No. 26:xxi + 178 p.
- Ambrose, D. A., R. L. Charter, H. G. Moser, and C. R. Santos Methot. 1987a. Ichthyoplankton and station data for California Cooperative Oceanic Fisheries Investigations survey cruises in 1951. U.S. Dep. Commer., NOAA Tech. Memo., NMFS, SWFC, No. 79, 196 p.
- Ambrose, D. A., R. L. Charter, H. G. Moser, and C. R. Santos Methot. 1987b. Ichthyoplankton and station data for California Cooperative Oceanic Fisheries Investigations survey cruises in 1955. U.S. Dep. Commer., NOAA Tech. Memo., NMFS, SWFC, No. 83, 185 p.
- Ambrose, D. A., R. L. Charter, H. G. Moser, and C. R. Santos Methot. 1987c. Ichthyoplankton and station data for California Cooperative Oceanic Fisheries Investigations survey cruises in 1960. U.S. Dep. Commer., NOAA Tech. Memo., NMFS, SWFC, No. 88, 253 p.
- Ambrose, D. A., R. L. Charter, H. G. Moser, and B. S. Earhart. 1988. Ichthyoplankton and station data for California Cooperative Oceanic Fisheries Investigations survey cruises in 1963. U.S. Dep. Commer., NOAA Tech. Memo., NMFS, SWFC, No. 94, 209 p.
- Haight, C. A., H. G. Moser, and P. E. Smith. 1979. Data entry programs: CalCOFI. II. Fish eggs and larvae identification sheet. National Marine Fisheries Service, Southwest Fisheries Center, La Jolla, Admin. Rept. No. LJ-79-25.
- Hewitt, R. 1980. Distributional atlas of fish larvae in the California Current region: northern anchovy, *Engraulis mordax* Girard, 1966 through 1979. CalCOFI Atlas No.-28: ix + 101 p.

- Kramer, D. 1970. Distributional atlas of fish eggs and larvae in the California current region: Pacific sardine, *Sardinops caerulea* (Girard), 1951 through 1966. CalCOFI Atlas No. 12:vi + 277 p.
- Kramer, D., M. Kalin, E. G. Stevens, J. R. Thrailkill, and J. R. Zweifel. 1972. Collecting and processing data on fish eggs and larvae in the California Current Region. NOAA Tech. Rep. NMFS Circ. 370, 38 p.
- McEwen, G. F., M. W. Johnson, and T. R. Folsom. 1954. A statistical analysis of the performance of the Folsom Plankton Sample Splitter, based on test observations. Arch. Meteor. Geophys. Bioklim. Ser. A, 7:502-527.
- Nelson, J. S. 1984. Fishes of the world. John Wiley and Sons, N.Y., 523 p.
- Powles, H. and D. F. Markle. 1984. Identification of larvae, p. 31-33. In: Ontogeny and systematics of fishes. H. G. Moser, W. J. Richards, D. M. Cohen, M. P. Fahay, A. W. Kendall, Jr., and S. L. Richardson (eds.). Spec. Publ. No. 1. Amer. Soc. Ichthyol. Herpetol., 760 p.
- Sandknop, E. M., R. L. Charter, H. G. Moser, and J. D. Ryan. 1987a. Ichthyoplankton and station data for California Cooperative Oceanic Fisheries Investigations survey cruises in 1952. U.S. Dep. Commer., NOAA Tech. Memo., NMFS, SWFC, No. 80, 207 p.
- Sandknop, E. M., R. L. Charter, H. G. Moser, and J. D. Ryan. 1987b. Ichthyoplankton and station data for California Cooperative Oceanic Fisheries Investigations survey cruises in 1958. U.S. Dep. Commer. NOAA Tech. Memo., NMFS, SWFC, No. 86, 248 p.
- Sandknop, E. M., R. L. Charter, H. G. Moser, C. A. Meyer, and A. E. Hays. 1988a. Ichthyoplankton and station data for California Cooperative Oceanic Fisheries Investigations survey cruises in 1961. U.S. Dep. Commer., NOAA Tech. Memo., NMFS, SWFC, No. 92, 167 p.
- Sandknop, E. M., R. L. Charter, H. G. Moser, C. A. Meyer, and A. E. Hays. 1988b. Ichthyoplankton and station data for California Cooperative Oceanic Fisheries Investigations survey cruises in 1964. U.S. Dep. Commer., NOAA Tech. Memo., NMFS, SWFC, No. 95, 222 p.
- Smith, P. E. 1971. Distributional atlas of zooplankton volume in the California Current region, 1951 through 1966. CalCOFI Atlas No. 13:xvi + 144 p.
- Smith, P. E. and S. L. Richardson. 1977. Standard techniques for pelagic fish egg and larva surveys. FAO Fish. Tech. Pap. No. 175, 100 p.

- Staff, South Pacific Fishery Investigations. 1953. Zooplankton volumes off the Pacific Coast, 1952. U.S. Fish Wildl. Serv. SSRF 100, 41 p.
- Stevens, E. G., R. L. Charter, H. G. Moser, and M. S. Busby. 1987a. Ichthyoplankton and station data for California Cooperative Oceanic Fisheries Investigations survey cruises in 1953. U.S. Dep. Commer., NOAA Tech. Memo., NMFS, SWFC, No. 81, 186 p.
- Stevens, E. G., R. L. Charter, H. G. Moser, and M. S. Busby. 1987b. Ichthyoplankton and station data for California Cooperative Oceanic Fisheries Investigations survey cruises in 1956. U.S. Dep. Commer., NOAA Tech. Memo., NMFS, SWFC, No. 84, 189 p.
- Stevens, E. G., R. L. Charter, H. G. Moser, and M. S. Busby. 1987c. Ichthyoplankton and station data for California Cooperative Oceanic Fisheries Investigations survey cruises in 1959. U.S. Dep. Commer., NOAA Tech. Memo., NMFS, SWFC, No. 87, 273 p.
- Stevens, E. G., R. L. Charter, H. G. Moser, and L. R. Zins. 1988. Ichthyoplankton and station data for California Cooperative Oceanic Fisheries Investigations survey cruises in 1965. U.S. Dep. Commer., NOAA Tech. Memo., NMFS, SWFC, No. 96, 220 p.
- Sumida, B. Y., R. L. Charter, H. G. Moser, and D. L. Snow. 1987a. Ichthyoplankton and station data for California Cooperative Oceanic Fisheries Investigations survey cruises in 1954. U.S. Dep. Commer., NOAA Tech. Memo., NMFS, SWFC, No. 82, 207 p.
- Sumida, B. Y., R. L. Charter, H. G. Moser, and D. L. Snow. 1987b. Ichthyoplankton and station data for California Cooperative Oceanic Fisheries Investigations survey cruises in 1957. U.S. Dep. Commer., NOAA Tech. Memo., NMFS, SWFC, No. 85, 225 p.
- Sumida, B. Y., R. L. Charter, H. G. Moser, and D. L. Snow. 1988. Ichthyoplankton and station data for California Cooperative Oceanic Fisheries Investigations survey cruises in 1962. U.S. Dep. Commer., NOAA Tech. Memo., NMFS, SWFC, No. 93, 179 p.
- University of California, Scripps Institution of Oceanography. 1967. Progress report: Scripps Tuna Oceanography Research (STOR) Program, report for the year. (Cruise TO-66-1). SIO Ref. 68-1.
- University of California, Scripps Institution of Oceanography. 1968. Data report: physical and chemical data, CalCOFI Cruises 6601, 6602, 6604, 6605, 6606; 6607, 6608, 6609. SIO Ref. 68-3; 68-21.

University of California, Scripps Institution of Oceanography.
1969. Data report: physical and chemical data, CalCOFI
Cruises 6610, 6612. SIO Ref. 69-2.




Figure 1. Composite arrangement of diagrammatic charts showing areas sampled on each CalCOFI cruise during 1966.




Figure 2. Station pattern for CalCOFI Cruise 6601 showing tracks for each vessel. Stations with plankton tows are indicated by a dot; circles designate hydrographic stations. Figures 2-10 and 12 modified from charts in Univ. of Calif., SIO (1968, 1969) to include only those stations listed in Table 1 of this report; see Table 1 for inshore stations not shown on charts.




Figure 3. Station pattern for CalCOFI Cruise 6602. Symbols as in Figure 2.




Figure 4. Station pattern for CalCOFI Cruise 6604. Symbols as in Figure 2.




Figure 5. Station pattern for CalCOFI Cruise 6605. Symbols as in Figure 2.




Figure 6. Station pattern for CalCOFI Cruise 6606. Symbols as in Figure 2.





Figure 7. Station pattern for CalCOFI Cruise 6607. Symbols as in Figure 2.






Figure 11. Station pattern for Cruise 6611. Plankton tow stations indicated by a dot.




Figure 12. Station pattern for CalCOFI Cruise 6612. Symbols as in Figure 2.




Figure 13. The basic station plan for CalCOFI cruises from 1950 to the present.

TABLE 1. Station and plankton tow data for CalCOFI cruises in 1966. Counts for fish eggs and larvae are not adjusted for standard haul factor or percent of sample sorted.

CalCOFI Cruise 6601

Line	Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship	Tow Date yr. mo. day	Time	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
60.0	50.0	37 57.6	122 53.2	JD	66 01 24	0408	39	272	1.44	100.0	421	1585
60.0	52.0	37 53.5	123 01.7	JD	66 01 24	0553	69	262	2.63	100.0	161	643
60.0	55.0	37 47.5	123 15.0	JD	66 01 24	0722	103	366	2.82	100.0	517	291
60.0	60.0	37 37.0	123 37.0	JD	66 01 24	1036	134	453	2.95	100.0	38	93
60.0	65.0	37 26.0	124 05.0	JD	66 01 24	1451	135	446	3.03	100.0	0	0
60.0	70.0	37 17.0	124 21.0	JD	66 01 24	1751	141	500	2.81	100.0	1	0
60.0	80.0	36 56.5	125 04.0	JD	66 01 24	2206	139	500	2.78	100.0	12	31
60.0	90.0	36 36.0	125 47.0	JD	66 01 25	0316	142	468	3.03	100.0	0	28
60.0	100.0	36 17.0	126 30.0	JD	66 01 25	0916	131	396	3.31	100.0	3	7
63.0	50.0	37 23.3	122 27.8	JD	66 01 23	2344	28	192	1.48	100.0	122	433
63.0	52.0	37 19.0	122 36.0	JD	66 01 23	2217	74	347	2.15	100.0	219	1007
63.0	55.0	37 13.0	122 50.0	JD	66 01 23	1956	127	516	2.47	100.0	5	9
63.0	60.0	37 03.0	123 12.0	JD	66 01 23	1636	143	493	2.90	100.0	17	27
67.0	48.0	36 52.9	121 56.0	JD	66 01 22	2344	31	145	2.13	100.0	50	206
67.0	50.0	36 49.0	122 04.5	JD	66 01 23	0147	96	344	2.79	100.0	525	102
67.0	55.0	36 38.0	122 26.0	JD	66 01 23	0556	138	482	2.86	100.0	385	93
67.0	60.0	36 29.0	122 47.6	JD	66 01 23	1006	127	501	2.54	100.0	124	153
67.0	65.0	36 10.4	122 47.6	JD	66 01 27	2231	137	444	3.08	100.0	1694	189
70.0	51.0	36 10.4	121 45.9	JD	66 01 27	0056	141	417	3.37	100.0	638	593
70.0	53.0	36 06.5	121 54.0	JD	66 01 28	0956	145	361	4.02	100.0	6	5
70.0	55.0	35 53.0	122 22.5	JD	66 01 28	0836	141	401	3.50	100.0	2	5
70.0	60.0	35 43.0	122 44.0	JD	66 01 28	0656	141	446	2.98	100.0	3	24
70.0	65.0	35 33.0	123 06.0	JD	66 01 28	1026	133	446	3.56	100.0	11	10
70.0	70.0	35 13.0	123 47.5	JD	66 01 28	1516	142	397	3.46	100.0	2	2
70.0	80.0	34 52.5	124 30.0	JD	66 01 28	2026	139	402	3.57	100.0	17	37
70.0	90.0	34 33.0	125 15.0	JD	66 01 26	1926	124	483	2.29	100.0	139	35
70.0	100.0	34 33.0	121 17.0	JD	66 02 01	1556	77	338	3.58	100.0	541	1413
73.0	50.0	35 37.0	121 28.7	JD	66 02 01	1426	141	394	3.12	100.0	21	88
73.0	53.0	35 31.6	121 54.0	JD	66 02 01	1051	139	446	1.82	100.0	311	1233
73.0	60.0	35 17.7	120 43.7	JD	66 01 31	2139	27	148	3.24	100.0	1553	673
77.0	48.0	35 08.3	120 56.0	JD	66 01 31	2346	136	420	3.05	100.0	1422	1821
77.0	51.0	35 04.3	121 13.0	JD	66 02 01	0146	133	435	3.42	100.0	2063	965
77.0	55.0	34 52.0	121 37.0	JD	66 02 01	0606	141	412	3.23	100.0	10	137
77.0	60.0	34 44.0	122 54.0	JD	66 01 29	1341	132	409	3.44	100.0	8	51
77.0	80.0	34 04.0	123 35.0	JD	66 01 29	0835	136	395	3.48	100.0	2017	147
77.0	90.0	33 43.0	120 32.5	JD	66 02 02	0001	139	399	3.19	100.0	1555	699
80.0	51.0	34 26.0	120 36.5	JD	66 02 02	0126	140	438	3.07	100.0	1743	752
80.0	52.0	34 24.3	120 48.0	JD	66 02 02	0336	139	453	3.41	100.0	637	1257
80.0	55.0	34 18.6	121 09.0	JD	66 02 02	0916	142	416	3.32	100.0	448	2302
80.0	60.0	34 09.0	121 30.0	JD	66 02 02	1136	136	411	3.86	100.0	1355	187
80.0	65.0	33 59.0	121 51.0	JD	66 02 02	1501	136	354	3.79	100.0	31	9
80.0	70.0	33 48.5	122 32.0	JD	66 02 02	2011	139	366	3.69	100.0	28	5
80.0	80.0	33 28.7	123 13.0	JD	66 02 03	0116	139	377	2.88	100.0	3	8
80.0	90.0	33 09.0	123 53.5	JD	66 02 03	0656	138	478				

TABLE 1. (cont.)

CalCOFI Cruise 6601

Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
82.0	47.0	34 15.0	JD	66 02 04	1401	141	441	3.19	100.0	381	349
83.0	40.0	34 14.0	JD	66 02 04	1915	19	129	1.45	100.0	736	1037
83.0	43.0	34 08.0	JD	66 02 04	1726	136	426	3.20	100.0	742	442
83.0	51.0	33 52.0	JD	66 02 04	1017	91	304	2.99	100.0	873	121
83.0	55.0	33 44.8	JD	66 02 04	0816	137	423	3.24	100.0	499	662
83.0	60.0	33 34.0	JD	66 02 04	0446	138	427	3.22	100.0	20	59
83.0	65.0	33 24.0	JD	66 02 04	0126	139	420	3.31	100.0	21	6
83.0	70.0	33 14.5	JD	66 02 03	2316	133	434	3.06	100.0	32	44
83.0	80.0	32 54.0	JD	66 02 03	1831	140	437	3.20	100.0	4	1
83.0	90.0	32 32.0	JD	66 02 03	1306	139	439	3.17	100.0	6	2
87.0	33.0	33 54.2	JD	66 02 05	0008	48	139	3.46	100.0	930	869
87.0	35.0	33 50.0	JD	66 02 05	0151	136	410	3.39	100.0	1699	785
87.0	40.0	33 38.7	JD	66 02 06	1316	137	429	3.20	100.0	467	2094
87.0	45.0	33 30.0	JD	66 02 06	1621	147	381	3.56	100.0	897	1455
87.0	50.0	33 20.0	JD	66 02 06	1923	47	204	2.52	100.0	839	1511
87.0	55.0	33 10.0	JD	66 02 06	2136	120	396	3.04	100.0	182	497
93.0	27.0	32 56.0	JD	66 01 21	1600	138	372	3.72	100.0	1049	347
93.0	28.0	32 54.9	JD	66 01 15	1441	144	415	3.48	100.0	66	573
93.0	30.0	32 50.5	JD	66 01 15	1336	133	464	2.86	100.0	77	718
93.0	35.0	32 40.0	JD	66 01 15	0906	139	461	3.01	100.0	420	838
93.0	40.0	32 30.0	JD	66 01 15	0706	142	453	3.14	100.0	80	542
93.0	45.0	32 20.0	JD	66 01 15	0311	138	456	3.01	100.0	50	187
93.0	50.0	32 10.0	JD	66 01 15	0021	137	492	2.78	100.0	22	162
93.0	55.0	32 00.0	JD	66 01 14	2016	143	473	3.02	100.0	32	391
93.0	60.0	31 50.0	JD	66 01 14	1746	142	474	3.00	100.0	20	3
93.0	65.0	31 40.0	JD	66 01 14	1346	139	472	2.94	100.0	3	9
93.0	70.0	31 30.0	JD	66 01 14	1111	141	463	3.05	100.0	6	10
93.0	80.0	31 06.8	JD	66 01 14	0551	139	474	2.93	100.0	7	7
93.0	90.0	30 49.0	JD	66 01 14	0006	131	510	2.57	100.0	50	8
97.0	29.0	32 17.5	JD	66 01 12	0759	28	226	1.42	100.0	475	307
97.0	30.0	32 16.0	JD	66 01 12	0848	47	326	1.43	100.0	854	2363
97.0	32.0	32 12.0	JD	66 01 12	0956	137	536	2.56	100.0	120	287
97.0	35.0	32 05.5	JD	66 01 12	1301	140	469	2.57	100.0	840	650
97.0	40.0	31 55.0	JD	66 01 12	1626	142	477	2.98	100.0	25	51
97.0	45.0	31 40.5	JD	66 01 12	1836	141	473	2.98	100.0	9	16
97.0	50.0	31 35.3	JD	66 01 12	2156	139	123	2.87	100.0	113	127
97.0	55.0	31 25.0	JD	66 01 13	0006	140	127	3.00	100.0	40	122
97.0	60.0	31 15.0	JD	66 01 13	0336	143	128	2.90	100.0	8	4
97.0	65.0	31 05.0	JD	66 01 13	0611	141	120	3.02	100.0	10	15
97.0	70.0	30 55.0	JD	66 01 13	0936	140	124	2.96	100.0	3	14
97.0	80.0	30 35.0	JD	66 01 13	1431	141	121	2.95	100.0	0	3
97.0	90.0	30 15.0	JD	66 01 13	1901	130	138	2.56	100.0	15	10
100.0	29.0	31 42.1	AX	66 01 20	0048	66	286	2.29	100.0	981	28
100.0	30.0	31 40.5	AX	66 01 20	0226	141	504	2.80	100.0	952	44
100.0	35.0	31 30.5	AX	66 01 20	0546	151	472	3.20	100.0	513	1390

TABLE 1. (cont.)

CalCOFI Cruise 6601

Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
100.0	40.0	31 21.0	AX	66 01 20	0916	144	470	3.07	100.0	437	971
100.0	45.0	31 11.6	AX	66 01 20	1126	150	460	3.27	100.0	18	971
100.0	50.0	31 01.5	AX	66 01 20	1506	144	487	2.94	100.0	10	145
100.0	55.0	30 52.7	AX	66 01 20	1716	150	420	3.56	100.0	56	270
100.0	60.0	30 42.7	AX	66 01 20	2021	141	455	3.09	100.0	4	31
100.0	65.0	30 32.0	AX	66 01 20	2301	140	482	2.90	100.0	31	135
100.0	70.0	30 20.8	AX	66 01 21	0231	150	453	3.30	100.0	50	20
100.0	75.0	29 52.8	AX	66 01 21	0736	153	418	3.67	100.0	18	25
100.0	80.0	29 41.0	AX	66 01 21	1211	140	481	2.92	100.0	18	9
100.0	85.0	29 20.0	AX	66 01 21	1741	144	480	2.99	100.0	20	16
100.0	90.0	29 09.0	AX	66 01 21	2300	19	175	1.07	100.0	854	377
103.0	29.0	31 07.5	AX	66 01 23	0224	21	176	1.20	100.0	279	2
103.0	30.0	31 06.0	AX	66 01 23	0224	136	470	2.90	100.0	65	350
103.0	35.0	30 55.6	AX	66 01 22	2341	136	468	2.91	100.0	6	118
103.0	40.0	30 46.0	AX	66 01 22	1905	141	457	3.09	100.0	15	11
103.0	45.0	30 36.0	AX	66 01 22	1816	149	452	3.30	100.0	16	219
103.0	50.0	30 26.8	AX	66 01 22	1336	142	477	2.98	100.0	11	25
103.0	55.0	30 16.0	AX	66 01 22	1116	132	495	2.66	100.0	15	204
103.0	60.0	30 06.4	AX	66 01 22	0841	144	475	3.03	100.0	15	12
103.0	65.0	29 58.0	AX	66 01 22	0651	142	480	2.96	100.0	28	19
103.0	70.0	29 50.8	AX	66 01 22	0236	144	472	3.05	100.0	62	19
103.0	75.0	29 26.5	AX	66 01 23	0658	60	230	2.61	100.0	98	156
107.0	31.0	30 27.8	AX	66 01 23	0816	149	452	3.29	100.0	383	325
107.0	32.0	30 25.3	AX	66 01 23	0951	145	447	3.24	100.0	17	166
107.0	35.0	30 21.7	AX	66 01 23	1216	154	442	3.49	100.0	12	13
107.0	40.0	30 11.0	AX	66 01 23	1431	144	463	3.11	100.0	5	10
107.0	45.0	30 01.6	AX	66 01 23	1651	146	454	3.22	100.0	2	11
107.0	50.0	29 51.4	AX	66 01 23	1931	146	445	3.28	100.0	53	10
107.0	55.0	29 44.0	AX	66 01 23	2206	143	470	3.04	100.0	41	26
107.0	60.0	29 30.5	AX	66 01 24	0041	140	499	2.80	100.0	11	2
107.0	65.0	29 21.4	AX	66 01 24	0326	140	469	2.99	100.0	44	16
107.0	70.0	29 11.2	AX	66 01 24	0746	145	470	3.08	100.0	18	22
107.0	75.0	28 51.7	AX	66 01 25	2050	113	171	0.75	100.0	172	16
110.0	32.0	29 52.0	AX	66 01 25	1911	141	475	2.96	100.0	531	328
110.0	35.0	29 46.0	AX	66 01 25	1616	144	465	3.10	100.0	8	38
110.0	40.0	29 37.4	AX	66 01 25	1306	133	491	2.70	100.0	11	19
110.0	45.0	29 26.8	AX	66 01 25	1041	139	470	2.96	100.0	17	9
110.0	50.0	29 16.8	AX	66 01 25	0841	137	485	2.83	100.0	11	12
110.0	55.0	29 06.5	AX	66 01 25	0516	140	470	2.97	100.0	29	12
110.0	60.0	28 56.5	AX	66 01 25	0206	136	491	2.78	100.0	51	14
110.0	65.0	28 46.0	AX	66 01 24	2331	136	489	2.78	100.0	38	2
110.0	70.0	28 36.5	AX	66 01 24	1851	142	463	3.07	100.0	9	16
110.0	75.0	28 16.5	AX	66 01 24	1351	140	497	2.81	100.0	29	50
110.0	80.0	27 56.8	AX	66 01 24	0150	14	167	0.86	100.0	103	14
113.0	29.0	29 24.2	AX	66 01 26	0239	30	144	2.10	100.0	119	2
113.0	30.0	29 22.0	AX	66 01 26	0239	30	144	2.10	100.0	119	2

TABLE 1. (cont.)

CALCOFI Cruise 6601

Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
113.0	35.0	29 11.3	AX	66 01 26	0456	142	458	3.10	100.0	93	18
113.0	40.0	29 02.0	AX	66 01 26	0711	145	449	3.23	100.0	15	0
113.0	45.0	28 54.0	AX	66 01 26	0926	142	468	3.03	100.0	6	5
113.0	50.0	28 41.5	AX	66 01 26	1141	135	493	3.73	100.0	2	3
113.0	55.0	28 32.0	AX	66 01 26	1411	139	481	2.89	100.0	16	9
113.0	60.0	28 24.0	AX	66 01 26	1631	142	472	3.01	100.0	19	12
113.0	65.0	28 12.2	AX	66 01 26	1921	145	435	3.34	100.0	19	9
113.0	70.0	28 02.0	AX	66 01 26	2211	134	449	2.99	100.0	26	27
113.0	75.0	27 55.1	AX	66 01 26	2511	134	449	3.22	100.0	20	22
113.0	80.0	27 42.0	AX	66 01 27	0301	126	620	2.04	100.0	20	22
113.0	85.0	27 28.0	AX	66 01 28	0914	32	136	2.35	100.0	299	28
117.0	25.0	28 58.0	AX	66 01 28	1829	30	144	2.08	100.0	180	201
117.0	30.0	28 48.0	AX	66 01 28	1645	82	292	2.80	100.0	117	85
117.0	35.0	28 38.0	AX	66 01 28	1416	139	491	2.83	100.0	157	85
117.0	40.0	28 28.0	AX	66 01 28	0246	162	304	5.31	100.0	9	6
117.0	45.0	28 18.0	AX	66 01 28	0011	145	447	3.24	100.0	65	44
117.0	50.0	28 08.0	AX	66 01 27	1901	135	459	2.94	100.0	199	10
117.0	55.0	27 58.0	AX	66 01 27	1631	144	445	3.22	100.0	134	16
117.0	60.0	27 42.5	AX	66 01 27	1356	149	482	3.10	100.0	5	19
117.0	65.0	27 37.5	AX	66 01 27	1136	143	489	2.91	100.0	31	27
117.0	70.0	27 28.5	AX	66 01 27	0651	127	531	3.02	100.0	9	35
117.0	75.0	27 18.8	AX	66 01 29	0438	67	234	2.39	100.0	4	8
119.0	33.0	28 18.8	AX	66 01 29	0009	34	122	2.87	100.0	345	957
120.0	24.0	28 25.0	AX	66 01 28	2330	34	156	1.25	100.0	413	727
120.0	25.0	28 22.5	AX	66 01 29	0009	34	122	2.76	100.0	478	1060
120.0	30.0	28 13.0	AX	66 01 29	0628	66	245	2.69	100.0	569	116
120.0	35.0	28 03.0	AX	66 01 29	0628	69	244	2.84	100.0	260	128
120.0	40.0	27 56.5	AX	66 01 29	1044	29	149	1.95	100.0	190	135
120.0	45.0	27 43.0	AX	66 01 29	1331	131	483	2.71	100.0	116	99
120.0	50.0	27 33.0	AX	66 01 29	1626	138	462	2.99	100.0	37	38
120.0	55.0	27 23.0	AX	66 01 29	1841	132	462	2.86	100.0	63	18
120.0	60.0	27 13.0	AX	66 01 29	2126	128	488	2.62	100.0	177	19
120.0	65.0	27 03.0	AX	66 01 29	2341	119	511	2.34	100.0	111	15
120.0	70.0	26 52.0	AX	66 01 30	0256	138	459	3.02	100.0	160	54
120.0	75.0	26 42.5	AX	66 01 30	0746	138	480	2.88	100.0	31	59
120.0	80.0	26 32.5	AX	66 01 30	1226	131	487	2.69	100.0	12	70
120.0	85.0	26 12.1	AX	66 01 31	1434	36	133	2.69	100.0	104	7
123.0	36.0	27 26.2	AX	66 02 01	0249	37	128	2.89	100.0	367	1270
123.0	37.0	27 24.0	AX	66 02 01	0249	37	128	2.89	100.0	43	109
123.0	40.0	27 18.0	AX	66 01 31	1311	143	454	3.14	100.0	63	71
123.0	45.0	27 08.0	AX	66 01 31	1036	140	452	3.10	100.0	75	27
123.0	50.0	26 58.0	AX	66 01 31	0816	138	458	3.02	100.0	57	66
123.0	55.0	26 42.8	AX	66 01 31	0524	133	459	2.90	100.0	89	19
123.0	60.0	26 34.8	AX	66 01 31	0256	137	455	3.02	100.0	86	59
123.0	65.0	26 26.3	AX	66 01 31	0026	132	463	2.84	100.0	148	27
123.0	70.0	26 17.0	AX	66 01 30	2201	122	481	2.54	100.0	50	119
123.0	80.0	26 00.0	AX	66 01 30	1751	130	452	2.87	100.0		

TABLE 1. (cont.)

CalCOFI Cruise 6601

Lin. Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
127.0	33.0	26 57.5	AX	66 02 01	0724	31	143	2.19	100.0	53	2492
127.0	34.0	26 55.0	AX	66 02 01	0818	65	233	2.78	100.0	83	702
127.0	40.0	26 43.5	AX	66 02 01	1051	130	511	2.54	100.0	858	1287
127.0	45.0	26 33.0	AX	66 02 01	1326	147	451	3.27	100.0	199	43
127.0	50.0	26 23.0	AX	66 02 01	1551	141	533	2.64	100.0	22	35
127.0	55.0	26 12.6	AX	66 02 01	1811	141	461	3.07	100.0	157	23
127.0	60.0	26 03.5	AX	66 02 01	2036	133	554	2.94	100.0	89	32
127.0	65.0	25 53.0	AX	66 02 01	2256	126	481	2.62	100.0	40	1246
127.0	70.0	25 44.0	AX	66 02 02	0116	141	432	3.26	100.0	26	29
127.0	75.0	25 32.5	AX	66 02 02	0356	144	421	3.42	100.0	28	29
127.0	80.0	25 22.2	AX	66 02 02	0641	143	442	3.24	100.0	13	28
127.0	85.0	25 11.0	AX	66 02 03	1654	32	141	2.30	100.0	77	2274
130.0	28.0	26 33.0	AX	66 02 03	1818	68	229	2.95	100.0	182	1141
130.0	30.0	26 29.0	AX	66 02 03	2041	130	455	2.87	100.0	282	9307
130.0	35.0	26 19.0	AX	66 02 03	2341	130	462	2.82	100.0	84	1300
130.0	40.0	26 09.0	AX	66 02 04	0201	129	467	2.76	100.0	64	115
130.0	45.0	25 58.7	AX	66 02 04	0501	140	437	3.20	100.0	58	14
130.0	50.0	24 48.9	AX	66 02 04	0726	144	447	3.22	100.0	16	4
130.0	55.0	25 39.0	AX	66 02 04	1026	139	474	2.93	100.0	38	26
130.0	60.0	25 29.0	AX	66 02 04	1441	144	445	3.23	100.0	27	17
130.0	65.0	25 09.0	AX	66 02 04	1906	140	450	3.10	100.0	99	6
130.0	80.0	24 47.8	AX	66 02 04	1241	144	447	3.22	100.0	12	16
133.0	23.0	26 08.5	AX	66 02 05	2119	36	143	2.52	100.0	1597	1590
133.0	25.0	26 04.5	AX	66 02 05	2008	69	230	2.99	100.0	1115	34
133.0	30.0	25 54.5	AX	66 02 05	1746	145	446	3.25	100.0	417	470
133.0	35.0	25 44.5	AX	66 02 05	1536	145	448	3.25	100.0	70	936
133.0	40.0	25 34.6	AX	66 02 05	1311	138	453	3.06	100.0	38	232
133.0	45.0	25 25.0	AX	66 02 05	1051	145	425	3.41	100.0	222	251
133.0	50.0	24 14.5	AX	66 02 05	0816	133	474	2.81	100.0	31	139
133.0	55.0	25 03.7	AX	66 02 05	0611	139	463	3.00	100.0	23	133
133.0	60.0	24 54.5	AX	66 02 05	0341	138	464	2.97	100.0	54	10
137.0	22.0	25 36.1	AX	66 02 06	0124	25	162	1.53	100.0	626	1994
137.0	23.0	25 34.0	AX	66 02 06	0219	29	142	2.02	100.0	381	2656
137.0	30.0	25 19.8	AX	66 02 06	0536	142	444	3.21	100.0	712	169
137.0	35.0	25 10.0	AX	66 02 06	0756	135	488	2.76	100.0	712	2751
137.0	40.0	25 00.0	AX	66 02 06	1051	139	466	2.98	100.0	63	1457
137.0	45.0	24 49.0	AX	66 02 06	1301	142	485	2.93	100.0	45	61
137.0	50.0	24 41.3	AX	66 02 06	1551	145	471	3.08	100.0	19	9
137.0	55.0	24 32.6	AX	66 02 06	1811	142	447	3.16	100.0	32	6
137.0	60.0	24 24.5	AX	66 02 06	2056	142	467	3.03	100.0	37	9

TABLE 1. (cont.)

CalCOFI Cruise 6602

Line	Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
80.0	51.0	34 26.0	120 32.5	AX	66 02 15	0923	70	243	2.86	100.0	154	332
80.0	52.0	34 24.3	120 36.5	AX	66 02 15	1001	144	448	3.22	100.0	138	179
80.0	60.0	34 09.3	121 08.7	AX	66 02 15	1406	151	443	3.42	100.0	229	863
80.0	65.0	33 59.2	121 30.0	AX	66 02 15	1626	147	429	3.44	100.0	76	1333
80.0	70.0	33 48.5	121 51.0	AX	66 02 15	1846	145	422	3.44	100.0	1188	443
80.0	80.0	33 28.7	122 31.0	AX	66 02 15	2256	136	466	2.93	100.0	41	53
80.0	90.0	33 10.0	123 10.0	AX	66 02 16	0301	145	446	3.25	100.0	26	10
80.0	100.0	32 48.3	123 55.0	AX	66 02 16	0736	130	482	2.70	100.0	7	21
82.0	47.0	34 15.0	119 59.0	AX	66 02 17	1251	148	459	3.22	100.0	33	258
83.0	40.0	33 14.1	119 21.4	AX	66 02 17	1649	19	190	0.99	100.0	190	3750
83.0	43.0	34 08.0	119 34.0	AX	66 02 17	1516	148	435	3.40	100.0	188	322
83.0	51.0	33 52.0	120 08.5	AX	66 02 17	0927	92	287	3.20	100.0	868	554
83.0	55.0	33 43.9	120 24.6	AX	66 02 17	0711	139	433	3.22	100.0	233	2961
83.0	60.0	33 33.8	120 45.7	AX	66 02 17	0431	139	477	2.91	100.0	81	768
83.0	65.0	33 23.7	121 05.7	AX	66 02 17	0201	140	444	3.16	100.0	25	189
83.0	70.0	33 48.5	121 51.0	AX	66 02 16	2326	143	436	3.28	100.0	24	84
83.0	80.0	32 54.0	122 08.0	AX	66 02 16	1926	146	471	3.09	100.0	119	60
83.0	90.0	32 35.0	122 52.0	AX	66 02 16	1426	144	439	3.28	100.0	10	6
87.0	33.0	33 54.2	118 29.4	AX	66 02 17	2314	36	112	3.25	100.0	623	7835
87.0	35.0	33 50.0	118 37.5	AX	66 02 18	0016	144	436	3.30	100.0	1051	5176
87.0	40.0	33 40.2	118 58.0	AX	66 02 18	0236	142	424	3.35	100.0	1063	4923
87.0	45.0	33 30.0	119 19.0	AX	66 02 18	0506	128	453	2.83	100.0	2318	3653
87.0	50.0	33 20.0	119 39.5	AX	66 02 18	0743	68	233	2.91	100.0	700	1838
87.0	55.0	33 10.0	120 00.0	AX	66 02 18	1001	138	429	3.23	100.0	165	3239
87.0	60.0	33 59.6	120 22.0	AX	66 02 18	1226	141	408	3.44	100.0	236	2888
87.0	65.0	32 51.0	120 39.5	AX	66 02 18	1516	141	413	3.42	100.0	351	2914
87.0	70.0	32 39.5	121 02.0	AX	66 02 18	1746	142	458	3.10	100.0	5	10
87.0	80.0	32 19.5	121 43.0	AX	66 02 18	2146	137	462	2.97	100.0	36	16
87.0	90.0	31 59.4	122 22.4	AX	66 02 19	0211	139	460	3.01	100.0	17	22
90.0	28.0	33 28.5	117 46.7	AX	66 02 20	2056	136	387	3.55	100.0	1173	1956
90.0	32.0	33 20.5	118 03.0	AX	66 02 20	1826	140	431	3.17	100.0	184	1965
90.0	37.0	33 11.0	118 22.5	AX	66 02 20	1451	140	405	3.24	100.0	527	1290
90.0	40.0	32 54.6	118 55.6	AX	66 02 20	1221	140	424	3.29	100.0	681	2322
90.0	50.0	32 45.3	119 16.4	AX	66 02 20	0951	137	436	3.14	100.0	304	4974
90.0	55.0	32 35.0	119 37.0	AX	66 02 20	0731	140	416	3.37	100.0	226	2617
90.0	60.0	32 25.1	119 57.4	AX	66 02 20	0456	139	436	3.20	100.0	1382	349
90.0	65.0	32 13.7	120 17.2	AX	66 02 20	0231	141	426	3.30	100.0	2410	77
90.0	70.0	32 03.7	120 37.0	AX	66 02 20	2216	136	452	3.00	100.0	96	18
90.0	80.0	31 45.0	121 18.5	AX	66 02 19	1816	140	436	3.22	100.0	10	11
90.0	90.0	31 23.5	122 02.0	AX	66 02 19	1016	141	420	3.36	100.0	39	269
93.0	27.0	31 06.0	122 37.5	AX	66 02 21	0618	62	248	2.48	100.0	187	997
93.0	28.0	32 56.0	117 19.0	AX	66 02 21	0858	64	249	2.57	100.0	1730	989
93.0	30.0	32 54.7	117 21.8	AX	66 02 21	0638	129	448	2.87	100.0	1259	2767
93.0	35.0	32 40.5	117 51.5	AX	66 02 21	1026	110	489	2.57	100.0	237	1802
93.0	35.0	32 40.5	117 51.5	AX	66 02 21	1026	110	489	2.24	100.0	1890	553

TABLE 1. (cont.)

CalCOFI Cruise 6602												
Line	Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
93.0	40.0	32 30.0	118 11.5	AX	66 02 21	1306	140	430	3.26	100.0	46	1202
93.0	45.0	32 20.0	118 32.0	AX	66 02 21	1531	142	421	3.37	100.0	115	67
93.0	50.0	32 10.0	118 52.5	AX	66 02 21	1801	137	464	2.96	100.0	221	101
93.0	55.0	32 00.0	119 13.5	AX	66 02 21	2036	133	471	2.82	100.0	259	61
93.0	60.0	31 50.0	119 34.0	AX	66 02 21	2251	135	478	2.78	100.0	182	73
93.0	65.0	31 40.0	119 53.5	AX	66 02 22	0116	140	440	3.18	100.0	494	116
93.0	70.0	31 30.0	120 14.0	AX	66 02 22	0336	139	422	3.29	100.0	927	95
93.0	80.0	31 20.0	120 33.8	AX	66 02 22	0811	126	450	2.81	100.0	72	36
93.0	90.0	31 10.8	120 53.8	AX	66 02 22	1231	137	421	3.25	100.0	27	190
97.0	29.0	32 17.5	117 04.7	AX	66 02 25	1529	28	149	1.91	100.0	41	344
97.0	30.0	32 18.0	117 07.0	AX	66 02 24	0914	35	236	1.49	100.0	539	769
97.0	35.0	32 03.8	117 26.0	AX	66 02 24	0641	141	402	3.51	100.0	142	1548
97.0	40.0	31 56.0	117 48.0	AX	66 02 24	0336	152	440	3.45	100.0	262	1571
97.0	45.0	31 46.0	118 08.5	AX	66 02 24	0056	138	434	3.18	100.0	829	558
97.0	50.0	31 36.0	118 30.5	AX	66 02 23	2111	133	460	2.90	100.0	471	112
97.0	55.0	31 25.5	118 49.5	AX	66 02 23	1801	138	435	3.18	100.0	142	142
97.0	60.0	31 15.5	119 10.0	AX	66 02 23	1421	140	454	3.08	100.0	349	1284
97.0	65.0	31 05.0	119 30.5	AX	66 02 23	1101	137	460	2.97	100.0	102	291
97.0	70.0	30 55.0	119 50.5	AX	66 02 23	0706	140	443	3.16	100.0	58	193
97.0	80.0	30 35.0	120 31.0	AX	66 02 23	0051	138	502	2.74	100.0	64	321
97.0	90.0	30 10.8	121 13.0	AX	66 02 22	1706	137	505	2.71	100.0	57	50
100.0	29.0	31 42.2	116 43.4	AX	66 02 25	1924	62	282	2.21	100.0	242	246
100.0	30.0	31 40.5	116 46.6	AX	66 02 25	1956	133	437	3.04	100.0	574	1067
100.0	35.0	31 30.5	117 07.0	AX	66 02 25	2221	138	443	3.10	100.0	567	2972
100.0	40.0	31 21.5	117 27.2	AX	66 02 26	0046	143	443	3.11	100.0	307	419
100.0	45.0	31 09.8	117 48.0	AX	66 02 26	0306	143	415	3.43	100.0	86	27
100.0	50.0	30 58.2	118 06.9	AX	66 02 26	0546	135	508	2.66	100.0	162	43
100.0	55.0	30 50.5	118 27.5	AX	66 02 26	0831	138	453	3.04	100.0	688	252
100.0	60.0	30 36.8	118 42.7	AX	66 02 26	1106	135	458	2.94	100.0	17	34
100.0	65.0	30 29.0	119 07.0	AX	66 02 26	1411	147	418	3.51	100.0	52	384
100.0	70.0	30 21.0	119 26.7	AX	66 02 26	1701	150	431	3.48	100.0	4	373
100.0	80.0	30 00.0	120 06.4	AX	66 02 26	2126	139	445	3.11	100.0	72	33
103.0	29.0	31 07.0	116 21.0	AX	66 02 28	0400	16	167	0.99	100.0	536	8560
103.0	30.0	31 05.8	116 24.5	AX	66 02 28	0314	32	128	2.54	100.0	142	1878
103.0	35.0	30 56.9	116 45.0	AX	66 02 28	0051	138	441	3.13	100.0	261	299
103.0	40.0	30 46.0	117 04.5	AX	66 02 27	2226	136	453	2.99	100.0	136	33
103.0	45.0	30 36.3	117 23.1	AX	66 02 27	2011	145	459	3.16	100.0	103	104
103.0	50.0	30 26.5	118 46.6	AX	66 02 27	1731	137	438	3.32	100.0	68	90
103.0	55.0	30 16.0	118 05.9	AX	66 02 27	1511	139	437	3.19	100.0	278	249
103.0	60.0	30 06.5	118 23.8	AX	66 02 27	1256	140	421	3.32	100.0	73	41
103.0	65.0	29 56.4	118 44.6	AX	66 02 27	0806	136	446	3.05	100.0	79	270
103.0	70.0	29 46.0	119 03.7	AX	66 02 27	0306	138	438	3.16	100.0	17	37
103.0	80.0	29 26.5	119 43.0	AX	66 02 27	0226	141	440	3.20	100.0	73	11
107.0	31.0	30 27.8	116 07.0	AX	66 02 28	0814	30	212	1.41	100.0	1752	455
107.0	32.0	30 25.8	116 11.0	AX	66 02 28	0911	123	485	2.53	100.0	692	4491

TABLE 1. (cont.)

CalCOFI Cruise 6602

Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
107.0	35.0	107.0	AX	66 02 28	1041	134	439	3.05	100.0	210	1390
107.0	40.0	107.0	AX	66 02 28	1306	141	473	2.99	100.0	61	124
107.0	30 11.5	116 41.3	AX	66 02 28	1536	137	489	2.80	100.0	53	137
107.0	30 00.6	117 03.5	AX	66 02 28	1741	137	438	3.13	100.0	25	165
107.0	29 50.2	117 23.0	AX	66 02 28	1956	133	459	2.90	100.0	69	144
107.0	55.0	117 42.0	AX	66 02 28	2216	135	451	3.00	100.0	92	52
107.0	65.0	118 21.0	AX	66 03 01	0046	142	430	3.30	100.0	43	17
107.0	29 32.0	118 21.0	AX	66 03 01	0306	138	445	3.09	100.0	33	11
107.0	29 11.2	119 20.0	AX	66 03 01	0716	134	439	3.06	100.0	16	69
107.0	28 51.5	119 20.0	AX	66 03 02	1439	28	131	2.13	100.0	68	122
110.0	32.0	115 47.8	AX	66 03 02	1151	129	523	2.47	100.0	260	1225
110.0	35.0	116 00.0	AX	66 03 02	0841	127	469	2.70	100.0	190	705
110.0	29 36.5	116 17.5	AX	66 03 02	0616	135	459	2.93	100.0	200	46
110.0	45.0	116 39.0	AX	66 03 02	0321	145	423	3.42	100.0	80	19
110.0	50.0	116 59.6	AX	66 03 02	0031	140	430	3.27	100.0	79	42
110.0	55.0	117 19.0	AX	66 03 02	2211	132	456	2.89	100.0	31	57
110.0	60.0	117 37.0	AX	66 03 01	1941	142	437	3.24	100.0	30	55
110.0	65.0	118 19.2	AX	66 03 01	1701	131	454	2.89	100.0	15	42
110.0	70.0	118 36.3	AX	66 03 01	1111	133	428	3.11	100.0	9	56
110.0	80.0	118 57.5	AX	66 03 02	1859	22	135	1.67	100.0	34	116
113.0	29.0	115 13.2	AX	66 03 02	1959	35	124	2.80	100.0	109	14
113.0	30.0	115 18.0	AX	66 03 02	2256	124	390	3.17	100.0	48	19
113.0	35.0	115 38.0	AX	66 03 03	0226	147	442	3.32	100.0	629	536
113.0	40.0	115 57.5	AX	66 03 03	0501	128	444	2.89	100.0	325	45
113.0	45.0	116 18.7	AX	66 03 03	0751	129	456	2.84	100.0	24	10
113.0	50.0	116 38.0	AX	66 03 03	0946	138	423	3.26	100.0	42	25
113.0	55.0	116 53.0	AX	66 03 03	1211	142	433	3.29	100.0	18	33
113.0	60.0	117 11.3	AX	66 03 03	1511	144	431	3.35	100.0	7	11
113.0	65.0	117 36.0	AX	66 03 03	1741	147	414	3.56	100.0	5	13
113.0	70.0	117 57.0	AX	66 03 03	0009	24	165	1.46	100.0	44	166
117.0	25.0	114 37.0	AX	66 03 05	0009	48	173	2.77	100.0	353	2280
117.0	26.0	114 41.5	AX	66 03 04	2329	65	241	2.68	100.0	317	2437
117.0	30.0	114 56.5	AX	66 03 04	2128	144	428	3.36	100.0	2077	444
117.0	35.0	115 16.0	AX	66 03 04	1901	145	419	3.46	100.0	283	56
117.0	40.0	115 35.5	AX	66 03 04	1636	145	442	3.15	100.0	9	4
117.0	45.0	115 56.0	AX	66 03 04	1131	139	466	2.87	100.0	17	28
117.0	50.0	116 16.0	AX	66 03 04	0851	134	462	3.17	100.0	41	164
117.0	55.0	116 35.3	AX	66 03 04	0631	137	448	3.07	100.0	14	7
117.0	60.0	116 54.1	AX	66 03 04	0356	129	462	2.80	100.0	94	39
117.0	65.0	117 14.4	AX	66 03 04	0121	136	426	3.13	100.0	16	7
119.0	70.0	117 33.4	AX	66 03 03	2156	130	472	2.76	100.0	272	2419
119.0	33.0	114 53.0	AX	66 03 05	0937	98	325	3.01	100.0	492	414
120.0	25.0	114 10.2	AX	66 03 05	0419	18	146	1.26	100.0	594	153
120.0	24.0	114 14.7	AX	66 03 05	0454	34	120	2.84	100.0	297	14
120.0	30.0	114 34.0	AX	66 03 05	0708	69	237	2.90	100.0	413	745
120.0	35.0	114 54.0	AX	66 03 05	1142	76	228	3.33	100.0		

TABLE 1. (cont.)

CalCOFI Cruise 6602												
Line	Station	Lat.(N) deg. min.	Long.(W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
120.0	40.0	27 56.5	115 14.0	AX	66 03 05	1344	32	235	1.35	100.0	332	96
120.0	45.0	27 13.0	115 30.0	AX	66 03 05	1616	142	430	3.30	100.0	47	4
120.0	50.0	27 33.0	115 52.5	AX	66 03 05	1831	142	435	3.26	100.0	29	8
120.0	55.0	27 23.0	116 12.0	AX	66 03 05	2041	139	444	3.14	100.0	29	10
120.0	60.0	27 13.0	116 30.5	AX	66 03 05	2251	136	468	2.90	100.0	66	3

TABLE 1. (cont.)

CalCOFI Cruise 6604

Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
60.0	50.0	37 57.5	AL	66 04 10	1534	33	120	2.79	100.0	36	25
60.0	52.0	37 54.0	AL	66 04 10	1422	68	264	2.55	100.0	32	53
60.0	55.0	37 46.5	AL	66 04 10	1247	70	295	2.37	100.0	32	66
60.0	60.0	37 37.0	AL	66 04 10	1070	142	483	2.94	100.0	7	30
60.0	65.0	37 30.0	AL	66 04 10	0725	143	483	2.96	100.0	161	81
60.0	70.0	37 16.5	AL	66 04 10	0450	141	472	2.99	100.0	96	248
63.0	50.0	37 23.3	AL	66 04 09	1228	20	183	1.11	100.0	4	8
63.0	52.0	37 19.0	AL	66 04 09	1352	68	143	4.78	100.0	27	5
63.0	55.0	37 12.7	AL	66 04 09	1550	140	472	2.96	100.0	264	40
63.0	60.0	37 03.0	AL	66 04 09	1855	144	453	3.19	100.0	109	87
63.0	65.0	36 50.0	AL	66 04 09	2140	142	485	2.92	100.0	1002	139
63.0	70.0	36 42.0	AL	66 04 10	0010	139	503	2.77	100.0	234	133
67.0	48.0	36 53.0	AL	66 04 09	0749	34	220	1.54	100.0	22	76
67.0	50.0	36 47.5	AL	66 04 09	0610	142	491	2.89	100.0	431	46
67.0	55.0	36 39.8	AL	66 04 09	0400	140	461	3.04	100.0	135	52
67.0	60.0	36 27.5	AL	66 04 09	0120	139	467	2.98	100.0	195	43
67.0	65.0	36 18.0	AL	66 04 08	2230	140	470	2.98	100.0	316	224
67.0	70.0	36 08.0	AL	66 04 08	1945	139	472	2.95	100.0	155	295
67.0	80.0	35 48.0	AL	66 04 08	1505	139	502	2.78	100.0	33	32
70.0	51.0	36 11.0	AL	66 04 07	1940	145	495	2.93	100.0	648	7
70.0	53.0	36 06.0	AL	66 04 07	2115	146	487	3.00	100.0	280	3
70.0	55.0	35 51.5	AL	66 04 08	0050	142	457	3.10	100.0	335	238
70.0	60.0	35 43.0	AL	66 04 08	0325	141	488	2.89	100.0	165	13
70.0	65.0	35 32.5	AL	66 04 08	0555	134	540	2.48	100.0	368	94
70.0	70.0	35 17.0	AL	66 04 08	1035	143	477	3.00	100.0	85	25
73.0	50.0	35 37.0	AL	66 04 07	0852	69	258	2.68	100.0	487	17
73.0	53.0	35 31.0	AL	66 04 07	0705	144	486	2.97	100.0	248	208
73.0	56.0	35 16.0	AL	66 04 07	0320	139	490	2.85	100.0	180	16
73.0	60.0	34 57.0	AL	66 04 06	2140	143	510	2.80	100.0	171	22
73.0	70.0	34 37.5	AL	66 04 06	1655	141	510	2.77	100.0	203	25
73.0	80.0	34 37.0	AL	66 04 06	1205	138	485	2.86	100.0	176	205
73.0	90.0	34 20.5	AL	66 04 06	0934	16	152	1.03	100.0	75	656
77.0	48.0	35 08.3	AL	66 04 05	1125	138	478	2.89	100.0	177	26
77.0	51.0	35 02.0	AL	66 04 05	1335	124	492	2.52	100.0	387	69
77.0	55.0	34 53.5	AL	66 04 05	1615	137	502	2.72	100.0	406	43
77.0	60.0	34 43.0	AL	66 04 05	1900	137	511	2.67	100.0	702	229
77.0	65.0	34 33.5	AL	66 04 05	2140	141	514	2.74	100.0	513	249
77.0	70.0	34 25.0	AL	66 04 06	0220	140	492	2.84	100.0	233	26
77.0	80.0	34 03.0	AL	66 04 06	0700	140	491	2.84	100.0	47	4
77.0	90.0	33 44.0	AL	66 04 05	0427	67	248	2.69	100.0	1041	30
80.0	51.0	34 26.0	AL	66 04 05	0325	139	457	3.04	100.0	523	76
80.0	52.0	34 24.0	AL	66 04 05	0105	139	416	3.35	100.0	512	166
80.0	55.0	34 18.0	AL	66 04 05	0240	134	436	3.08	100.0	971	295
80.0	60.0	34 09.5	AL	66 04 04	2240	125	527	2.38	100.0	310	157
80.0	65.0	34 01.0	AL	66 04 04	2005	125	501	2.38	100.0	347	36
80.0	70.0	33 48.0	AL	66 04 04	1705	134					

TABLE 1. (cont.)

CalCOFI Cruise 5604

Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
80.0	33 27.0	122 33.0	AL	66 04 04	1325	138	457	3.03	100.0	36	8
80.0	33 10.0	123 10.0	AL	66 04 04	0755	133	484	2.75	100.0	54	4
82.0	34 15.5	119 59.0	AL	66 04 03	0005	133	432	3.07	100.0	815	813
83.0	34 14.0	119 22.0	AL	66 04 02	2000	11	154	0.74	100.0	1081	13380
83.0	34 08.0	119 34.0	AL	66 04 02	2125	134	436	3.07	100.0	963	1801
83.0	33 52.0	120 09.0	AL	66 04 03	0412	64	221	2.91	100.0	297	3164
83.0	33 45.0	120 24.0	AL	66 04 03	0625	133	454	2.93	100.0	613	2038
83.0	33 33.0	120 46.0	AL	66 04 03	0915	137	450	3.01	100.0	323	1743
83.0	33 24.2	121 05.5	AL	66 04 03	1300	133	440	3.14	100.0	364	1092
83.0	33 16.5	121 25.0	AL	66 04 03	1320	137	436	3.26	100.0	132	986
83.0	32 53.5	122 07.4	AL	66 04 03	0255	138	424	3.26	100.0	236	34
83.0	32 35.5	122 46.5	AL	66 04 04	0255	137	466	2.96	100.0	128	42
83.0	33 50.0	118 37.0	AL	66 04 02	1450	133	451	2.97	100.0	552	1268
87.0	33 40.0	118 57.0	AL	66 04 01	1405	133	449	2.97	100.0	619	3020
87.0	33 30.0	119 19.0	AL	66 04 01	1125	127	461	2.75	100.0	467	4489
87.0	33 20.0	119 39.0	AL	66 04 01	0908	58	215	2.71	100.0	615	4016
87.0	33 12.0	120 00.0	AL	66 04 01	0825	134	428	3.14	100.0	130	4090
87.0	32 51.0	120 20.0	AL	66 04 01	0325	146	366	3.97	100.0	471	845
87.0	32 42.0	121 04.0	AL	66 04 01	0045	145	420	3.46	100.0	254	38
87.0	32 18.0	121 45.0	AL	66 03 31	2135	141	417	3.38	100.0	163	27
87.0	32 02.0	122 19.0	AL	66 03 31	1610	144	430	3.34	100.0	31	6
90.0	33 28.0	117 46.0	AL	66 03 29	2133	53	203	2.61	100.0	449	820
90.0	33 20.0	118 03.0	AL	66 03 29	2340	132	450	2.94	100.0	430	1890
90.0	33 12.0	118 23.0	AL	66 03 30	0625	133	451	2.96	100.0	354	1358
90.0	32 55.0	118 54.0	AL	66 03 30	0955	137	434	3.15	100.0	757	1165
90.0	32 39.0	119 28.0	AL	66 03 30	0955	133	455	2.92	100.0	367	19532
90.0	32 27.0	119 58.0	AL	66 03 30	1320	140	448	3.12	100.0	426	276
90.0	32 19.0	120 16.0	AL	66 03 30	1645	144	431	3.33	100.0	130	61
90.0	32 09.0	120 37.0	AL	66 03 30	1935	141	417	3.47	100.0	521	34
90.0	31 48.0	121 17.0	AL	66 03 31	0100	140	422	3.32	100.0	231	34
90.0	31 26.0	121 58.0	AL	66 03 31	0545	119	485	2.46	100.0	74	33
93.0	32 54.0	117 22.0	AL	66 03 29	1640	123	509	2.41	100.0	379	68
93.0	32 53.9	117 21.7	AX	66 05 01	1836	128	426	3.01	100.0	414	26
93.0	32 50.0	117 31.0	AX	66 05 01	1445	127	398	3.20	100.0	580	266
93.0	32 50.5	117 31.0	AX	66 05 01	2041	134	400	3.36	100.0	364	86
93.0	32 40.0	117 50.0	AL	66 03 29	1145	127	471	2.69	100.0	244	1520
93.0	32 25.0	118 10.0	AL	66 03 29	0900	130	460	2.83	100.0	937	706
93.0	32 30.0	118 11.5	AX	66 05 02	0131	128	430	2.98	100.0	325	2383
93.0	32 10.0	118 32.0	AL	66 03 29	0615	139	462	3.01	100.0	399	1092
93.0	32 10.0	118 51.3	AX	66 05 02	0625	121	437	2.78	100.0	2615	426
93.0	32 10.0	118 54.0	AL	66 03 29	0315	140	434	3.22	100.0	639	1600
93.0	32 01.0	119 14.0	AL	66 03 29	0035	128	511	2.51	100.0	847	1516
93.0	31 55.0	119 33.0	AL	66 03 28	2155	137	448	3.05	100.0	730	97
93.0	31 49.5	119 33.5	AX	66 05 02	1131	135	387	3.48	100.0	785	188

TABLE 1. (cont.)

CalCOFI Cruise 6604

Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
93.0	65.0	119 52.0	AL	66 03 28	1925	144	453	3.17	100.0	318	31
93.0	70.0	120 15.0	AL	66 03 28	1620	131	490	2.68	100.0	67	53
93.0	70.0	120 15.3	AX	66 05 02	1646	141	346	4.06	100.0	20	116
93.0	80.0	120 54.0	AL	66 03 28	1110	137	456	3.01	100.0	41	61
93.0	80.0	120 55.0	AX	66 05 02	2141	139	362	3.83	100.0	76	1075
93.0	90.0	121 34.5	AX	66 05 03	0326	134	374	3.60	100.0	22	189
93.0	90.0	121 34.0	AL	66 03 28	0700	139	461	3.01	100.0	78	30
93.0	100.0	122 15.0	AX	66 05 03	0831	134	396	3.39	100.0	47	57
93.0	29.0	32 17.3	AX	66 04 14	1344	50	211	2.39	100.0	13	481
97.0	30.0	117 04.7	AX	66 04 14	1423	49	227	2.16	100.0	13	481
97.0	30.0	117 07.3	AX	66 04 14	1443	50	211	2.39	100.0	13	481
97.0	32.0	32 13.2	AL	66 03 26	1445	163	389	4.20	100.0	330	265
97.0	35.0	117 27.6	AL	66 03 26	1700	139	474	2.93	100.0	512	468
97.0	40.0	117 46.0	AL	66 03 26	1945	129	472	2.74	100.0	124	41
97.0	45.0	118 08.0	AL	66 03 26	2245	135	456	2.97	100.0	293	98
97.0	50.0	118 30.0	AL	66 03 27	0330	115	538	2.14	100.0	736	96
97.0	55.0	118 50.0	AL	66 03 27	0630	138	445	3.11	100.0	29	12
97.0	60.0	119 10.0	AL	66 03 27	0920	141	455	3.09	100.0	138	56
97.0	65.0	119 30.0	AL	66 03 27	1235	132	464	2.85	100.0	346	43
97.0	70.0	119 49.0	AL	66 03 27	1535	138	444	3.11	100.0	68	29
97.0	80.0	120 31.0	AL	66 03 27	2025	144	435	3.30	100.0	110	42
97.0	90.0	121 10.0	AL	66 03 28	0045	132	454	2.91	100.0	115	137
100.0	29.0	31 42.2	AX	66 04 14	1810	139	464	2.99	100.0	55	141
100.0	30.0	116 47.1	AX	66 04 14	1900	132	461	2.86	100.0	208	26
100.0	35.0	117 07.0	AX	66 04 15	2136	156	388	4.03	100.0	25	126
100.0	40.0	117 27.0	AX	66 04 15	0006	134	462	2.89	100.0	218	480
100.0	45.0	117 46.5	AX	66 04 15	0246	139	400	3.74	100.0	149	102
100.0	50.0	118 08.1	AX	66 04 15	0511	134	433	3.10	100.0	24	293
100.0	55.0	118 27.0	AX	66 04 15	0731	137	441	3.11	100.0	19	38
100.0	60.0	118 47.6	AX	66 04 15	1025	146	417	3.49	100.0	30	585
100.0	65.0	119 08.5	AX	66 04 15	1256	140	458	3.06	100.0	26	424
100.0	70.0	119 27.0	AX	66 04 15	1516	140	429	3.28	100.0	105	105
100.0	80.0	120 06.9	AX	66 04 15	1956	146	405	3.60	100.0	135	461
100.0	90.0	120 44.0	AX	66 04 16	0001	145	417	3.48	100.0	143	132
103.0	29.0	31 07.0	AX	66 04 17	0915	26	168	1.55	100.0	156	96
103.0	30.0	116 21.0	AX	66 04 17	0844	54	176	3.04	100.0	48	30
103.0	35.0	116 24.7	AX	66 04 17	0616	143	351	4.08	100.0	27	401
103.0	40.0	117 04.7	AX	66 04 17	0247	142	405	3.51	100.0	40	39
103.0	45.0	117 25.0	AX	66 04 17	0012	132	433	3.05	100.0	33	156
103.0	50.0	117 45.0	AX	66 04 16	2148	142	385	3.70	100.0	41	83
103.0	55.0	118 04.5	AX	66 04 16	1931	123	424	2.91	100.0	34	935
103.0	60.0	118 25.0	AX	66 04 16	1716	132	437	3.03	100.0	37	209
103.0	65.0	118 43.0	AX	66 04 16	1451	126	454	2.78	100.0	87	1424
103.0	70.0	119 04.0	AX	66 04 16	1228	132	439	3.01	100.0	30	177
103.0	80.0	119 43.0	AX	66 04 16	0815	147	406	3.61	100.0	69	110
103.0	90.0	120 22.7	AX	66 04 16	0406	139	430	3.24	100.0	150	74

TABLE 1. (cont.)

CalCOFI Cruise 6604

Line	Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
107.0	31.0	30 27.7	116 07.0	AX	66 04 17	1342	35	123	2.87	100.0	48	54
107.0	32.0	30 25.0	116 11.5	AX	66 04 17	1427	131	414	3.17	100.0	46	95
107.0	35.0	30 21.6	116 22.3	AX	66 04 17	1604	136	402	3.39	100.0	40	73
107.0	40.0	30 11.0	116 42.0	AX	66 04 17	1826	137	374	3.67	100.0	24	26
107.0	45.0	30 00.8	117 02.2	AX	66 04 17	2046	144	396	3.63	100.0	73	111
107.0	50.0	29 51.0	117 21.7	AX	66 04 17	2301	138	408	3.38	100.0	60	141
107.0	55.0	29 40.5	117 42.2	AX	66 04 18	0146	137	374	3.66	100.0	55	220
107.0	60.0	29 30.9	118 01.3	AX	66 04 18	0406	139	393	3.53	100.0	106	79
107.0	65.0	29 21.3	118 20.8	AX	66 04 18	0831	146	371	3.93	100.0	74	149
107.0	70.0	29 11.3	118 41.0	AX	66 04 18	0901	145	394	3.69	100.0	19	393
107.0	80.0	28 51.2	119 20.7	AX	66 04 18	1311	135	398	3.39	100.0	45	983
107.0	90.0	28 31.9	119 59.7	AX	66 04 18	1716	126	439	2.87	100.0	67	107
110.0	32.0	29 52.0	115 48.0	AX	66 04 20	0224	21	121	1.72	100.0	133	132
110.0	33.0	29 50.2	115 52.5	AX	66 04 20	0107	91	306	2.97	100.0	147	46
110.0	35.0	29 46.0	116 00.0	AX	66 04 20	0236	129	420	3.06	100.0	463	210
110.0	40.0	29 38.5	116 17.8	AX	66 04 19	2121	147	389	3.77	100.0	47	117
110.0	45.0	29 25.0	116 37.1	AX	66 04 19	1848	142	413	3.44	100.0	64	114
110.0	50.0	29 16.0	117 00.7	AX	66 04 19	1616	136	431	3.15	100.0	28	23
110.0	55.0	29 05.4	117 20.0	AX	66 04 19	1341	137	424	3.21	100.0	7	14
110.0	60.0	28 56.5	117 38.5	AX	66 04 19	1131	146	399	3.68	100.0	22	367
110.0	65.0	28 46.5	117 58.0	AX	66 04 19	0901	141	403	3.51	100.0	22	60
110.0	70.0	28 36.3	118 17.8	AX	66 04 19	0633	142	393	3.61	100.0	12	42
110.0	80.0	28 16.0	118 57.0	AX	66 04 19	0209	133	424	3.14	100.0	27	134
110.0	90.0	27 56.1	119 35.9	AX	66 04 18	2153	146	379	3.86	100.0	42	174
113.0	29.0	29 24.2	115 13.3	AX	66 04 20	0650	21	136	1.57	100.0	54	131
113.0	30.0	29 22.0	115 18.0	AX	66 04 20	0740	56	169	3.34	100.0	11	115
113.0	35.0	29 14.5	115 38.0	AX	66 04 20	1001	154	380	4.06	100.0	28	64
113.0	40.0	29 04.0	115 58.0	AX	66 04 20	1216	135	434	3.10	100.0	19	46
113.0	45.0	28 58.0	116 18.0	AX	66 04 20	1446	134	422	3.17	100.0	11	8
113.0	50.0	28 41.5	116 37.0	AX	66 04 20	1701	143	410	3.49	100.0	10	5
113.0	55.0	28 31.5	116 56.2	AX	66 04 20	1926	118	457	2.58	100.0	107	0
113.0	60.0	28 22.0	117 15.5	AX	66 04 20	2131	140	435	3.21	100.0	30	1
113.0	65.0	28 12.0	117 35.0	AX	66 04 20	2356	135	432	3.13	100.0	54	5
113.0	70.0	28 02.2	117 54.2	AX	66 04 21	0221	134	420	3.18	100.0	32	172
113.0	80.0	27 35.0	118 35.0	AX	66 04 21	0636	131	411	2.97	100.0	27	97
117.0	25.0	28 58.2	114 37.0	AX	66 04 22	2133	41	170	2.40	100.0	79	384
117.0	26.0	28 55.7	114 41.4	AX	66 04 22	2033	68	214	3.19	100.0	80	320
117.0	30.0	28 48.0	114 56.5	AX	66 04 22	1832	93	247	3.75	100.0	550	2063
117.0	35.0	28 37.8	115 17.5	AX	66 04 22	1611	142	340	4.17	100.0	76	931
117.0	40.0	28 28.0	115 35.7	AX	66 04 22	0646	139	388	3.59	100.0	110	85
117.0	45.0	28 16.7	115 56.8	AX	66 04 22	0346	132	396	3.34	100.0	116	34
117.0	50.0	28 05.0	116 13.0	AX	66 04 22	0121	128	413	3.10	100.0	17	10
117.0	55.0	27 57.5	116 34.5	AX	66 04 21	2251	142	378	3.74	100.0	34	16
117.0	60.0	27 48.2	116 52.2	AX	66 04 21	2036	150	385	3.89	100.0	83	161
117.0	65.0	27 37.7	117 13.0	AX	66 04 21	1804	120	474	2.53	100.0	91	3752

TABLE 1. (cont.)

CalCOFI Cruise 6604

Line	Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
117.0	70.0	27 28.0	117 32.0	AX	66 04 21	1536	136	432	3.16	100.0	46	327
117.0	80.0	27 08.3	118 10.5	AX	66 04 21	1106	146	410	3.57	100.0	25	131
118.0	35.0	28 18.5	115 23.8	AX	66 04 22	0836	150	345	4.34	100.0	147	84
119.0	33.0	28 19.0	114 52.8	AX	66 04 23	0642	106	297	3.58	100.0	7	837
120.0	24.0	28 24.2	114 11.2	AX	66 04 23	0139	33	148	2.25	100.0	479	1394
120.0	25.0	28 22.5	114 15.2	AX	66 04 23	0224	50	179	2.77	100.0	121	2007
120.0	30.0	28 13.1	114 33.8	AX	66 04 23	0437	88	275	3.16	100.0	44	1064
120.0	35.0	28 03.0	114 54.0	AX	66 04 23	0823	69	218	3.16	100.0	80	1021
120.0	40.0	27 56.5	115 14.0	AX	66 04 23	1022	34	151	2.23	100.0	134	796
120.0	45.0	27 41.8	115 32.0	AX	66 04 23	1251	133	419	3.18	100.0	10	7
120.0	50.0	27 32.4	115 52.3	AX	66 04 23	1501	110	517	2.13	100.0	27	8
120.0	55.0	27 22.6	116 12.1	AX	66 04 23	1726	133	431	3.08	100.0	17	91
120.0	60.0	27 13.1	116 30.6	AX	66 04 23	1931	143	395	3.61	100.0	75	193
120.0	65.0	27 03.0	116 50.5	AX	66 04 23	2151	142	388	3.67	100.0	97	121
120.0	70.0	26 53.0	117 10.0	AX	66 04 24	0016	125	439	2.84	100.0	38	132
120.0	80.0	26 34.8	117 53.0	AX	66 04 24	0441	138	395	3.49	100.0	20	246
123.0	36.0	27 26.0	114 36.0	AX	66 04 25	0230	33	194	1.71	100.0	100	0
123.0	37.0	27 24.0	114 40.2	AX	66 04 25	0140	58	231	2.49	100.0	140	12
123.0	42.0	27 14.0	114 59.1	AX	66 04 24	2306	118	457	2.58	100.0	77	305
123.0	45.0	27 08.0	115 10.5	AX	66 04 24	2126	149	393	3.78	100.0	6	111
123.0	50.0	26 58.0	115 30.8	AX	66 04 24	1901	138	401	3.44	100.0	31	252
123.0	55.0	26 47.2	115 50.3	AX	66 04 24	1626	137	410	3.44	100.0	7	103
123.0	60.0	26 38.8	116 08.0	AX	66 04 24	1356	139	414	3.37	100.0	2	60
123.0	65.0	26 34.5	116 28.2	AX	66 04 25	0658	45	203	2.24	100.0	3	1
127.0	33.0	26 57.3	114 02.3	AX	66 04 25	0743	74	240	3.09	100.0	11	567
127.0	34.0	26 55.2	114 06.5	AX	66 04 25	0716	135	370	3.65	100.0	419	243
127.0	40.0	26 43.5	114 29.0	AX	66 04 25	1236	122	476	2.57	100.0	13	56
127.0	45.0	26 32.8	114 49.0	AX	66 04 25	1500	139	428	3.25	100.0	1	93
127.0	50.0	26 22.8	115 10.0	AX	66 04 25	1711	131	452	2.91	100.0	21	126
127.0	55.0	26 13.8	115 27.0	AX	66 04 25	1925	131	436	3.00	100.0	52	49
127.0	60.0	26 03.4	115 46.9	AX	66 04 25	1513	68	128	5.35	100.0	2	130
130.0	28.0	26 32.3	113 20.8	AX	66 04 26	1403	63	229	2.76	100.0	5	585
130.0	30.0	26 29.0	113 28.2	AX	66 04 26	1146	137	413	3.33	100.0	24	583
130.0	35.0	26 20.4	113 50.0	AX	66 04 26	0910	141	400	3.53	100.0	28	308
130.0	40.0	26 09.0	114 07.5	AX	66 04 26	0656	140	396	3.54	100.0	43	152
130.0	45.0	25 58.2	114 26.7	AX	66 04 26	0416	140	397	3.53	100.0	98	33
130.0	50.0	25 46.7	114 46.9	AX	66 04 26	0156	128	434	2.95	100.0	81	85
130.0	55.0	25 39.0	115 05.0	AX	66 04 26	2326	145	399	3.64	100.0	18	93
130.0	60.0	25 29.0	115 24.0	AX	66 04 26	1928	65	218	2.96	100.0	550	85
133.0	23.0	26 08.6	112 40.2	AX	66 04 26	2033	65	205	3.18	100.0	55	57
133.0	25.0	26 05.0	112 47.8	AX	66 04 26	2256	125	439	2.86	100.0	35	20
133.0	30.0	25 54.5	113 07.5	AX	66 04 27	0121	142	409	3.48	100.0	53	53
133.0	35.0	25 42.5	113 25.4	AX	66 04 27	0336	127	445	2.86	100.0	124	169
133.0	40.0	25 32.8	113 44.0	AX	66 04 27	0606	126	430	2.94	100.0	65	1070
133.0	45.0	25 24.5	114 04.3	AX	66 04 27	0821	146	372	3.93	100.0	29	189

TABLE 1. (cont.)

CALCOFI Cruise 6604

Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code yr. mo. day	Tow Date	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
133.0	55.0	25 04.8	AX	66 04 27	1050	147	385	3.81	100.0	21	60
133.0	60.0	24 54.8	AX	66 04 27	1306	128	440	2.91	100.0	37	23
137.0	22.0	25 36.0	AX	66 04 28	1202	40	175	2.26	100.0	243	94
137.0	23.0	25 34.0	AX	66 04 28	1108	77	181	4.24	100.0	63	52
137.0	30.0	25 19.1	AX	66 04 28	0756	146	353	4.13	100.0	54	140
137.0	35.0	25 10.3	AX	66 04 28	0546	128	392	3.27	100.0	22	160
137.0	40.0	25 00.0	AX	66 04 28	0300	143	362	3.93	100.0	49	605
137.0	45.0	24 50.0	AX	66 04 28	0031	137	389	3.52	100.0	23	36
137.0	50.0	24 40.0	AX	66 04 27	2206	139	390	3.58	100.0	39	51
137.0	55.0	24 30.0	AX	66 04 27	1941	146	389	3.75	100.0	85	212
137.0	60.0	24 19.6	AX	66 04 27	1711	144	394	3.65	100.0	61	11

TABLE 1. (cont.)

CalCOFI Cruise 6605

Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
80.0	51.0	34 26.0	JD	66 05 05	1843	55	262	2.09	100.0	112	9
80.0	52.0	34 24.5	JD	66 05 05	1746	135	431	3.14	100.0	301	43
80.0	55.0	34 19.0	JD	66 05 05	1606	125	470	3.65	100.0	299	62
80.0	60.0	34 09.0	JD	66 05 05	1306	136	393	3.45	100.0	2098	362
80.0	65.0	33 59.0	JD	66 05 05	1006	138	420	3.29	100.0	26	19
80.0	70.0	33 48.0	JD	66 05 05	0726	141	429	3.42	100.0	32	64
80.0	80.0	33 29.0	JD	66 05 05	0325	141	412	3.43	100.0	196	1231
80.0	90.0	33 08.0	JD	66 05 04	2336	137	439	3.12	100.0	70	35
82.0	47.0	34 15.0	JD	66 05 05	2156	120	435	2.76	100.0	178	76
83.0	40.0	34 14.0	JD	66 05 06	0234	19	220	0.88	100.0	1023	362
83.0	43.0	34 08.0	JD	66 05 06	0041	131	446	2.94	100.0	653	49
83.0	51.0	33 52.0	JD	66 05 07	0202	104	332	3.11	100.0	2044	3562
83.0	55.0	33 45.0	JD	66 05 07	0411	145	440	3.64	100.0	244	358
83.0	60.0	33 34.0	JD	66 05 07	0646	144	392	3.68	100.0	461	668
83.0	65.0	33 24.0	JD	66 05 07	0921	140	412	3.39	100.0	129	273
83.0	70.0	33 13.5	JD	66 05 07	1156	133	432	3.08	100.0	16	10
83.0	80.0	32 54.0	JD	66 05 07	1611	127	430	2.96	100.0	62	94
83.0	90.0	32 33.5	JD	66 05 07	2036	137	400	3.44	100.0	41	340
87.0	33.0	33 54.2	JD	66 05 09	0509	32	193	1.67	100.0	683	2359
87.0	35.0	33 50.0	JD	66 05 09	0356	140	406	3.45	100.0	881	4278
87.0	40.0	33 40.0	JD	66 05 09	0136	136	412	3.29	100.0	2094	1263
87.0	45.0	33 30.0	JD	66 05 08	2306	138	435	3.18	100.0	665	1413
87.0	50.0	33 20.0	JD	66 05 08	2038	51	190	2.71	100.0	3229	1801
87.0	55.0	33 13.0	JD	66 05 08	1831	141	427	3.31	100.0	391	31
87.0	60.0	33 00.0	JD	66 05 08	1436	141	406	3.48	100.0	545	393
87.0	65.0	32 49.5	JD	66 05 08	1206	140	450	3.12	100.0	86	43
87.0	70.0	32 40.0	JD	66 05 08	0936	142	380	3.75	100.0	79	227
87.0	80.0	32 19.5	JD	66 05 08	0531	145	395	3.67	100.0	15	175
87.0	90.0	31 59.0	JD	66 05 08	0111	140	396	3.54	100.0	97	301
90.0	28.0	33 28.5	JD	66 05 09	0936	139	424	3.29	100.0	2038	1166
90.0	32.0	33 21.0	JD	66 05 09	1131	141	410	3.43	100.0	1084	2000
90.0	37.0	33 11.0	JD	66 05 09	1646	140	397	3.52	100.0	566	1207
90.0	45.0	32 54.6	JD	66 05 09	2026	141	419	3.36	100.0	754	453
90.0	50.0	32 45.5	JD	66 05 10	0011	138	406	3.41	100.0	2024	1179
90.0	55.0	32 35.0	JD	66 05 10	0246	138	417	3.31	100.0	116	17
90.0	60.0	32 25.0	JD	66 05 10	0451	141	386	3.67	100.0	226	124
90.0	65.0	32 14.5	JD	66 05 10	0706	137	406	3.38	100.0	37	47
90.0	70.0	32 05.0	JD	66 05 10	0936	140	400	3.50	100.0	61	89
90.0	80.0	31 44.5	JD	66 05 11	1426	140	398	3.51	100.0	73	94
90.0	90.0	31 26.5	JD	66 05 11	0151	141	421	3.34	100.0	54	46
93.0	27.0	32 56.0	JD	66 05 12	1748	65	201	3.24	100.0	384	259
93.0	28.0	32 54.7	JD	66 05 12	1706	126	458	2.75	100.0	1225	1364
93.0	30.0	32 50.5	JD	66 05 12	1536	138	449	3.09	100.0	222	1760
93.0	35.0	32 41.0	JD	66 05 12	1316	138	410	3.35	100.0	718	423
93.0	40.0	32 29.5	JD	66 05 12	0856	138	408	3.38	100.0	571	1335

CalCOFI Cruise 6605

46

TABLE 1. (cont.)

CalCOFI Cruise 6605

Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
107.0	32.0	116 11.0	JD	66 05 19	1201	141	429	3.29	100.0	52	23
107.0	35.0	116 22.5	JD	66 05 19	1036	140	398	3.53	100.0	11	192
107.0	40.0	116 40.0	JD	66 05 19	0806	140	408	3.42	100.0	38	197
107.0	45.0	117 01.0	JD	66 05 19	0616	140	423	3.32	100.0	98	234
107.0	50.0	117 22.0	JD	66 05 19	0346	141	396	3.56	100.0	83	273
107.0	55.0	117 41.0	JD	66 05 19	0126	141	414	3.39	100.0	67	309
107.0	60.0	118 01.5	JD	66 05 18	2301	140	424	3.30	100.0	142	380
107.0	65.0	118 21.0	JD	66 05 18	2041	138	430	3.22	100.0	243	318
107.0	70.0	118 41.0	JD	66 05 18	1826	143	442	3.24	100.0	60	306
107.0	80.0	119 21.0	JD	66 05 18	1421	140	451	3.09	100.0	61	516
107.0	90.0	119 58.0	JD	66 05 18	1011	137	456	3.01	100.0	49	211
110.0	32.0	115 47.8	JD	66 05 19	1709	18	124	1.44	100.0	27	331
110.0	35.0	116 00.0	JD	66 05 19	1826	142	400	3.39	100.0	36	40
110.0	40.0	116 19.5	JD	66 05 19	2046	138	416	3.33	100.0	123	73
110.0	45.0	116 40.5	JD	66 05 19	2306	138	417	3.31	100.0	121	37
110.0	50.0	117 02.5	JD	66 05 20	0126	140	400	3.51	100.0	152	61
110.0	55.0	117 24.0	JD	66 05 20	0341	414	408	3.46	100.0	185	422
110.0	60.0	117 39.0	JD	66 05 20	0526	141	417	3.38	100.0	33	211
110.0	65.0	117 59.0	JD	66 05 20	0741	138	431	3.21	100.0	50	146
110.0	70.0	118 18.0	JD	66 05 20	1006	135	440	3.07	100.0	39	373
110.0	80.0	118 57.0	JD	66 05 20	1401	139	436	3.19	100.0	63	72
110.0	90.0	119 35.0	JD	66 05 21	1736	140	443	3.17	100.0	89	121
113.0	30.0	115 13.2	JD	66 05 21	2234	18	134	1.35	100.0	4	16
113.0	35.0	115 18.0	JD	66 05 21	2144	48	206	2.33	100.0	9	69
113.0	40.0	115 38.0	JD	66 05 21	1921	125	448	2.78	100.0	163	342
113.0	45.0	115 27.0	JD	66 05 21	1716	138	447	3.08	100.0	18	61
113.0	50.0	116 18.0	JD	66 05 21	1456	136	399	3.41	100.0	166	87
113.0	55.0	116 37.0	JD	66 05 21	1226	138	418	3.31	100.0	16	6
113.0	60.0	117 00.5	JD	66 05 21	0951	136	436	3.12	100.0	66	70
113.0	65.0	117 37.0	JD	66 05 21	0501	140	414	3.38	100.0	34	105
113.0	70.0	117 55.0	JD	66 05 21	0246	137	438	3.14	100.0	43	92
113.0	80.0	118 02.0	JD	66 05 21	2241	137	403	3.39	100.0	129	445
113.0	85.0	118 33.5	JD	66 05 22	2339	43	223	1.83	100.0	1	69
117.0	25.0	114 37.0	JD	66 05 22	0239	70	227	3.08	100.0	8	69
117.0	26.0	114 41.5	JD	66 05 22	0333	94	314	3.00	100.0	307	3490
117.0	30.0	114 56.5	JD	66 05 22	0542	94	314	3.00	100.0	77	75
117.0	35.0	115 16.0	JD	66 05 22	0736	132	438	3.19	100.0	58	41
117.0	40.0	115 35.5	JD	66 05 22	1131	137	428	3.19	100.0	58	41
117.0	45.0	115 56.0	JD	66 05 22	1341	138	415	3.33	100.0	23	32
117.0	50.0	116 15.0	JD	66 05 22	1516	140	490	2.86	100.0	9	126
117.0	55.0	116 34.5	JD	66 05 22	1826	141	432	3.27	100.0	56	658
117.0	60.0	116 53.0	JD	66 05 22	2056	138	424	3.26	100.0	23	2303
117.0	65.0	117 13.0	JD	66 05 22	2351	137	428	3.21	100.0	34	147
117.0	70.0	117 32.5	JD	66 05 23	0206	137	443	3.09	100.0	17	96
117.0	80.0	118 13.5	JD	66 05 23	0601	136	443	3.07	100.0	35	526
118.0	39.0	115 23.7	JD	66 05 22	0951	138	416	3.33	100.0	206	293

TABLE 1. (cont.)

CalCOFI Cruise 6605

Line Station	Lat.(N) deg. min.	Long.(W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
119.0	33.0	28 19.0	JD	66 05 24	0759	67	227	2.96	100.0	381	970
120.0	28 25.0	114 53.0	JD	66 05 24	1259	27	166	1.64	100.0	59	679
120.0	24.0	114 10.7	JD	66 05 24	1239	42	219	1.91	100.0	9	302
120.0	28 22.5	114 15.0	JD	66 05 24	1458	85	266	3.22	100.0	15	623
120.0	30.0	28 13.0	JD	66 05 24	1448	56	242	2.34	100.0	17	281
120.0	35.0	114 54.0	JD	66 05 24	0454	31	218	1.41	100.0	383	485
120.0	40.0	27 56.5	JD	66 05 24	0211	143	387	3.69	100.0	236	27
120.0	45.0	115 33.0	JD	66 05 24	2341	121	408	2.96	100.0	92	164
120.0	50.0	115 52.5	JD	66 05 23	2116	140	401	3.49	100.0	163	131
120.0	55.0	116 12.0	JD	66 05 23	1906	138	453	3.04	100.0	93	183
120.0	60.0	116 30.5	JD	66 05 23	1646	140	416	3.36	100.0	52	184
120.0	65.0	116 50.5	JD	66 05 23	1426	139	404	3.44	100.0	98	77
120.0	70.0	117 10.0	JD	66 05 23	1016	137	413	3.32	100.0	131	278
120.0	80.0	117 48.0	JD	66 05 24	2159	33	203	1.61	100.0	1808	44
123.0	36.0	114 36.2	JD	66 05 24	2238	53	195	2.72	100.0	497	11
123.0	37.0	114 40.0	JD	66 05 25	0021	138	412	3.35	100.0	38	16
123.0	40.0	114 52.0	JD	66 05 25	0236	140	424	3.39	100.0	150	803
123.0	45.0	115 11.5	JD	66 05 25	0501	143	424	3.36	100.0	43	267
123.0	50.0	115 31.0	JD	66 05 25	0701	141	430	3.27	100.0	48	141
123.0	55.0	115 49.0	JD	66 05 25	0916	140	424	3.30	100.0	64	365
123.0	60.0	116 09.8	JD	66 05 25	1126	139	436	3.20	100.0	33	312
123.0	65.0	116 27.0	JD	66 05 25	1316	139	407	3.42	100.0	33	173
123.0	70.0	116 47.0	JD	66 05 26	1044	41	173	2.34	100.0	13	64
127.0	33.0	114 02.2	JD	66 05 26	0944	68	236	2.89	100.0	13	144
127.0	34.0	114 06.5	JD	66 05 26	0651	140	429	3.27	100.0	10	60
127.0	40.0	114 32.5	JD	66 05 26	0426	139	413	3.36	100.0	157	28
127.0	45.0	114 50.0	JD	66 05 26	0205	140	428	3.27	100.0	110	488
127.0	50.0	115 08.5	JD	66 05 26	2341	141	423	3.34	100.0	117	353
127.0	55.0	115 27.0	JD	66 05 25	2131	137	378	3.63	100.0	160	255
127.0	60.0	115 46.5	JD	66 05 25	1916	142	420	3.38	100.0	66	8
127.0	65.0	116 06.0	JD	66 05 25	1701	140	420	3.32	100.0	41	104
127.0	70.0	116 24.5	JD	66 05 26	1449	41	227	1.80	100.0	5	460
130.0	28.0	113 21.0	JD	66 05 26	1608	62	221	2.79	100.0	3	109
130.0	30.0	113 29.0	JD	66 05 26	1816	129	472	2.74	100.0	95	68
130.0	35.0	113 48.0	JD	66 05 26	2016	139	416	3.34	100.0	76	92
130.0	40.0	114 07.0	JD	66 05 26	2236	137	404	3.40	100.0	202	119
130.0	45.0	114 26.0	JD	66 05 27	0051	141	396	3.57	100.0	80	87
130.0	50.0	114 45.0	JD	66 05 27	0311	141	405	3.49	100.0	236	78
130.0	55.0	115 03.5	JD	66 05 27	0531	140	398	3.51	100.0	39	52
130.0	60.0	115 21.5	JD	66 05 27	0746	141	431	3.63	100.0	52	23
130.0	65.0	115 39.5	JD	66 05 27	1016	141	423	3.32	100.0	125	15
130.0	70.0	116 02.0	JD	66 05 28	0934	47	164	2.89	100.0	0	71
133.0	23.0	112 48.4	JD	66 05 28	0818	66	239	2.75	100.0	2	15
133.0	25.0	112 48.0	JD	66 05 28	0556	143	410	3.49	100.0	2	1
133.0	30.0	113 07.5	JD	66 05 28	0331	137	421	3.27	100.0	27	43
133.0	35.0	113 26.7	JD	66 05 28	0331	137	421	3.27	100.0	27	43

TABLE 1. (cont.)

CalCOFI Cruise 6605

Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
133.0	40.0	25 34.5	113 45.5	JD	66 05 28	0051	141	415	3.40	100.0	44
133.0	45.0	25 24.0	114 05.0	JD	66 05 27	2221	143	419	3.41	100.0	24
133.0	50.0	25 14.5	114 24.0	JD	66 05 27	2011	143	419	3.40	100.0	973
133.0	55.0	25 04.5	114 13.0	JD	66 05 27	1801	143	416	3.43	100.0	53
133.0	60.0	24 54.5	114 02.0	JD	66 05 27	1536	144	411	3.50	100.0	36
137.0	22.0	25 36.1	112 14.8	JD	66 05 28	1309	44	208	2.10	100.0	69
137.0	23.0	25 34.0	112 19.0	JD	66 05 28	1353	71	218	3.25	100.0	0
137.0	30.0	25 20.0	112 46.0	JD	66 05 28	1656	141	412	3.41	100.0	34
137.0	35.0	25 10.0	113 04.5	JD	66 05 28	1856	135	427	3.16	100.0	127
137.0	40.0	25 00.0	113 23.5	JD	66 05 28	2106	140	394	3.56	100.0	500
137.0	45.0	24 50.0	113 43.0	JD	66 05 28	2316	141	401	3.52	100.0	1431
137.0	50.0	24 40.0	114 02.0	JD	66 05 29	0136	139	426	3.26	100.0	80
137.0	55.0	24 30.0	114 20.5	JD	66 05 29	0351	142	392	3.63	100.0	14
137.0	60.0	24 20.0	114 39.5	JD	66 05 29	0556	140	421	3.31	100.0	4

TABLE 1. (cont.)

CalCOFI Cruise 6606

Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
60.0	50.0	37 57.5	JD	66 06 12	1324	33	122	2.70	100.0	6	80
60.0	52.0	123 01.7	JD	66 06 12	1508	72	227	3.18	100.0	3	75
60.0	55.0	37 47.0	JD	66 06 12	1652	100	315	3.19	100.0	33	7
60.0	55.0	37 47.0	JD	66 06 12	1926	142	709	2.83	100.0	45	4
60.0	65.0	37 27.0	JD	66 06 12	2146	187	579	3.23	100.0	101	16
60.0	70.0	37 17.0	JD	66 06 13	0016	142	343	4.13	100.0	55	17
60.0	80.0	36 56.0	JD	66 06 13	0451	142	475	2.93	100.0	323	14
60.0	90.0	36 37.8	JD	66 06 13	0901	134	364	3.69	100.0	40	8
63.0	50.0	37 23.3	JD	66 06 14	0839	19	156	1.19	100.0	13	24
63.0	52.0	37 19.0	JD	66 06 14	0738	68	246	2.79	100.0	2	90
63.0	55.0	37 13.0	JD	66 06 14	0531	141	432	3.27	100.0	354	9
63.0	60.0	37 03.3	JD	66 06 14	0301	137	424	3.23	100.0	82	20
63.0	65.0	36 53.0	JD	66 06 14	0031	134	472	2.84	100.0	80	33
63.0	70.0	36 42.5	JD	66 06 13	2201	134	466	2.88	100.0	36	212
63.0	80.0	36 23.0	JD	66 06 13	1746	144	436	3.31	12.0	8	22
63.0	90.0	36 03.0	JD	66 06 13	1331	137	389	3.51	100.0	31	410
67.0	48.0	36 52.9	JD	66 06 14	1259	35	121	2.89	100.0	11	273
67.0	50.0	36 48.0	JD	66 06 14	1402	94	267	3.51	100.0	27	108
67.0	55.0	36 39.0	JD	66 06 14	1626	137	447	3.05	100.0	94	142
67.0	60.0	36 28.0	JD	66 06 14	1906	140	457	3.07	100.0	81	112
67.0	65.0	36 17.8	JD	66 06 14	2121	138	433	3.19	100.0	39	21
67.0	70.0	36 08.0	JD	66 06 14	2336	138	423	3.27	100.0	172	92
67.0	80.0	35 48.0	JD	66 06 15	0351	142	436	3.25	100.0	21	101
67.0	90.0	35 26.5	JD	66 06 15	0751	137	428	3.20	100.0	23	55
70.0	53.0	36 11.3	JD	66 06 16	0526	134	444	3.02	100.0	71	8
70.0	53.0	36 06.5	JD	66 06 16	0351	134	435	3.08	100.0	42	67
70.0	60.0	35 53.0	JD	66 06 16	0056	136	409	3.34	100.0	61	220
70.0	65.0	35 43.0	JD	66 06 15	2206	137	430	3.18	100.0	41	104
70.0	70.0	35 33.0	JD	66 06 15	1926	141	438	3.21	100.0	52	414
70.0	80.0	35 13.5	JD	66 06 15	1526	142	428	3.32	100.0	16	66
70.0	90.0	34 53.0	JD	66 06 15	1136	137	452	3.03	100.0	37	115
73.0	50.0	35 37.2	JD	66 06 16	0933	65	239	2.71	100.0	22	3
73.0	53.0	35 31.5	JD	66 06 16	1046	140	421	3.33	100.0	44	23
73.0	60.0	35 17.5	JD	66 06 16	1341	137	433	3.17	100.0	42	52
73.0	65.0	35 08.0	JD	66 06 16	1601	145	445	3.26	100.0	16	147
73.0	70.0	34 58.0	JD	66 06 16	1821	140	438	3.19	100.0	113	191
73.0	80.0	34 38.0	JD	66 06 16	2216	139	442	3.14	100.0	27	8
73.0	90.0	34 18.5	JD	66 06 17	0226	142	427	3.31	100.0	73	78
77.0	48.0	35 08.3	JD	66 06 18	1229	25	102	2.50	100.0	54	208
77.0	51.0	35 02.0	JD	66 06 18	0036	137	405	3.38	100.0	41	42
77.0	55.0	34 54.5	JD	66 06 17	2241	141	401	3.50	100.0	121	65
77.0	60.0	34 44.0	JD	66 06 17	1951	142	438	3.23	100.0	19	207
77.0	65.0	34 34.0	JD	66 06 17	1736	139	457	3.04	100.0	90	229
77.0	70.0	34 24.2	JD	66 06 17	1506	137	449	3.04	100.0	27	100
77.0	80.0	34 04.5	JD	66 06 17	1031	137	410	3.35	100.0	49	546

TABLE 1. (cont.)

CalCOFI Cruise 6606

Line	Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
77.0	90.0	33 43.0	123 39.0	JD	66 06 17	0641	140	448	3.14	100.0	13	76
80.0	51.0	34 26.0	120 32.5	JD	66 06 18	1408	82	254	3.23	100.0	394	89
80.0	52.0	34 24.3	120 36.5	JD	66 06 18	1501	136	442	3.08	100.0	103	114
80.0	55.0	34 19.0	120 48.0	JD	66 06 18	1726	140	481	2.92	100.0	46	136
80.0	60.0	34 09.0	121 09.0	JD	66 06 18	1936	140	491	2.84	100.0	112	43
80.0	65.0	33 59.0	121 30.0	JD	66 06 18	2141	138	458	3.02	100.0	17	228
80.0	70.0	33 48.5	121 51.0	JD	66 06 19	0001	140	484	2.89	100.0	542	2398
80.0	80.0	33 28.7	122 32.0	JD	66 06 19	0411	132	478	2.77	100.0	23	78
80.0	90.0	33 09.0	123 13.0	JD	66 06 19	0811	138	489	3.02	100.0	10	80
82.0	47.0	34 15.0	119 59.0	JD	66 06 20	1101	139	489	2.85	100.0	956	508
83.0	40.0	34 14.0	119 22.0	JD	66 06 20	1504	20	146	1.35	100.0	963	1264
83.0	43.0	34 08.0	119 34.0	JD	66 06 20	1321	135	502	2.68	100.0	527	785
83.0	51.0	33 52.0	120 07.6	JD	66 06 20	0751	136	499	2.73	100.0	1110	6
83.0	55.0	33 44.0	120 24.5	JD	66 06 20	0531	139	458	3.02	100.0	180	32
83.0	60.0	33 34.0	120 45.0	JD	66 06 20	0241	135	488	2.76	100.0	658	170
83.0	65.0	33 24.0	121 06.0	JD	66 06 20	0016	132	443	3.06	100.0	308	162
83.0	70.0	33 14.2	121 26.2	JD	66 06 19	2141	139	490	2.83	100.0	277	735
83.0	80.0	32 54.0	122 08.0	JD	66 06 19	1721	140	475	2.96	100.0	29	113
83.0	90.0	32 45.5	122 50.0	JD	66 06 19	1301	138	506	2.73	100.0	19	122
87.0	33.0	33 54.2	118 29.4	JD	66 06 20	1944	34	210	1.63	100.0	954	166
87.0	35.0	33 50.0	118 37.5	JD	66 06 20	2041	139	515	2.69	100.0	2104	289
87.0	40.0	33 40.0	118 58.0	JD	66 06 20	2256	141	493	2.86	100.0	807	815
87.0	45.0	33 30.0	119 19.0	JD	66 06 21	0116	140	468	2.98	100.0	974	354
87.0	50.0	33 20.0	119 39.5	JD	66 06 21	0348	68	241	2.81	100.0	890	163
87.0	55.0	33 10.0	120 00.0	JD	66 06 21	0626	132	496	2.66	100.0	595	75
87.0	60.0	33 00.0	120 21.5	JD	66 06 21	0916	138	474	2.90	100.0	603	311
87.0	65.0	32 49.5	120 41.5	JD	66 06 21	1141	141	491	2.87	100.0	64	46
87.0	70.0	32 39.5	120 62.0	JD	66 06 21	1421	142	470	3.02	100.0	23	75
87.0	80.0	32 19.5	121 43.0	JD	66 06 21	1900	133	535	2.49	100.0	42	98
87.0	90.0	31 59.0	122 24.0	JD	66 06 21	2311	133	513	2.59	100.0	46	70
90.0	28.0	33 28.5	117 46.7	JD	66 06 23	1116	141	509	2.76	100.0	156	110
90.0	32.0	33 21.2	118 01.6	JD	66 06 23	0916	134	402	3.34	100.0	13	6
90.0	37.0	33 11.0	118 22.5	JD	66 06 23	0556	131	497	2.64	100.0	53	250
90.0	45.0	32 54.5	118 55.5	JD	66 06 23	0156	132	469	2.80	100.0	1971	209
90.0	53.0	32 39.0	119 28.5	JD	66 06 22	2141	135	466	2.89	100.0	388	92
90.0	60.0	32 25.0	119 57.5	JD	66 06 22	1826	139	486	2.86	100.0	62	120
90.0	65.0	32 14.5	120 18.0	JD	66 06 22	1541	131	490	2.62	100.0	35	111
90.0	70.0	32 05.0	120 05.0	JD	66 06 22	1251	145	444	3.27	100.0	76	85
90.0	80.0	31 45.0	121 19.5	JD	66 06 22	0806	139	494	2.81	100.0	45	171
90.0	90.0	31 24.0	122 01.0	JD	66 06 22	0336	141	486	2.89	100.0	26	523
93.0	27.0	32 56.0	117 19.0	JD	66 06 25	1906	137	503	2.73	100.0	187	205
93.0	28.0	32 54.7	117 21.8	JD	66 06 25	2021	479	140	2.92	100.0	206	192
93.0	30.0	32 50.3	117 30.8	JD	66 06 25	2136	139	478	2.91	100.0	363	51
93.0	35.0	32 40.5	117 51.5	JD	66 06 25	2341	136	478	2.84	100.0	97	7
93.0	40.0	32 30.0	118 11.5	JD	66 06 26	0216	138	476	2.90	100.0	143	21

TABLE 1. (cont.)

CalCOFI Cruise 6606											
Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
93.0	45.0	32 20.0	JD	66 06 26	0421	139	470	2.95	100.0	141	10
93.0	50.0	32 10.0	JD	66 06 26	0631	144	464	3.10	100.0	1029	186
93.0	55.0	32 03.3	JD	66 06 26	0836	142	455	3.12	100.0	753	433
93.0	60.0	31 55.5	JD	66 06 26	2046	141	462	3.05	100.0	35	95
93.0	65.0	31 40.0	JD	66 06 26	1346	132	491	2.69	100.0	8	4
93.0	70.0	31 30.0	JD	66 06 26	1626	137	486	2.81	100.0	26	188
93.0	80.0	31 10.5	JD	66 06 26	2156	142	461	3.08	100.0	29	122
93.0	90.0	30 50.0	JD	66 06 27	0221	129	470	2.75	100.0	105	365
97.0	29.0	32 17.5	JD	66 06 28	1254	40	147	2.76	100.0	95	147
97.0	30.0	32 16.0	JD	66 06 28	1214	49	159	3.07	100.0	98	461
97.0	32.0	32 12.0	JD	66 06 28	1056	140	420	3.33	100.0	8	1
97.0	40.0	31 56.0	JD	66 06 28	0706	137	464	2.96	100.0	47	38
97.0	45.0	31 46.0	JD	66 06 28	0451	141	436	3.24	100.0	43	11
97.0	50.0	31 36.0	JD	66 06 28	0220	137	467	2.92	100.0	529	932
97.0	55.0	31 25.5	JD	66 06 27	2331	140	426	3.29	100.0	40	257
97.0	60.0	31 15.5	JD	66 06 27	2111	139	372	3.73	100.0	15	24
97.0	65.0	31 05.0	JD	66 06 27	1901	137	457	3.01	100.0	48	112
97.0	70.0	30 55.0	JD	66 06 27	1601	140	465	3.00	100.0	10	186
97.0	80.0	30 35.0	JD	66 06 27	1136	141	488	2.89	100.0	120	150
97.0	90.0	30 15.5	JD	66 06 27	0626	140	462	3.04	100.0	39	179
100.0	29.0	31 42.0	JD	66 06 28	1646	135	464	2.90	100.0	30	29
100.0	30.0	31 40.5	JD	66 06 28	1741	139	420	3.32	100.0	58	70
100.0	35.0	31 30.5	JD	66 06 28	1951	132	427	3.09	100.0	26	1
100.0	40.0	31 21.0	JD	66 06 28	2201	140	417	3.35	100.0	17	45
100.0	45.0	31 10.5	JD	66 06 29	0011	135	442	3.07	100.0	19	162
100.0	50.0	31 00.5	JD	66 06 29	0221	136	419	3.25	100.0	34	229
100.0	55.0	30 50.5	JD	66 06 29	0446	139	418	3.33	100.0	21	183
100.0	60.0	30 40.5	JD	66 06 29	0726	139	420	3.32	100.0	8	70
100.0	65.0	30 30.0	JD	66 06 29	1011	140	426	3.25	100.0	27	164
100.0	70.0	30 20.5	JD	66 06 29	1306	140	436	3.22	100.0	63	157
100.0	80.0	30 00.0	JD	66 06 29	1801	137	425	3.23	100.0	76	135
100.0	90.0	29 40.5	JD	66 06 29	2231	141	417	3.39	100.0	94	181
103.0	29.0	31 07.0	JD	66 07 01	0824	14	176	0.80	100.0	85	947
103.0	30.0	31 06.0	JD	66 07 01	0739	49	179	2.74	100.0	137	434
103.0	35.0	30 56.0	JD	66 07 01	0516	139	418	3.32	100.0	53	35
103.0	40.0	30 42.0	JD	66 07 01	0246	140	419	3.34	100.0	65	116
103.0	45.0	30 33.5	JD	66 07 01	0031	140	421	3.33	100.0	67	115
103.0	50.0	30 24.0	JD	66 06 30	2216	141	419	3.37	100.0	97	190
103.0	55.0	30 14.8	JD	66 06 30	1956	140	405	3.46	100.0	173	271
103.0	60.0	30 06.0	JD	66 06 30	1706	140	428	3.26	100.0	168	252
103.0	65.0	29 56.5	JD	66 06 30	1431	140	435	3.21	100.0	89	275
103.0	70.0	29 44.3	JD	66 06 30	1141	140	432	3.24	100.0	74	168
103.0	80.0	29 26.5	JD	66 06 30	0706	140	434	3.22	100.0	367	259
103.0	90.0	29 06.0	JD	66 06 30	0236	139	434	3.21	100.0	332	233

TABLE 1. (cont.)

CalCOFI Cruise 5607

Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (pST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Factor	Percent Sorted	Total Larvae	Total Eggs
60.0	50.0	37 57.5	JD	66 07 09	1404	34	115	2.97	100.0	1	7
60.0	52.0	37 54.0	JD	66 07 09	1458	69	227	3.04	100.0	7	38
60.0	55.0	37 47.0	JD	66 07 09	1647	109	348	3.14	100.0	30	3
60.0	60.0	37 37.0	JD	66 07 09	1916	140	438	3.19	100.0	80	279
60.0	70.0	37 17.0	JD	66 07 10	0001	134	420	3.20	100.0	265	665
60.0	80.0	36 56.5	JD	66 07 10	0456	133	412	3.23	100.0	237	308
60.0	90.0	36 37.0	JD	66 07 10	1016	140	387	3.26	100.0	49	259
63.0	50.0	37 27.3	JD	66 07 11	1529	26	83	3.08	100.0	0	98
63.0	52.0	37 19.0	JD	66 07 11	1403	70	224	3.14	100.0	15	2136
63.0	55.0	37 13.0	JD	66 07 11	1126	142	377	3.76	100.0	340	17
63.0	60.0	37 03.0	JD	66 07 11	0816	138	418	3.29	100.0	410	731
63.0	70.0	36 42.0	JD	66 07 11	0231	135	424	3.19	100.0	232	12
63.0	80.0	36 23.0	JD	66 07 10	2131	139	405	3.43	100.0	273	16
63.0	90.0	36 03.0	JD	66 07 10	1601	138	429	3.22	100.0	25	13
67.0	50.0	36 48.0	JD	66 07 13	0702	95	306	3.11	100.0	2	36
67.0	55.0	36 39.0	JD	66 07 13	1211	138	395	3.50	100.0	44	43
67.0	60.0	36 27.5	JD	66 07 13	1501	138	384	3.60	100.0	69	12
67.0	70.0	36 08.0	JD	66 07 13	1936	137	451	3.04	100.0	289	29
67.0	80.0	35 48.0	JD	66 07 13	2356	137	410	3.34	100.0	45	22
67.0	90.0	35 29.0	JD	66 07 14	0456	140	402	3.47	100.0	35	31
70.0	51.0	36 11.3	JD	66 07 15	1051	129	446	2.90	100.0	1	3
70.0	53.0	36 06.5	JD	66 07 15	0901	146	389	3.76	100.0	33	40
70.0	60.0	35 53.0	JD	66 07 15	0501	142	400	3.55	100.0	102	20
70.0	70.0	35 31.0	JD	66 07 14	2216	136	426	3.12	100.0	617	55
70.0	80.0	35 14.0	JD	66 07 14	1701	141	433	3.31	100.0	20	28
70.0	90.0	34 53.0	JD	66 07 14	1146	143	422	3.38	100.0	13	15
73.0	50.0	35 37.0	JD	66 07 15	1447	83	284	2.93	100.0	30	28
73.0	53.0	35 31.5	JD	66 07 15	1611	140	420	3.33	100.0	20	8
73.0	60.0	35 17.5	JD	66 07 16	0951	141	419	3.36	100.0	90	73
73.0	70.0	34 58.0	JD	66 07 16	0551	139	382	3.63	100.0	75	33
73.0	80.0	34 38.0	JD	66 07 16	0531	139	419	3.30	100.0	69	19
73.0	90.0	34 18.5	JD	66 07 16	1145	140	455	3.07	100.0	9	91
77.0	48.0	35 08.3	JD	66 07 17	1844	21	97	2.21	100.0	22	250
77.0	51.0	35 04.0	JD	66 07 17	1600	142	417	3.41	100.0	2	1
77.0	55.0	34 55.0	JD	66 07 17	1306	137	416	3.29	100.0	48	87
77.0	60.0	34 44.0	JD	66 07 17	1036	143	383	3.74	100.0	7	7
77.0	70.0	34 24.0	JD	66 07 17	0341	141	416	3.38	100.0	30	44
77.0	80.0	34 04.0	JD	66 07 16	2306	139	409	3.39	100.0	121	25
77.0	90.0	33 44.0	JD	66 07 16	1754	144	432	3.34	100.0	7	50
80.0	51.0	34 26.0	JD	66 07 18	0307	86	284	3.04	100.0	4	50
80.0	52.0	34 24.3	JD	66 07 18	0356	142	390	3.64	100.0	7	54
80.0	55.0	34 19.0	JD	66 07 18	0556	125	463	2.71	100.0	10	9
80.0	60.0	34 09.0	JD	66 07 18	1051	139	418	3.31	100.0	7	16
80.0	65.0	33 59.0	JD	66 07 18	1405	140	447	3.13	100.0	653	38
80.0	70.0	33 48.5	JD	66 07 18	1731	148	411	3.59	100.0	12	26

TABLE 1. (cont.)

CALCOFI Cruise 6607

Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
80.0	80.0	33 28.7	JD	66 07 18	2256	142	428	3.33	100.0	9	30
80.0	90.0	33 09.0	JD	66 07 19	0421	139	436	3.19	100.0	40	19
82.0	47.0	34 15.0	JD	66 07 20	1606	139	452	3.07	100.0	7	1
83.0	43.0	34 08.0	JD	66 07 20	1911	144	424	3.41	100.0	40	73
83.0	43.0	33 52.0	JD	66 07 20	1217	105	360	2.90	100.0	7	976
83.0	55.0	33 44.5	JD	66 07 20	0931	140	410	3.41	100.0	25	115
83.0	60.0	33 34.0	JD	66 07 20	0541	141	420	3.35	100.0	72	513
83.0	65.0	33 24.0	JD	66 07 20	0316	142	426	3.35	100.0	346	153
83.0	70.0	33 12.0	JD	66 07 19	2251	144	444	3.35	100.0	36	193
83.0	80.0	32 54.0	JD	66 07 19	1756	136	454	3.00	100.0	14	12
83.0	90.0	32 34.5	JD	66 07 18	1016	141	435	3.23	100.0	37	61
87.0	32.0	33 54.2	JD	66 07 21	0144	39	157	2.47	100.0	48	619
87.0	35.0	33 50.0	JD	66 07 21	0256	136	435	3.12	100.0	258	404
87.0	40.0	33 40.0	JD	66 07 21	0601	137	414	3.31	100.0	22	1
87.0	45.0	33 30.0	JD	66 07 21	0926	145	432	3.36	100.0	94	4
87.0	50.0	33 20.0	JD	66 07 21	1308	66	246	2.69	100.0	227	96
87.0	55.0	33 10.0	JD	66 07 21	1556	139	393	3.53	100.0	165	25
87.0	60.0	33 00.0	JD	66 07 21	1926	142	442	3.21	100.0	92	48
87.0	65.0	32 49.5	JD	66 07 21	2231	140	439	3.18	100.0	221	46
87.0	70.0	32 39.5	JD	66 07 22	0041	135	444	3.03	100.0	267	208
87.0	80.0	32 19.5	JD	66 07 22	0536	137	466	2.94	100.0	52	78
87.0	90.0	31 59.0	JD	66 07 22	1106	138	479	2.89	100.0	5	15
90.0	28.0	33 28.5	JD	66 07 24	0941	143	426	3.56	100.0	76	44
90.0	32.0	33 20.5	JD	66 07 24	0701	138	424	3.25	100.0	231	469
90.0	37.0	33 11.0	JD	66 07 24	0346	138	420	3.28	100.0	186	227
90.0	45.0	32 54.5	JD	66 07 23	2346	138	412	3.34	100.0	39	2
90.0	53.0	32 39.0	JD	66 07 23	1951	134	369	3.63	100.0	55	12
90.0	60.0	32 24.0	JD	66 07 23	1541	138	445	3.10	100.0	99	47
90.0	65.0	32 14.5	JD	66 07 23	1226	141	452	3.12	100.0	2	12
90.0	70.0	32 04.5	JD	66 07 23	0931	138	443	3.12	100.0	27	35
90.0	80.0	31 46.0	JD	66 07 23	0326	133	474	2.80	100.0	27	14
90.0	90.0	31 24.0	JD	66 07 22	2246	136	457	2.98	100.0	47	76
90.0	100.0	31 05.0	JD	66 07 22	1826	138	472	2.91	100.0	13	21
93.0	27.0	32 56.0	JD	66 07 24	1412	96	315	3.05	100.0	638	62
93.0	28.0	32 54.7	JD	66 07 24	1456	133	430	3.10	100.0	275	215
93.0	30.0	32 50.5	JD	66 07 25	1201	134	428	3.13	100.0	47	10
93.0	35.0	32 40.5	JD	66 07 25	1516	140	431	3.26	100.0	6	0
93.0	45.0	32 32.0	JD	66 07 25	2046	138	434	3.17	100.0	37	5
93.0	50.0	32 10.0	JD	66 07 25	2256	139	440	3.17	100.0	38	11
93.0	55.0	32 00.0	JD	66 07 26	0201	142	449	3.16	100.0	16	4
93.0	60.0	31 50.0	JD	66 07 26	0411	140	438	3.19	100.0	426	11
93.0	65.0	31 40.0	JD	66 07 26	0741	141	454	3.10	100.0	71	4
93.0	80.0	31 10.0	JD	66 07 26	1621	139	441	3.15	100.0	74	81
93.0	90.0	30 50.0	JD	66 07 26	2126	141	462	3.05	100.0	34	380
97.0	29.0	32 17.5	JD	66 07 28	1444	42	136	3.08	100.0	44	639

TABLE 1. (cont.)

CalCOFI Cruise 6607

Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
97.0	30.0	117 07.0	JD	66 07 28	1414	49	158	3.13	100.0	36	934
97.0	32.0	117 15.2	JD	66 07 28	1301	132	391	2.38	100.0	75	13
97.0	32.0	117 15.2	JD	66 07 28	1301	132	391	2.38	100.0	75	13
97.0	35.0	117 29.5	JD	66 07 28	1046	136	503	2.70	100.0	40	25
97.0	40.0	117 48.0	JD	66 07 28	0651	143	399	3.59	100.0	40	157
97.0	45.0	118 10.0	JD	66 07 28	0351	137	437	3.14	100.0	15	39
97.0	50.0	118 30.5	JD	66 07 28	0021	139	415	3.35	100.0	62	106
97.0	55.0	118 49.5	JD	66 07 27	2201	141	408	3.46	100.0	18	107
97.0	60.0	119 12.5	JD	66 07 27	1841	140	423	3.32	100.0	34	83
97.0	65.0	119 30.0	JD	66 07 27	1611	135	432	3.14	100.0	12	786
97.0	70.0	119 51.0	JD	66 07 27	1216	138	440	3.13	100.0	21	192
97.0	80.0	120 31.0	JD	66 07 27	0631	131	461	2.85	100.0	67	245
97.0	90.0	121 10.0	JD	66 07 27	0206	132	429	3.08	100.0	465	118
100.0	29.0	116 44.0	AX	66 07 10	1018	66	324	2.04	100.0	19	62
100.0	30.0	116 46.5	AX	66 07 10	1156	124	525	2.37	100.0	7	73
100.0	35.0	117 06.0	AX	66 07 10	1416	144	476	3.02	100.0	19	15
100.0	40.0	117 25.0	AX	66 07 10	1746	148	434	3.42	100.0	10	153
100.0	45.0	117 46.5	AX	66 07 10	2011	134	452	2.97	100.0	33	393
100.0	50.0	118 06.8	AX	66 07 10	2351	144	421	3.41	100.0	50	100
100.0	55.0	118 27.0	AX	66 07 11	0216	146	426	3.44	100.0	15	42
100.0	60.0	118 47.5	AX	66 07 11	0536	119	578	2.06	100.0	8	145
100.0	65.0	119 07.0	AX	66 07 11	0816	147	423	3.48	100.0	7	50
100.0	70.0	119 27.0	AX	66 07 11	1241	150	421	3.56	100.0	59	170
100.0	80.0	120 06.5	AX	66 07 11	1736	149	520	2.88	100.0	107	229
100.0	90.0	120 45.0	AX	66 07 11	2251	150	429	3.48	100.0	145	657
100.0	100.0	121 26.0	AX	66 07 12	0401	148	480	3.08	100.0	38	980
103.0	30.0	116 25.5	AX	66 07 13	2348	63	228	2.75	100.0	27	378
103.0	35.0	116 44.8	AX	66 07 13	2041	92	612	1.50	100.0	62	152
103.0	40.0	117 03.0	AX	66 07 13	1636	136	431	3.15	100.0	25	75
103.0	45.0	117 22.2	AX	66 07 13	1316	143	464	3.07	100.0	14	548
103.0	50.0	117 42.0	AX	66 07 13	0951	142	444	3.20	100.0	39	436
103.0	55.0	118 04.6	AX	66 07 13	0606	140	472	2.97	100.0	82	288
103.0	60.0	118 23.9	AX	66 07 13	0306	147	449	3.27	100.0	136	126
103.0	65.0	118 44.0	AX	66 07 12	2321	132	522	2.53	100.0	167	163
103.0	70.0	119 06.5	AX	66 07 12	2011	141	476	2.95	100.0	194	344
103.0	80.0	119 40.9	AX	66 07 12	1446	135	490	2.76	100.0	42	437
107.0	31.0	116 07.0	AX	66 07 14	1804	35	237	1.46	100.0	42	946
107.0	32.0	116 10.8	AX	66 07 14	1936	138	465	2.98	100.0	28	83
107.0	35.0	116 21.5	AX	66 07 14	2151	143	445	3.20	100.0	48	178
107.0	40.0	116 40.5	AX	66 07 15	0111	145	419	3.46	100.0	93	188
107.0	45.0	117 01.5	AX	66 07 15	0341	128	466	2.75	100.0	393	393
107.0	50.0	117 19.8	AX	66 07 15	0701	140	469	2.99	100.0	241	148
107.0	55.0	117 42.0	AX	66 07 15	0936	143	444	3.22	100.0	335	343
107.0	60.0	118 01.8	AX	66 07 15	1221	141	454	3.01	100.0	49	824
107.0	65.0	118 21.0	AX	66 07 15	1431	142	468	3.12	100.0	152	449
107.0	70.0	118 41.1	AX	66 07 15	1746	134	482	2.78	100.0	43	254

TABLE 1. (cont.)

CALCOFI Cruise 6607

Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
007.0	80.0	28 51.5	AX	66 07 15	2311	141	446	3.17	100.0	251	909
10.0	32.0	29 52.0	AX	66 07 17	1609	21	178	1.20	100.0	6	326
110.0	35.0	29 45.6	AX	66 07 17	1421	121	460	2.64	100.0	3	124
110.0	41.0	29 28.3	AX	66 07 17	1016	124	475	2.62	100.0	55	393
110.0	45.0	29 20.5	AX	66 07 17	0721	146	462	3.15	100.0	165	115
110.0	50.0	29 12.5	AX	66 07 17	0456	133	511	2.61	100.0	112	101
110.0	55.0	29 03.7	AX	66 07 17	0126	140	441	3.18	100.0	303	289
110.0	60.0	29 05.5	AX	66 07 16	2301	138	461	2.99	100.0	464	222
110.0	65.0	28 47.0	AX	66 07 16	1941	140	474	2.94	100.0	150	543
110.0	70.0	28 36.4	AX	66 07 16	1641	139	484	2.88	100.0	23	551
110.0	80.0	28 16.0	AX	66 07 16	1101	144	451	3.19	100.0	38	715
113.0	29.0	29 24.3	AX	66 07 17	2034	19	145	3.19	100.0	50	313
113.0	30.0	29 22.0	AX	66 07 17	2138	52	233	2.24	100.0	256	427
113.0	35.0	29 12.0	AX	66 07 17	0041	140	430	3.25	100.0	56	36
113.0	40.0	29 02.0	AX	66 07 18	0351	139	460	3.02	100.0	85	86
113.0	45.0	28 51.5	AX	66 07 18	0606	143	505	2.83	100.0	19	16
113.0	50.0	28 41.5	AX	66 07 18	0856	140	437	3.22	100.0	76	149
113.0	55.0	28 31.3	AX	66 07 18	1111	138	438	3.14	100.0	60	214
113.0	60.0	28 21.3	AX	66 07 18	1401	139	424	3.27	100.0	186	351
113.0	65.0	28 12.0	AX	66 07 18	1616	140	431	3.25	100.0	370	275
113.0	70.0	28 01.0	AX	66 07 18	1936	139	442	3.15	100.0	120	854
113.0	80.0	27 42.5	AX	66 07 18	2356	143	427	3.34	100.0	23	194
117.0	25.0	28 58.0	AX	66 07 21	0919	25	117	1.81	100.0	115	290
117.0	26.0	28 55.7	AX	66 07 21	0833	69	223	2.96	100.0	499	601
117.0	30.0	28 47.2	AX	66 07 21	0632	88	335	2.61	100.0	617	436
117.0	35.0	28 38.2	AX	66 07 20	0611	126	491	2.57	100.0	153	89
117.0	40.0	28 27.8	AX	66 07 20	0256	139	421	3.30	100.0	191	145
117.0	45.0	28 18.8	AX	66 07 19	2331	137	440	3.12	100.0	222	151
117.0	50.0	28 08.0	AX	66 07 19	2041	148	448	3.12	100.0	109	37
117.0	55.0	27 57.3	AX	66 07 19	1740	148	457	3.24	100.0	124	26
117.0	60.0	27 48.0	AX	66 07 19	1511	137	444	3.09	100.0	225	90
117.0	65.0	27 42.0	AX	66 07 19	1216	142	431	3.28	100.0	241	884
117.0	70.0	27 27.5	AX	66 07 19	0946	143	432	3.51	100.0	53	235
117.0	80.0	27 08.0	AX	66 07 19	0446	144	434	3.31	100.0	18	1708
118.0	39.0	28 18.4	AX	66 07 20	0851	135	436	3.09	100.0	293	321
119.0	32.0	28 17.3	AX	66 07 21	0252	82	263	3.10	100.0	656	463
120.0	24.0	28 24.0	AX	66 07 21	1319	29	224	1.28	100.0	12	446
120.0	25.0	28 22.5	AX	66 07 21	1359	49	257	1.92	100.0	68	616
120.0	30.0	28 11.4	AX	66 07 21	1618	72	343	2.08	100.0	412	638
120.0	35.0	28 02.5	AX	66 07 21	1844	69	250	2.77	100.0	627	163
120.0	40.0	27 56.8	AX	66 07 21	2039	23	147	1.59	100.0	553	863
120.0	45.0	27 43.4	AX	66 07 21	2331	138	420	3.30	100.0	79	75
120.0	50.0	27 32.3	AX	66 07 22	0241	137	435	3.16	100.0	200	68
120.0	55.0	27 21.0	AX	66 07 22	0501	127	489	2.60	100.0	89	111
120.0	60.0	27 13.2	AX	66 07 22	0746	138	446	3.10	100.0	95	1349

TABLE 1. (cont.)

CALCOFI Cruise 6607

Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
120.0	65.0	27 02.5	AX	66 07 22	1016	140	436	3.22	100.0	84	216
120.0	70.0	26 54.0	AX	66 07 22	1331	139	464	3.00	100.0	20	398
120.0	80.0	26 32.5	AX	66 07 22	1816	135	472	2.86	100.0	46	387
123.0	36.0	27 26.5	AX	66 07 24	0549	26	184	1.40	100.0	48	767
123.0	37.0	27 14.8	AX	66 07 24	0448	50	284	1.76	100.0	35	152
123.0	42.0	27 13.2	AX	66 07 24	0221	128	486	2.64	100.0	382	208
123.0	45.0	27 07.5	AX	66 07 23	2341	137	458	2.99	100.0	92	290
123.0	50.0	26 57.5	AX	66 07 23	2111	141	454	3.10	100.0	200	100
123.0	55.0	26 48.4	AX	66 07 23	1756	141	479	2.94	100.0	81	76
123.0	60.0	26 36.0	AX	66 07 23	1541	134	479	2.80	100.0	98	98
123.0	65.0	26 26.9	AX	66 07 23	1236	138	500	2.76	100.0	48	18
123.0	70.0	26 17.5	AX	66 07 23	0946	137	474	2.89	100.0	26	381
123.0	80.0	25 59.3	AX	66 07 23	0501	123	502	2.45	100.0	325	258
127.0	33.0	26 57.3	AX	66 07 24	1033	58	242	2.39	100.0	4	173
127.0	34.0	26 55.5	AX	66 07 24	1138	84	252	3.33	100.0	6	65
127.0	40.0	26 44.0	AX	66 07 24	1446	130	437	2.98	100.0	94	60
127.0	45.0	26 33.5	AX	66 07 24	1706	139	443	3.13	100.0	55	29
127.0	50.0	26 23.6	AX	66 07 24	2001	138	429	3.22	100.0	82	233
127.0	55.0	26 13.7	AX	66 07 24	2221	128	471	2.72	100.0	132	79
127.0	60.0	26 03.5	AX	66 07 25	0106	127	476	2.68	100.0	96	50
127.0	65.0	25 54.0	AX	66 07 25	0326	132	462	2.85	100.0	244	157
127.0	70.0	25 44.0	AX	66 07 25	0636	139	459	3.02	100.0	76	84
127.0	80.0	25 24.0	AX	66 07 25	1111	131	487	2.69	100.0	362	45
130.0	28.0	26 31.8	AX	66 07 27	0049	37	268	1.37	100.0	0	2
130.0	30.0	26 28.8	AX	66 07 26	2353	72	300	2.40	100.0	0	1
130.0	35.0	26 19.5	AX	66 07 26	2126	134	433	3.11	100.0	6	20
130.0	40.0	26 09.4	AX	66 07 26	1856	121	526	2.30	100.0	14	97
130.0	45.0	25 59.0	AX	66 07 26	1541	131	505	2.60	100.0	134	331
130.0	50.0	25 49.0	AX	66 07 26	1326	140	507	2.80	100.0	156	23
130.0	55.0	25 39.2	AX	66 07 26	1021	146	495	2.94	100.0	125	53
130.0	60.0	25 29.0	AX	66 07 26	0751	141	500	2.81	100.0	150	676
130.0	65.0	25 18.2	AX	66 07 26	0446	133	459	2.90	100.0	142	3481
130.0	70.0	25 08.8	AX	66 07 26	0221	130	490	2.65	100.0	252	187
130.0	80.0	24 50.0	AX	66 07 25	1706	132	487	2.71	100.0	319	110
130.0	90.0	24 28.0	AX	66 07 25	1706	130	500	2.60	100.0	70	17
133.0	23.0	26 08.5	AX	66 07 27	0443	66	243	2.71	100.0	196	1236
133.0	25.0	26 04.6	AX	66 07 27	0603	70	256	2.75	100.0	211	263
133.0	30.0	25 54.5	AX	66 07 27	0846	144	539	2.67	100.0	22	3
133.0	35.0	25 44.0	AX	66 07 27	1106	147	498	2.95	100.0	15	207
133.0	40.0	25 34.0	AX	66 07 27	1356	144	504	2.86	100.0	33	40
133.0	45.0	25 24.0	AX	66 07 27	1616	150	515	2.91	100.0	6	46
133.0	50.0	25 15.0	AX	66 07 27	1836	150	523	2.87	100.0	25	113
133.0	55.0	25 05.0	AX	66 07 27	2026	143	506	2.82	100.0	238	188
133.0	60.0	24 54.5	AX	66 07 27	2316	145	496	2.92	100.0	211	163
137.0	22.0	25 36.0	AX	66 07 28	2344	42	198	2.11	100.0	886	5551

TABLE 1. (cont.)

CalCOFI Cruise 6607											
Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code yr.	Tow Date mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
137.0 23.0	25 34.2	112 18.8	AX	66 07 28	2258	70	258	2.72	100.0	327	56
137.0 30.0	25 20.7	112 47.0	AX	66 07 28	1951	135	472	2.86	100.0	77	29
137.0 35.0	25 07.0	113 04.9	AX	66 07 28	1626	136	493	2.76	100.0	12	310
137.0 40.0	24 56.0	113 23.0	AX	66 07 28	1406	125	508	2.46	100.0	9	192
137.0 46.0	24 43.5	113 43.6	AX	66 07 28	1106	135	424	3.17	100.0	15	32
137.0 50.0	24 36.5	114 00.5	AX	66 07 28	0856	142	486	2.93	100.0	37	54
137.0 55.0	24 29.0	114 18.0	AX	66 07 28	0611	145	518	2.79	100.0	24	814
137.0 60.0	24 21.0	114 37.8	AX	66 07 28	0346	142	544	2.60	100.0	83	730

TABLE 1. (cont.)

CalCOFI Cruise 6608

Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
80.0	51.0	34 26.0	JD	66 08 05	1318	79	439	1.80	100.0	12	210
80.0	52.0	34 24.5	JD	66 08 05	1401	137	465	2.95	100.0	16	110
80.0	53.0	34 19.0	JD	66 08 05	1541	140	438	3.21	100.0	111	4
80.0	60.0	34 09.0	JD	66 08 05	1811	138	421	3.28	100.0	38	8
80.0	65.0	33 59.0	JD	66 08 05	2031	143	431	3.31	100.0	46	13
80.0	70.0	33 48.5	JD	66 08 05	2301	145	419	3.46	100.0	36	7
80.0	80.0	33 28.7	JD	66 08 06	0331	141	426	3.32	100.0	15	2
80.0	90.0	33 09.0	JD	66 08 06	0746	142	429	3.31	100.0	7	10
82.0	47.0	34 15.0	JD	66 08 05	0936	138	468	2.94	100.0	77	10
83.0	40.0	34 14.4	JD	66 08 07	1429	18	153	1.16	100.0	117	664
83.0	43.0	34 08.0	JD	66 08 07	1521	129	398	3.23	100.0	492	187
83.0	51.0	33 52.0	JD	66 08 07	0546	126	356	3.54	100.0	430	23
83.0	55.0	33 45.0	JD	66 08 07	0401	139	398	3.50	100.0	80	3
83.0	60.0	33 34.0	JD	66 08 07	0120	132	441	2.99	100.0	43	10
83.0	65.0	33 24.0	JD	66 08 06	2301	141	448	3.14	100.0	65	10
83.0	70.0	33 14.5	JD	66 08 06	2036	142	450	3.15	100.0	69	12
83.0	80.0	32 54.0	JD	66 08 06	1626	137	445	3.00	100.0	21	12
83.0	90.0	32 34.5	JD	66 08 06	1356	137	445	3.07	100.0	9	8
87.0	33.0	33 54.2	JD	66 08 07	1854	45	159	2.86	100.0	453	262
87.0	35.0	33 50.0	JD	66 08 07	1956	135	423	3.40	100.0	426	123
87.0	40.0	33 40.0	JD	66 08 07	2201	127	442	2.88	100.0	256	57
87.0	45.0	33 30.0	JD	66 08 08	0006	124	447	2.77	100.0	19	16
87.0	50.0	33 20.0	JD	66 08 08	0238	67	217	3.09	100.0	32	2
87.0	55.0	33 10.0	JD	66 08 08	0451	136	431	3.14	100.0	17	1
87.0	60.0	33 00.0	JD	66 08 08	0721	137	438	3.13	100.0	16	11
87.0	65.0	32 49.5	JD	66 08 08	0926	134	446	3.01	100.0	7	0
87.0	70.0	32 39.5	JD	66 08 08	1141	140	412	3.39	100.0	25	12
87.0	80.0	32 19.5	JD	66 08 08	1546	140	432	3.23	100.0	9	10
87.0	90.0	31 59.0	JD	66 08 08	1956	135	423	3.19	100.0	13	21
90.0	28.0	33 27.3	JD	66 08 10	0416	140	394	3.54	100.0	2227	682
90.0	30.0	33 24.8	JD	66 08 10	0256	145	390	3.71	100.0	716	63
90.0	32.0	33 20.5	JD	66 08 10	0151	139	370	3.76	100.0	65	345
90.0	37.0	33 11.0	JD	66 08 09	2336	138	401	3.45	100.0	119	241
90.0	45.0	32 54.5	JD	66 08 09	2026	135	455	2.97	100.0	54	7
90.0	50.0	32 44.8	JD	66 08 09	1751	137	425	3.22	100.0	8	1
90.0	55.0	32 35.0	JD	66 08 09	1531	138	431	3.20	100.0	15	5
90.0	60.0	32 25.0	JD	66 08 09	1326	140	434	3.47	100.0	14	1
90.0	65.0	32 14.5	JD	66 08 09	1120	141	395	3.57	100.0	10	6
90.0	70.0	32 04.5	JD	66 08 09	0856	133	427	3.12	100.0	9	9
90.0	80.0	31 45.5	JD	66 08 09	0411	141	438	3.21	100.0	18	17
90.0	90.0	31 24.0	JD	66 08 09	0011	142	424	3.35	100.0	54	169
93.0	27.0	32 56.0	JD	66 08 10	0823	86	240	3.59	100.0	108	91
93.0	28.0	32 54.7	JD	66 08 10	0901	149	370	4.03	100.0	51	675
93.0	30.0	32 50.2	JD	66 08 11	1836	137	406	3.38	100.0	58	8
93.0	35.0	32 39.2	JD	66 08 11	2051	134	389	3.44	100.0	80	4

TABLE 1. (cont.)

CalCOFI Cruise 6608

Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
93.0	40.0	32 30.0	JD	66 08 11	2251	138	411	3.36	100.0	13	0
93.0	45.0	32 20.0	JD	66 08 12	0101	140	422	3.32	100.0	54	1
93.0	50.0	32 10.0	JD	66 08 12	0321	138	397	3.48	100.0	22	2
93.0	55.0	32 00.0	JD	66 08 12	0531	139	412	3.36	100.0	19	5
93.0	60.0	31 50.0	JD	66 08 12	0811	131	410	3.19	100.0	14	11
93.0	65.0	31 40.0	JD	66 08 12	1026	129	477	2.70	100.0	12	14
93.0	70.0	31 30.0	JD	66 08 12	1256	138	382	3.60	100.0	4	208
93.0	80.0	31 20.0	JD	66 08 12	1705	142	477	2.97	100.0	5	67
93.0	29.0	32 17.5	JD	66 08 13	2104	41	186	2.23	100.0	122	55
97.0	30.0	32 16.0	JD	66 08 13	2019	46	169	2.71	100.0	141	228
97.0	35.0	32 05.5	JD	66 08 13	1746	139	455	3.06	100.0	70	9
97.0	40.0	31 56.0	JD	66 08 13	1546	141	466	3.02	100.0	53	80
97.0	45.0	31 46.0	JD	66 08 13	1321	139	444	3.14	100.0	14	206
97.0	50.0	31 34.0	JD	66 08 13	1056	138	448	3.09	100.0	5	60
97.0	55.0	31 25.0	JD	66 08 13	0851	138	464	2.97	100.0	16	90
97.0	60.0	31 16.8	JD	66 08 13	0631	141	464	3.03	100.0	25	821
97.0	65.0	31 05.7	JD	66 08 13	0411	138	471	2.92	100.0	65	478
97.0	70.0	30 55.0	JD	66 08 13	0146	139	478	2.90	100.0	31	792
97.0	80.0	30 55.0	JD	66 08 12	2146	135	486	2.78	100.0	75	2851
100.0	29.0	31 42.2	JD	66 08 14	0056	132	479	2.75	100.0	18	34
100.0	30.0	31 40.5	JD	66 08 14	0156	135	475	2.85	100.0	74	86
100.0	35.0	31 30.5	JD	66 08 14	0411	139	438	3.18	100.0	60	2
100.0	40.0	31 21.0	JD	66 08 14	0621	136	474	2.86	100.0	65	73
100.0	45.0	31 10.5	JD	66 08 14	0836	132	472	2.79	100.0	56	112
100.0	50.0	31 01.0	JD	66 08 14	1056	143	441	3.24	100.0	27	155
100.0	55.0	30 50.5	JD	66 08 14	1305	140	446	3.14	100.0	18	110
100.0	60.0	30 40.5	JD	66 08 14	1526	141	455	3.10	100.0	24	620
100.0	65.0	30 30.0	JD	66 08 14	1746	135	470	2.88	100.0	110	2359
100.0	70.0	30 20.5	JD	66 08 14	2006	132	481	2.75	100.0	117	239
103.0	29.0	31 07.0	JD	66 08 15	1955	28	178	1.57	100.0	356	131
103.0	30.0	31 06.0	JD	66 08 15	1913	57	193	2.93	100.0	82	21
103.0	35.0	30 56.0	JD	66 08 15	1706	143	438	3.27	100.0	16	161
103.0	40.0	30 46.0	JD	66 08 15	1451	139	465	3.00	100.0	55	26
103.0	45.0	30 36.0	JD	66 08 15	1226	139	432	3.22	100.0	24	1
103.0	50.0	30 20.0	JD	66 08 15	0931	143	445	3.22	100.0	57	207
103.0	55.0	30 12.0	JD	66 08 15	0716	140	443	3.15	100.0	92	314
103.0	60.0	30 04.0	JD	66 08 15	0501	140	435	3.21	100.0	69	138
103.0	65.0	29 56.5	JD	66 08 15	0230	139	460	3.02	100.0	477	138
103.0	70.0	29 46.0	JD	66 08 15	0006	139	461	3.02	100.0	410	236
107.0	31.0	30 27.8	JD	66 08 16	2358	38	194	1.99	100.0	48	1179
107.0	32.0	30 26.5	JD	66 08 16	0036	139	457	3.04	100.0	44	129
107.0	35.0	30 21.5	JD	66 08 16	0205	146	438	3.34	100.0	85	62
107.0	40.0	30 11.0	JD	66 08 16	0425	137	447	3.07	100.0	340	23
107.0	45.0	29 59.0	JD	66 08 16	0626	141	439	3.20	100.0	37	2
107.0	50.0	29 47.0	JD	66 08 16	0841	144	430	3.35	100.0	181	502

TABLE 1. (cont.)

CalCOFI Cruise 6608

Line	Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Factor	Percent Sorted	Total Larvae	Total Eggs
107.0	55.0	29 42.0	117 39.0	JD	66 08 16	1111	132	486	2.71	100.0	150	337
107.0	60.0	29 32.0	118 01.5	JD	66 08 16	1331	141	453	3.12	100.0	159	95
107.0	65.0	29 31.0	118 21.0	JD	66 08 16	1541	139	467	2.98	100.0	268	1596
107.0	70.0	29 11.0	118 41.0	JD	66 08 16	1806	138	476	2.89	100.0	155	257
110.0	32.0	29 52.0	115 47.8	JD	66 08 17	1634	21	156	1.32	100.0	338	316
110.0	35.0	29 46.0	116 00.0	JD	66 08 17	1506	143	442	3.23	100.0	51	107
110.0	40.0	29 36.5	116 19.5	JD	66 08 17	1236	140	441	3.17	100.0	394	374
110.0	45.0	29 25.5	116 39.0	JD	66 08 17	1016	136	473	2.88	100.0	117	525
110.0	50.0	29 15.5	116 59.0	JD	66 08 17	0746	133	475	2.80	100.0	261	149
110.0	55.0	29 06.0	117 19.5	JD	66 08 17	0526	140	468	2.98	100.0	218	493
110.0	60.0	28 56.5	117 39.0	JD	66 08 17	0311	142	443	3.22	100.0	573	322
110.0	65.0	28 46.0	117 58.0	JD	66 08 17	0041	145	453	3.19	100.0	602	864
110.0	70.0	28 36.5	118 18.0	JD	66 08 16	2211	136	454	2.99	100.0	634	305
113.0	29.0	29 24.2	115 13.2	JD	66 08 17	2104	20	168	1.17	100.0	314	870
113.0	30.0	29 22.0	115 18.0	JD	66 08 17	2153	52	200	2.61	100.0	416	103
113.0	35.0	29 11.5	115 38.0	JD	66 08 17	2356	137	448	3.06	100.0	109	42
113.0	40.0	29 02.0	115 57.0	JD	66 08 18	0206	141	448	3.15	100.0	150	20
113.0	45.0	28 51.2	116 18.3	JD	66 08 18	0426	138	436	3.17	100.0	76	9
113.0	50.0	28 41.5	116 36.5	JD	66 08 18	0636	131	489	3.15	100.0	252	7
113.0	55.0	28 30.7	116 56.0	JD	66 08 18	0846	131	489	2.67	100.0	169	783
113.0	60.0	28 21.2	117 15.0	JD	66 08 18	1046	143	478	2.99	100.0	286	144
113.0	65.0	28 12.0	117 36.0	JD	66 08 18	1311	142	387	3.67	100.0	378	282
113.0	70.0	28 02.0	117 55.0	JD	66 08 18	1521	140	421	3.32	100.0	182	6086
117.0	25.0	28 58.0	114 37.0	JD	66 08 20	0739	40	152	2.66	100.0	52	512
117.0	28.0	28 56.0	114 41.5	JD	66 08 20	0648	60	239	2.53	100.0	250	146
117.0	30.0	28 48.0	114 56.5	JD	66 08 20	0502	96	343	2.81	100.0	144	990
117.0	35.0	28 38.0	115 16.0	JD	66 08 20	0241	140	456	3.07	100.0	147	46
117.0	40.0	28 28.0	115 35.5	JD	66 08 19	0936	128	460	2.79	100.0	36	102
117.0	45.0	28 18.0	115 56.2	JD	66 08 19	0706	141	438	2.93	100.0	8	19
117.0	50.0	28 08.0	116 19.6	JD	66 08 19	0426	139	430	3.24	100.0	114	67
117.0	55.0	27 57.8	116 37.5	JD	66 08 18	0201	139	430	3.02	100.0	62	84
117.0	60.0	27 47.8	116 55.5	JD	66 08 18	2346	142	430	3.30	100.0	584	244
117.0	65.0	27 37.5	117 13.0	JD	66 08 18	1916	134	475	2.83	100.0	305	125
117.0	70.0	27 27.5	117 32.5	JD	66 08 18	1628	137	463	2.97	100.0	948	461
118.0	30.0	28 18.5	115 23.7	JD	66 08 19	1136	119	424	2.81	100.0	33	62
118.0	35.0	28 18.5	115 53.0	JD	66 08 19	2350	103	354	2.91	100.0	191	329
119.0	30.0	28 19.0	114 53.0	JD	66 08 20	1134	35	151	2.31	100.0	129	301
120.0	24.0	28 25.0	114 10.7	JD	66 08 20	1214	46	172	2.67	100.0	129	353
120.0	30.0	28 22.5	114 15.0	JD	66 08 20	1409	85	274	3.12	100.0	226	1088
120.0	35.0	28 13.0	114 34.0	JD	66 08 20	1628	67	267	2.50	100.0	113	158
120.0	40.0	28 03.0	114 54.0	JD	66 08 20	1819	26	125	2.06	100.0	106	200
120.0	45.0	27 56.5	115 14.0	JD	66 08 20	2026	137	481	2.86	100.0	140	137
120.0	50.0	27 43.0	115 33.0	JD	66 08 20	2246	136	474	2.87	100.0	49	85
120.0	55.0	27 31.8	115 52.5	JD	66 08 21	0056	139	433	3.20	100.0	161	205
120.0	60.0	27 11.5	116 11.7	JD	66 08 21	0311	141	433	3.23	100.0	623	234

TABLE 1. (cont.)

CalCOFI Cruise 6608										Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)						
120.0	65.0	116 50.0	JD	66 08 21	0521	140	455	3.08	100.0	0	0	0	
120.0	70.0	117 09.0	JD	66 08 21	0746	134	464	2.88	100.0	411	33	33	
123.0	36.0	114 36.0	JD	66 08 22	0059	41	144	2.84	100.0	32	745	745	
123.0	37.0	114 40.0	JD	66 08 22	0013	64	212	3.01	100.0	16	434	434	
123.0	40.0	114 52.0	JD	66 08 21	2231	140	438	3.20	100.0	271	1841	1841	
123.0	45.0	115 11.5	JD	66 08 21	2006	141	442	3.19	100.0	92	102	102	
123.0	50.0	115 29.9	JD	66 08 21	1746	454	139	3.07	100.0	36	32	32	
123.0	55.0	115 48.5	JD	66 08 21	1536	141	451	3.14	100.0	405	93	93	
123.0	60.0	116 09.0	JD	66 08 21	1301	143	44	3.21	100.0	257	368	368	
127.0	33.0	114 02.2	JD	66 08 22	0523	58	226	2.56	100.0	104	794	794	
127.0	34.0	114 06.5	JD	66 08 22	0603	74	279	2.66	100.0	93	342	342	
127.0	34.0	114 29.0	JD	66 08 22	0841	135	456	2.95	100.0	81	130	130	
127.0	40.0	114 43.5	JD	66 08 22	1051	129	498	2.60	100.0	394	95	95	
127.0	45.0	114 48.5	JD	66 08 22	1306	142	454	3.14	100.0	133	234	234	
127.0	50.0	115 08.0	JD	66 08 22	1526	141	445	3.16	100.0	105	156	156	
127.0	55.0	115 27.3	JD	66 08 22	1741	136	465	2.96	100.0	46	49	49	
127.0	60.0	115 45.0	JD	66 08 22	1238	49	168	2.95	100.0	360	230	230	
130.0	28.0	113 21.0	JD	66 08 23	1143	58	230	2.54	100.0	433	473	473	
130.0	30.0	113 29.0	JD	66 08 23	0906	128	418	3.07	100.0	113	202	202	
130.0	35.0	113 49.5	JD	66 08 23	0651	137	444	3.08	100.0	331	91	91	
130.0	40.0	114 07.2	JD	66 08 23	0436	141	438	3.21	100.0	398	64	64	
130.0	45.0	114 28.0	JD	66 08 23	0221	144	450	3.19	100.0	655	29	29	
130.0	50.0	114 46.5	JD	66 08 23	0001	136	473	2.87	100.0	330	26	26	
130.0	55.0	115 04.8	JD	66 08 22	2146	135	462	2.93	100.0	562	56	56	
130.0	60.0	115 24.0	JD	66 08 22	1718	59	211	2.81	100.0	3470	904	904	
133.0	23.0	112 48.0	JD	66 08 23	1818	76	242	3.15	100.0	306	93	93	
133.0	25.0	112 54.5	JD	66 08 23	2036	138	443	3.12	100.0	248	25	25	
133.0	30.0	113 07.5	JD	66 08 23	2251	144	412	3.50	100.0	179	879	879	
133.0	35.0	113 26.5	JD	66 08 24	0106	144	429	3.36	100.0	379	24	24	
133.0	40.0	113 44.5	JD	66 08 24	0321	142	431	3.29	100.0	220	50	50	
133.0	45.0	114 04.6	JD	66 08 24	0531	143	443	3.22	100.0	99	61	61	
133.0	50.0	114 24.3	JD	66 08 24	0746	139	437	3.18	100.0	37	417	417	
133.0	55.0	114 43.2	JD	66 08 24	1006	130	468	2.78	100.0	85	1035	1035	
133.0	60.0	115 03.2	JD	66 08 24	1754	47	167	2.79	100.0	228	1108	1108	
137.0	22.0	112 14.8	JD	66 08 25	0703	67	246	2.72	100.0	657	4375	4375	
137.0	23.0	112 19.0	JD	66 08 25	0746	138	448	3.09	100.0	561	3	3	
137.0	30.0	112 50.7	JD	66 08 25	0346	139	446	3.11	100.0	209	59	59	
137.0	35.0	113 07.8	JD	66 08 25	0126	134	450	2.98	100.0	123	137	137	
137.0	40.0	113 24.8	JD	66 08 24	2311	131	466	2.82	100.0	294	175	175	
137.0	45.0	113 43.0	JD	66 08 24	2051	131	459	3.03	100.0	86	1973	1973	
137.0	50.0	114 02.5	JD	66 08 24	1831	139	459	3.06	100.0	179	1037	1037	
137.0	55.0	114 21.0	JD	66 08 24	1616	138	450	3.10	100.0	581	168	168	
137.0	60.0	114 40.5	JD	66 08 24	1346	138	445	3.10	100.0				

TABLE 1. (cont.)

CalCOFI Cruise 6609

Line Station	Lat.(N) deg. min.	Long.(W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
80.0	51.0	120 32.7	JD	66 09 07	0902	99	308	3.23	100.0	54	5
80.0	52.0	120 37.4	JD	66 09 07	1401	137	403	3.41	100.0	153	3
80.0	55.0	120 48.0	JD	66 09 07	1601	139	443	3.13	100.0	16	66
80.0	55.0	121 09.0	JD	66 09 07	1836	140	440	3.19	100.0	16	6
80.0	55.0	121 30.0	JD	66 09 07	2056	139	447	3.11	100.0	55	15
80.0	55.0	121 51.0	JD	66 09 07	2316	138	439	3.15	100.0	20	17
80.0	70.0	122 33.7	JD	66 09 08	0306	142	442	3.22	100.0	30	13
80.0	80.0	123 13.0	JD	66 09 08	0716	140	443	3.17	100.0	39	44
80.0	90.0	123 13.0	JD	66 09 08	0951	141	436	3.22	100.0	60	826
82.0	47.0	119 59.0	JD	66 09 09	0951	141	436	3.22	100.0	53	265
83.0	43.0	119 34.0	JD	66 09 09	1354	21	117	1.77	100.0	81	44
83.0	40.0	119 34.0	JD	66 09 09	1216	142	425	3.33	100.0	81	44
83.0	51.0	120 08.5	JD	66 09 09	0617	91	339	2.68	100.0	149	113
83.0	55.0	120 23.0	JD	66 09 09	0336	127	459	2.77	100.0	285	193
83.0	60.0	120 45.7	JD	66 09 09	0046	128	470	2.73	100.0	124	13
83.0	65.0	121 05.6	JD	66 09 08	2201	140	433	3.24	100.0	97	4
83.0	70.0	121 26.0	JD	66 09 08	1931	137	449	3.05	100.0	46	12
83.0	80.0	122 54.0	JD	66 09 08	1521	144	448	3.22	100.0	22	31
83.0	80.0	122 52.0	JD	66 09 08	1106	138	447	3.08	100.0	7	172
87.0	33.0	118 29.4	JD	66 09 09	1833	46	176	2.62	100.0	79	119
87.0	35.0	118 37.4	JD	66 09 09	1951	132	431	3.02	100.0	1078	16
87.0	40.0	118 58.0	JD	66 09 09	2206	142	431	3.29	100.0	70	11
87.0	45.0	119 19.0	JD	66 09 10	0031	143	433	3.30	100.0	85	47
87.0	50.0	119 39.0	JD	66 09 10	0258	71	233	3.03	100.0	165	193
87.0	55.0	120 00.0	JD	66 09 10	0516	141	428	3.30	100.0	14	26
87.0	60.0	120 20.0	JD	66 09 10	0751	141	432	3.25	100.0	5	11
87.0	65.0	120 41.5	JD	66 09 10	1026	139	455	3.06	100.0	3	9
87.0	70.0	121 02.0	JD	66 09 10	1246	141	435	3.25	100.0	6	9
87.0	80.0	121 43.0	JD	66 09 10	1711	133	474	2.81	100.0	13	23
87.0	80.0	122 19.5	JD	66 09 10	2151	135	446	3.04	100.0	20	46
90.0	28.0	117 46.7	JD	66 09 15	0531	145	428	3.39	100.0	102	18
90.0	32.0	118 03.0	JD	66 09 15	0341	129	451	2.87	100.0	150	39
90.0	37.0	118 22.5	JD	66 09 15	0121	138	422	3.28	100.0	421	14
90.0	45.0	118 55.5	JD	66 09 15	2131	140	434	3.22	100.0	253	6
90.0	50.0	119 16.0	JD	66 09 15	1906	141	443	3.18	100.0	218	7
90.0	55.0	119 37.0	JD	66 09 11	1836	141	412	3.41	100.0	8	135
90.0	60.0	119 57.5	JD	66 09 11	1621	143	436	3.27	100.0	9	1
90.0	65.0	120 18.0	JD	66 09 11	1341	142	429	3.31	100.0	11	7
90.0	70.0	120 39.0	JD	66 09 11	1101	138	440	3.12	100.0	7	29
90.0	80.0	121 19.5	JD	66 09 11	0646	143	415	3.45	100.0	2	38
90.0	80.0	121 19.5	JD	66 09 11	0216	140	450	3.11	100.0	20	87
90.0	90.0	117 19.0	JD	66 09 15	0926	138	433	3.19	100.0	30	190
93.0	27.0	117 54.7	JD	66 09 15	1016	137	438	3.12	100.0	46	242
93.0	30.0	117 31.0	JD	66 09 15	1146	138	456	3.02	100.0	76	129
93.0	35.0	117 51.5	JD	66 09 15	1351	141	455	3.09	100.0	98	156
93.0	40.0	118 11.5	JD	66 09 15	1601	144	455	3.17	100.0	26	31

TABLE 1. (cont.)

CalCOFI Cruise 6609												
Line	Station	Lat.(N) deg. min.	Long.(W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
93.0	45.0	32 20.0	118 32.0	JD	66 09 15	1821	138	454	3.04	100.0	123	4
93.0	50.0	32 10.0	118 52.5	JD	66 09 15	2041	140	426	3.29	100.0	79	5
93.0	55.0	32 00.0	119 13.5	JD	66 09 15	2251	141	436	3.23	100.0	25	2
93.0	60.0	31 50.6	119 34.5	JD	66 09 16	0106	140	439	3.20	100.0	22	30
93.0	65.0	31 43.0	119 52.5	JD	66 09 16	0341	143	437	3.27	100.0	18	38
93.0	70.0	31 30.0	120 14.0	JD	66 09 16	0611	139	452	3.07	100.0	8	123
93.0	80.0	31 10.0	120 54.5	JD	66 09 16	1001	140	439	3.18	100.0	9	127
97.0	29.0	32 17.5	117 04.7	JD	66 09 17	1211	41	145	2.84	100.0	36	25
97.0	30.0	32 16.0	117 07.0	JD	66 09 17	1143	48	180	2.69	100.0	53	9
97.0	35.0	32 05.5	117 27.5	JD	66 09 17	0911	139	421	3.31	100.0	312	13
97.0	40.0	31 56.0	117 48.0	JD	66 09 17	0701	142	419	3.38	100.0	11	13
97.0	45.0	31 46.0	118 08.5	JD	66 09 17	0446	140	434	3.24	100.0	204	200
97.0	50.0	31 36.0	118 30.5	JD	66 09 17	0221	135	450	3.00	100.0	110	47
97.0	55.0	31 25.5	118 49.5	JD	66 09 17	0001	136	451	3.02	100.0	343	370
97.0	60.0	31 15.0	119 10.0	JD	66 09 16	2136	141	430	3.27	100.0	89	72
97.0	65.0	31 05.0	119 31.0	JD	66 09 16	1926	140	432	3.25	100.0	8	82
97.0	70.0	30 55.0	120 31.0	JD	66 09 16	1731	141	447	3.16	100.0	17	138
97.0	80.0	30 35.0	120 50.5	JD	66 09 16	1336	132	450	2.94	100.0	153	302
100.0	29.0	31 42.2	116 43.4	JD	66 09 17	1601	131	462	2.84	100.0	59	8
100.0	30.0	31 40.5	116 46.5	JD	66 09 17	1646	134	449	2.98	100.0	83	14
100.0	35.0	31 30.5	117 07.0	JD	66 09 17	1851	141	440	3.21	100.0	54	5
100.0	40.0	31 21.0	117 27.0	JD	66 09 17	2111	136	452	3.00	100.0	56	13
100.0	45.0	31 10.5	117 46.5	JD	66 09 17	2346	137	430	3.18	100.0	110	53
100.0	50.0	30 58.0	118 08.0	JD	66 09 18	0211	139	425	3.26	100.0	49	8
100.0	55.0	30 50.5	118 27.7	JD	66 09 18	0426	135	452	2.99	100.0	257	145
100.0	60.0	30 35.5	118 46.3	JD	66 09 18	0641	136	460	2.96	100.0	107	125
100.0	65.0	30 30.0	119 07.0	JD	66 09 18	0846	138	445	3.10	100.0	212	77
100.0	70.0	30 20.5	119 27.5	JD	66 09 18	1051	138	437	3.16	100.0	319	47
103.0	29.0	31 07.0	116 21.0	JD	66 09 19	1004	28	150	1.89	100.0	34	553
103.0	30.0	31 06.0	116 24.5	JD	66 09 19	0919	50	160	3.11	100.0	45	164
103.0	35.0	30 56.0	116 45.0	JD	66 09 19	0701	137	454	3.02	100.0	6	2
103.0	40.0	30 46.0	117 04.5	JD	66 09 19	0546	141	432	3.27	100.0	186	8
103.0	45.0	30 36.0	117 24.0	JD	66 09 19	0221	137	442	3.09	100.0	160	18
103.0	50.0	30 26.0	117 44.5	JD	66 09 19	0006	137	439	3.13	100.0	157	5
103.0	55.0	30 15.5	118 05.0	JD	66 09 18	2131	136	442	3.08	100.0	101	83
103.0	60.0	30 06.0	118 25.0	JD	66 09 18	1916	143	438	3.27	100.0	132	223
103.0	65.0	29 56.5	118 44.0	JD	66 09 18	1706	140	440	3.18	100.0	131	298
103.0	70.0	29 46.5	118 04.0	JD	66 09 18	1446	139	444	3.12	100.0	417	62
107.0	30.0	30 27.8	116 07.0	JD	66 09 19	1354	28	110	2.54	100.0	71	98
107.0	35.0	30 25.8	116 22.5	JD	66 09 19	1441	141	427	3.30	100.0	43	42
107.0	40.0	30 21.5	116 42.0	JD	66 09 19	1606	135	460	2.94	100.0	111	24
107.0	45.0	30 11.0	116 01.6	JD	66 09 19	1826	138	460	3.12	100.0	60	100
107.0	50.0	29 50.5	117 22.0	JD	66 09 19	2026	140	443	3.22	100.0	3	14
107.0	55.0	29 41.0	117 42.0	JD	66 09 19	2236	140	443	3.15	100.0	79	122
107.0	60.0	29 30.5	118 03.0	JD	66 09 20	0056	138	448	3.08	100.0	54	137

TABLE 1. (cont.)

CalCOFI Cruise 6609

Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
107.0	60.0	29 32.0	JD	66 09 20	0336	140	461	3.05	100.0	474	130
107.0	65.0	29 21.0	JD	66 09 20	0536	143	460	3.10	100.0	1151	78
107.0	70.0	29 11.5	JD	66 09 20	0746	141	450	3.12	100.0	372	66
110.0	32.0	29 52.0	JD	66 09 21	0519	18	85	2.17	100.0	56	346
110.0	35.0	29 46.0	JD	66 09 21	0341	138	431	3.20	100.0	87	18
110.0	40.0	29 38.5	JD	66 09 21	0136	139	428	3.26	100.0	139	26
110.0	45.0	29 28.0	JD	66 09 20	2316	142	435	3.29	100.0	190	142
110.0	50.0	29 17.2	JD	66 09 20	2101	141	435	3.23	100.0	285	257
110.0	55.0	29 06.5	JD	66 09 20	1846	145	447	3.23	100.0	282	647
110.0	60.0	28 56.5	JD	66 09 20	1636	137	452	3.07	100.0	587	74
110.0	65.0	28 46.0	JD	66 09 20	1411	137	454	3.02	100.0	484	159
110.0	70.0	28 37.0	JD	66 09 20	1146	140	456	3.08	100.0	264	114
113.0	29.0	29 24.2	JD	66 09 21	0934	19	130	1.47	100.0	21	130
113.0	30.0	29 22.0	JD	66 09 21	1019	34	201	1.69	100.0	14	0
113.0	35.0	29 14.5	JD	66 09 21	1241	141	433	3.24	100.0	40	5
113.0	40.0	29 02.0	JD	66 09 21	1501	140	442	3.17	100.0	283	28
113.0	45.0	28 52.0	JD	66 09 21	1711	138	455	3.03	100.0	55	77
113.0	50.0	28 42.0	JD	66 09 21	1916	139	457	3.03	100.0	352	85
113.0	55.0	28 31.8	JD	66 09 21	2126	132	454	2.91	100.0	308	60
113.0	60.0	28 22.0	JD	66 09 21	2336	129	462	2.80	100.0	106	24
113.0	65.0	28 12.0	JD	66 09 22	0151	140	440	3.18	100.0	304	159
113.0	70.0	28 02.0	JD	66 09 22	0401	136	454	3.00	100.0	846	43
117.0	25.0	28 58.2	JD	66 09 23	0849	40	230	1.72	100.0	39	220
117.0	26.0	28 56.0	JD	66 09 23	0758	62	202	3.07	100.0	21	129
117.0	30.0	28 48.0	JD	66 09 23	0557	96	318	3.02	100.0	12	14
117.0	35.0	28 38.0	JD	66 09 23	0336	142	435	3.27	100.0	92	23
117.0	40.0	28 28.0	JD	66 09 22	2326	140	427	3.27	100.0	114	3
117.0	45.0	28 18.5	JD	66 09 22	2036	143	442	3.24	100.0	118	5
117.0	50.0	28 14.0	JD	66 09 22	1846	136	462	2.94	100.0	129	30
117.0	55.0	27 59.0	JD	66 09 22	1601	135	469	2.88	100.0	75	23
117.0	60.0	27 47.0	JD	66 09 22	1311	135	460	2.94	100.0	85	81
117.0	65.0	27 38.0	JD	66 09 22	1026	139	455	3.05	100.0	85	13
117.0	70.0	27 27.5	JD	66 09 22	0801	138	460	3.00	100.0	36	16
118.0	39.0	28 18.5	JD	66 09 23	0106	138	445	3.09	100.0	177	10
119.0	33.0	28 19.0	JD	66 09 24	0022	142	322	2.67	100.0	1104	491
120.0	24.0	28 25.0	JD	66 09 23	1404	28	106	3.09	100.0	28	214
120.0	25.0	28 22.5	JD	66 09 23	1454	49	176	2.81	100.0	36	311
120.0	30.0	28 13.0	JD	66 09 23	1702	93	292	3.18	100.0	79	586
120.0	35.0	28 03.0	JD	66 09 23	1943	71	231	3.08	100.0	598	508
120.0	40.0	27 56.5	JD	66 09 23	2104	36	126	2.86	100.0	85	478

TABLE 1. (cont.)

CalCOFI Cruise 6610

Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
60.0	50.0	122 53.1	JD	66 10 16	1009	31	138	2.27	100.0	9	199
60.0	52.0	120 01.7	JD	66 10 16	0844	39	136	2.87	100.0	0	14
60.0	55.0	123 15.0	JD	66 10 16	0643	109	366	2.98	100.0	61	324
60.0	60.0	123 37.0	JD	66 10 16	0411	141	451	3.13	100.0	26	18
60.0	70.0	124 21.0	JD	66 10 15	2255	155	463	3.35	100.0	16	9
60.0	80.0	125 04.0	JD	66 10 15	1806	128	510	2.50	100.0	12	12
60.0	90.0	125 47.0	JD	66 10 15	1316	140	492	2.86	100.0	4	8
63.0	50.0	122 27.8	JD	66 10 16	1359	26	131	1.99	100.0	6	205
63.0	52.0	122 36.5	JD	66 10 16	1458	77	265	2.89	100.0	14	123
63.0	55.0	122 50.0	JD	66 10 16	1626	143	451	3.18	100.0	10	16
63.0	60.0	123 12.0	JD	66 10 16	1846	135	469	2.87	100.0	37	15
63.0	80.0	124 39.0	JD	66 10 17	0726	140	470	2.98	100.0	14	5
63.0	90.0	125 20.0	JD	66 10 17	0726	142	434	3.28	100.0	2	8
67.0	48.0	121 56.0	JD	66 10 18	0629	28	110	2.53	100.0	1	51
67.0	50.0	122 05.0	JD	66 10 18	0512	85	289	2.93	100.0	76	570
67.0	55.0	122 26.0	JD	66 10 18	0301	139	444	3.13	100.0	36	18
67.0	58.0	122 38.8	JD	66 10 18	0120	137	436	3.15	100.0	33	20
67.0	70.0	123 29.5	JD	66 10 17	2036	142	447	3.41	100.0	127	11
67.0	80.0	124 12.0	JD	66 10 17	1611	140	440	3.41	100.0	9	7
67.0	90.0	124 56.0	JD	66 10 17	1135	144	462	3.26	100.0	9	13
70.0	51.0	121 43.9	JD	66 10 18	1116	141	441	3.04	100.0	8	15
70.0	53.0	121 54.0	JD	66 10 18	1236	141	443	3.18	100.0	12	8
70.0	70.0	123 06.0	JD	66 10 18	1926	144	430	3.35	100.0	17	20
70.0	80.0	123 48.0	JD	66 10 18	2351	140	424	3.31	100.0	9	5
70.0	90.0	124 30.0	JD	66 10 19	0355	140	427	3.27	100.0	25	16
73.0	50.0	121 17.0	JD	66 10 20	0118	85	285	2.97	100.0	17	9
73.0	53.0	121 28.5	JD	66 10 20	2331	129	486	2.65	100.0	21	13
73.0	60.0	121 58.0	JD	66 10 19	2016	136	454	3.00	100.0	21	16
73.0	70.0	122 40.0	JD	66 10 19	1621	139	466	2.99	100.0	3	3
73.0	80.0	123 19.5	JD	66 10 19	1236	136	449	3.03	100.0	11	4
74.0	91.0	124 04.0	JD	66 10 19	0756	140	429	3.26	100.0	4	4
77.0	48.0	120 43.7	JD	66 10 20	0543	28	127	2.19	100.0	9	76
77.0	51.0	120 56.5	JD	66 10 20	0711	144	433	3.33	100.0	12	3
77.0	55.0	121 13.0	JD	66 10 20	0856	139	451	2.08	100.0	6	34
77.0	60.0	121 34.0	JD	66 10 20	1116	136	458	2.96	100.0	3	17
77.0	70.0	122 16.0	JD	66 10 20	1511	143	446	3.21	100.0	8	4
77.0	80.0	122 57.0	JD	66 10 20	2031	145	487	2.98	100.0	19	15
77.0	90.0	123 35.0	JD	66 10 21	0006	142	442	3.21	100.0	15	5
80.0	51.0	120 32.5	JD	66 10 22	0022	111	313	3.53	100.0	47	28
80.0	52.0	120 36.5	JD	66 10 21	2326	139	382	3.65	100.0	14	16
80.0	55.0	120 48.0	JD	66 10 21	2121	145	387	3.74	100.0	34	31
80.0	60.0	121 09.0	JD	66 10 21	1756	129	412	3.12	100.0	4	9
80.0	65.0	121 30.0	JD	66 10 21	1456	140	412	3.39	100.0	2	11
80.0	70.0	121 51.0	JD	66 10 21	1151	135	422	3.21	100.0	12	3
80.0	80.0	122 32.0	JD	66 10 21	0731	141	410	3.43	100.0	16	6

TABLE 1. (cont.)

CalCOFI Cruise 6610

Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
80.0	90.0	123 14.8	JD	66 10 21	0341	119	548	2.18	100.0	113	19
82.0	47.0	119 59.0	JD	66 10 22	0346	136	419	3.24	100.0	36	92
83.0	40.0	119 32.0	JD	66 10 22	0755	13	49	2.62	100.0	20	63
83.0	43.0	119 34.0	JD	66 10 22	0816	127	413	3.08	100.0	41	26
83.0	51.0	120 08.5	JD	66 10 22	1232	98	278	3.53	100.0	13	72
83.0	55.0	120 22.4	JD	66 10 22	1521	145	383	3.80	100.0	9	9
83.0	60.0	120 45.0	JD	66 10 22	1741	139	393	3.52	100.0	10	7
83.0	65.0	121 06.0	JD	66 10 22	1956	133	424	3.54	100.0	35	2
83.0	70.0	121 26.0	JD	66 10 22	2211	139	409	3.70	100.0	10	2
83.0	80.0	122 08.0	JD	66 10 23	0216	139	399	3.49	100.0	23	2
83.0	90.0	122 35.5	JD	66 10 23	0626	135	407	3.31	100.0	31	19
83.0	33.0	118 29.5	JD	66 10 24	1149	40	135	2.93	100.0	32	3
87.0	35.0	118 37.5	JD	66 10 24	1036	132	417	3.16	100.0	212	41
87.0	40.0	118 58.0	JD	66 10 24	0821	137	390	3.52	100.0	148	28
87.0	45.0	119 19.0	JD	66 10 24	0606	146	376	3.88	100.0	8	2
87.0	50.0	119 39.5	JD	66 10 24	0403	71	205	3.49	100.0	8	1
87.0	55.0	120 00.0	JD	66 10 24	0146	136	409	3.33	100.0	8	3
87.0	60.0	120 12.5	JD	66 10 23	2321	135	402	3.36	100.0	1	4
87.0	65.0	120 41.5	JD	66 10 23	2121	133	424	3.13	100.0	9	4
87.0	70.0	121 02.0	JD	66 10 23	1906	139	409	3.40	100.0	4	8
87.0	80.0	121 43.0	JD	66 10 23	1451	139	409	3.39	100.0	0	9
87.0	90.0	122 24.0	JD	66 10 23	1021	132	418	3.16	100.0	8	5
90.0	28.0	117 46.5	JD	66 10 07	2221	140	450	3.11	100.0	208	7
90.0	32.0	118 03.0	JD	66 10 08	0136	142	414	3.43	100.0	218	34
90.0	37.0	118 22.5	JD	66 10 08	0506	141	423	3.33	100.0	196	12
90.0	45.0	118 55.0	JD	66 10 08	0956	138	485	2.85	100.0	2	1
90.0	53.0	119 28.5	JD	66 10 08	1446	144	454	3.18	100.0	0	2
90.0	60.0	119 57.5	JD	66 10 08	1831	140	473	3.29	100.0	3	5
90.0	65.0	120 18.0	JD	66 10 08	2136	146	447	2.97	100.0	11	3
90.0	80.0	121 17.0	JD	66 10 09	0329	146	458	3.19	100.0	159	14
90.0	90.0	122 02.0	JD	66 10 09	0858	144	493	2.91	100.0	28	12
90.0	100.0	122 39.0	JD	66 10 09	1351	140	461	3.05	100.0	30	49
90.0	110.0	123 19.0	JD	66 10 09	1846	140	447	3.14	100.0	180	38
90.0	120.0	124 00.0	JD	66 10 09	2352	141	497	2.84	100.0	748	185
93.0	27.0	117 19.0	JD	66 10 12	1328	84	257	3.27	100.0	46	10
93.0	28.0	117 21.8	JD	66 10 12	1210	136	418	3.26	100.0	138	0
93.0	30.0	117 54.7	JD	66 10 12	1001	129	434	2.98	100.0	143	13
93.0	35.0	117 51.5	JD	66 10 12	0741	136	424	3.21	100.0	161	2
93.0	40.0	118 11.5	JD	66 10 12	0446	145	456	3.19	100.0	90	2
93.0	45.0	118 32.0	JD	66 10 12	0237	137	440	3.12	100.0	50	2
93.0	50.0	118 52.5	JD	66 10 12	0027	137	451	3.03	100.0	42	0
93.0	55.0	119 13.5	JD	66 10 11	2111	135	459	2.93	100.0	9	2
93.0	60.0	119 34.0	JD	66 10 11	1751	143	449	3.19	100.0	14	34
93.0	65.0	119 53.5	JD	66 10 11	1541	135	467	2.88	100.0	4	10
93.0	67.0	120 02.5	JD	66 10 11	1306	140	460	3.05	100.0	3	3

TABLE 1. (cont.)

CalCOFI Cruise 6610										Vol. Water Strained (cu. m)	Stand-ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
Line	Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)							
93.0	90.0	30 50.5	121 30.0	JD	66 10 10	2046	142	462	3.06	100.0	243	95		
93.0	100.0	30 30.0	122 14.0	JD	66 10 10	1525	140	459	3.06	100.0	152	49		
93.0	110.0	30 09.5	122 55.0	JD	66 10 10	0951	142	464	3.06	100.0	43	110		
93.0	120.0	29 49.0	123 35.0	JD	66 10 10	0507	142	456	3.11	100.0	379	52		
94.0	78.0	31 11.5	120 45.6	JD	66 10 11	0239	133	483	2.75	100.0	145	5		
97.0	29.0	32 17.0	117 04.7	AX	66 10 13	1524	34	159	2.13	100.0	119	78		
97.0	30.0	32 15.8	117 06.6	AX	66 10 13	1609	45	184	2.43	100.0	120	53		
97.0	32.0	32 12.0	117 15.2	AX	66 10 13	1806	136	448	3.03	100.0	121	3		
97.0	35.0	32 05.3	117 27.5	AX	66 10 13	1951	144	411	3.51	100.0	358	1		
97.0	40.0	31 55.0	117 50.0	AX	66 10 13	2241	143	490	2.91	100.0	32	1		
97.0	45.0	31 45.9	118 08.9	AX	66 10 14	0158	77	534	1.43	100.0	190	25		
97.0	50.0	31 35.8	118 30.2	AX	66 10 14	0458	105	513	2.04	100.0	94	63		
97.0	55.0	31 25.5	118 50.0	AX	66 10 14	0731	103	538	1.92	100.0	27	33		
97.0	60.0	31 17.0	119 10.0	AX	66 10 14	1038	138	422	3.27	100.0	14	16		
97.0	65.0	31 05.0	119 31.5	AX	66 10 14	1332	106	532	1.99	100.0	8	31		
97.0	70.0	30 55.0	119 51.0	AX	66 10 14	1615	115	511	2.25	100.0	7	14		
97.0	80.0	30 35.0	120 31.0	AX	66 10 14	1956	120	537	2.23	100.0	3	29		
100.0	29.0	31 42.0	116 44.3	AX	66 10 16	0323	140	463	3.02	100.0	17	2		
100.0	30.0	31 41.1	116 46.6	AX	66 10 16	0236	146	433	3.36	100.0	12	9		
100.0	35.0	31 27.7	117 05.0	AX	66 10 16	0001	142	449	3.16	100.0	17	7		
100.0	40.0	31 20.3	117 24.8	AX	66 10 15	2141	148	430	3.44	100.0	37	98		
100.0	45.0	31 09.9	117 46.0	AX	66 10 15	1906	137	486	2.83	100.0	275	19		
100.0	50.0	30 58.9	118 07.8	AX	66 10 15	1624	146	465	3.14	100.0	70	11		
100.0	55.0	30 48.8	118 27.5	AX	66 10 15	1358	144	463	3.10	100.0	120	7		
100.0	60.0	30 38.5	118 47.7	AX	66 10 15	1126	142	451	3.23	100.0	188	1356		
100.0	65.0	30 30.5	119 07.5	AX	66 10 15	0841	142	486	2.93	100.0	292	295		
100.0	70.0	30 21.0	119 27.8	AX	66 10 15	0557	157	443	3.54	100.0	182	32		
100.0	80.0	30 01.0	120 06.3	AX	66 10 15	0137	131	468	2.80	100.0	483	93		
103.0	29.0	31 06.9	116 20.9	AX	66 10 16	0750	112	73	1.59	100.0	3	70		
103.0	30.0	31 05.0	116 24.5	AX	66 10 16	0823	58	188	3.08	100.0	5	17		
103.0	35.0	30 56.5	116 45.2	AX	66 10 16	1116	154	400	3.86	100.0	6	3		
103.0	40.0	30 46.6	117 05.5	AX	66 10 16	1355	157	407	3.87	100.0	25	3		
103.0	45.0	30 35.5	117 24.7	AX	66 10 16	1623	150	438	3.43	100.0	12	1		
103.0	50.0	30 24.8	117 44.6	AX	66 10 16	1846	152	430	3.52	100.0	54	3		
103.0	55.0	30 15.6	118 24.2	AX	66 10 16	2331	142	451	3.14	100.0	14	3		
103.0	60.0	30 05.6	118 43.8	AX	66 10 17	0140	146	423	3.45	100.0	77	9		
103.0	65.0	29 55.9	119 04.0	AX	66 10 17	0405	436	468	2.90	100.0	384	28		
103.0	70.0	29 46.5	119 08.0	AX	66 10 17	0416	30	129	2.32	100.0	23	27		
107.0	31.0	30 27.8	116 10.9	AX	66 10 18	0334	142	483	3.28	100.0	13	7		
107.0	32.0	30 25.6	116 21.3	AX	66 10 18	0149	122	483	2.53	100.0	32	4		
107.0	35.0	30 22.6	116 42.8	AX	66 10 17	2311	144	452	3.18	100.0	29	4		
107.0	40.0	30 10.7	117 01.5	AX	66 10 17	2036	145	440	3.29	100.0	67	2		
107.0	45.0	30 00.4	117 21.0	AX	66 10 17	1806	147	447	3.30	100.0	58	4		
107.0	50.0	29 49.5	117 41.2	AX	66 10 17	1538	156	430	3.80	100.0	16	33		
107.0	55.0	29 39.8	118 01.2	AX	66 10 17	1315	153	430	3.57	100.0	8	20		

TABLE 1. (cont.)

CALCOPI Cruise 6610

Line Station	Lat.(N) deg. min.	Long.(W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
107.0	29 22.1	118 20.8	AX	66 10 17	1046	151	416	3.62	100.0	28	53
107.0	29 51.2	118 41.1	AX	66 10 17	0816	146	441	3.31	100.0	161	70
110.0	29 52.2	115 47.8	AX	66 10 18	0816	9	76	1.24	100.0	10	22
110.0	29 45.6	116 00.7	AX	66 10 18	0951	151	442	3.41	100.0	15	0
110.0	29 35.4	116 20.0	AX	66 10 18	1206	146	434	3.38	100.0	72	2
110.0	29 26.2	116 39.4	AX	66 10 18	1412	145	452	3.20	100.0	88	4
110.0	50.0	116 58.5	AX	66 10 18	1634	143	453	3.15	100.0	10	19
110.0	29 06.9	117 19.2	AX	66 10 18	1901	148	444	3.14	100.0	25	34
110.0	28 58.2	117 38.2	AX	66 10 18	2121	142	454	3.12	100.0	196	201
110.0	28 43.2	117 58.0	AX	66 10 19	2346	142	428	3.53	100.0	395	123
110.0	28 36.5	118 17.2	AX	66 10 19	0202	148	436	3.40	100.0	428	28
113.0	29 28.2	115 13.2	AX	66 10 20	0238	12	70	1.74	100.0	46	7
113.0	29 22.2	115 18.2	AX	66 10 20	0144	57	213	2.66	100.0	37	9
113.0	35.0	115 38.3	AX	66 10 19	2236	141	441	3.20	100.0	25	0
113.0	40.0	115 56.5	AX	66 10 19	2016	143	438	3.26	100.0	66	11
113.0	45.0	116 17.0	AX	66 10 19	1759	134	462	2.91	100.0	427	244
113.0	50.0	116 36.5	AX	66 10 19	1551	142	448	3.18	100.0	59	37
113.0	55.0	116 56.6	AX	66 10 19	1322	142	445	3.20	100.0	66	54
113.0	60.0	118 15.0	AX	66 10 19	1106	143	444	3.23	100.0	243	104
113.0	65.0	117 35.3	AX	66 10 19	0830	138	460	3.00	100.0	190	117
113.0	70.0	117 52.5	AX	66 10 19	0606	133	474	2.81	100.0	259	608
117.0	25.0	114 36.5	AX	66 10 20	0924	17	94	1.79	100.0	5	37
117.0	26.0	114 41.4	AX	66 10 20	0838	60	223	2.67	100.0	5	40
117.0	30.0	114 56.5	AX	66 10 20	0647	90	294	3.06	100.0	21	80
117.0	35.0	115 15.6	AX	66 10 22	0321	126	514	2.45	100.0	119	31
117.0	40.0	115 35.5	AX	66 10 22	0546	135	469	2.89	100.0	219	18
117.0	45.0	115 56.0	AX	66 10 22	0809	133	478	2.79	100.0	88	11
117.0	50.0	116 15.0	AX	66 10 22	1020	135	474	2.85	100.0	159	3
117.0	55.0	116 36.0	AX	66 10 22	1239	144	445	3.23	100.0	128	42
117.0	60.0	116 53.0	AX	66 10 22	1444	146	455	3.21	100.0	15	7
117.0	65.0	117 13.0	AX	66 10 22	1656	142	461	3.09	100.0	86	23
117.0	70.0	117 33.0	AX	66 10 22	1923	134	460	3.13	100.0	210	94
118.0	39.0	115 24.0	AX	66 10 21	0618	127	475	2.67	100.0	34	58
119.0	33.0	114 52.8	AX	66 10 20	2317	100	330	3.03	100.0	40	306
120.0	24.0	114 38.8	AX	66 10 20	1819	25	115	2.19	100.0	165	266
120.0	25.0	114 15.0	AX	66 10 20	1858	47	179	2.64	100.0	107	207
120.0	30.0	114 26.2	AX	66 10 20	2107	83	293	2.82	100.0	32	478
120.0	35.0	114 54.0	AX	66 10 21	0113	67	258	2.59	100.0	268	620
120.0	40.0	115 14.0	AX	66 10 21	0324	29	148	1.99	100.0	212	115
120.0	45.0	115 32.1	AX	66 10 23	1137	139	423	3.30	100.0	59	77
120.0	50.0	115 54.8	AX	66 10 23	0909	143	445	3.22	100.0	22	18
120.0	55.0	116 12.2	AX	66 10 23	0652	145	446	3.25	100.0	4	7
120.0	65.0	116 51.0	AX	66 10 23	0153	142	448	3.16	100.0	60	33
120.0	70.0	117 11.0	AX	66 10 22	2329	146	445	3.28	100.0	42	20
123.0	36.0	114 36.0	AX	66 10 23	1644	28	145	1.92	100.0	126	250

TABLE 1. (cont.)

CalCOFI Cruise 6610											
Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
123.0	37.0	27 23.8	AX	66 10 23	1723	65	205	3.16	100.0	18	603
123.0	42.0	27 14.0	AX	66 10 23	1942	139	453	3.08	100.0	213	25
123.0	45.0	27 08.0	AX	66 10 23	2130	130	479	2.72	100.0	432	84
123.0	50.0	26 57.5	AX	66 10 23	2355	136	451	3.01	100.0	409	68
123.0	55.0	26 47.0	AX	66 10 24	0216	137	445	3.08	100.0	416	269
123.0	60.0	26 37.0	AX	66 10 24	0441	137	469	2.92	100.0	439	73
127.0	33.0	26 57.3	AX	66 10 24	2153	52	197	2.67	100.0	329	207
127.0	34.0	26 57.3	AX	66 10 24	2108	66	241	2.76	100.0	73	287
127.0	40.0	26 42.8	AX	66 10 24	1820	140	448	3.12	100.0	62	25
127.0	45.0	26 32.7	AX	66 10 24	1556	140	460	3.02	100.0	33	56
127.0	50.0	26 32.5	AX	66 10 24	1336	130	478	2.71	100.0	78	17
127.0	55.0	26 14.7	AX	66 10 24	1038	135	430	3.14	100.0	40	38
127.0	60.0	26 07.0	AX	66 10 24	0820	130	475	2.73	100.0	48	72
130.0	28.0	26 32.2	AX	66 10 25	0216	44	190	2.31	100.0	96	186
130.0	30.0	26 29.0	AX	66 10 25	0338	65	243	2.68	100.0	47	202
130.0	35.0	26 19.0	AX	66 10 25	0616	126	491	2.56	100.0	27	28
130.0	40.0	26 08.7	AX	66 10 25	0841	120	448	2.41	100.0	12	5
130.0	45.0	25 58.7	AX	66 10 25	1246	137	466	2.94	100.0	23	70
130.0	50.0	25 49.0	AX	66 10 25	1456	137	467	2.93	100.0	14	176
130.0	55.0	25 37.9	AX	66 10 25	1711	139	497	2.79	100.0	39	52
130.0	60.0	25 29.0	AX	66 10 25	1919	140	500	2.79	100.0	190	29
133.0	23.0	26 08.5	AX	66 10 26	1809	57	244	2.33	100.0	92	212
133.0	25.0	26 04.8	AX	66 10 26	1708	67	267	2.52	100.0	102	139
133.0	30.0	25 54.8	AX	66 10 26	1446	138	488	2.82	100.0	32	0
133.0	35.0	25 43.4	AX	66 10 26	1226	145	447	3.04	100.0	33	28
133.0	40.0	25 33.0	AX	66 10 26	1006	143	473	3.02	100.0	11	1209
133.0	45.0	25 24.2	AX	66 10 26	0745	135	488	2.76	100.0	20	21
133.0	50.0	25 15.8	AX	66 10 26	0420	132	494	2.68	100.0	62	49
133.0	55.0	25 05.8	AX	66 10 26	0201	133	509	2.62	100.0	59	17
133.0	60.0	24 55.2	AX	66 10 26	2341	134	503	2.66	100.0	72	16
137.0	22.0	25 36.0	AX	66 10 26	2218	45	198	2.27	100.0	81	586
137.0	23.0	25 33.6	AX	66 10 26	2259	54	257	2.09	100.0	50	267
137.0	30.0	25 18.8	AX	66 10 27	0156	131	498	2.63	100.0	17	2
137.0	35.0	25 08.2	AX	66 10 27	0406	127	517	2.45	100.0	88	170
137.0	40.0	25 00.0	AX	66 10 27	0634	131	480	2.58	100.0	19	5
137.0	45.0	24 50.5	AX	66 10 27	0850	137	480	2.85	100.0	31	594
137.0	50.0	24 40.8	AX	66 10 27	1114	136	493	2.76	100.0	23	4
137.0	55.0	24 30.2	AX	66 10 27	1321	140	491	2.86	100.0	13	24
137.0	60.0	24 20.0	AX	66 10 27	1526	133	487	2.73	100.0	43	214

TABLE 1. (cont.)

CalCOFI Cruise 6611

Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
97.0	35.0	117 27.5	JD	66 11 02	1656	138	490	2.81	100.0	6	2
99.0	35.0	118 08.5	JD	66 11 22	1451	138	467	2.95	100.0	5	2
100.0	35.0	117 07.0	JD	66 11 22	2036	141	472	2.98	100.0	9	6
100.0	35.0	117 46.5	JD	66 11 22	1045	134	472	2.84	100.0	4	1
103.0	35.0	116 45.0	JD	66 11 03	0046	141	444	3.37	100.0	39	3
103.0	35.0	117 20.0	JD	66 11 22	0701	138	462	2.99	100.0	5	8
107.0	35.0	116 22.5	JD	66 11 22	0446	134	461	2.91	100.0	8	2
107.0	35.0	116 59.0	JD	66 11 22	0236	140	465	3.01	100.0	52	2
110.0	35.0	116 00.0	JD	66 11 23	0851	142	449	3.17	100.0	9	2
111.0	35.0	116 37.5	JD	66 11 23	0231	139	478	2.92	100.0	7	3
113.0	35.0	115 18.0	JD	66 11 03	1318	56	205	2.76	100.0	8	25
113.0	35.0	115 38.0	JD	66 11 21	1531	145	444	3.26	100.0	14	0
113.0	35.0	116 18.0	JD	66 11 21	1806	134	482	2.78	100.0	50	18
117.0	35.0	114 41.5	JD	66 11 03	2328	69	225	2.70	100.0	30	54
117.0	35.0	114 56.5	JD	66 11 03	2147	87	318	2.74	100.0	31	59
117.0	35.0	115 16.0	JD	66 11 03	1920	132	490	2.70	100.0	58	11
117.0	35.0	115 53.0	JD	66 11 21	1241	133	486	2.74	100.0	18	3
119.0	33.0	114 53.0	JD	66 11 04	0727	105	364	2.87	100.0	36	347
120.0	35.0	114 15.0	JD	66 11 04	0328	48	182	2.62	100.0	1322	180
120.0	35.0	114 34.0	JD	66 11 04	0523	72	274	2.74	100.0	41	148
120.0	35.0	114 51.0	JD	66 11 04	0918	84	306	2.77	100.0	30	262
120.0	35.0	115 30.0	JD	66 11 19	0826	137	456	2.99	100.0	1	1
123.0	37.0	114 40.0	JD	66 11 06	0833	72	242	2.97	100.0	80	519
123.0	40.0	114 52.0	JD	66 11 06	0626	140	493	2.85	100.0	1	4
123.0	50.0	115 26.0	JD	66 11 06	0016	144	471	3.05	100.0	66	15
123.0	60.0	115 48.0	JD	66 11 04	1841	149	459	3.24	100.0	116	94
125.0	35.5	114 21.3	JD	66 11 06	1128	69	249	2.78	100.0	9	134
127.0	34.0	114 06.0	JD	66 11 06	1333	71	238	2.97	100.0	13	103
127.0	40.0	114 29.0	JD	66 11 06	1741	152	462	3.30	100.0	5	3
127.0	50.0	115 01.8	JD	66 11 19	1130	137	490	2.80	100.0	107	11
127.0	50.0	115 13.0	JD	66 11 06	2330	138	468	2.95	100.0	0	2
127.0	60.0	115 52.0	JD	66 11 07	0643	145	457	3.17	100.0	44	179
130.0	30.0	113 25.0	JD	66 11 08	0823	64	167	3.81	100.0	9	202
130.0	35.0	113 46.0	JD	66 11 08	0529	145	446	3.26	100.0	15	44
130.0	40.0	114 06.8	JD	66 11 08	0036	145	467	3.11	100.0	45	182
130.0	50.0	114 44.0	JD	66 11 07	1833	141	460	3.06	100.0	45	297
130.0	60.0	115 30.0	JD	66 11 07	1206	140	465	3.01	100.0	10	30
131.5	37.5	113 10.0	JD	66 11 08	1058	68	250	2.71	100.0	76	127
133.0	25.0	112 48.0	JD	66 11 08	1313	77	269	2.87	100.0	77	154
133.0	30.0	113 07.5	JD	66 11 08	1652	141	454	3.10	100.0	14	2
133.0	40.0	113 45.5	JD	66 11 08	2235	140	436	3.22	100.0	9	8
133.0	50.0	114 24.0	JD	66 11 09	0651	142	472	3.00	100.0	6	14
133.0	60.0	115 02.0	JD	66 11 09	1211	143	460	3.10	100.0	7	85
137.0	23.0	112 19.0	JD	66 11 10	1936	71	253	2.79	100.0	134	305
137.0	30.0	112 46.0	JD	66 11 10	1632	140	454	3.09	100.0	3	0

TABLE 1. (cont.)

CalCOFI Cruise 6611

Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
137.0	35.0	25 12.0	JD	66 11 10	1221	140	430	3.27	100.0	5	6
137.0	40.0	25 05.5	JD	66 11 10	0755	143	448	3.18	100.0	20	15
137.0	50.0	24 40.0	JD	66 11 09	0041	137	475	2.89	100.0	110	167
137.0	60.0	24 20.0	JD	66 11 09	1852	142	480	2.96	100.0	37	36
140.0	30.0	24 45.5	JD	66 11 11	0027	83	295	2.81	100.0	35	367
140.0	35.0	24 35.5	JD	66 11 11	0544	134	469	2.86	100.0	0	3
140.0	40.0	24 24.8	JD	66 11 11	0821	135	454	2.97	100.0	1	6
140.0	45.0	24 14.1	JD	66 11 11	1216	143	456	3.13	100.0	6	81
140.0	50.0	24 05.5	JD	66 11 11	1639	145	450	3.22	100.0	2	73
140.0	60.0	23 44.0	JD	66 11 11	2201	142	464	3.06	100.0	157	6
143.0	26.0	24 19.0	JD	66 11 13	0554	48	193	2.51	100.0	74	71
143.0	30.0	24 11.0	JD	66 11 13	0316	137	468	2.94	100.0	55	3
143.0	35.0	24 01.3	JD	66 11 12	2240	138	463	2.98	100.0	5	2204
143.0	40.0	26 50.5	JD	66 11 12	1846	138	452	3.06	100.0	43	9
143.0	50.0	23 28.1	JD	66 11 12	1211	137	469	2.91	100.0	51	3
143.0	60.0	23 08.0	JD	66 11 12	0526	142	448	3.16	100.0	37	7
144.5	23.0	24 06.5	JD	66 11 13	1327	106	360	2.93	100.0	13	27
147.0	20.0	23 56.0	JD	66 11 13	1646	137	434	3.15	100.0	36	159
147.0	25.0	23 46.0	JD	66 11 13	1946	137	455	3.00	100.0	74	8
147.0	30.0	23 35.5	JD	66 11 13	2321	138	443	3.11	100.0	56	147
147.0	40.0	23 15.0	JD	66 11 14	0531	142	430	3.29	100.0	5	10
147.0	50.0	22 53.0	JD	66 11 14	1201	137	459	2.98	100.0	25	13
147.0	60.0	22 32.5	JD	66 11 14	1846	140	457	3.05	100.0	115	14
150.0	25.0	23 21.0	JD	66 11 15	2340	123	535	2.31	100.0	95	1751
150.0	30.0	23 01.0	JD	66 11 15	2051	142	475	2.98	100.0	35	561
150.0	35.0	23 01.0	JD	66 11 15	1724	143	456	3.13	100.0	34	10
150.0	40.0	22 41.5	JD	66 11 15	1156	141	438	3.22	100.0	6	6
150.0	50.0	22 25.0	JD	66 11 15	0703	138	463	2.97	100.0	31	16
150.0	60.0	22 02.0	JD	66 11 15	2355	140	454	3.08	100.0	97	67
153.0	16.0	22 55.0	JD	66 11 16	0735	141	459	3.07	100.0	14	188
153.0	20.0	22 47.0	JD	66 11 16	0506	137	461	2.98	100.0	95	65
153.0	30.0	22 25.5	JD	66 11 17	0555	138	456	3.02	100.0	7	20
153.0	40.0	22 06.5	JD	66 11 17	1211	139	477	2.91	100.0	30	6
153.0	50.0	21 45.0	JD	66 11 17	1847	137	469	2.91	100.0	121	20
153.0	60.0	21 27.0	JD	66 11 18	0031	140	460	3.05	100.0	345	12

TABLE 1. (cont.)

CalCOFI Cruise 6612

Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
60.0	50.0	37 57.5	JD	66 12 16	0946	35	142	2.44	100.0	83	55
60.0	52.0	37 54.0	JD	66 12 16	1045	67	262	2.55	100.0	17	129
60.0	55.0	37 47.0	JD	66 12 16	1242	96	363	2.64	100.0	69	43
60.0	60.0	37 40.2	JD	66 12 16	1446	139	509	2.73	100.0	26	49
60.0	70.0	37 19.0	JD	66 12 16	1926	144	482	2.97	100.0	33	43
60.0	80.0	36 56.5	JD	66 12 17	0016	137	458	2.99	100.0	14	25
60.0	90.0	36 35.0	JD	66 12 17	0506	137	564	2.42	100.0	10	16
63.0	50.0	37 23.3	JD	66 12 16	0537	20	95	2.16	100.0	155	1778
63.0	52.0	37 19.0	JD	66 12 16	0404	73	301	2.43	100.0	136	1072
63.0	55.0	37 13.0	JD	66 12 16	0206	134	534	2.51	100.0	26	8
63.0	60.0	37 01.7	JD	66 12 15	0252	139	451	3.07	100.0	52	34
63.0	70.0	36 42.5	JD	66 12 14	2157	136	442	3.07	100.0	18	6
67.0	48.0	36 52.9	JD	66 12 14	0444	26	105	2.50	100.0	42	68
67.0	50.0	36 49.0	JD	66 12 14	0542	94	327	2.87	100.0	41	19
67.0	55.0	36 39.0	JD	66 12 14	1120	136	452	2.92	100.0	24	68
67.0	60.0	36 32.0	JD	66 12 14	1651	133	459	2.90	100.0	25	60
67.0	70.0	36 08.0	JD	66 12 14	2346	132	405	2.77	100.0	33	17
70.0	51.0	36 11.3	JD	66 12 13	2121	135	447	3.02	100.0	44	20
70.0	53.0	36 06.5	JD	66 12 13	1739	141	413	3.41	100.0	8	4
70.0	60.0	35 53.0	JD	66 12 13	1251	137	449	3.05	100.0	20	56
70.0	70.0	35 33.0	JD	66 12 13	0716	136	471	2.89	100.0	9	17
70.0	80.0	35 13.8	JD	66 12 13	0300	140	456	3.06	100.0	5	12
70.0	90.0	34 53.0	JD	66 12 12	0701	97	328	2.96	100.0	27	19
73.0	50.0	35 37.0	JD	66 12 12	0825	16	451	3.01	100.0	41	6
73.0	53.0	35 31.5	JD	66 12 12	1156	136	466	2.91	100.0	3	4
73.0	60.0	35 18.6	JD	66 12 12	1706	143	457	3.13	100.0	0	11
73.0	70.0	34 58.0	JD	66 12 12	0310	13	67	1.92	100.0	2	32
77.0	48.0	33 08.3	JD	66 12 12	0056	133	456	2.92	100.0	15	94
77.0	51.0	35 02.0	JD	66 12 12	2216	134	443	3.01	100.0	125	36
77.0	55.0	34 54.5	JD	66 12 11	1924	134	459	2.92	100.0	26	17
77.0	60.0	34 44.0	JD	66 12 11	1436	136	458	2.96	100.0	6	2
77.0	70.0	34 24.2	JD	66 12 11	0917	97	332	3.01	100.0	8	11
80.0	50.0	34 26.0	JD	66 12 10	1001	136	442	3.08	100.0	41	143
80.0	52.0	34 24.3	JD	66 12 10	1154	140	434	3.22	100.0	64	300
80.0	55.0	34 13.0	JD	66 12 10	1531	138	455	3.04	100.0	21	62
80.0	60.0	34 09.0	JD	66 12 10	1818	141	461	3.05	100.0	8	12
80.0	65.0	33 59.0	JD	66 12 10	2036	141	434	3.16	100.0	3	5
80.0	70.0	33 48.5	JD	66 12 10	0117	139	441	3.14	100.0	22	8
80.0	80.0	33 28.0	JD	66 12 11	0554	140	462	3.02	100.0	4	6
80.0	90.0	33 15.0	JD	66 12 11	0632	138	467	2.97	100.0	16	8
82.0	47.0	34 15.0	JD	66 12 10	0228	13	66	1.99	100.0	90	222
83.0	40.0	34 12.0	JD	66 12 10	0031	139	436	3.18	100.0	26	298
83.0	43.0	34 08.0	JD	66 12 10	2037	112	393	2.86	100.0	160	710
83.0	51.0	33 52.0	JD	66 12 09	1821	138	443	3.11	100.0	75	279
83.0	55.0	33 45.0	JD	66 12 09						37	106

TABLE 1. (cont.)

CalCOFI Cruise 6612

Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
83.0	60.0	120 45.2	JD	66 12 09	1445	140	425	3.28	100.0	1	10
83.0	65.0	121 06.0	JD	66 12 09	1241	143	437	3.27	100.0	4	17
83.0	70.0	121 26.0	JD	66 12 09	0951	136	463	2.93	100.0	4	1
83.0	80.0	122 08.0	JD	66 12 09	0452	147	426	3.45	100.0	1	364
87.0	33.0	118 29.4	JD	66 12 07	1811	44	143	2.50	100.0	72	92
87.0	35.0	118 37.5	JD	66 12 07	2301	123	493	3.65	100.0	109	1175
87.0	40.0	118 58.0	JD	66 12 07	2301	150	411	3.65	100.0	34	1990
87.0	45.0	119 19.0	JD	66 12 08	0231	137	464	2.96	100.0	35	19
87.0	50.0	119 39.5	JD	66 12 08	0616	60	292	2.06	100.0	5	12
87.0	55.0	120 00.0	JD	66 12 08	0926	143	436	3.27	100.0	3	7
87.0	60.0	120 19.0	JD	66 12 08	1154	143	417	3.42	100.0	3	12
87.0	65.0	120 41.5	JD	66 12 08	1613	146	443	3.29	100.0	3	2
87.0	70.0	121 02.0	JD	66 12 08	1836	142	474	3.00	100.0	12	8
87.0	80.0	121 43.0	JD	66 12 08	2345	137	462	2.96	100.0	11	9
90.0	28.0	117 46.7	JD	66 12 07	0021	142	432	3.29	100.0	138	47
90.0	32.0	118 01.5	JD	66 12 06	2146	140	437	3.20	100.0	80	343
90.0	37.0	118 22.5	JD	66 12 06	1821	136	431	3.14	100.0	23	147
90.0	45.0	118 55.5	JD	66 12 06	1421	140	430	3.25	100.0	32	23
90.0	53.0	119 28.8	JD	66 12 06	0941	139	435	3.21	100.0	9	46
90.0	60.0	119 57.6	JD	66 12 06	0604	132	458	2.83	100.0	5	5
90.0	65.0	120 18.0	JD	66 12 06	0406	138	453	3.04	100.0	21	4
90.0	70.0	120 39.0	JD	66 12 06	0046	140	428	3.26	100.0	33	4
90.0	80.0	121 19.5	JD	66 12 05	1951	141	465	3.02	100.0	41	3
90.0	90.0	122 01.0	JD	66 12 05	1449	141	441	3.20	100.0	7	14
90.0	97.0	122 26.0	JD	66 12 05	1116	128	506	2.53	100.0	18	20
90.0	110.0	123 15.0	JD	66 12 05	0501	137	445	3.08	100.0	33	11
90.0	120.0	123 55.0	JD	66 12 04	2305	139	441	3.15	100.0	39	113
90.0	130.0	124 36.3	JD	66 12 04	1816	140	438	3.03	100.0	78	25
90.0	140.0	125 17.0	JD	66 12 04	1346	140	448	3.32	100.0	20	14
93.0	27.0	117 19.0	JD	66 12 01	1902	104	337	3.09	100.0	111	61
93.0	28.0	117 21.8	JD	66 12 01	2045	137	423	3.23	100.0	166	182
93.0	30.0	117 31.0	JD	66 12 01	2241	141	446	3.15	100.0	16	2
93.0	35.0	117 51.0	JD	66 12 02	0036	137	451	3.04	100.0	56	11
93.0	40.0	118 11.5	JD	66 12 02	0256	140	414	3.38	100.0	16	18
93.0	45.0	118 38.0	JD	66 12 02	0616	139	435	3.19	100.0	8	4
93.0	50.0	118 51.5	JD	66 12 02	0851	135	441	3.05	100.0	5	9
93.0	55.0	119 10.0	JD	66 12 02	1112	139	428	3.24	100.0	7	7
93.0	60.0	119 38.0	JD	66 12 02	1336	136	408	3.34	100.0	3	4
93.0	65.0	119 57.0	JD	66 12 02	1716	143	403	3.54	100.0	14	9
93.0	70.0	120 12.0	JD	66 12 03	0941	142	435	3.27	100.0	43	20
93.0	80.0	120 54.0	JD	66 12 03	0050	140	432	3.25	100.0	45	11
93.0	90.0	121 34.0	JD	66 12 03	0636	135	515	2.63	100.0	19	29
93.0	100.0	122 11.0	JD	66 12 03	1121	134	472	2.84	100.0	11	9
93.0	110.0	122 55.0	JD	66 12 03	1705	142	435	3.26	100.0	15	15
93.0	120.0	123 33.5	JD	66 12 03	2206	139	432	3.22	100.0	110	49

TABLE 1. (cont.)

CalCOFI Cruise 6612

Line	Station	Lat.(N) deg. min.	Long.(W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
93.0	130.0	29 28.5	124 11.5	JD	66 12 04	0326	130	499	2.60	100.0	56	25
94.0	135.0	29 09.0	124 47.0	JD	66 12 04	0818	134	447	3.00	100.0	31	35
97.0	29.0	32 17.3	117 04.8	AX	66 12 02	1704	33	155	2.16	100.0	17	88
97.0	30.0	32 15.8	117 07.3	AX	66 12 02	1739	31	158	1.97	100.0	24	21
97.0	32.0	32 11.9	117 15.5	AX	66 12 02	1851	133	542	2.45	100.0	268	52
97.0	35.0	32 05.5	117 28.2	AX	66 12 02	2121	137	540	2.54	100.0	12	4
97.0	40.0	31 56.0	117 48.0	AX	66 12 03	0114	141	505	2.78	100.0	16	3
97.0	45.0	31 45.0	118 08.0	AX	66 12 03	0406	136	535	2.54	100.0	43	3
97.0	50.0	31 33.0	118 30.5	AX	66 12 03	0741	140	513	2.73	100.0	23	7
97.0	55.0	31 24.0	118 49.0	AX	66 12 03	1021	132	536	2.46	100.0	11	5
97.0	60.0	31 14.0	119 08.7	AX	66 12 03	1356	137	529	2.59	100.0	15	6
97.0	65.0	31 10.0	119 30.0	AX	66 12 03	1711	137	520	2.64	100.0	15	2
97.0	70.0	30 55.0	119 50.5	AX	66 12 03	2059	145	535	2.70	100.0	5	4
97.0	80.0	30 34.0	120 32.3	AX	66 12 04	0246	143	521	2.73	100.0	37	6
100.0	29.0	31 42.2	116 43.7	AX	66 12 05	1412	94	325	2.88	100.0	3	38
100.0	30.0	31 40.6	116 46.6	AX	66 12 05	1331	139	507	2.73	100.0	117	36
100.0	35.0	31 28.1	117 08.0	AX	66 12 05	1016	137	556	2.47	100.0	9	13
100.0	40.0	31 19.0	117 27.3	AX	66 12 05	0646	137	558	2.45	100.0	6	1
100.0	45.0	31 05.8	117 44.7	AX	66 12 05	0334	139	510	2.73	100.0	9	1
100.0	50.0	30 56.5	118 06.2	AX	66 12 04	0116	142	510	2.78	100.0	31	2
100.0	55.0	30 46.8	118 27.0	AX	66 12 04	2146	141	613	2.30	100.0	24	5
100.0	60.0	30 38.0	118 47.2	AX	66 12 04	1846	139	530	2.62	100.0	13	4
100.0	65.0	30 29.5	119 07.2	AX	66 12 04	1551	140	535	2.61	100.0	1	2
100.0	70.0	30 20.0	119 27.7	AX	66 12 04	1333	149	500	2.97	100.0	8	5
100.0	80.0	29 58.3	120 10.8	AX	66 12 04	0746	144	514	2.80	100.0	11	33
103.0	29.0	31 07.7	116 21.5	AX	66 12 05	1844	14	130	1.06	100.0	66	33
103.0	30.0	31 06.0	116 24.3	AX	66 12 05	1926	28	142	1.94	100.0	154	33
103.0	35.0	30 55.7	116 44.8	AX	66 12 05	2251	131	511	2.55	100.0	45	4
103.0	40.0	30 46.2	117 04.7	AX	66 12 06	0236	131	520	2.52	100.0	2	14
103.0	45.0	30 37.0	117 24.4	AX	66 12 06	0501	135	521	2.58	100.0	6	11
103.0	50.0	30 27.5	117 44.0	AX	66 12 06	0816	139	515	2.70	100.0	1	4
103.0	55.0	30 16.0	118 04.8	AX	66 12 06	1101	140	514	2.72	100.0	4	4
103.0	60.0	30 05.0	118 23.6	AX	66 12 06	1428	138	548	2.52	100.0	5	8
103.0	65.0	29 55.8	118 45.0	AX	66 12 06	1711	135	529	2.55	100.0	13	2
103.0	70.0	29 44.5	119 05.5	AX	66 12 06	2126	137	523	2.62	100.0	32	6
103.0	80.0	29 23.2	119 44.5	AX	66 12 07	0426	140	520	2.69	100.0	229	62
107.0	31.0	30 27.8	116 07.0	AX	66 12 08	1719	27	108	2.51	100.0	37	642
107.0	35.0	30 25.8	116 10.7	AX	66 12 08	1626	143	508	2.82	100.0	26	29
107.0	35.0	30 21.5	116 22.3	AX	66 12 08	1401	139	505	2.75	100.0	16	2
107.0	40.0	30 07.2	116 39.2	AX	66 12 08	1006	142	567	2.51	100.0	7	1
107.0	45.0	29 59.2	117 01.0	AX	66 12 08	0621	134	567	2.36	100.0	4	2
107.0	50.0	29 50.8	117 22.0	AX	66 12 08	0351	118	622	1.89	100.0	48	2
107.0	55.0	29 42.0	117 41.7	AX	66 12 07	2351	118	567	2.18	100.0	40	2
107.0	60.0	29 31.2	118 01.8	AX	66 12 07	2058	141	508	2.77	100.0	27	4
107.0	65.0	29 21.5	118 21.5	AX	66 12 07	1722	140	500	2.80	100.0	19	14

TABLE 1. (cont.)

CalCOFI Cruise 6612

Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship min.	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water Strained (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
107.0	29 11.3	118 41.0	AX	66 12 07	1453	135	528	2.55	100.0	9	8
107.0	28 53.2	119 20.3	AX	66 12 07	0931	144	486	2.96	100.0	110	46
110.0	29 52.0	115 48.5	AX	66 12 08	2114	20	91	2.20	100.0	45	178
110.0	29 46.0	116 00.2	AX	66 12 08	2321	145	480	3.02	100.0	24	13
110.0	29 36.0	116 19.3	AX	66 12 09	0458	139	498	2.88	100.0	114	5
110.0	29 26.3	116 36.2	AX	66 12 09	0816	146	504	2.75	100.0	33	5
110.0	29 16.2	116 59.0	AX	66 12 09	0816	146	493	2.95	100.0	5	0
110.0	29 06.0	117 18.2	AX	66 12 09	1036	132	524	2.52	100.0	4	1
110.0	28 56.5	117 38.6	AX	66 12 09	1346	138	520	2.65	100.0	14	7
110.0	28 46.2	117 58.0	AX	66 12 09	1601	140	494	2.84	100.0	15	7
110.0	28 36.1	118 18.0	AX	66 12 09	1909	141	485	2.91	100.0	15	40
110.0	28 24.8	118 55.5	AX	66 12 10	0001	143	475	3.01	100.0	204	99
113.0	29 0	115 13.5	AX	66 12 11	0954	23	138	1.67	100.0	56	39
113.0	29 21.8	115 18.0	AX	66 12 11	0903	52	239	2.15	100.0	80	5
113.0	35 0	115 37.5	AX	66 12 11	0626	127	549	2.32	100.0	17	0
113.0	40 0	115 56.0	AX	66 12 11	0339	128	540	2.37	100.0	127	4
113.0	45 0	116 16.0	AX	66 12 11	0026	128	521	2.46	100.0	99	2
113.0	50 0	116 37.0	AX	66 12 11	1828	135	516	2.62	100.0	53	3
113.0	55 0	116 57.3	AX	66 12 10	1609	136	491	2.76	100.0	22	21
113.0	60 0	117 15.4	AX	66 12 10	1609	142	505	2.80	100.0	9	8
113.0	65 0	117 35.6	AX	66 12 10	1252	140	500	2.80	100.0	15	31
113.0	70 0	117 56.0	AX	66 12 10	1015	142	492	2.88	100.0	8	35
113.0	75 0	118 37.5	AX	66 12 10	0441	140	491	2.84	100.0	35	22
117.0	25 0	114 36.7	AX	66 12 11	1410	19	106	1.80	100.0	1	54
117.0	26 0	114 41.3	AX	66 12 11	1451	47	203	2.34	100.0	14	115
117.0	30 0	114 56.4	AX	66 12 11	1649	99	333	2.97	100.0	5	58
117.0	35 0	115 16.0	AX	66 12 13	0211	122	577	2.11	100.0	10	6
117.0	40 0	115 35.3	AX	66 12 13	0522	135	529	2.55	100.0	18	3
117.0	45 0	115 56.0	AX	66 12 13	1308	138	556	2.48	100.0	4	0
117.0	50 0	116 15.0	AX	66 12 13	1552	133	548	2.43	100.0	3	2
117.0	55 0	116 35.5	AX	66 12 13	1816	139	505	2.76	100.0	18	32
117.0	60 0	116 57.0	AX	66 12 13	2116	141	482	2.92	100.0	134	19
117.0	65 0	117 12.0	AX	66 12 13	2324	139	499	2.78	100.0	85	24
117.0	70 0	117 31.0	AX	66 12 14	0224	133	508	2.62	100.0	30	58
117.0	75 0	118 08.3	AX	66 12 14	0715	137	486	2.82	100.0	27	45
118.0	80 0	115 23.8	AX	66 12 12	2301	139	538	2.59	100.0	9	48
119.0	39 0	114 53.0	AX	66 12 12	0554	105	382	2.74	100.0	13	120
120.0	24 0	114 11.5	AX	66 12 11	2134	20	100	2.02	100.0	91	36
120.0	25 0	114 15.3	AX	66 12 11	2204	37	145	2.54	100.0	66	65
120.0	30 0	114 34.0	AX	66 12 12	0338	76	315	2.40	100.0	30	43
120.0	35 0	114 54.2	AX	66 12 12	0758	77	303	2.53	100.0	6	192
120.0	40 0	115 14.2	AX	66 12 12	1004	26	177	1.44	100.0	36	70
120.0	45 0	115 33.0	AX	66 12 15	0646	137	492	2.78	100.0	4	18
120.0	50 0	115 52.3	AX	66 12 15	0341	134	489	2.75	100.0	13	4
120.0	55 0	116 11.0	AX	66 12 15	0050	135	517	2.62	100.0	64	1

TABLE 1. (cont.)

CalCOFI Cruise 6612

Line Station	Lat. (N) deg. min.	Long. (W) deg. min.	Ship Code	Tow Date yr. mo. day	Time (PST)	Tow Depth (m)	Vol. Water (cu. m)	Stand- ard Haul Factor	Percent Sorted	Total Larvae	Total Eggs
120.0	60.0	116 29.5	AX	66 12 14	2225	144	462	3.11	100.0	116	57
120.0	65.0	116 49.5	AX	66 12 14	1921	137	514	2.67	100.0	264	19
120.0	70.0	117 09.0	AX	66 12 14	1700	144	475	3.04	100.0	36	45
120.0	80.0	117 47.3	AX	66 12 14	1226	140	495	2.83	100.0	59	88
123.0	36.0	114 36.2	AX	66 12 15	1208	35	184	1.92	100.0	0	93
123.0	37.0	114 40.2	AX	66 12 15	1259	60	229	2.62	100.0	5	124
123.0	42.0	114 59.5	AX	66 12 15	1546	131	519	2.52	100.0	22	4
123.0	45.0	115 11.8	AX	66 12 15	1719	138	450	3.07	100.0	15	12
123.0	50.0	115 30.5	AX	66 12 15	2021	142	478	2.96	100.0	53	17
123.0	55.0	115 47.4	AX	66 12 15	2237	142	460	3.08	100.0	99	30
123.0	60.0	116 10.0	AX	66 12 16	0128	135	502	2.69	100.0	204	40
127.0	33.0	114 02.5	AX	66 12 17	0233	54	208	2.58	100.0	122	272
127.0	34.0	114 06.3	AX	66 12 17	0142	62	237	2.62	100.0	124	254
127.0	40.0	114 30.0	AX	66 12 16	2235	143	500	2.86	100.0	10	4
127.0	45.0	114 49.0	AX	66 12 16	1925	142	488	2.90	100.0	9	1
127.0	50.0	115 08.2	AX	66 12 16	1641	137	493	2.78	100.0	1	24
127.0	55.0	115 27.2	AX	66 12 16	1001	133	495	2.69	100.0	14	37
127.0	60.0	115 48.8	AX	66 12 16	0606	135	488	2.76	100.0	19	37
130.0	28.0	113 20.2	AX	66 12 17	0715	37	180	2.07	100.0	1518	132
130.0	30.0	113 28.8	AX	66 12 17	0830	73	297	2.46	100.0	322	684
130.0	35.0	114 48.7	AX	66 12 17	1048	149	450	3.30	100.0	9	72
130.0	40.0	114 06.4	AX	66 12 17	1337	132	532	2.47	100.0	9	41
130.0	45.0	114 26.2	AX	66 12 17	1606	143	467	3.05	100.0	11	35
130.0	50.0	114 45.7	AX	66 12 17	1846	142	459	2.99	100.0	54	327
130.0	55.0	115 04.0	AX	66 12 17	2100	136	515	2.63	100.0	11	42
130.0	60.0	115 21.3	AX	66 12 17	2332	139	489	2.83	100.0	11	48
133.0	23.0	112 41.2	AX	66 12 18	1653	70	305	2.31	100.0	37	131
133.0	25.0	112 48.3	AX	66 12 18	1552	69	368	1.87	100.0	731	123
133.0	30.0	113 06.9	AX	66 12 18	1318	141	497	2.84	100.0	23	5
133.0	35.0	113 30.0	AX	66 12 18	1023	137	526	2.60	100.0	58	9
133.0	40.0	113 44.3	AX	66 12 18	0841	143	488	2.92	100.0	8	28
137.0	22.0	112 15.9	AX	66 12 18	2034	30	152	2.90	100.0	2237	186
137.0	23.0	112 19.2	AX	66 12 18	2124	61	283	2.04	100.0	549	331
137.0	30.0	112 47.3	AX	66 12 19	0026	134	498	2.68	100.0	619	7
137.0	35.0	113 05.3	AX	66 12 19	0246	134	510	2.63	100.0	183	46
137.0	40.0	113 23.8	AX	66 12 19	0603	133	503	2.64	100.0	32	25

TABLE 2. Pooled occurrences of fish larvae taken during CalCOFI cruises in 1966.

Rank	Taxon	Occurrences
1	<i>Triphoturus mexicanus</i>	990
2	<i>Engraulis mordax</i>	987
3	<i>Vinciguerrria lucetia</i>	828
4	<i>Sebastes</i> spp.	698
5	<i>Protomyctophum crockeri</i>	671
6	<i>Cyclothone</i> spp.	593
7	<i>Citharichthys</i> spp.	590
8	Disintegrated fish larva	542
9	<i>Lampanyctus ritteri</i>	523
10	<i>Trachurus symmetricus</i>	503
11	Unidentified fish larva	485
12	<i>Bathylagus wesethi</i>	461
13	<i>Leuroglossus stilbius</i>	449
14	<i>Stenobranchius leucopsarus</i>	420
15	<i>Lampanyctus</i> spp.	401
16	<i>Merluccius productus</i>	398
17	<i>Diogenichthys laternatus</i>	361
18	Myctophidae	346
19	<i>Melamphaes</i> spp.	340
20	<i>Stomias atriater</i>	326
21	<i>Ceratoscopelus townsendi</i>	302
22	<i>Symbolophorus californiensis</i>	291
23	<i>Bathylagus ochotensis</i>	260
24	Sternoptychidae	250
25	<i>Lestidiops ringens</i>	232
26	<i>Tarletonbeania crenularis</i>	208
27	Gobiidae	198
28	<i>Diaphus</i> spp.	187
29	<i>Hygophum atratum</i>	178
30	<i>Chauliodus macouni</i>	171
30	<i>Diogenichthys atlanticus</i>	171
30	<i>Citharichthys stigmaeus</i>	171
33	<i>Diogenichthys</i> spp.	165
34	Sciaenidae	157
35	<i>Gonichthys tenuiculus</i>	146
36	<i>Sardinops sagax</i>	143
37	<i>Symphurus</i> spp.	138
38	<i>Icichthys lockingtoni</i>	131
39	<i>Synodus</i> spp.	121
40	Scopelarchidae	114
41	<i>Chromis punctipinnis</i>	105
42	<i>Oxyjulis californica</i>	97
43	<i>Argentina sialis</i>	93
44	Serranidae	91
45	<i>Sebastolobus</i> spp.	87
46	<i>Hippoglossina stomata</i>	83
47	<i>Pleuronichthys verticalis</i>	81
47	<i>Paralichthys californicus</i>	81

TABLE 2. (cont.)

Rank	Taxon	Occurrences
49	<i>Parophrys vetulus</i>	80
50	<i>Hypsoblennius</i> spp.	77
51	Trachipteridae	75
52	<i>Tetragonurus cuvieri</i>	74
52	Trichiuridae	74
54	<i>Idiacanthus antrostomus</i>	72
54	<i>Lyopsetta exilis</i>	72
56	Ophidiiformes	69
57	<i>Scomber japonicus</i>	68
58	<i>Ophidion scrippsae</i>	67
59	<i>Lampadena urophaos</i>	62
59	<i>Scorpaena</i> spp.	62
61	<i>Scopelogadus bispinosus</i>	60
61	Chiasmodontidae	60
63	<i>Myctophum nitidulum</i>	58
64	<i>Chilara taylori</i>	55
65	<i>Notoscopelus resplendens</i>	54
66	<i>Peprilus simillimus</i>	52
66	<i>Microstomus pacificus</i>	52
68	Clinidae	51
68	<i>Poromitra</i> spp.	51
70	<i>Halichoeres</i> spp.	50
71	<i>Microstoma microstoma</i>	48
71	<i>Nansenia crassa</i>	48
73	<i>Lampanyctus regalis</i>	46
74	Cottidae	43
74	Ceratioidei	43
76	<i>Nansenia candida</i>	39
77	<i>Glyptocephalus zachirus</i>	36
78	<i>Ichthyococcus</i> spp.	35
79	<i>Sphyraena argentea</i>	31
79	<i>Cololabis saira</i>	31
81	<i>Seriola lalandi</i>	30
81	<i>Xystreureys liolepis</i>	30
83	<i>Sarda chiliensis</i>	29
84	<i>Semicossyphus pulcher</i>	28
85	<i>Bathylagus pacificus</i>	26
85	<i>Etrumeus acuminatus</i>	26
85	<i>Zaniolepis</i> spp.	26
88	<i>Prionotus</i> spp.	25
89	<i>Medialuna californiensis</i>	22
89	<i>Notolychnus valdiviae</i>	22
91	<i>Brama</i> spp.	21
91	<i>Scopelosaurus</i> spp.	21
93	Agonidae	20
94	<i>Bathylagus</i> spp.	18
95	<i>Brosmophycis marginata</i>	17
95	Haemulidae	17
95	Anguilliformes	17

TABLE 2. (cont.)

Rank	Taxon	Occurrences
98	<i>Tactostoma macropus</i>	16
99	<i>Syngnathus</i> spp.	15
99	<i>Scorpaenichthys marmoratus</i>	15
101	Cyclopteridae	14
102	Carangidae	13
103	Gerreidae	12
103	<i>Aristostomias scintillans</i>	12
103	Gobiesocidae	12
103	<i>Notolepis risso</i>	12
107	<i>Pleuronichthys decurrens</i>	11
107	<i>Diplophos taenia</i>	11
107	Atherinidae	11
107	<i>Pleuronichthys coenosus</i>	11
111	<i>Psettichthys melanostictus</i>	10
111	Exocoetidae	10
113	<i>Hygophum reinhardtii</i>	9
114	<i>Pleuronichthys ritteri</i>	8
114	Gonostomatidae	8
116	Gempylidae	7
116	<i>Oxylebius pictus</i>	7
118	<i>Macroramphosus gracilis</i>	6
118	Stomiiformes	6
118	<i>Vinciguerrria poweriae</i>	6
118	<i>Loweina rara</i>	6
122	<i>Stemonosudis macrura</i>	5
122	<i>Bathophilus</i> spp.	5
122	<i>Coryphaena hippurus</i>	5
122	<i>Caulolatilus princeps</i>	5
122	<i>Mugil</i> spp.	5
122	Macrouridae	5
122	Pomacentridae	5
129	<i>Hygophum</i> spp.	4
129	<i>Girella nigricans</i>	4
129	<i>Auxis</i> spp.	4
129	<i>Photnectes</i> spp.	4
133	<i>Opisthonema</i> spp.	3
133	<i>Electrona rissoi</i>	3
133	<i>Icosteus aenigmaticus</i>	3
133	<i>Lepidopsetta bilineata</i>	3
133	<i>Howella brodiei</i>	3
133	<i>Syacium ovale</i>	3
133	<i>Benthoosema pterota</i>	3
133	<i>Hypsopsetta guttulata</i>	3
133	<i>Platichthys stellatus</i>	3
133	<i>Scomberomorus</i> spp.	3
143	<i>Physiculus</i> spp.	2
143	Nomeidae	2
143	<i>Microgadus proximus</i>	2
143	<i>Bregmaceros</i> spp.	2

TABLE 2. (cont.)

Rank	Taxon	Occurrences
147	Polynemidae	1
147	<i>Hypsypops rubicundus</i>	1
147	<i>Porichthys</i> spp.	1
147	Hexagrammidae	1
147	<i>Ophiodon elongatus</i>	1
147	Scorpaenidae	1
147	<i>Aulopus</i> spp.	1
147	<i>Bathylagus milleri</i>	1
147	<i>Caristius macropus</i>	1
147	Apogonidae	1

TABLE 3. Pooled numbers of fish larvae taken during CalCOFI cruises in 1966. Counts are adjusted for percent of sample sorted and standard haul factor (see text).

Rank	Taxon	Count
1	<i>Engraulis mordax</i>	468498
2	<i>Vinciguerrria lucetia</i>	121783
3	<i>Merluccius productus</i>	75126
4	<i>Triphoturus mexicanus</i>	45754
5	<i>Sebastes</i> spp.	37057
6	<i>Stenobranchius leucopsarus</i>	26272
7	<i>Trachurus symmetricus</i>	19505
8	<i>Leuroglossus stilbius</i>	16507
9	<i>Sardinops sagax</i>	15542
10	<i>Citharichthys</i> spp.	15502
11	<i>Diogenichthys laternatus</i>	12948
12	<i>Cyclothone</i> spp.	8900
13	<i>Bathylagus wesethi</i>	7728
14	<i>Synodus</i> spp.	6288
15	<i>Lampanyctus ritteri</i>	5219
16	<i>Ceratospilus townsendi</i>	4830
17	<i>Protomyctophum crockeri</i>	4471
18	Unidentified fish larva	4197
19	<i>Bathylagus ochotensis</i>	3791
20	<i>Diaphus</i> spp.	3351
21	Disintegrated fish larva	3021
22	Sciaenidae	2983
23	<i>Lampanyctus</i> spp.	2804
24	Myctophidae	2560
25	<i>Chromis punctipinnis</i>	2464
26	<i>Tarletonbeania crenularis</i>	2399
27	<i>Diogenichthys</i> spp.	2194
28	<i>Stomias atriventer</i>	1962
29	<i>Symbolophorus californiensis</i>	1795
30	<i>Etrumeus acuminatus</i>	1756
31	<i>Melamphaes</i> spp.	1627
32	Serranidae	1509
33	<i>Citharichthys stigmatosus</i>	1417
34	<i>Hygophum atratum</i>	1331
35	<i>Parophrys vetulus</i>	1322
36	<i>Scomber japonicus</i>	1241
37	<i>Symphurus</i> spp.	1228
38	<i>Lestidiops ringens</i>	1157
39	<i>Icichthys lockingtoni</i>	1107
40	<i>Gonichthys tenuiculus</i>	1084
41	Sternoptychidae	1074
42	<i>Diogenichthys atlanticus</i>	993
43	<i>Oxyjulis californica</i>	946
44	Gobiidae	938
45	<i>Prionotus</i> spp.	786
46	<i>Chauliodus macouni</i>	693
47	Haemulidae	688

TABLE 3. (cont.)

Rank	Taxon	Count
48	<i>Sebastolobus</i> spp.	652
49	<i>Sphyraena argentea</i>	629
50	<i>Ophidion scrippsae</i>	628
51	<i>Peprilus simillimus</i>	543
52	Scopelarchidae	534
53	<i>Hypsoblennius</i> spp.	523
54	<i>Paralichthys californicus</i>	521
55	<i>Pleuronichthys verticalis</i>	517
56	<i>Argentina sialis</i>	506
57	Ophidiiformes	500
58	Trichiuridae	492
59	<i>Scorpaena</i> spp.	481
60	<i>Hippoglossina stomata</i>	419
61	<i>Lyopsetta exilis</i>	402
62	<i>Halichoeres</i> spp.	399
63	<i>Tetragonurus cuvieri</i>	386
64	Clinidae	377
65	<i>Lampadena urophaos</i>	372
66	<i>Idiacanthus antrostomus</i>	330
67	Chiasmodontidae	295
68	<i>Nansenia candida</i>	283
69	<i>Scopelogadus bispinosus</i>	269
70	Cottidae	267
70	<i>Chilara taylori</i>	267
72	<i>Microstomus pacificus</i>	263
73	<i>Glyptocephalus zachirus</i>	258
74	<i>Notoscopelus resplendens</i>	257
75	Trachipteridae	248
76	<i>Sarda chiliensis</i>	236
76	<i>Seriola lalandi</i>	236
78	Carangidae	235
79	<i>Myctophum nitidulum</i>	230
80	<i>Auxis</i> spp.	222
81	<i>Lampanyctus regalis</i>	199
82	<i>Poromitra</i> spp.	188
83	Ceratioidei	184
84	<i>Microstoma microstoma</i>	178
85	<i>Nansenia crassa</i>	164
86	<i>Xystreurys liolepis</i>	162
87	<i>Cololabis saira</i>	151
88	Gerreidae	136
89	Pomacentridae	132
90	<i>Semicossyphus pulcher</i>	123
91	<i>Bathylagus pacificus</i>	112
92	<i>Ichthyococcus</i> spp.	110
93	<i>Tactostoma macropus</i>	107
94	<i>Bathylagus</i> spp.	106
95	<i>Diplophos taenia</i>	93
96	<i>Zaniolepis</i> spp.	89

TABLE 3. (cont.)

Rank	Taxon	Count
97	Agonidae	88
98	<i>Hypsypops rubicundus</i>	82
99	<i>Medialuna californiensis</i>	81
100	Gobiesocidae	80
101	<i>Scorpaenichthys marmoratus</i>	78
101	<i>Notolychnus valdiviae</i>	78
103	<i>Scopelosaurus</i> spp.	73
104	<i>Brama</i> spp.	71
105	<i>Psettichthys melanostictus</i>	70
106	<i>Scomberomorus</i> spp.	68
107	<i>Platichthys stellatus</i>	67
108	<i>Brosomphycis marginata</i>	60
109	Anguilliformes	54
110	<i>Syngnathus</i> spp.	48
111	<i>Hygophum reinhardtii</i>	45
112	<i>Notolepis risso</i>	44
113	Exocoetidae	43
114	<i>Opisthonema</i> spp.	42
114	Gempylidae	42
116	<i>Aristostomias scintillans</i>	40
117	Cyclopteridae	37
118	<i>Pleuronichthys decurrens</i>	33
118	<i>Pleuronichthys coenosus</i>	33
120	<i>Electrona rissoi</i>	32
121	<i>Benthoosema pterota</i>	30
121	<i>Vinciguerrria poweriae</i>	30
121	Gonostomatidae	30
124	<i>Girella nigricans</i>	28
125	<i>Macroramphosus gracilis</i>	26
126	Stomiiformes	25
127	Atherinidae	24
127	<i>Stemonosudis macrura</i>	24
129	<i>Oxylebius pictus</i>	22
130	<i>Icosteus aenigmaticus</i>	20
131	<i>Pleuronichthys ritteri</i>	19
131	<i>Loweina rara</i>	19
133	<i>Caulolatilus princeps</i>	18
133	<i>Bathophilus</i> spp.	18
135	<i>Coryphaena hippurus</i>	15
135	Macrouridae	15
137	<i>Photonektes</i> spp.	13
138	<i>Mugil</i> spp.	12
139	<i>Lepidopsetta bilineata</i>	11
139	<i>Hygophum</i> spp.	11
141	<i>Howella brodiei</i>	9
141	<i>Syacium ovale</i>	9
141	Hexagrammidae	9
144	<i>Microgadus proximus</i>	8
145	<i>Hypsopsetta guttulata</i>	7

TABLE 3. (cont.)

Rank	Taxon	Count
146	<i>Physiculus</i> spp.	6
146	Nomeidae	6
146	<i>Bregmaceros</i> spp.	6
149	<i>Caristius macropus</i>	3
149	Scorpaenidae	3
149	<i>Aulopus</i> spp.	3
149	<i>Bathylagus milleri</i>	3
149	Apogonidae	3
149	<i>Ophiodon elongatus</i>	3
149	<i>Porichthys</i> spp.	3
149	Polynemidae	3
	Total	963242

TABLE 4. Numbers of fish larvae taken on stations occupied during CalCOFI cruises in 1966. Counts are adjusted for percent of sample sorted and standard haul factor (see text). Average number is given for stations occupied twice during a single month. Unoccupied stations are indicated by a dash.

Anquilliformes												
STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
83.0	43.0	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
110.0	55.0	1.6	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	2.5
110.0	70.0	-	0.0	0.0	0.0	-	0.0	0.0	3.1	0.0	-	0.0
1113.0	45.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	2.9	0.0	0.0
1113.0	70.0	3.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
1117.0	50.0	2.9	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
120.0	50.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	2.8
120.0	55.0	-	0.0	0.0	0.0	-	0.0	0.0	-	0.0	-	2.6
120.0	60.0	-	0.0	0.0	3.0	-	0.0	0.0	-	-	-	0.0
123.0	42.0	-	-	0.0	-	-	0.0	-	-	6.2	-	0.0
123.0	50.0	-	-	0.0	0.0	-	0.0	0.0	-	0.0	3.0	0.0
127.0	50.0	0.0	-	0.0	0.0	-	0.0	0.0	-	5.4	0.0	0.0
137.0	22.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	-	2.0
137.0	23.0	0.0	-	0.0	0.0	-	0.0	0.0	-	2.1	0.0	0.0
137.0	40.0	3.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
150.0	50.0	-	-	-	-	-	-	-	-	-	3.0	-
Etrumeus acuminatus												
STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
113.0	29.0	0.0	0.0	0.0	0.0	-	0.0	0.0	1.5	0.0	-	0.0
120.0	24.0	0.0	0.0	0.0	0.0	-	0.0	2.3	0.0	0.0	-	0.0
120.0	35.0	0.0	0.0	0.0	0.0	-	0.0	2.5	0.0	0.0	0.0	0.0
120.0	40.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	2.0	-	0.0
120.0	45.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	23.1	0.0	0.0
123.0	36.0	-	-	0.0	0.0	-	5.6	0.0	-	63.4	-	0.0
127.0	33.0	0.0	-	0.0	0.0	-	0.0	2.6	-	0.0	-	0.0
127.0	34.0	0.0	0.0	0.0	0.0	-	0.0	0.0	-	2.8	0.0	0.0
130.0	28.0	0.0	0.0	0.0	0.0	-	0.0	29.5	-	6.9	-	0.0
130.0	30.0	0.0	0.0	0.0	0.0	-	0.0	48.3	-	0.0	0.0	0.0
133.0	23.0	0.0	0.0	0.0	0.0	-	105.7	986.3	-	11.6	-	0.0
133.0	25.0	0.0	0.0	0.0	0.0	-	27.5	252.0	-	10.1	0.0	0.0
133.0	30.0	0.0	0.0	0.0	0.0	-	2.7	21.8	-	2.3	0.0	0.0
137.0	22.0	0.0	0.0	0.0	0.0	-	4.2	0.0	-	0.0	0.0	0.0
137.0	23.0	0.0	0.0	0.0	0.0	-	2.7	130.6	-	2.1	0.0	0.0
140.0	30.0	-	-	-	-	-	-	-	-	-	5.6	-

TABLE 4. (cont.)

Opisthonema spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
137.0 23.0	-	0.0	-	0.0	0.0	-	32.6	0.0	-	0.0	0.0	0.0
150.0 19.0	-	-	-	-	-	-	-	-	-	-	6.9	-

Sardinops sagax

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
70.0 51.0	6.2	-	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
70.0 53.0	3.4	-	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
77.0 48.0	0.0	-	-	4.1	-	0.0	0.0	-	-	0.0	-	0.0
82.0 47.0	-	0.0	-	0.0	0.0	5.7	0.0	0.0	0.0	0.0	-	0.0
83.0 40.0	-	0.0	-	0.0	0.0	10.8	-	0.0	0.0	5.2	-	0.0
87.0 33.0	-	4.9	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0 35.0	-	0.0	-	0.0	0.0	2.7	0.0	0.0	0.0	0.0	-	0.0
93.0 27.0	3.7	5.0	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0 28.0	0.0	-	0.0	-	1.4	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0 29.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	6.7	0.0	6.4	-	0.0
97.0 30.0	0.0	0.0	-	0.0	0.0	5.5	0.0	10.8	0.0	0.0	-	0.0
97.0 45.0	0.0	0.0	0.0	-	69.4	15.3	0.0	0.0	0.0	0.0	-	0.0
103.0 29.0	3.2	6.9	0.0	0.0	0.0	0.0	0.8	37.7	0.0	0.0	0.0	0.0
103.0 30.0	0.0	0.0	-	0.0	0.0	-	0.0	5.9	0.0	0.0	-	0.0
107.0 31.0	0.0	0.0	-	0.0	2.5	-	0.0	2.0	0.0	0.0	-	0.0
107.0 32.0	0.0	12.7	-	0.0	0.0	-	6.0	9.1	0.0	0.0	-	0.0
107.0 35.0	0.0	0.0	-	0.0	0.0	-	0.0	10.0	0.0	0.0	0.0	0.0
107.0 35.0	0.0	0.0	-	0.0	2.9	-	0.0	0.0	0.0	0.0	0.0	0.0
110.0 32.0	1.5	-	0.0	0.0	3.4	-	0.0	0.0	0.0	0.0	0.0	0.0
110.0 35.0	0.0	-	0.0	0.0	0.0	-	-	6.3	0.0	0.0	-	0.0
110.0 40.0	0.0	-	0.0	0.0	0.0	-	-	-	0.0	-	-	-
110.0 41.0	-	-	-	-	-	-	10.5	-	0.0	0.0	-	2.7
110.0 60.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	8.7	-	0.0
113.0 29.0	0.0	-	0.0	0.0	0.0	-	7.7	1.2	2.9	0.0	-	0.0
113.0 30.0	0.0	-	0.0	0.0	0.0	-	2.2	0.0	1.7	0.0	0.0	0.0
113.0 35.0	0.0	-	0.0	0.0	0.0	-	0.0	21.4	0.0	0.0	-	0.0
113.0 40.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	2.6
113.0 40.0	0.0	-	0.0	0.0	0.0	-	35.4	6.3	0.0	0.0	-	8.3
113.0 50.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
113.0 55.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	9.5	0.0	-	0.0
113.0 65.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	24.1	0.0	-	1.8
117.0 25.0	0.0	-	0.0	0.0	0.0	-	7.0	13.3	0.0	0.0	-	0.0
117.0 30.0	0.0	-	0.0	0.0	0.0	-	5.2	0.0	0.0	0.0	0.0	0.0
117.0 40.0	0.0	-	0.0	0.0	0.0	-	36.3	0.0	0.0	0.0	-	0.0
117.0 45.0	0.0	-	0.0	0.0	0.0	-	84.2	0.0	0.0	0.0	-	0.0
117.0 55.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	5.5
117.0 55.0	0.0	-	0.0	0.0	0.0	-	129.8	11.2	3.1	0.0	0.0	0.0
118.0 39.0	-	-	-	0.0	0.0	-	12.4	2.9	0.0	0.0	0.0	2.7
119.0 33.0	0.0	-	0.0	0.0	0.0	-	3.8	134.0	0.0	113.9	-	86.9
120.0 24.0	32.5	-	0.0	0.0	1.6	-	23.0	165.5	0.0	47.5	2279.4	15.2
120.0 25.0	16.6	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	41.9	26.4
120.0 30.0	2.7	-	0.0	0.0	0.0	-	0.0	12.5	0.0	0.0	-	-

TABLE 4. (cont.)

Sardinops sagax (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
120-0	35.0	122.1	0.0	0.0	0.0	-	5.5	35.0	12.3	25.9	0.0	0.0
120-0	40.0	48.8	10.8	0.0	12.7	-	11.1	18.5	2.9	242.8	-	28.8
120-0	45.0	2.7	0.0	0.0	0.0	-	3.3	28.6	-	6.6	0.0	0.0
120-0	55.0	0.0	0.0	0.0	0.0	-	0.0	3.2	-	0.0	0.0	7.9
123-0	36.0	18.8	0.0	0.0	0.0	-	36.4	11.4	-	55.7	-	0.0
123-0	37.0	-	-	0.0	0.0	-	0.0	6.0	-	22.1	148.5	0.0
123-0	40.0	0.0	-	-	0.0	-	-	3.2	-	-	0.0	-
123-0	42.0	-	-	0.0	0.0	-	2.6	-	-	0.0	-	0.0
127-0	33.0	0.0	-	0.0	0.0	-	0.0	69.1	-	448.6	-	113.5
127-0	34.0	0.0	0.0	0.0	0.0	-	0.0	34.6	-	63.5	0.0	7.9
127-0	55.0	0.0	0.0	0.0	0.0	-	0.0	0.0	-	83.2	-	43.5
130-0	28.0	-	-	5.3	0.0	-	0.0	368.8	-	0.0	0.0	0.0
130-0	30.0	26.6	-	0.0	0.0	-	0.0	566.4	-	0.0	0.0	0.0
130-0	35.0	-	-	0.0	0.0	-	0.0	3.1	-	0.0	0.0	0.0
133-0	23.0	2.5	-	0.0	0.0	-	162.6	7634.8	-	0.0	0.0	0.0
133-0	25.0	0.0	-	0.0	0.0	-	22.0	349.7	-	15.1	2.9	0.0
133-0	30.0	0.0	-	0.0	0.0	-	5.3	84.2	-	10.0	0.0	0.0
137-0	22.0	15.3	-	2.3	0.0	-	265.9	16.7	-	18.2	0.0	2.0
137-0	23.0	8.1	-	0.0	0.0	-	0.0	274.7	-	4.2	75.3	0.0
137-0	35.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	2.6

Engraulis mordax

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60-0	50.0	2.9	-	0.0	-	0.0	0.0	-	-	0.0	-	17.1
60-0	52.0	15.8	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
60-0	55.0	8.5	-	0.0	-	0.0	0.0	-	-	14.9	-	0.0
60-0	60.0	0.0	-	0.0	-	0.0	3.2	-	-	0.0	-	0.0
60-0	70.0	0.0	-	0.0	-	0.0	0.0	-	-	3.3	-	0.0
63-0	50.0	7.4	-	0.0	-	0.0	0.0	-	-	0.0	-	54.0
63-0	52.0	0.0	-	0.0	-	0.0	9.4	-	-	8.7	-	106.9
63-0	55.0	0.0	-	0.0	-	0.0	545.2	-	-	0.0	-	0.0
63-0	60.0	17.4	-	0.0	-	0.0	914.6	-	-	31.6	-	0.0
63-0	70.0	-	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
67-0	48.0	0.0	-	2.8	-	2.9	-	-	-	0.0	-	12.5
67-0	50.0	0.0	-	2.9	-	21.1	0.0	-	-	26.4	-	0.0
67-0	55.0	0.0	-	0.0	-	0.0	0.0	-	-	12.5	-	0.0
67-0	58.0	-	-	-	-	-	-	-	-	12.6	-	-
67-0	60.0	12.7	-	11.9	-	64.5	0.0	-	-	-	-	0.0
67-0	65.0	-	-	3.0	-	0.0	-	-	-	-	-	0.0
67-0	70.0	-	-	0.0	-	291.0	45.6	-	-	102.3	-	0.0
70-0	51.0	2109.8	-	17.6	-	12.1	0.0	-	-	6.1	-	2.8
70-0	53.0	141.5	-	15.0	-	21.6	0.0	-	-	6.4	-	0.0
70-0	60.0	0.0	-	0.0	-	23.4	17.8	-	-	-	-	0.0
70-0	65.0	0.0	-	5.8	-	6.4	-	-	-	-	-	-

TABLE 4. (cont.)

Engraulis mordax (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
70-0	70.0	0.0	-	0.0	-	0.0	34.3	-	-	0.0	-	0.0
73-0	50.0	144.3	-	5.4	-	29.8	41.0	-	-	0.0	-	0.0
73-0	53.0	343.7	-	0.0	-	10.0	40.0	-	-	10.6	-	0.0
73-0	60.0	0.0	-	105.4	-	47.6	218.4	-	-	0.0	-	0.0
73-0	70.0	-	-	28.0	-	137.2	32.7	-	-	0.0	-	0.0
73-0	80.0	-	-	2.8	-	0.0	6.6	-	-	0.0	-	-
73-0	90.0	-	-	0.0	-	9.9	0.0	-	-	-	-	-
77-0	48.0	-	-	5.2	-	120.0	37.6	-	-	4.4	-	5.8
77-0	51.0	-	-	0.0	-	50.7	6.8	-	-	0.0	-	26.3
77-0	55.0	1924.5	-	425.9	-	77.0	131.6	-	-	0.0	-	0.0
77-0	60.0	119.7	-	13.6	-	6.5	11.2	-	-	0.0	-	0.0
77-0	65.0	-	-	285.7	-	0.0	-	-	-	-	-	-
77-0	70.0	-	-	356.2	-	0.0	30.4	-	-	0.0	-	3.0
77-0	80.0	-	-	119.3	-	16.8	101.7	-	-	0.0	-	-
80-0	51.0	3357.6	-	1000.7	123.3	1117.6	9.1	9.0	145.4	144.7	-	3.0
80-0	52.0	2115.4	-	921.1	565.2	264.9	18.2	5.9	252.3	25.6	-	67.8
80-0	55.0	3972.6	-	817.4	702.3	73.0	5.4	234.3	28.2	26.2	-	9.7
80-0	60.0	-	-	2217.6	7113.9	96.6	9.9	68.9	3.2	0.0	-	0.0
80-0	65.0	34.1	-	316.5	23.0	12.1	1925.0	105.9	0.0	0.0	-	0.0
80-0	70.0	65.1	-	546.7	0.0	1135.8	21.5	6.9	0.0	0.0	-	0.0
80-0	80.0	0.0	-	12.1	0.0	2.8	0.0	0.0	0.0	0.0	-	0.0
80-0	90.0	1.6	-	8.3	0.0	0.0	86.1	0.0	0.0	0.0	-	0.0
82-0	47.0	476.9	-	1535.0	52.4	2582.1	12.3	132.3	141.7	103.7	-	5.9
83-0	40.0	543.0	-	762.2	868.6	1015.2	-	111.4	86.7	31.4	-	41.8
83-0	43.0	871.1	-	2597.2	1099.6	1299.8	105.7	1427.7	203.1	40.0	-	120.8
83-0	51.0	1943.5	-	611.1	6061.4	2893.8	14.5	1373.5	324.3	10.6	-	45.8
83-0	55.0	787.6	-	1514.8	764.4	504.3	37.5	231.0	728.5	15.2	-	12.4
83-0	60.0	11.6	-	325.1	1494.1	1545.6	170.8	77.7	322.1	17.6	-	0.0
83-0	65.0	1.6	-	722.4	342.4	758.9	1025.1	0.0	239.8	60.2	-	0.0
83-0	70.0	6.6	-	298.3	3.1	667.9	13.4	170.1	0.0	3.7	-	0.0
83-0	80.0	34.0	-	110.8	3.0	8.9	21.0	3.0	0.0	38.4	-	0.0
83-0	90.0	0.0	-	5.9	0.0	0.0	61.4	0.0	0.0	0.0	-	-
87-0	33.0	2403.5	-	-	1128.9	1502.9	74.1	1204.1	186.0	0.0	-	207.4
87-0	35.0	4119.1	-	1397.1	2835.9	5589.8	748.8	1407.6	3053.2	46.9	-	295.0
87-0	40.0	1617.6	-	1651.3	6675.4	2270.8	72.8	691.2	154.6	606.7	-	346.8
87-0	45.0	4397.4	-	1100.0	1920.7	2831.0	305.8	11.1	231.0	503.4	-	8.9
87-0	50.0	1283.9	-	1100.3	8395.6	2432.2	575.7	37.1	439.4	0.0	-	10.3
87-0	55.0	227.3	-	182.1	1166.4	1537.5	473.0	12.6	23.1	0.0	-	3.3
87-0	60.0	670.8	-	984.6	1806.1	1493.5	99.5	0.0	3.3	0.0	-	0.0
87-0	65.0	0.0	-	705.8	124.8	114.8	566.0	0.0	0.0	0.0	-	0.0
87-0	70.0	142.0	-	-	0.0	0.0	463.6	0.0	0.0	0.0	-	0.0
87-0	80.0	0.0	-	-	0.0	0.0	17.6	0.0	0.0	0.0	-	0.0
87-0	90.0	9.6	-	-	0.0	2.6	0.0	0.0	0.0	0.0	-	-
90-0	28.0	3294.4	1049.2	-	6608.3	306.4	174.7	7143.7	237.3	600.2	-	388.2
90-0	30.0	-	-	-	-	-	-	-	-	-	-	-
90-0	32.0	339.2	840.8	-	3570.6	13.4	666.3	184.2	361.6	730.6	-	208.0

TABLE 4. (cont.)

Engraulis mordax (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
90.0	37.0	1535.8	1867.8	—	1932.5	139.9	537.9	369.1	1321.8	476.2	—	65.9
90.0	45.0	1830.3	1026.9	—	2409.1	5482.4	106.9	68.3	711.6	0.0	—	84.5
90.0	50.0	760.0	—	—	6509.7	—	—	—	658.3	—	—	—
90.0	53.0	—	759.2	—	—	936.4	185.1	—	—	0.0	—	12.8
90.0	55.0	452.2	—	—	145.6	—	—	3.2	0.0	—	—	—
90.0	60.0	1129.4	—	—	612.9	111.5	241.8	24.3	0.0	3.0	—	0.0
90.0	65.0	256.4	—	—	64.2	0.0	0.0	0.0	0.0	0.0	—	0.0
90.0	70.0	1512.9	—	—	35.0	186.4	0.0	6.2	0.0	—	—	0.0
90.0	80.0	0.0	19.9	—	0.0	0.0	5.6	3.2	0.0	0.0	—	0.0
90.0	90.0	3.2	2.5	—	0.0	0.0	—	3.3	0.0	0.0	—	0.0
90.0	100.0	0.0	—	—	—	—	5.8	—	—	0.0	—	—
93.0	27.0	3633.2	—	—	1091.9	84.6	1875.8	326.7	54.2	114.4	—	324.4
93.0	28.0	2945.2	841.1	—	2129.8	423.4	756.4	16.1	118.6	430.3	—	536.2
93.0	30.0	114.4	588.3	—	922.5	957.4	62.6	0.0	199.3	390.4	—	37.8
93.0	35.0	1225.1	3944.6	—	2338.3	178.9	0.0	41.3	278.1	478.3	—	130.7
93.0	40.0	222.9	6.5	—	1396.3	359.6	—	3.4	6.3	3.2	—	40.6
93.0	45.0	54.2	0.0	—	327.3	365.8	19.0	0.0	3.0	6.2	—	0.0
93.0	50.0	23.7	1970.6	—	4008.1	3152.7	41.2	0.0	0.0	0.0	—	0.0
93.0	55.0	24.2	31.0	—	5015.2	2209.0	25.3	3.4	0.0	0.0	—	0.0
93.0	60.0	0.0	36.1	—	2369.7	54.9	1142.0	0.0	0.0	0.0	—	0.0
93.0	65.0	0.0	814.1	—	10.1	2.7	204.6	0.0	0.0	0.0	—	0.0
93.0	70.0	3.0	967.3	—	8.9	5.6	—	0.0	0.0	—	—	0.0
93.0	80.0	0.0	42.1	—	13.4	0.0	157.5	0.0	0.0	—	—	0.0
97.0	29.0	641.8	24.8	—	26.7	33.1	0.0	216.3	73.8	225.8	—	6.5
97.0	30.0	1106.8	666.0	229.0	445.9	70.6	0.0	8.1	121.1	209.0	—	29.6
97.0	32.0	197.1	—	—	—	6.7	0.0	—	272.7	272.7	—	634.5
97.0	35.0	2474.0	235.2	—	42.8	—	0.0	0.0	989.7	1210.9	0.0	10.2
97.0	40.0	0.0	648.6	—	4040.1	3.0	7.2	0.0	0.0	46.6	—	2.8
97.0	45.0	0.0	2407.3	—	71.8	19.4	0.0	0.0	0.0	0.0	0.0	0.0
97.0	50.0	60.3	1168.4	—	74.5	1252.7	0.0	0.0	0.0	0.0	—	0.0
97.0	55.0	60.0	50.9	—	3.9	13.2	3.5	0.0	0.0	0.0	—	0.0
97.0	60.0	0.0	372.7	—	17.6	0.0	0.0	0.0	0.0	0.0	—	0.0
97.0	65.0	0.0	89.1	—	0.0	0.0	3.1	0.0	0.0	0.0	—	0.0
97.0	70.0	0.0	93.3	—	1144.4	0.0	15.7	0.0	0.0	0.0	—	0.0
97.0	80.0	0.0	5.5	—	65.0	0.0	0.0	2.8	0.0	0.0	—	0.0
97.0	90.0	0.0	0.0	—	0.0	0.0	3.1	—	—	—	—	—
100.0	29.0	2040.4	450.8	41.9	312.1	20.3	14.3	11.0	130.6	21.1	—	2.9
100.0	30.0	2122.4	513.8	277.4	366.0	112.9	2.4	0.0	89.4	16.8	—	202.0
100.0	35.0	1516.8	1091.2	0.0	0.0	3.1	3.0	0.0	0.0	6.3	3.0	17.3
100.0	40.0	1249.5	516.3	427.7	70.2	0.0	0.0	0.0	3.0	20.6	—	0.0
100.0	45.0	65.2	—	104.7	545.7	0.0	0.0	0.0	22.3	0.0	0.0	0.0
100.0	50.0	101.1	—	6.2	0.0	0.0	0.0	3.2	32.6	0.0	—	0.0
100.0	55.0	0.0	—	0.0	11.9	0.0	0.0	0.0	3.0	0.0	—	0.0
100.0	60.0	17.8	6.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
100.0	65.0	3.1	0.0	3.1	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
100.0	70.0	0.0	—	19.7	11.0	0.0	0.0	0.0	0.0	0.0	—	0.0

TABLE 4. (cont.)

Engraulis mordax (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
100.0	90.0	0.0	-	0.0	6.8	0.0	0.0	-	0.0	-	-	-
103.0	29.0	473.2	-	48.0	23.9	0.0	16.0	-	11.0	1.6	-	64.7
103.0	30.0	152.4	-	35.5	45.7	-	153.4	5.9	28.0	0.0	-	287.1
103.0	35.0	229.2	-	0.0	0.0	-	5.3	3.3	0.0	0.0	57.1	99.4
103.0	40.0	234.8	-	14.0	6.2	-	1.7	60.0	3.3	0.0	-	0.0
103.0	45.0	9.0	-	9.1	3.7	-	1.7	16.1	6.2	0.0	3.0	0.0
103.0	50.0	3.2	-	14.8	0.0	0.0	0.0	0.0	90.8	0.0	-	0.0
103.0	55.0	3.3	-	0.0	0.0	0.0	0.0	22.1	9.2	-	-	0.0
103.0	60.0	9.6	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	65.0	43.2	-	0.0	0.0	0.0	14.6	37.8	53.3	0.0	-	75.3
107.0	31.0	2256.0	-	40.2	4.1	-	17.9	45.6	9.9	0.0	-	42.3
107.0	32.0	850.1	-	25.4	19.7	-	0.0	20.0	0.0	7.5	0.0	33.0
107.0	35.0	186.1	-	0.0	0.0	-	0.0	162.7	0.0	0.0	-	0.0
107.0	40.0	44.8	-	0.0	0.0	-	0.0	12.8	0.0	6.6	0.0	0.0
107.0	45.0	33.6	-	13.5	0.0	-	0.0	0.0	15.8	0.0	0.0	0.0
107.0	50.0	3.1	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	55.0	8.7	-	0.0	0.0	-	0.0	0.0	3.1	0.0	-	0.0
107.0	60.0	0.0	-	0.0	0.0	-	0.0	0.0	2.2	1.2	-	59.4
107.0	65.0	0.0	6.6	65.4	0.0	-	1.2	40.9	-	-	-	-
110.0	32.0	-	49.0	193.1	-	-	-	6.5	48.0	3.4	0.0	39.3
110.0	35.0	-	316.2	431.5	3.4	-	2.6	22.2	0.0	0.0	-	293.8
110.0	40.0	-	324.0	3.8	0.0	-	-	-	-	-	-	-
110.0	41.0	-	-	-	-	-	23.6	0.0	0.0	6.4	0.0	0.0
110.0	45.0	-	260.8	0.0	0.0	-	0.0	0.0	6.5	0.0	-	0.0
110.0	50.0	8.1	10.3	0.0	0.0	-	0.0	0.0	0.0	0.0	-	2.5
110.0	55.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0	60.0	0.0	0.0	0.0	0.0	-	6.0	0.0	0.0	0.0	-	0.0
110.0	65.0	0.0	35.6	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0	70.0	0.0	11.6	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0	75.0	2.8	36.7	17.3	2.7	-	20.5	155.6	0.0	15.7	-	56.8
113.0	29.0	86.0	-	36.7	9.3	-	474.9	720.4	0.0	2.7	0.0	34.4
113.0	30.0	231.0	-	229.6	6.7	-	68.3	3.1	9.7	3.2	0.0	13.9
113.0	35.0	229.4	-	120.5	228.0	-	93.6	0.0	0.0	0.0	-	256.0
113.0	40.0	35.5	-	1660.0	27.7	-	2.8	0.0	0.0	0.0	0.0	191.9
113.0	45.0	6.1	-	797.6	78.4	-	25.8	53.6	0.0	0.0	-	0.0
113.0	50.0	0.0	-	19.9	0.0	-	3.1	0.0	0.0	0.0	-	0.0
113.0	55.0	2.9	-	29.3	0.0	-	3.3	0.0	0.0	0.0	-	0.0
113.0	60.0	3.0	-	19.7	-	-	0.0	0.0	0.0	0.0	-	0.0
113.0	65.0	3.3	-	12.5	0.0	-	3.2	0.0	0.0	0.0	-	0.0
113.0	70.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
113.0	75.0	4.1	-	96.0	0.0	-	0.0	-	-	-	-	0.0
117.0	25.0	697.9	54.0	178.6	0.0	-	47.9	45.2	0.0	7.2	8.1	9.4
117.0	26.0	370.2	792.2	1162.5	831.0	-	1169.2	78.7	0.0	2.7	5.5	3.0
117.0	30.0	274.4	726.3	6289.9	291.9	-	1406.8	39.9	0.0	6.1	10.8	0.0
117.0	35.0	319.8	6289.9	291.9	84.3	-	151.6	379.5	0.0	0.0	0.0	0.0
117.0	40.0	10.6	740.4	28.7	28.7	-	349.4	0.0	0.0	0.0	0.0	0.0
117.0	45.0	139.3	3.2	96.9	0.0	-	0.0	0.0	0.0	0.0	-	0.0
117.0	50.0	499.8	8.6	3.1	0.0	-	0.0	0.0	0.0	0.0	-	0.0

TABLE 4. (cont.)

Engraulis mordax (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
117.0	55.0	418.6	98.2	22.4	0.0	-	0.0	0.0	0.0	0.0	-	13.8
117.0	60.0	0.0	0.0	0.0	0.0	-	0.0	3.3	0.0	0.0	-	0.0
117.0	65.0	0.0	12.5	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
117.0	70.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.0	0.0	-	0.0
117.0	80.0	2.4	-	-	-	-	-	-	-	-	-	0.0
118.0	39.0	-	-	598.9	532.8	-	460.4	5.6	3.1	18.7	-	0.0
119.0	33.0	904.0	641.1	17.9	1056.7	-	1884.8	43.7	3142.5	6.1	0.0	0.0
120.0	24.0	340.0	575.8	999.0	68.9	-	2.6	4.6	0.0	6.6	0.0	0.0
120.0	25.0	990.8	1343.3	277.0	1.9	-	49.9	16.0	0.0	21.1	0.0	15.2
120.0	30.0	1420.3	542.3	54.4	41.9	-	661.4	81.1	0.0	14.1	5.2	7.2
120.0	35.0	428.8	469.5	177.0	32.8	-	1277.0	7.5	0.0	2.6	0.0	0.0
120.0	40.0	150.2	372.6	276.5	463.9	-	734.6	6.2	2.9	0.0	-	2.8
120.0	45.0	81.3	128.7	3.2	679.0	-	139.0	48.6	-	16.5	0.0	0.0
120.0	50.0	0.0	3.3	0.0	0.0	-	96.2	6.4	-	0.0	-	0.0
120.0	55.0	11.4	15.7	0.0	0.0	-	6.2	0.0	-	0.0	-	0.0
120.0	60.0	280.3	11.6	0.0	0.0	-	0.0	0.0	-	0.0	-	0.0
120.0	65.0	35.1	-	0.0	0.0	-	0.0	0.0	-	0.0	-	0.0
120.0	70.0	9.1	-	0.0	0.0	-	0.0	0.0	-	0.0	-	0.0
123.0	36.0	236.7	-	123.1	2883.5	-	3.5	2.8	-	1.9	3.0	0.0
123.0	37.0	898.8	-	74.7	1183.2	-	3.5	12.0	-	6.3	0.0	2.6
123.0	40.0	47.1	-	-	60.3	-	-	6.4	-	-	-	-
123.0	42.0	-	-	23.2	-	-	15.8	-	-	0.0	-	15.1
123.0	45.0	58.9	-	0.0	132.2	-	3.0	0.0	-	0.0	-	0.0
123.0	50.0	6.0	-	3.4	0.0	-	0.0	0.0	-	0.0	0.0	0.0
123.0	55.0	87.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
123.0	60.0	96.6	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
123.0	65.0	99.4	-	-	0.0	-	0.0	-	-	-	-	-
123.0	70.0	55.9	-	-	0.0	-	0.0	-	-	-	-	-
125.0	35.5	-	-	-	-	-	-	-	-	-	2.8	-
127.0	33.0	74.5	-	0.0	9.4	-	0.0	10.2	-	16.0	-	103.2
127.0	34.0	125.1	-	3.1	14.5	-	0.0	18.6	-	11.0	0.0	102.2
127.0	40.0	287.0	-	1354.2	0.0	-	0.0	0.0	-	6.2	0.0	0.0
127.0	45.0	431.6	-	0.0	460.3	-	3.1	0.0	-	0.0	0.0	0.0
127.0	50.0	2.6	-	0.0	0.0	-	32.2	0.0	-	0.0	0.0	0.0
127.0	55.0	27.6	-	0.0	0.0	-	65.3	0.0	-	0.0	0.0	0.0
127.0	60.0	32.3	-	0.0	0.0	-	77.7	0.0	-	0.0	0.0	0.0
127.0	65.0	5.2	-	-	0.0	-	116.8	-	-	-	-	-
127.0	70.0	0.0	-	-	0.0	-	3.0	-	-	-	-	-
130.0	28.0	156.4	-	5.3	3.6	-	0.0	321.6	-	60.1	3.8	2974.6
130.0	30.0	407.1	-	5.5	0.0	-	0.0	241.3	-	40.2	0.0	735.5
130.0	35.0	117.7	-	0.0	24.7	-	0.0	0.0	-	2.6	0.0	9.9
130.0	40.0	2.8	-	24.7	0.0	-	2.3	0.0	-	0.0	0.0	0.0
130.0	45.0	0.0	-	38.9	0.0	-	0.0	0.0	-	0.0	0.0	0.0
130.0	50.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
130.0	55.0	0.0	-	3.5	0.0	-	14.7	0.0	-	0.0	0.0	0.0
130.0	80.0	3.1	-	0.0	0.0	-	0.0	0.0	-	-	-	-

TABLE 4. (cont.)

Engraulis mordax (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
131.5	37.5	-	-	1557.0	0.0	-	5.4	75.9	-	51.3	32.5	-
133.0	23.0	3984.1	-	174.9	2.8	-	368.5	226.8	-	73.1	160.7	53.1
133.0	25.0	3259.1	-	80.1	0.0	-	34.7	3.1	-	31.0	0.0	1198.7
133.0	30.0	887.3	-	3.5	0.0	-	0.0	0.0	-	0.0	0.0	54.0
133.0	35.0	22.8	-	68.6	30.6	-	0.0	0.0	-	0.0	0.0	124.8
133.0	40.0	0.0	-	55.9	0.0	-	0.0	0.0	-	0.0	0.0	8.8
133.0	45.0	3.4	-	3.9	0.0	-	0.0	0.0	-	0.0	0.0	-
133.0	50.0	0.0	-	49.9	44.1	-	0.0	0.0	-	0.0	0.0	-
137.0	22.0	907.3	-	212.0	0.0	-	1221.7	8.4	-	20.4	94.9	4388.0
137.0	23.0	749.4	-	173.5	0.0	-	690.9	51.7	-	2.1	9.3	1095.7
137.0	30.0	853.9	-	0.0	63.2	-	0.0	0.0	-	5.3	0.0	1578.5
137.0	35.0	822.5	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	434.0
137.0	40.0	8.9	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
137.0	50.0	0.0	-	0.0	0.0	-	2.9	0.0	-	0.0	0.0	-
137.0	55.0	0.0	-	0.0	0.0	-	2.8	0.0	-	0.0	0.0	-
140.0	30.0	-	-	-	-	-	-	-	-	-	11.2	-
143.0	26.0	-	-	-	-	-	-	-	-	-	60.2	-

Argentina sialis

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
63.0	55.0	0.0	-	3.0	-	0.0	0.0	-	-	0.0	-	0.0
67.0	50.0	-	-	2.9	-	0.0	0.0	-	-	0.0	-	0.0
77.0	51.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	2.9
77.0	55.0	0.0	-	0.0	-	0.0	3.3	-	-	0.0	-	0.0
80.0	51.0	0.0	-	0.0	0.0	6.2	0.0	0.0	0.0	0.0	-	3.0
80.0	52.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	26.7
82.0	47.0	0.0	-	9.2	0.0	0.0	0.0	0.0	0.0	0.0	-	3.2
83.0	43.0	8.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	55.0	0.0	-	2.9	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	33.0	0.0	-	0.0	0.0	1.6	0.0	0.0	0.0	0.0	-	2.5
87.0	35.0	6.7	-	0.0	0.0	0.0	3.1	0.0	0.0	0.0	-	0.0
87.0	40.0	4.8	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	45.0	1.4	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	28.0	10.6	0.0	6.6	2.8	0.0	0.0	0.0	0.0	0.0	-	6.6
90.0	37.0	3.2	0.0	6.5	0.0	2.8	0.0	0.0	0.0	0.0	-	0.0
93.0	27.0	0.0	-	0.0	5.5	0.0	0.0	3.6	9.6	0.0	-	0.0
93.0	28.0	2.6	0.0	8.3	0.0	0.0	0.0	4.0	0.0	0.0	-	0.0
93.0	30.0	2.9	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	35.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	3.0
97.0	32.0	5.1	0.0	-	0.0	0.0	3.4	-	-	0.0	-	2.5
97.0	35.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
97.0	40.0	0.0	0.0	-	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
97.0	45.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
100.0	29.0	0.0	-	3.0	2.9	0.0	0.0	0.0	0.0	0.0	-	0.0

TABLE 4. (cont.)

Argentina sialis (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
100.0	30.0	0.0	12.2	—	0.0	6.1	10.0	0.0	0.0	0.0	—	0.0
100.0	35.0	0.0	9.3	—	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0
100.0	45.0	0.0	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
107.0	32.0	0.0	2.5	—	0.0	0.0	3.1	0.0	0.0	0.0	—	0.0
107.0	35.0	0.0	0.0	—	0.0	3.5	—	0.0	0.0	0.0	0.0	0.0
107.0	40.0	0.0	3.0	—	0.0	0.0	—	0.0	0.0	0.0	—	0.0
110.0	33.0	—	—	3.0	—	—	—	—	—	—	—	—
110.0	35.0	0.0	0.0	0.0	0.0	—	0.0	0.0	0.0	0.0	0.0	6.0
113.0	35.0	0.0	0.0	0.0	0.0	—	6.5	0.0	0.0	0.0	0.0	0.0
113.0	40.0	0.0	3.3	0.0	0.0	—	3.0	3.2	0.0	0.0	—	0.0
117.0	25.0	0.0	—	0.0	0.0	—	0.0	2.7	0.0	0.0	—	0.0
117.0	26.0	0.0	0.0	0.0	3.1	—	0.0	0.0	0.0	0.0	0.0	0.0
117.0	30.0	0.0	23.5	0.0	15.0	—	0.0	5.6	0.0	0.0	0.0	3.0
117.0	35.0	0.0	—	0.0	0.0	—	7.7	18.4	0.0	0.0	0.0	4.2
117.0	40.0	0.0	0.0	0.0	0.0	—	3.3	2.8	0.0	0.0	0.0	0.0
117.0	45.0	0.0	0.0	0.0	0.0	—	6.2	6.5	0.0	0.0	0.0	0.0
117.0	70.0	0.0	0.0	0.0	0.0	—	3.1	0.0	0.0	0.0	—	0.0
118.0	39.0	—	—	0.0	0.0	—	3.3	0.0	3.1	0.0	—	2.5
119.0	33.0	0.0	0.0	0.0	0.0	—	6.2	14.6	3.1	0.0	0.0	2.7
120.0	30.0	0.0	0.0	6.4	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0
120.0	35.0	0.0	0.0	3.2	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0
120.0	45.0	0.0	0.0	0.0	0.0	—	3.3	0.0	0.0	6.6	0.0	0.0
120.0	50.0	0.0	0.0	0.0	0.0	—	9.5	0.0	—	—	—	0.0
120.0	55.0	0.0	0.0	0.0	0.0	—	2.6	0.0	—	0.0	—	0.0
123.0	37.0	0.0	0.0	2.5	0.0	—	0.0	0.0	—	0.0	0.0	0.0
123.0	45.0	0.0	—	0.0	3.4	—	0.0	0.0	—	0.0	0.0	0.0
127.0	40.0	—	—	0.0	0.0	—	0.0	0.0	—	0.0	0.0	0.0
127.0	55.0	0.0	—	0.0	0.0	—	2.7	0.0	—	0.0	0.0	0.0
137.0	30.0	3.2	—	0.0	0.0	—	0.0	0.0	—	0.0	0.0	0.0
137.0	35.0	0.0	—	0.0	3.2	—	0.0	0.0	—	0.0	0.0	0.0

Microstoma microstoma

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
67.0	80.0	—	—	0.0	—	0.0	6.7	—	—	0.0	—	—
70.0	53.0	0.0	—	0.0	—	0.0	0.0	—	—	0.0	—	3.0
70.0	65.0	0.0	—	0.0	—	3.2	—	—	—	—	—	—
73.0	80.0	—	—	0.0	—	0.0	3.3	—	—	0.0	—	—
77.0	51.0	0.0	—	0.0	—	3.4	—	—	—	0.0	—	0.0
77.0	70.0	—	—	0.0	—	3.0	10.1	—	—	0.0	—	0.0
80.0	60.0	—	—	0.0	0.0	2.8	0.0	0.0	0.0	0.0	—	0.0
80.0	65.0	—	—	2.4	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
80.0	70.0	—	—	0.0	0.0	5.8	0.0	0.0	0.0	0.0	—	0.0
80.0	80.0	—	—	0.0	0.0	0.0	0.0	0.0	0.0	0.0	—	3.1
83.0	55.0	—	—	0.0	0.0	0.0	3.4	0.0	0.0	0.0	—	0.0

TABLE 4. (cont.)

Microstoma microstoma (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
83.0	70.0	1.5	—	0.0	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
83.0	80.0	0.0	—	0.0	0.0	0.0	0.0	0.0	3.2	0.0	—	0.0
87.0	60.0	0.0	—	0.0	0.0	5.8	0.0	0.0	0.0	0.0	—	0.0
87.0	65.0	0.0	—	3.5	3.1	0.0	0.0	0.0	0.0	0.0	—	0.0
87.0	70.0	0.0	—	—	3.8	3.0	0.0	0.0	0.0	0.0	—	0.0
87.0	80.0	0.0	3.4	—	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
87.0	70.0	0.0	0.0	—	0.0	0.0	0.0	0.0	2.8	0.0	—	0.0
93.0	28.0	0.0	0.0	—	0.0	0.0	0.0	4.0	0.0	0.0	—	0.0
93.0	30.0	0.0	3.2	—	0.0	0.0	3.1	0.0	0.0	0.0	—	0.0
93.0	50.0	0.0	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
93.0	55.0	0.0	0.0	—	0.0	0.0	3.2	0.0	0.0	3.0	—	0.0
93.0	60.0	0.0	3.0	—	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
93.0	65.0	0.0	6.3	—	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
93.0	70.0	0.0	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
93.0	75.0	2.6	0.0	—	0.0	0.0	0.0	—	—	0.0	—	0.0
94.0	78.0	—	—	—	—	—	—	—	—	—	—	—
97.0	35.0	0.0	0.0	—	0.0	—	0.0	3.1	0.0	0.0	0.0	0.0
97.0	40.0	0.0	0.0	—	0.0	0.0	0.0	3.0	0.0	0.0	—	0.0
97.0	50.0	0.0	0.0	—	0.0	2.9	0.0	3.1	0.0	0.0	—	0.0
97.0	55.0	0.0	0.0	—	0.0	0.0	0.0	3.0	0.0	0.0	—	0.0
100.0	50.0	0.0	2.7	—	0.0	0.0	0.0	0.0	3.3	0.0	—	0.0
100.0	65.0	0.0	—	0.0	0.0	3.3	3.5	0.0	0.0	0.0	—	0.0
100.0	70.0	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
103.0	40.0	0.0	—	3.5	0.0	—	0.0	0.0	0.0	0.0	—	0.0
103.0	45.0	3.1	—	0.0	0.0	—	0.0	0.0	0.0	0.0	—	0.0
107.0	45.0	0.0	—	7.3	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0
107.0	60.0	0.0	—	3.5	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0
110.0	45.0	0.0	0.0	0.0	3.3	—	0.0	0.0	0.0	0.0	0.0	0.0
110.0	50.0	0.0	0.0	0.0	3.5	—	0.0	0.0	0.0	0.0	—	0.0

Nansenia candida

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	65.0	—	—	50.3	—	0.0	—	—	—	—	—	—
63.0	55.0	—	—	3.0	—	0.0	0.0	—	—	0.0	—	0.0
63.0	60.0	0.0	—	3.2	—	0.0	0.0	—	—	0.0	—	0.0
63.0	65.0	—	—	8.8	—	0.0	—	—	—	—	—	—
63.0	70.0	—	—	19.4	—	2.9	0.0	—	—	—	—	0.0
67.0	60.0	0.0	—	0.0	—	3.1	0.0	—	—	—	—	0.0
67.0	65.0	—	—	14.9	—	3.2	—	—	—	—	—	—
67.0	70.0	—	—	5.9	—	0.0	0.0	—	—	0.0	—	0.0
67.0	80.0	—	—	—	—	0.0	10.0	—	—	0.0	—	—
67.0	90.0	—	—	—	—	9.6	0.0	—	—	0.0	—	—
70.0	60.0	0.0	—	3.1	—	0.0	0.0	—	—	—	—	0.0
70.0	65.0	—	—	17.3	—	0.0	—	—	—	—	—	—
70.0	70.0	0.0	—	12.4	—	3.2	6.2	—	—	0.0	—	0.0
70.0	80.0	0.0	—	12.0	—	0.0	0.0	—	—	0.0	—	0.0

TABLE 4. (cont.)

Nansenia candida (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
73.0	50.0	-	-	2.7	-	0.0	0.0	-	-	0.0	-	0.0
73.0	60.0	0.0	-	5.7	-	0.0	0.0	-	-	0.0	-	0.0
73.0	80.0	-	-	13.9	-	0.0	0.0	-	-	0.0	-	-
73.0	90.0	-	-	2.9	-	0.0	0.0	-	-	-	-	-
77.0	51.0	-	-	2.9	-	0.0	0.0	-	-	0.0	-	-
77.0	80.0	0.0	-	5.7	-	0.0	0.0	-	-	0.0	-	-
80.0	80.0	-	-	0.0	-	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	90.0	-	-	0.0	9.4	2.8	0.0	0.0	0.0	0.0	-	0.0
83.0	80.0	-	-	0.0	0.0	3.0	0.0	0.0	0.0	0.0	-	0.0
87.0	80.0	-	0.0	-	10.6	2.5	0.0	0.0	0.0	0.0	-	0.0
87.0	90.0	-	0.0	-	3.7	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	60.0	-	0.0	-	0.0	0.0	2.8	0.0	0.0	0.0	-	0.0
90.0	80.0	-	3.3	-	3.3	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	90.0	-	2.5	-	2.0	0.0	-	0.0	0.0	-	-	0.0
93.0	70.0	0.0	0.0	-	1.7	0.0	0.0	0.0	-	0.0	-	0.0
93.0	80.0	0.0	3.0	-	0.0	0.0	0.0	-	-	0.0	-	0.0
93.0	90.0	0.0	0.0	0.0	3.7	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	70.0	0.0	0.0	0.0	3.2	-	0.0	0.0	0.0	0.0	-	0.0
107.0	65.0	0.0	0.0	0.0	-	-	0.0	0.0	0.0	-	-	-

Nansenia crassa

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
93.0	28.0	0.0	0.0	-	0.0	0.0	0.0	4.0	0.0	0.0	-	0.0
97.0	32.0	0.0	0.0	-	-	0.0	3.4	-	-	0.0	-	0.0
97.0	70.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	35.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0
103.0	65.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	70.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	2.6
107.0	60.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	2.8
107.0	70.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.1	0.0	0.0	0.0
110.0	35.0	-	0.0	0.0	0.0	-	0.0	0.0	3.2	0.0	0.0	0.0
110.0	45.0	-	0.0	0.0	6.6	-	0.0	0.0	0.0	0.0	-	0.0
110.0	50.0	0.0	0.0	0.0	3.5	-	0.0	0.0	0.0	0.0	-	0.0
110.0	55.0	0.0	0.0	3.2	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
113.0	45.0	-	0.0	0.0	0.0	-	2.8	0.0	0.0	0.0	0.0	0.0
113.0	55.0	2.9	0.0	0.0	3.1	-	0.0	0.0	0.0	0.0	-	0.0
113.0	60.0	0.0	0.0	0.0	-	-	0.0	0.0	0.0	3.2	-	0.0
117.0	70.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
120.0	55.0	2.9	0.0	0.0	0.0	-	0.0	0.0	-	0.0	-	0.0
120.0	60.0	-	0.0	0.0	0.0	-	0.0	0.0	-	0.0	-	0.0
120.0	65.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	-	2.7
120.0	70.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	-	0.0
123.0	40.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	-	0.0
123.0	45.0	6.2	-	0.0	0.0	-	-	3.2	-	-	0.0	-
							0.0	0.0	-	0.0	-	0.0

TABLE 4. (cont.)

Nansenia crassa (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
123.0	50.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	3.0
123.0	55.0	2.9	-	0.0	0.0	-	0.0	0.0	-	0.0	-	0.0
123.0	60.0	0.0	-	0.0	0.0	-	0.0	3.2	-	0.0	0.0	0.0
123.0	70.0	-	-	-	3.4	-	0.0	-	-	-	-	-
127.0	40.0	0.0	-	0.0	0.0	-	0.0	3.0	-	0.0	0.0	0.0
127.0	50.0	0.0	-	0.0	0.0	-	0.0	0.0	-	2.7	0.0	0.0
127.0	55.0	0.0	-	0.0	3.3	-	0.0	0.0	-	0.0	-	0.0
127.0	65.0	2.6	-	-	0.0	-	0.0	-	-	-	-	-
127.0	70.0	3.3	-	-	0.0	-	0.0	-	-	-	-	-
130.0	45.0	2.8	-	3.5	0.0	-	0.0	0.0	-	0.0	-	0.0
130.0	50.0	3.2	-	0.0	0.0	-	0.0	3.2	-	0.0	0.0	0.0
130.0	55.0	3.2	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
130.0	60.0	0.0	-	0.0	0.0	-	0.0	2.9	-	0.0	0.0	0.0
133.0	40.0	3.1	-	0.0	0.0	-	0.0	0.0	-	0.0	-	-
133.0	45.0	0.0	-	0.0	0.0	-	0.0	6.6	-	0.0	-	-
133.0	50.0	0.0	-	0.0	0.0	-	0.0	9.7	-	0.0	0.0	-
133.0	55.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
137.0	30.0	3.0	-	0.0	0.0	-	0.0	3.1	-	0.0	0.0	0.0
137.0	35.0	2.8	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	-
137.0	50.0	3.1	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	-
137.0	60.0	3.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	-
140.0	45.0	-	-	0.0	0.0	-	-	-	-	-	3.1	-

Bathylagus spp.

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
83.0	60.0	0.0	-	3.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	60.0	0.0	-	0.0	0.0	0.0	28.9	0.0	0.0	0.0	-	0.0
90.0	55.0	0.0	-	-	0.0	-	-	3.2	0.0	-	-	-
90.0	100.0	0.0	-	-	-	-	5.8	-	0.0	0.0	-	-
100.0	70.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	0.0
103.0	55.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	0.0
103.0	80.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0	-	-	0.0
107.0	40.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
107.0	45.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
107.0	55.0	17.4	-	0.0	0.0	-	0.0	0.0	0.0	-	-	0.0
107.0	80.0	3.1	0.0	0.0	0.0	-	0.0	-	0.0	0.0	-	0.0
110.0	60.0	-	2.9	0.0	0.0	-	0.0	0.0	0.0	-	-	0.0
110.0	80.0	-	3.1	0.0	0.0	-	0.0	-	-	-	-	0.0
113.0	55.0	-	3.3	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
123.0	55.0	0.0	-	0.0	3.3	-	0.0	0.0	0.0	0.0	0.0	0.0
130.0	60.0	0.0	-	0.0	3.5	-	0.0	0.0	-	-	0.0	-
130.0	80.0	3.1	-	-	-	-	0.0	-	-	-	-	-
133.0	35.0	0.0	-	0.0	0.0	-	3.0	0.0	-	0.0	-	0.0

TABLE 4. (cont.)

Bathylagus milleri

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
67.0 70.0	-	-	-	0.0	-	0.0	0.0	-	-	3.4	-	0.0

Bathylagus ochotensis

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0 50.0	0.0	-	-	2.8	-	0.0	0.0	-	-	0.0	-	0.0
60.0 52.0	0.0	-	-	10.2	-	0.0	0.0	-	-	0.0	-	0.0
60.0 55.0	14.1	-	-	0.0	-	0.0	3.1	-	-	0.0	-	0.0
60.0 60.0	8.9	-	-	14.7	-	2.8	3.2	-	-	0.0	-	10.9
60.0 65.0	0.0	-	-	85.8	-	22.6	-	-	-	-	-	-
60.0 70.0	0.0	-	-	29.9	-	37.2	19.2	-	-	0.0	-	3.0
60.0 80.0	0.0	-	-	-	-	59.8	3.2	-	-	0.0	-	9.0
60.0 90.0	0.0	-	-	-	-	7.4	0.0	-	-	0.0	-	0.0
63.0 52.0	10.8	-	-	0.0	-	0.0	0.0	-	-	0.0	-	14.6
63.0 55.0	0.0	-	-	41.4	-	0.0	3.8	-	-	0.0	-	10.0
63.0 60.0	0.0	-	-	25.5	-	3.2	0.0	-	-	0.0	-	79.8
63.0 65.0	-	-	-	148.9	-	39.8	-	-	-	-	-	-
63.0 70.0	-	-	-	133.0	-	14.4	9.6	-	-	-	-	12.3
63.0 80.0	-	-	-	-	-	0.0	20.6	-	-	0.0	-	-
67.0 48.0	0.0	-	-	3.1	-	0.0	-	-	-	0.0	-	0.0
67.0 50.0	5.6	-	-	57.8	-	3.5	0.0	-	-	0.0	-	0.0
67.0 55.0	0.0	-	-	18.2	-	48.8	0.0	-	-	0.0	-	5.8
67.0 60.0	2.5	-	-	38.7	-	6.1	3.6	-	-	-	-	9.1
67.0 65.0	-	-	-	71.5	-	6.4	-	-	-	-	-	-
67.0 70.0	-	-	-	23.6	-	16.4	3.0	-	-	0.0	-	23.2
70.0 51.0	12.3	-	-	87.9	-	6.0	0.0	-	-	0.0	-	5.5
70.0 53.0	53.9	-	-	39.0	-	0.0	0.0	-	-	0.0	-	6.0
70.0 60.0	0.0	-	-	105.4	-	23.4	3.5	-	-	-	-	20.5
70.0 65.0	0.0	-	-	31.8	-	9.5	-	-	-	-	-	-
70.0 70.0	0.0	-	-	14.9	-	22.5	12.5	-	-	0.0	-	9.1
70.0 80.0	3.6	-	-	69.0	-	3.3	0.0	-	-	0.0	-	0.0
70.0 90.0	0.0	-	-	-	-	3.0	0.0	-	-	0.0	-	6.1
73.0 50.0	-	0.0	-	8.0	-	2.7	0.0	-	-	0.0	-	0.0
73.0 53.0	-	0.0	-	56.4	-	6.7	0.0	-	-	0.0	-	0.0
73.0 60.0	-	0.0	-	65.5	-	3.2	0.0	-	-	0.0	-	0.0
73.0 70.0	-	-	-	50.4	-	3.2	3.6	-	-	0.0	-	0.0
73.0 80.0	-	-	-	38.8	-	3.1	0.0	-	-	0.0	-	-
73.0 90.0	-	-	-	8.6	-	0.0	0.0	-	-	-	-	1.9
77.0 48.0	0.0	-	-	1.0	-	0.0	0.0	-	-	0.0	-	8.8
77.0 51.0	0.0	-	-	14.5	-	10.1	0.0	-	-	0.0	-	12.0
77.0 55.0	-	0.0	-	2.5	-	3.5	0.0	-	-	0.0	-	0.0
77.0 60.0	-	6.8	-	133.3	-	0.0	0.0	-	-	3.0	-	-
77.0 65.0	-	-	-	18.7	-	3.0	-	-	-	-	-	0.0
77.0 70.0	-	-	-	49.3	-	0.0	0.0	-	-	0.0	-	-
77.0 80.0	0.0	-	-	42.6	-	0.0	3.4	-	-	0.0	-	-

TABLE 4. (cont.)

Bathylagus ochotensis (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
77.0	90.0	0.0	-	8.5	-	0.0	0.0	-	0.0	0.0	-	0.0
80.0	51.0	0.0	-	2.7	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	52.0	0.0	-	12.2	15.7	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	55.0	3.1	-	16.8	10.6	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	60.0	0.0	-	27.7	10.4	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	65.0	5.0	-	50.0	3.3	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	70.0	7.1	-	34.8	3.3	2.9	0.0	0.0	0.0	0.0	-	3.3
80.0	80.0	0.0	-	6.1	24.0	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	90.0	1.6	-	11.0	12.5	0.0	0.0	0.0	0.0	0.0	-	0.0
82.0	47.0	1.6	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	43.0	3.2	-	3.1	5.9	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	55.0	3.2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	60.0	4.4	-	24.1	7.4	11.0	0.0	0.0	0.0	0.0	-	0.0
83.0	65.0	4.7	-	16.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	70.0	3.2	-	15.7	6.2	2.8	0.0	0.0	0.0	0.0	-	0.0
83.0	80.0	3.1	-	75.0	5.9	0.0	0.0	0.0	0.0	3.5	-	0.0
83.0	90.0	0.0	-	14.7	6.9	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	40.0	11.4	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	45.0	4.2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	55.0	0.0	-	9.4	0.0	2.7	0.0	0.0	0.0	0.0	-	0.0
87.0	60.0	0.0	-	0.0	7.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	65.0	0.0	-	6.9	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	70.0	0.0	-	37.2	7.5	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	80.0	0.0	3.3	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	90.0	3.0	0.0	-	10.6	2.6	0.0	0.0	0.0	0.0	-	0.0
90.0	28.0	7.1	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	32.0	6.3	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	37.0	3.2	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	50.0	0.0	-	-	3.4	-	0.0	0.0	0.0	0.0	-	0.0
90.0	53.0	-	17.5	-	-	0.0	0.0	-	-	0.0	-	0.0
90.0	55.0	3.1	-	-	6.6	-	0.0	0.0	0.0	0.0	-	0.0
90.0	60.0	6.7	6.2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	65.0	6.4	0.0	-	3.4	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	70.0	0.0	24.3	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	80.0	0.0	23.2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	90.0	0.0	0.0	-	13.4	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	27.0	2.5	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	30.0	2.9	3.2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	35.0	4.5	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	40.0	6.5	2.8	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	45.0	0.0	3.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	50.0	8.3	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	55.0	3.0	7.5	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	60.0	0.0	16.7	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	65.0	0.0	12.7	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	70.0	0.0	5.4	-	1.7	0.0	0.0	0.0	0.0	0.0	-	0.0

TABLE 4. (cont.)

Bathylagus ochotensis (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
93.0	80.0	0.0	0.0	-	7.1	0.0	0.0	0.0	0.0	-	-	0.0
93.0	90.0	0.0	0.0	-	0.0	2.8	0.0	-	-	0.0	-	0.0
97.0	30.0	1.4	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	32.0	0.0	4.2	0.0	0.0	0.0	0.0	-	-	0.0	0.0	0.0
97.0	35.0	0.0	2.9	-	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
97.0	40.0	3.0	2.7	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
97.0	45.0	0.0	8.9	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
97.0	50.0	14.3	30.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	55.0	0.0	6.4	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	60.0	0.0	15.4	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	65.0	0.0	18.5	-	7.2	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	70.0	0.0	19.9	-	3.6	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	70.0	0.0	12.4	-	0.0	0.0	0.0	-	-	-	-	-
97.0	90.0	0.0	2.9	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-
100.0	30.0	2.8	21.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
100.0	35.0	9.6	9.3	0.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
100.0	40.0	0.0	6.2	5.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
100.0	45.0	0.0	0.0	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
100.0	50.0	0.0	23.9	6.2	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	55.0	0.0	30.4	3.1	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	70.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	40.0	0.0	0.0	0.0	0.0	-	1.7	0.0	0.0	0.0	0.0	0.0
103.0	45.0	0.0	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	50.0	0.0	26.6	7.4	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	55.0	0.0	3.2	8.7	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	60.0	0.0	6.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
107.0	35.0	0.0	6.1	3.4	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
107.0	40.0	0.0	3.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	50.0	0.0	0.0	3.4	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	55.0	0.0	2.9	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	65.0	0.0	6.6	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
110.0	35.0	0.0	2.5	3.1	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
113.0	35.0	0.0	0.0	4.1	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
113.0	40.0	0.0	0.0	3.1	0.0	-	0.0	0.0	0.0	0.0	-	0.0
113.0	65.0	0.0	0.0	3.1	0.0	-	0.0	0.0	0.0	0.0	-	0.0
113.0	70.0	0.0	0.0	3.2	0.0	-	0.0	0.0	0.0	0.0	-	0.0
117.0	35.0	0.0	0.0	0.0	3.0	-	0.0	0.0	0.0	0.0	0.0	0.0
117.0	55.0	0.0	3.1	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
117.0	60.0	0.0	0.0	3.9	0.0	-	0.0	0.0	0.0	0.0	-	0.0

Bathylagus pacificus

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	55.0	-	-	2.4	-	0.0	0.0	-	-	0.0	-	0.0
60.0	65.0	-	-	3.0	-	0.0	-	-	-	-	-	-
63.0	55.0	0.0	-	5.9	-	0.0	0.0	-	-	0.0	-	0.0

TABLE 4. (cont.)

Bathylagus pacificus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
63.0	60.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	3.1
63.0	65.0	-	-	2.9	-	0.0	-	-	-	-	-	-
63.0	70.0	-	-	2.8	-	0.0	0.0	-	-	-	-	0.0
67.0	50.0	0.0	-	2.9	-	0.0	0.0	-	-	0.0	-	0.0
67.0	55.0	0.0	-	3.0	-	0.0	0.0	-	-	0.0	-	0.0
67.0	60.0	2.5	-	0.0	-	0.0	0.0	-	-	-	-	3.0
67.0	65.0	-	-	17.9	-	0.0	-	-	-	-	-	-
67.0	53.0	0.0	-	3.0	-	0.0	0.0	-	-	0.0	-	0.0
73.0	53.0	3.6	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
73.0	70.0	-	-	0.0	-	3.2	0.0	-	-	0.0	-	0.0
77.0	55.0	0.0	-	5.0	-	0.0	0.0	-	-	0.0	-	0.0
77.0	60.0	-	-	5.4	-	0.0	0.0	-	-	0.0	-	0.0
77.0	65.0	-	-	8.0	-	0.0	-	-	-	-	-	-
80.0	52.0	-	-	0.0	-	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	55.0	-	-	6.7	-	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	65.0	-	-	2.4	-	3.3	0.0	0.0	0.0	0.0	-	0.0
83.0	55.0	-	-	0.0	-	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	60.0	-	-	3.0	-	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	55.0	-	-	0.0	-	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	60.0	-	-	0.0	-	0.0	2.9	0.0	0.0	0.0	-	0.0
93.0	80.0	2.9	0.0	-	-	0.0	0.0	0.0	0.0	-	-	0.0

Bathylagus wesethi

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
63.0	90.0	-	-	-	-	0.0	19.3	-	-	0.0	-	-
67.0	55.0	0.0	-	0.0	-	0.0	0.0	-	-	3.1	-	0.0
67.0	80.0	-	-	0.0	-	0.0	10.0	-	-	0.0	-	-
73.0	90.0	-	-	5.7	-	6.6	0.0	-	-	-	-	-
77.0	65.0	-	-	2.7	-	0.0	-	-	-	-	-	-
77.0	70.0	-	-	0.0	-	3.0	0.0	-	-	0.0	-	0.0
77.0	90.0	0.0	-	0.0	-	0.0	3.3	-	-	0.0	-	-
80.0	70.0	-	-	0.0	-	0.0	0.0	3.5	0.0	3.2	-	0.0
80.0	80.0	-	-	0.0	-	18.3	0.0	6.6	12.7	27.4	-	0.0
80.0	90.0	-	-	0.0	-	12.1	9.6	0.0	15.3	15.3	-	0.0
82.0	47.0	-	-	0.0	-	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	70.0	-	-	3.1	-	0.0	3.3	3.2	0.0	0.0	-	0.0
83.0	80.0	-	-	0.0	-	3.0	3.0	3.0	3.2	3.5	-	0.0
83.0	90.0	-	-	0.0	-	10.9	3.2	3.1	0.0	3.3	-	-
87.0	40.0	-	-	0.0	-	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	60.0	-	-	4.0	-	0.0	48.2	0.0	0.0	0.0	-	0.0
87.0	65.0	-	-	0.0	-	11.5	25.4	0.0	0.0	0.0	-	0.0
87.0	70.0	-	-	0.0	-	33.2	103.0	3.4	0.0	0.0	-	0.0
87.0	80.0	-	0.0	-	11.3	52.3	47.0	0.0	0.0	0.0	-	0.0
87.0	90.0	-	0.0	-	3.7	33.7	2.9	0.0	2.8	3.2	-	0.0
87.0	90.0	-	0.0	-	7.1	-	-	0.0	0.0	-	-	-

TABLE 4. (cont.)

Bathylagus wesethi (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
90.0	32.0	0.0	0.0	-	0.0	0.0	0.0	3.8	0.0	0.0	-	0.0
90.0	45.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.2	0.0	-	0.0
90.0	55.0	0.0	-	-	13.2	-	-	0.0	0.0	-	-	-
90.0	60.0	0.0	0.0	-	18.4	0.0	6.2	0.0	0.0	0.0	-	0.0
90.0	65.0	0.0	0.0	-	0.0	13.4	0.0	3.6	0.0	0.0	-	0.0
90.0	70.0	0.0	0.0	-	52.5	9.8	6.2	3.1	3.1	-	-	0.0
90.0	80.0	0.0	6.6	-	28.1	67.4	5.6	0.0	0.0	47.9	-	0.0
90.0	90.0	0.0	0.0	-	0.0	28.9	11.9	40.2	12.4	20.4	-	3.2
90.0	100.0	-	-	-	-	-	0.0	-	-	18.3	-	3.1
90.0	110.0	-	-	-	-	-	-	-	-	59.7	-	3.2
90.0	120.0	-	-	-	-	-	-	-	-	14.2	-	3.0
90.0	130.0	-	-	-	-	-	-	-	-	-	-	0.0
93.0	27.0	0.0	-	-	0.0	0.0	0.0	0.0	0.0	3.3	-	0.0
93.0	28.0	0.0	0.0	-	0.0	0.0	0.0	4.0	0.0	0.0	-	0.0
93.0	30.0	0.0	0.0	-	0.0	0.0	0.0	3.4	0.0	0.0	-	0.0
93.0	35.0	0.0	0.0	-	0.0	0.0	0.0	6.9	0.0	3.2	-	0.0
93.0	40.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.2	0.0	-	0.0
93.0	45.0	0.0	0.0	-	0.0	0.0	0.0	3.3	3.0	0.0	-	0.0
93.0	50.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	6.1	-	0.0
93.0	65.0	0.0	3.2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	70.0	0.0	2.7	-	0.0	0.0	0.0	0.0	0.0	-	-	0.0
93.0	80.0	0.0	15.1	-	19.4	6.2	6.3	0.0	0.0	-	-	0.0
93.0	90.0	0.0	0.0	-	5.8	107.3	3.0	3.0	0.0	27.5	-	2.6
93.0	100.0	-	-	-	23.7	-	-	-	-	18.4	-	0.0
93.0	110.0	-	-	-	-	-	-	-	-	27.5	-	3.3
93.0	120.0	-	-	-	-	-	-	-	-	9.3	-	6.4
94.0	78.0	-	-	-	-	-	-	-	-	11.0	-	-
97.0	29.0	0.0	-	0.0	0.0	0.0	6.2	2.2	0.0	0.0	-	0.0
97.0	30.0	0.0	0.0	0.0	0.0	0.0	12.5	0.0	-	0.0	-	0.0
97.0	32.0	-	0.0	-	-	0.0	57.5	0.0	-	0.0	-	0.0
97.0	35.0	0.0	0.0	-	0.0	0.0	8.1	55.1	0.0	0.0	0.0	0.0
97.0	40.0	0.0	5.5	-	0.0	0.0	0.0	36.2	0.0	2.9	-	0.0
97.0	45.0	0.0	0.0	-	0.0	0.0	0.0	9.4	9.7	11.4	0.0	0.0
97.0	50.0	0.0	2.1	-	3.2	0.0	0.0	0.0	18.0	18.4	-	0.0
97.0	55.0	0.0	0.0	-	7.8	0.0	0.0	0.0	72.5	3.8	-	0.0
97.0	60.0	0.0	3.1	-	35.2	0.0	56.4	0.0	104.6	0.0	-	0.0
97.0	65.0	0.0	0.0	-	3.6	12.0	3.1	12.1	0.0	0.0	-	0.0
97.0	70.0	0.0	0.0	-	0.0	0.0	12.5	14.6	0.0	0.0	-	0.0
97.0	80.0	0.0	29.7	-	20.5	89.6	39.9	2.9	0.0	0.0	-	0.0
97.0	90.0	0.0	11.6	-	51.3	0.0	37.0	0.0	52.9	0.0	-	0.0
100.0	29.0	0.0	-	0.0	0.0	0.0	0.0	-	-	-	-	0.0
100.0	30.0	0.0	-	0.0	0.0	0.0	0.0	2.8	0.0	0.0	-	0.0
100.0	35.0	0.0	-	0.0	0.0	0.0	0.0	5.7	0.0	0.0	-	0.0
100.0	40.0	0.0	-	0.0	3.2	3.3	18.1	38.2	3.2	0.0	0.0	0.0
100.0	45.0	0.0	-	0.0	0.0	3.3	3.4	60.1	12.0	0.0	-	0.0
100.0	50.0	0.0	-	3.7	0.0	0.0	0.0	13.9	12.7	42.5	0.0	0.0
100.0	55.0	0.0	-	0.0	0.0	13.0	47.7	9.7	3.3	22.0	-	0.0

TABLE 4. (cont.)

Bathylagus wesethi (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
100.0	55.0	0.0	—	0.0	0.0	16.6	0.0	3.1	86.7	6.2	—	0.0
100.0	60.0	0.0	—	10.5	35.2	0.0	2.1	12.4	17.8	25.8	—	0.0
100.0	65.0	0.0	—	6.1	7.7	9.9	3.5	14.4	21.7	26.4	—	0.0
100.0	70.0	3.3	—	6.6	18.4	67.6	17.8	13.8	28.4	7.1	—	0.0
100.0	80.0	0.0	—	3.6	10.6	38.8	0.0	—	—	0.0	—	2.8
100.0	90.0	0.0	—	27.8	3.4	0.0	0.0	—	—	—	—	—
100.0	100.0	0.0	—	—	—	—	9.2	—	—	—	—	—
103.0	29.0	0.0	—	0.0	0.0	—	0.0	1.6	0.0	0.0	—	0.0
103.0	30.0	0.0	—	0.0	0.0	—	4.1	2.9	0.0	3.1	—	0.0
103.0	35.0	0.0	—	4.1	0.0	—	7.7	16.4	3.0	0.0	0.0	0.0
103.0	40.0	0.0	—	7.0	0.0	—	19.1	3.0	0.0	0.0	—	0.0
103.0	45.0	0.0	—	3.0	0.0	—	12.9	3.2	0.0	0.0	0.0	0.0
103.0	50.0	0.0	—	11.1	22.7	70.8	12.8	12.9	9.4	10.6	—	0.0
103.0	55.0	0.0	—	5.8	13.6	86.5	11.9	25.2	0.0	—	—	0.0
103.0	60.0	0.0	—	36.4	81.3	13.0	45.8	28.9	6.5	0.0	—	0.0
103.0	65.0	0.0	—	19.5	120.9	9.6	20.2	18.1	38.2	13.8	—	0.0
103.0	70.0	0.0	—	6.0	57.1	19.4	17.7	39.3	6.2	17.4	—	0.0
103.0	80.0	0.0	—	7.2	0.0	6.4	0.0	—	—	—	—	0.0
103.0	90.0	—	—	0.0	0.0	6.4	—	—	—	—	—	—
107.0	31.0	0.0	—	0.0	0.0	—	0.0	2.0	0.0	0.0	—	0.0
107.0	32.0	0.0	—	0.0	0.0	—	0.0	3.0	19.8	0.0	—	0.0
107.0	35.0	0.0	—	0.0	3.5	—	9.6	3.3	70.6	0.0	0.0	0.0
107.0	40.0	0.0	—	18.4	17.1	—	20.8	33.8	20.9	0.0	0.0	0.0
107.0	45.0	0.0	—	50.8	63.1	—	16.5	9.6	0.0	6.6	—	0.0
107.0	50.0	0.0	—	27.0	71.2	—	29.9	13.4	3.2	9.9	—	0.0
107.0	55.0	0.0	—	54.9	57.6	—	3.2	2.7	24.6	0.0	—	0.0
107.0	60.0	0.0	—	67.1	19.8	—	3.0	0.0	58.0	3.6	—	0.0
107.0	65.0	—	0.0	55.0	25.8	—	6.2	0.0	12.4	0.0	—	0.0
107.0	70.0	0.0	0.0	0.0	6.5	—	0.0	2.9	9.4	9.9	—	2.5
107.0	80.0	0.0	0.0	0.0	6.2	—	12.7	—	—	—	—	3.0
107.0	90.0	—	—	0.0	3.0	—	—	—	—	—	—	—
110.0	33.0	—	—	3.0	—	—	—	—	—	—	—	—
110.0	35.0	0.0	0.0	3.1	6.8	—	0.0	0.0	0.0	3.4	0.0	0.0
110.0	40.0	0.0	0.0	0.0	106.6	—	—	3.2	117.4	6.8	—	0.0
110.0	45.0	0.0	0.0	34.4	36.4	—	88.2	23.0	62.5	25.6	0.0	0.0
110.0	50.0	0.0	0.0	18.9	126.4	—	39.1	5.6	32.3	0.0	—	0.0
110.0	55.0	0.0	3.3	12.8	103.8	—	28.6	0.0	25.8	3.3	—	0.0
110.0	60.0	0.0	0.0	7.4	10.1	—	44.8	12.9	3.1	0.0	—	0.0
110.0	65.0	0.0	0.0	0.0	9.6	—	17.6	31.9	3.0	10.6	—	0.0
110.0	70.0	0.0	0.0	0.0	9.2	—	2.9	0.0	3.1	6.8	—	0.0
110.0	80.0	0.0	0.0	0.0	0.0	—	0.0	—	—	—	—	3.0
113.0	35.0	0.0	0.0	4.1	0.0	—	19.5	15.3	0.0	0.0	0.0	0.0
113.0	40.0	0.0	0.0	9.3	0.0	—	15.1	0.0	0.0	9.8	—	0.0
113.0	45.0	0.0	0.0	3.2	0.0	—	5.7	3.2	0.0	5.8	0.0	0.0
113.0	50.0	0.0	0.0	3.5	9.9	—	16.1	15.8	36.4	3.2	—	0.0
113.0	55.0	0.0	0.0	0.0	25.0	—	12.6	10.7	2.9	3.2	—	0.0

TABLE 4. (cont.)

Bathylagus wesethi (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
113.0	60.0	3.0	3.3	0.0	-	-	0.0	12.0	0.0	3.2	-	0.0
113.0	65.0	0.0	0.0	25.0	6.8	-	3.3	18.4	9.5	6.0	-	0.0
113.0	70.0	0.0	0.0	6.4	22.0	-	6.3	19.9	9.0	0.0	-	0.0
113.0	80.0	0.0	-	0.0	3.4	-	0.0	-	-	-	-	2.8
117.0	26.0	0.0	0.0	0.0	0.0	-	3.0	0.0	0.0	0.0	0.0	0.0
117.0	35.0	0.0	0.0	0.0	0.0	-	12.8	0.0	0.0	0.0	0.0	0.0
117.0	40.0	0.0	0.0	0.0	12.8	-	23.1	0.0	3.3	2.9	-	0.0
117.0	45.0	0.0	0.0	0.0	10.0	-	62.4	3.2	0.0	0.0	0.0	0.0
117.0	50.0	2.9	0.0	0.0	0.0	-	0.0	3.2	5.9	0.0	-	0.0
117.0	55.0	0.0	0.0	0.0	9.8	-	38.9	49.5	2.9	0.0	-	0.0
117.0	60.0	0.0	2.8	7.8	0.0	-	6.2	11.3	8.8	3.1	-	0.0
117.0	65.0	0.0	0.0	0.0	0.0	-	45.9	14.9	6.1	9.4	-	0.0
117.0	70.0	0.0	0.0	0.0	0.0	-	26.5	0.0	0.0	0.0	-	0.0
118.0	39.0	-	-	0.0	0.0	-	0.0	0.0	3.1	0.0	-	0.0
119.0	33.0	0.0	0.0	0.0	0.0	-	9.9	0.0	3.0	3.2	0.0	0.0
120.0	45.0	0.0	0.0	0.0	0.0	-	37.9	0.0	0.0	0.0	-	0.0
120.0	50.0	0.0	6.3	0.0	0.0	-	7.8	0.0	-	0.0	-	0.0
120.0	55.0	0.0	0.0	0.0	0.0	-	3.1	32.3	-	-	-	0.0
120.0	60.0	0.0	0.0	3.5	6.1	-	9.7	0.0	-	0.0	-	0.0
120.0	65.0	2.3	-	25.7	0.0	-	0.0	2.9	-	0.0	-	0.0
120.0	70.0	0.0	-	0.0	0.0	-	0.0	-	-	-	-	0.0
120.0	80.0	5.8	-	0.0	0.0	-	-	6.4	-	-	0.0	-
123.0	40.0	0.0	-	0.0	-	-	-	-	-	0.0	-	0.0
123.0	42.0	-	-	0.0	-	-	5.3	-	-	0.0	-	0.0
123.0	45.0	0.0	-	3.8	0.0	-	6.0	6.4	-	5.4	-	0.0
123.0	50.0	0.0	-	3.4	0.0	-	27.9	15.7	-	0.0	0.0	0.0
123.0	55.0	0.0	-	0.0	0.0	-	2.9	19.3	-	0.0	0.0	0.0
123.0	60.0	0.0	-	0.0	-	-	0.0	-	-	-	-	-
123.0	80.0	2.9	-	-	-	-	0.0	23.6	-	0.0	0.0	0.0
127.0	40.0	0.0	-	0.0	0.0	-	0.0	3.1	-	2.7	0.0	0.0
127.0	50.0	0.0	-	0.0	9.8	-	0.0	3.2	-	0.0	0.0	0.0
127.0	55.0	0.0	-	0.0	0.0	-	0.0	9.2	-	0.0	0.0	0.0
130.0	35.0	0.0	-	0.0	2.7	-	0.0	18.5	-	0.0	0.0	0.0
130.0	40.0	0.0	-	0.0	13.4	-	0.0	0.0	-	0.0	0.0	0.0
130.0	45.0	0.0	-	0.0	34.0	-	0.0	0.0	-	0.0	0.0	0.0
130.0	50.0	0.0	-	0.0	3.6	-	0.0	0.0	-	0.0	0.0	0.0
130.0	55.0	0.0	-	0.0	7.0	-	8.8	0.0	-	5.5	0.0	0.0
130.0	60.0	0.0	-	0.0	0.0	-	0.0	0.0	-	-	0.0	-
130.0	65.0	-	-	-	0.0	-	2.9	12.5	-	0.0	0.0	0.0
133.0	30.0	0.0	-	0.0	0.0	-	0.0	3.5	-	0.0	0.0	0.0
133.0	35.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	-
133.0	50.0	0.0	-	0.0	3.4	-	0.0	0.0	-	2.5	0.0	0.0
137.0	35.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	-
137.0	60.0	0.0	-	0.0	0.0	-	2.6	0.0	-	0.0	0.0	-

TABLE 4. (cont.)

Leuroglossus stilbius

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	55.0	0.0	-	0.0	-	0.0	3.1	-	-	0.0	-	0.0
60.0	65.0	-	-	5.9	-	6.5	-	-	-	-	-	0.0
60.0	80.0	-	-	-	-	3.0	0.0	-	-	0.0	-	0.0
60.0	90.0	-	-	-	-	0.0	3.6	-	-	0.0	-	0.0
63.0	55.0	-	-	8.9	-	0.0	0.0	-	-	0.0	-	5.0
63.0	60.0	-	-	3.2	-	6.5	0.0	-	-	5.7	-	0.0
63.0	65.0	-	-	32.1	-	0.0	-	-	-	-	-	-
63.0	70.0	-	-	8.3	-	0.0	0.0	-	-	-	-	0.0
67.0	50.0	-	-	14.5	-	0.0	0.0	-	-	0.0	-	0.0
67.0	55.0	-	-	6.1	-	3.0	0.0	-	-	12.5	-	0.0
67.0	58.0	-	-	-	-	-	-	-	-	9.5	-	-
67.0	60.0	-	-	20.9	-	0.0	7.2	-	-	-	-	3.0
67.0	65.0	-	-	20.9	-	0.0	-	-	-	-	-	-
67.0	70.0	-	-	3.0	-	0.0	0.0	-	-	0.0	-	0.0
70.0	51.0	-	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
70.0	53.0	-	-	60.0	-	21.6	0.0	-	-	0.0	-	0.0
70.0	60.0	-	-	34.1	-	40.1	0.0	-	-	3.2	-	3.4
70.0	65.0	-	-	2.9	-	-	-	-	-	-	-	-
70.0	70.0	-	-	5.0	-	0.0	0.0	-	-	0.0	-	3.0
70.0	80.0	-	-	0.0	-	0.0	0.0	-	-	3.3	-	0.0
70.0	90.0	-	-	-	-	3.0	0.0	-	-	0.0	-	6.1
73.0	50.0	-	-	2.7	-	0.0	0.0	-	-	0.0	-	0.0
73.0	55.0	-	-	77.2	-	10.0	2.9	-	-	5.3	-	0.0
73.0	60.0	-	-	39.9	-	3.2	3.4	-	-	0.0	-	0.0
73.0	70.0	-	-	8.4	-	0.0	0.0	-	-	3.0	-	0.0
73.0	80.0	-	-	13.9	-	0.0	0.0	-	-	-	-	-
73.0	90.0	-	-	0.0	-	13.2	0.0	-	-	-	-	-
77.0	51.0	-	-	5.8	-	3.4	0.0	-	-	0.0	-	38.0
77.0	55.0	-	-	17.6	-	0.0	0.0	-	-	0.0	-	12.0
77.0	60.0	-	-	27.2	-	6.5	0.0	-	-	0.0	-	0.0
77.0	65.0	-	-	64.1	-	-	-	-	-	-	-	-
77.0	70.0	-	-	180.8	-	0.0	0.0	-	-	0.0	-	0.0
77.0	80.0	-	-	19.9	-	0.0	6.8	-	-	0.0	-	-
77.0	90.0	-	-	0.0	-	0.0	0.0	-	-	0.0	-	-
80.0	51.0	-	-	37.7	-	0.0	0.0	-	-	-	-	-
80.0	55.0	-	-	42.6	-	0.0	0.0	-	-	0.0	-	42.1
80.0	60.0	-	-	361.8	-	2.9	2.7	-	-	3.7	-	58.5
80.0	65.0	-	-	70.8	-	0.0	0.0	-	-	0.0	-	6.4
80.0	70.0	-	-	26.6	-	0.0	0.0	-	-	0.0	-	0.0
80.0	75.0	-	-	8.8	-	11.6	0.0	-	-	0.0	-	0.0
80.0	80.0	-	-	0.0	-	2.8	0.0	-	-	0.0	-	0.0
80.0	85.0	-	-	2.8	-	0.0	0.0	-	-	0.0	-	0.0
80.0	90.0	-	-	73.7	-	0.0	0.0	-	-	0.0	-	145.5
83.0	47.0	-	-	14.4	-	0.0	0.0	-	-	0.0	-	8.0
83.0	40.0	-	-	0.7	-	0.0	-	-	-	0.0	-	273.5
83.0	43.0	-	-	55.3	-	0.0	0.0	-	-	0.0	-	11.4
83.0	51.0	-	-	0.0	-	21.8	0.0	-	-	0.0	-	-
83.0	55.0	-	-	17.5	-	-	-	-	-	0.0	-	-

TABLE 4. (cont.)

Leuroglossus stilbius (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
83-0	55.0	37.1	-	29.3	40.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83-0	60.0	0.0	-	141.5	36.8	22.1	3.3	0.0	0.0	0.0	-	0.0
83-0	65.0	1.6	-	39.1	3.4	6.1	0.0	0.0	0.0	0.0	-	0.0
83-0	70.0	4.9	-	3.1	0.0	17.0	0.0	3.2	0.0	0.0	-	0.0
83-0	75.0	13.9	-	26.1	8.9	0.0	0.0	0.0	0.0	0.0	-	0.0
83-0	80.0	83.0	-	0.0	6.9	0.0	0.0	0.0	0.0	0.0	-	0.0
83-0	85.0	169.6	-	29.6	62.1	10.8	0.0	0.0	0.0	0.0	-	0.0
87-0	35.0	214.1	-	35.6	32.9	8.6	0.0	0.0	0.0	0.0	-	0.0
87-0	40.0	122.7	-	33.0	31.8	3.0	0.0	5.5	6.6	0.0	-	3.7
87-0	45.0	50.3	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	17.8
87-0	50.0	25.6	-	18.8	6.6	2.7	0.0	0.0	0.0	0.0	-	10.3
87-0	55.0	6.9	-	7.9	13.9	0.0	0.0	0.0	0.0	0.0	-	0.0
87-0	60.0	3.4	-	0.0	9.4	0.0	0.0	0.0	0.0	0.0	-	0.0
87-0	65.0	0.0	3.4	-	0.0	3.0	0.0	0.0	0.0	0.0	-	0.0
87-0	70.0	0.0	6.7	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87-0	75.0	0.0	0.0	-	7.1	2.6	0.0	0.0	0.0	0.0	-	0.0
87-0	80.0	546.7	0.0	-	26.3	0.0	0.0	0.0	0.0	0.0	-	0.0
90-0	28.0	193.4	102.9	-	3.4	3.3	3.3	0.0	0.0	0.0	-	0.0
90-0	32.0	113.4	91.8	-	3.5	0.0	0.0	0.0	0.0	0.0	-	0.0
90-0	37.0	394.4	18.9	-	23.5	0.0	3.3	3.0	0.0	0.0	-	0.0
90-0	45.0	32.9	-	-	23.9	-	-	0.0	0.0	0.0	-	0.0
90-0	50.0	-	29.2	-	-	0.0	0.0	-	-	0.0	-	0.0
90-0	53.0	-	-	-	9.9	-	-	0.0	0.0	0.0	-	0.0
90-0	55.0	22.0	93.6	-	11.0	11.4	0.0	0.0	0.0	0.0	-	0.0
90-0	60.0	30.3	83.3	-	10.1	0.0	0.0	0.0	0.0	0.0	-	0.0
90-0	65.0	32.0	72.9	-	3.5	0.0	0.0	0.0	0.0	0.0	-	0.0
90-0	70.0	0.0	13.3	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90-0	75.0	0.0	0.0	-	3.3	0.0	0.0	0.0	0.0	0.0	-	0.0
90-0	80.0	0.0	0.0	-	3.2	2.7	0.0	0.0	0.0	0.0	-	0.0
90-0	85.0	67.0	-	-	6.9	2.9	0.0	0.0	0.0	0.0	-	0.0
93-0	27.0	7.7	21.7	-	3.2	14.6	0.0	0.0	0.0	0.0	-	0.0
93-0	28.0	63.1	28.8	-	6.7	2.8	0.0	0.0	0.0	0.0	-	0.0
93-0	30.0	13.4	16.1	-	12.7	2.9	-	0.0	0.0	0.0	-	0.0
93-0	35.0	45.6	19.8	-	0.0	14.8	0.0	3.3	0.0	0.0	-	0.0
93-0	40.0	18.1	18.1	-	11.3	0.0	0.0	0.0	0.0	0.0	-	0.0
93-0	45.0	10.1	9.7	-	7.2	3.1	0.0	0.0	0.0	0.0	-	0.0
93-0	50.0	16.9	27.6	-	3.4	0.0	3.2	0.0	0.0	0.0	-	0.0
93-0	55.0	47.3	24.4	-	3.3	0.0	0.0	0.0	0.0	0.0	-	0.0
93-0	60.0	35.0	0.0	-	1.7	0.0	-	3.6	0.0	0.0	-	0.0
93-0	65.0	52.6	0.0	-	1.9	0.0	0.0	0.0	0.0	0.0	-	0.0
93-0	70.0	2.8	0.0	-	5.4	0.0	0.0	-	0.0	0.0	-	0.0
93-0	75.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93-0	80.0	1.9	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97-0	29.0	56.6	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97-0	30.0	-	180.6	-	-	0.0	0.0	-	-	0.0	-	0.0
97-0	32.0	-	105.5	-	3.3	-	0.0	0.0	0.0	0.0	-	0.0
97-0	35.0	179.0	249.3	-	3.3	-	0.0	0.0	0.0	0.0	-	0.0
97-0	40.0	151.8	-	-	3.3	0.0	3.6	0.0	0.0	0.0	-	0.0

TABLE 4. (cont.)

Leuroglossus stilbius (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
97.0	45.0	89.0	258.4	-	10.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0
97.0	50.0	171.1	119.8	-	16.2	5.8	0.0	0.0	0.0	0.0	-	0.0
97.0	55.0	50.9	28.0	-	0.0	3.3	3.5	0.0	0.0	0.0	-	0.0
97.0	60.0	141.7	154.5	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	65.0	5.9	8.6	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	70.0	0.0	34.2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	80.0	0.0	13.2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	29.0	0.0	8.8	-	2.9	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	30.0	0.0	507.7	14.9	24.4	3.3	0.0	0.0	0.0	0.0	-	0.0
100.0	35.0	54.4	393.7	48.6	12.7	3.1	0.0	0.0	0.0	0.0	0.0	0.0
100.0	40.0	27.6	345.2	132.9	12.7	3.3	0.0	0.0	0.0	0.0	0.0	0.0
100.0	45.0	0.0	6.9	332.9	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
100.0	50.0	0.0	119.7	24.8	3.9	0.0	3.4	3.2	0.0	0.0	0.0	0.0
100.0	55.0	7.1	97.3	31.1	4.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	65.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	70.0	0.0	0.0	0.0	3.7	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	29.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
103.0	30.0	1.2	114.3	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
103.0	35.0	0.0	322.4	44.9	3.3	-	0.0	0.0	0.0	0.0	0.0	0.0
103.0	40.0	0.0	9.0	14.0	3.1	-	3.2	0.0	0.0	0.0	0.0	0.0
103.0	45.0	0.0	3.2	30.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
103.0	50.0	3.3	6.6	55.5	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	55.0	0.0	12.8	5.8	3.4	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	60.0	0.0	6.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
107.0	32.0	3.3	68.3	25.4	0.0	0.0	3.0	0.0	0.0	0.0	-	0.0
107.0	35.0	9.7	158.6	98.3	3.5	-	0.0	0.0	0.0	0.0	0.0	0.0
107.0	40.0	0.0	44.8	3.7	3.4	-	0.0	0.0	0.0	0.0	-	0.0
107.0	45.0	0.0	5.6	18.2	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
107.0	50.0	0.0	6.3	16.9	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	55.0	0.0	2.9	3.7	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0	32.0	0.0	-	6.4	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0	33.0	-	-	62.4	0.0	-	-	-	-	-	-	-
110.0	35.0	0.0	128.4	823.1	6.8	-	0.0	0.0	0.0	0.0	0.0	0.0
110.0	40.0	0.0	35.1	90.5	0.0	-	-	0.0	0.0	0.0	-	0.0
110.0	45.0	0.0	158.2	6.9	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
110.0	50.0	0.0	136.8	3.2	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0	55.0	0.0	3.3	3.2	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0	65.0	0.0	6.5	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
113.0	30.0	0.0	0.0	3.3	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
113.0	35.0	0.0	3.2	48.7	58.4	-	3.3	0.0	0.0	0.0	0.0	0.0
113.0	40.0	0.0	142.8	12.4	0.0	-	0.0	0.0	0.0	0.0	-	0.0
113.0	45.0	0.0	26.0	0.0	10.2	-	0.0	0.0	0.0	0.0	0.0	0.0
113.0	50.0	0.0	2.8	3.5	3.3	-	0.0	0.0	0.0	0.0	0.0	0.0
113.0	55.0	0.0	6.5	5.2	3.1	-	0.0	0.0	0.0	0.0	-	0.0
113.0	65.0	0.0	0.0	12.5	0.0	-	0.0	0.0	0.0	0.0	-	0.0
113.0	70.0	0.0	0.0	6.4	0.0	-	0.0	0.0	0.0	0.0	-	0.0

TABLE 4. (cont.)

Leuroglossus stilbius (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
117.0	30.0	0.0	8.0	3.8	3.0	-	5.2	0.0	0.0	0.0	0.0	0.0
117.0	35.0	-	0.0	0.0	66.2	-	0.0	0.0	0.0	0.0	0.0	0.0
117.0	40.0	5.3	3.5	17.9	9.6	-	0.0	0.0	0.0	0.0	-	0.0
117.0	45.0	0.0	0.0	30.1	0.0	-	0.0	0.0	3.2	0.0	0.0	0.0
117.0	50.0	0.0	0.0	18.6	0.0	-	0.0	0.0	0.0	0.0	-	0.0
117.0	55.0	0.0	3.1	15.0	0.0	-	0.0	0.0	2.9	0.0	-	0.0
118.0	39.0	-	-	0.0	6.7	-	0.0	0.0	0.0	0.0	0.0	0.0
120.0	30.0	0.0	0.0	6.4	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
120.0	45.0	0.0	0.0	6.4	25.8	-	0.0	0.0	-	0.0	0.0	0.0
120.0	50.0	0.0	0.0	0.0	0.0	-	3.2	0.0	-	0.0	0.0	0.0
123.0	37.0	0.0	0.0	2.5	0.0	-	0.0	0.0	-	0.0	0.0	0.0
123.0	40.0	0.0	-	-	3.3	-	-	3.2	-	-	0.0	-
123.0	45.0	0.0	-	0.0	17.0	-	0.0	0.0	-	0.0	0.0	0.0
123.0	60.0	0.0	-	11.0	3.3	-	0.0	0.0	-	0.0	0.0	0.0
127.0	40.0	5.1	-	0.0	3.4	-	0.0	3.0	-	0.0	0.0	0.0
127.0	45.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	-	0.0
127.0	55.0	0.0	-	0.0	0.0	-	2.7	0.0	-	0.0	-	0.0
127.0	80.0	0.0	-	-	-	-	-	-	-	-	-	-
130.0	35.0	2.9	-	3.3	8.2	-	0.0	0.0	-	0.0	0.0	0.0
130.0	45.0	0.0	-	3.5	0.0	-	0.0	0.0	-	0.0	-	0.0
133.0	30.0	0.0	-	17.2	3.5	-	0.0	0.0	-	0.0	0.0	5.7
133.0	35.0	3.3	-	3.5	0.0	-	0.0	0.0	-	0.0	0.0	0.0
133.0	40.0	0.0	-	2.9	0.0	-	0.0	0.0	-	0.0	0.0	0.0
137.0	30.0	9.6	-	4.1	13.6	-	0.0	0.0	-	0.0	0.0	5.4
137.0	35.0	2.8	-	0.0	3.2	-	0.0	0.0	-	0.0	0.0	0.0

Stomiiformes

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
93.0	90.0	0.0	3.0	-	0.0	0.0	0.0	-	-	0.0	-	0.0
93.0	120.0	-	-	-	-	-	-	-	-	6.2	-	0.0
107.0	55.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
118.0	39.0	-	-	0.0	6.7	-	0.0	0.0	0.0	0.0	-	0.0
127.0	45.0	0.0	-	0.0	0.0	-	0.0	2.6	-	0.0	-	0.0
153.0	60.0	-	-	-	-	-	-	-	-	-	3.0	-

Gonostomatidae

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
63.0	60.0	-	-	3.2	-	0.0	0.0	-	-	0.0	-	0.0
93.0	28.0	0.0	0.0	-	1.4	0.0	0.0	0.0	0.0	0.0	-	0.0
107.0	35.0	3.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
110.0	60.0	-	0.0	0.0	0.0	-	0.0	0.0	3.1	0.0	-	0.0
113.0	35.0	-	0.0	8.1	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0

TABLE 4. (cont.)

Gonostomatidae (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
120.0 65.0	0.0	-	-	0.0	0.0	-	0.0	0.0	-	3.2	-	0.0
120.0 70.0	0.0	-	-	0.0	0.0	-	0.0	0.0	-	3.3	-	0.0
137.0 55.0	-	0.0	-	0.0	0.0	-	0.0	3.1	-	0.0	-	-

Cyclothone spp.

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0 90.0	0.0	-	-	-	-	0.0	0.0	-	-	2.9	-	2.4
63.0 80.0	-	-	-	-	-	0.0	0.0	-	-	6.0	-	-
63.0 90.0	-	-	-	-	-	0.0	0.0	-	-	3.3	-	-
67.0 80.0	-	-	-	0.0	-	0.0	10.0	-	-	3.4	-	-
67.0 90.0	-	-	-	-	-	0.0	3.5	-	-	9.8	-	-
70.0 90.0	0.0	-	-	-	-	0.0	0.0	-	-	32.7	-	3.1
70.0 100.0	7.7	-	-	-	-	-	-	-	-	-	-	-
74.0 91.0	-	-	-	-	-	-	-	-	-	6.5	-	-
77.0 65.0	-	-	-	0.0	-	3.0	-	-	-	0.0	-	-
77.0 90.0	0.0	-	-	0.0	-	3.1	0.0	-	-	0.0	-	-
80.0 65.0	-	0.0	-	0.0	0.0	0.0	0.0	0.0	6.2	0.0	-	0.0
80.0 70.0	-	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	3.2	-	13.0
80.0 80.0	-	0.0	-	0.0	0.0	0.0	0.0	6.6	12.9	0.0	-	0.0
80.0 90.0	-	1.6	-	0.0	0.0	0.0	0.0	0.0	0.0	15.3	-	9.1
80.0 100.0	-	1.4	-	0.0	-	-	-	-	-	-	-	-
83.0 60.0	-	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	3.3
83.0 70.0	-	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	2.9
83.0 80.0	-	0.0	-	0.0	0.0	0.0	0.0	0.0	9.7	3.5	-	0.0
83.0 90.0	-	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	9.9	-	-
87.0 60.0	-	0.0	-	0.0	0.0	0.0	3.2	0.0	0.0	0.0	-	0.0
87.0 70.0	-	0.0	0.0	-	0.0	0.0	3.0	0.0	0.0	0.0	-	0.0
87.0 80.0	-	0.0	0.0	-	0.0	2.5	0.0	3.2	0.0	0.0	-	0.0
87.0 90.0	-	0.0	0.0	-	0.0	0.0	0.0	6.4	3.0	0.0	-	0.0
87.0 100.0	-	0.0	0.0	-	6.6	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0 28.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0 32.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	3.2	2.8	-	0.0
90.0 45.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0 55.0	-	0.0	0.0	-	0.0	0.0	0.0	3.2	0.0	0.0	-	3.0
90.0 65.0	-	6.4	3.3	-	0.0	0.0	0.0	0.0	0.0	0.0	-	9.8
90.0 70.0	-	0.0	6.9	-	0.0	0.0	0.0	0.0	0.0	60.6	-	9.1
90.0 80.0	-	3.0	0.0	-	3.5	0.0	0.0	6.4	0.0	2.9	-	0.0
90.0 90.0	-	0.0	14.8	-	0.0	0.0	3.0	23.4	0.0	-	-	2.5
90.0 97.0	-	-	-	-	-	-	-	-	-	0.0	-	-
90.0 100.0	-	3.4	-	-	-	-	2.9	-	-	0.0	-	15.4
90.0 110.0	-	-	-	-	-	-	-	-	-	12.6	-	3.2
90.0 120.0	-	-	-	-	-	-	-	-	-	144.8	-	57.6
90.0 130.0	-	-	-	-	-	-	-	-	-	-	-	6.2
90.0 140.0	-	-	-	-	-	-	-	-	-	-	-	0.0
93.0 40.0	0.0	0.0	0.0	-	0.0	0.0	-	0.0	0.0	3.2	-	0.0

TABLE 4. (cont.)

Cyclothone spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
93.0 45.0	0.0	0.0	0.0	—	0.0	0.0	0.0	0.0	12.2	0.0	—	3.2
93.0 50.0	0.0	0.0	0.0	—	0.0	0.0	0.0	0.0	0.0	15.1	—	0.0
93.0 55.0	0.0	11.3	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
93.0 60.0	3.0	0.0	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0	—	3.3
93.0 65.0	2.9	0.0	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0	—	7.1
93.0 70.0	0.0	0.0	5.4	—	0.0	0.0	—	0.0	0.0	—	—	3.3
93.0 75.0	5.9	0.0	0.0	—	10.8	3.1	0.0	0.0	0.0	—	—	0.0
93.0 80.0	51.4	0.0	3.0	—	10.2	0.0	3.0	0.0	—	30.6	—	0.0
93.0 100.0	—	—	—	—	—	—	—	—	—	15.3	—	0.0
93.0 120.0	—	—	—	—	—	—	—	—	—	62.2	—	32.2
93.0 130.0	—	—	—	—	—	—	—	—	—	41.6	—	41.6
94.0 78.0	—	—	—	—	—	—	—	—	—	19.3	—	—
94.0 139.0	—	—	—	—	—	—	—	—	—	—	—	18.0
97.0 30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	—	2.0
97.0 35.0	0.0	0.0	0.0	—	0.0	—	0.0	0.0	0.0	0.0	0.0	2.5
97.0 40.0	0.0	0.0	0.0	—	0.0	0.0	0.0	6.0	0.0	2.9	—	2.8
97.0 45.0	0.0	0.0	3.0	—	0.0	0.0	0.0	0.0	68.0	4.3	5.9	2.5
97.0 50.0	5.7	0.0	2.1	—	0.0	0.0	0.0	0.0	27.0	4.1	—	2.7
97.0 55.0	0.0	3.2	0.0	—	0.0	0.0	0.0	0.0	45.3	0.0	—	2.5
97.0 60.0	0.0	3.1	6.2	—	0.0	3.7	0.0	3.0	15.1	0.0	—	0.0
97.0 65.0	3.0	3.0	2.8	—	3.6	0.0	0.0	8.8	0.0	0.0	—	0.0
97.0 70.0	0.0	0.0	0.0	—	0.0	0.0	0.0	2.9	0.0	0.0	—	2.7
97.0 80.0	0.0	16.4	19.8	—	10.3	2.9	14.3	5.6	17.6	0.0	—	5.5
97.0 90.0	15.4	2.7	5.8	—	0.0	3.0	55.4	—	—	—	—	—
100.0 35.0	3.2	0.0	—	0.0	0.0	0.0	0.0	19.1	0.0	0.0	0.0	0.0
100.0 40.0	0.0	0.0	—	0.0	0.0	0.0	0.0	2.9	0.0	0.0	—	2.5
100.0 45.0	6.5	0.0	—	0.0	0.0	0.0	0.0	0.0	6.4	31.1	0.0	0.0
100.0 50.0	0.0	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0	9.4	—	2.8
100.0 55.0	0.0	0.0	—	0.0	0.0	0.0	0.0	0.0	47.8	15.5	—	2.3
100.0 60.0	0.0	0.0	—	3.5	0.0	0.0	0.0	0.0	45.2	0.0	—	0.0
100.0 65.0	14.5	10.5	—	6.1	0.0	0.0	0.0	0.0	27.9	55.7	—	0.0
100.0 70.0	42.9	0.0	—	3.3	11.0	6.4	17.8	19.3	25.3	7.1	—	3.0
100.0 80.0	14.7	52.9	—	75.6	60.0	3.2	14.4	—	—	61.6	—	2.8
100.0 90.0	11.7	—	—	52.2	23.9	17.0	48.7	—	—	—	—	—
100.0 100.0	9.0	—	—	—	—	—	6.2	—	—	—	—	—
103.0 29.0	1.1	0.0	—	0.0	0.0	—	0.0	0.0	0.0	0.0	—	0.0
103.0 30.0	0.0	2.5	—	0.0	0.0	—	0.0	0.0	0.0	0.0	—	0.0
103.0 35.0	0.0	12.5	—	0.0	0.0	—	0.0	3.3	0.0	0.0	3.2	0.0
103.0 40.0	0.0	50.8	—	7.0	0.0	—	1.5	3.0	6.5	0.0	—	0.0
103.0 45.0	3.1	6.3	—	0.0	0.0	—	6.4	0.0	0.0	3.4	0.0	0.0
103.0 50.0	3.3	10.0	—	0.0	0.0	16.9	8.9	0.0	25.0	14.1	—	0.0
103.0 55.0	3.0	12.8	—	2.9	0.0	20.8	—	0.0	3.1	—	—	0.0
103.0 60.0	0.0	0.0	—	6.1	3.3	16.3	65.4	16.1	13.1	0.0	—	0.0
103.0 65.0	15.1	12.2	—	19.5	12.4	22.5	17.7	42.3	9.5	17.3	—	2.5
103.0 70.0	5.9	12.6	—	6.0	50.7	3.2	26.6	45.3	31.2	37.7	—	10.5
103.0 80.0	42.7	73.6	—	25.3	25.1	19.3	0.0	—	—	—	—	64.6

TABLE 4. (cont.)

Cyclothone spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
103.0	90.0	—	—	42.1	19.0	22.5	—	—	—	—	—	—
107.0	31.0	1.4	—	0.0	0.0	—	0.0	2.0	0.0	0.0	—	0.0
107.0	32.0	0.0	—	0.0	0.0	—	0.0	0.0	9.9	0.0	—	0.0
107.0	35.0	0.0	—	0.0	0.0	—	0.0	6.7	2.9	2.5	2.9	0.0
107.0	40.0	0.0	—	3.7	0.0	—	0.0	0.0	6.0	0.0	—	0.0
107.0	45.0	0.0	—	21.8	23.2	—	8.3	0.0	0.0	0.0	15.1	2.4
107.0	50.0	0.0	—	13.5	7.1	—	0.0	3.3	6.3	3.3	—	7.6
107.0	55.0	3.1	—	18.3	33.9	—	80.5	21.7	6.2	3.8	—	2.1
107.0	60.0	34.8	—	21.2	55.4	—	18.1	37.4	82.3	3.6	—	0.0
107.0	65.0	18.0	—	21.2	55.4	—	18.1	37.4	82.3	3.6	—	0.0
107.0	70.0	—	19.8	15.7	113.9	—	5.6	20.9	37.2	7.2	—	2.8
107.0	75.0	—	9.3	36.9	9.7	—	34.9	17.3	31.2	13.2	—	0.0
107.0	80.0	—	3.1	0.0	18.5	—	—	—	—	—	—	26.6
107.0	90.0	—	17.2	0.0	6.0	—	—	—	—	—	—	—
110.0	32.0	—	—	0.0	0.0	—	0.0	4.0	2.2	0.0	—	0.0
110.0	40.0	—	—	0.0	0.0	—	—	0.0	3.3	0.0	—	0.0
110.0	45.0	—	—	0.0	13.3	—	28.4	11.5	23.0	9.6	0.0	0.0
110.0	50.0	—	8.8	24.1	49.6	—	7.8	25.2	12.9	3.2	—	0.0
110.0	55.0	—	34.2	0.0	63.2	—	47.7	20.9	42.0	3.3	—	0.0
110.0	60.0	—	45.8	0.0	48.4	—	38.9	93.4	27.6	25.0	—	0.0
110.0	65.0	—	26.0	3.7	3.4	—	8.8	51.0	15.1	113.0	—	0.0
110.0	70.0	—	13.0	0.0	9.2	—	2.9	47.8	43.1	88.4	—	2.9
110.0	80.0	—	0.0	6.3	3.2	—	3.2	—	—	—	—	54.2
110.0	90.0	—	—	19.3	9.5	—	—	—	—	—	—	—
113.0	35.0	—	0.0	0.0	0.0	—	0.0	18.4	3.2	0.0	0.0	0.0
113.0	40.0	—	3.3	3.1	0.0	—	0.0	9.5	9.5	3.3	—	0.0
113.0	45.0	—	8.7	0.0	0.0	—	0.0	0.0	3.0	52.4	13.9	0.0
113.0	50.0	—	0.0	0.0	0.0	—	6.3	6.3	12.1	9.5	—	21.0
113.0	55.0	—	0.0	0.0	0.0	—	6.3	18.7	8.7	6.4	—	0.0
113.0	60.0	—	0.0	0.0	0.0	—	49.0	29.9	5.6	12.9	—	0.0
113.0	65.0	—	3.3	25.0	6.8	—	35.8	11.0	15.9	39.0	—	0.0
113.0	70.0	—	0.0	12.7	9.4	—	12.6	33.2	24.0	67.4	—	2.9
113.0	80.0	—	—	0.0	3.4	—	0.0	—	—	—	—	17.0
117.0	30.0	—	0.0	0.0	0.0	—	0.0	2.8	0.0	3.1	2.7	0.0
117.0	35.0	—	0.0	0.0	0.0	—	2.6	0.0	0.0	2.5	8.1	0.0
117.0	40.0	—	0.0	0.0	0.0	—	6.2	0.0	9.8	17.3	2.7	0.0
117.0	45.0	—	3.2	0.0	0.0	—	0.0	0.0	25.9	31.3	—	0.0
117.0	50.0	—	0.0	0.0	2.9	—	0.0	0.0	0.0	9.7	—	0.0
117.0	55.0	—	0.0	0.0	9.8	—	35.6	0.0	0.0	0.0	—	0.0
117.0	60.0	—	3.1	15.0	6.5	—	27.8	85.8	8.8	0.0	—	0.0
117.0	65.0	—	2.8	27.2	0.0	—	16.4	19.8	6.1	15.4	—	43.8
117.0	70.0	—	6.3	0.0	0.0	—	3.3	53.5	9.0	12.5	—	13.9
117.0	75.0	—	0.0	3.2	0.0	—	0.0	—	—	—	—	2.6
117.0	80.0	—	—	0.0	3.1	—	6.2	0.0	—	—	—	5.6
118.0	39.0	—	—	0.0	0.0	—	0.0	0.0	15.4	0.0	—	0.0
120.0	30.0	—	0.0	0.0	0.0	—	0.0	0.0	0.0	2.8	2.6	0.0
120.0	40.0	—	0.0	0.0	0.0	—	0.0	2.1	0.0	0.0	—	0.0
120.0	45.0	—	0.0	0.0	3.7	—	3.3	0.0	—	3.3	3.0	0.0

TABLE 4. (cont.)

Cyclothone spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
120-0	50.0	0.0	6.5	0.0	3.0	-	0.0	0.0	-	3.2	-	0.0
120-0	55.0	22.9	6.3	0.0	34.9	-	0.0	0.0	-	0.0	-	2.6
120-0	60.0	5.2	5.8	14.4	6.7	-	3.1	45.2	-	-	-	21.8
120-0	65.0	4.7	-	29.4	0.0	-	0.0	0.0	-	0.0	-	18.7
120-0	70.0	12.1	-	2.8	3.4	-	0.0	46.1	-	0.0	-	0.0
120-0	80.0	0.0	-	0.0	3.3	-	2.9	-	-	-	-	5.7
120-0	90.0	2.7	-	-	-	-	-	-	-	-	-	0.0
123-0	36.0	0.0	-	0.0	0.0	-	0.0	0.0	-	1.9	-	0.0
123-0	37.0	0.0	-	0.0	0.0	-	1.8	0.0	-	0.0	0.0	0.0
123-0	40.0	0.0	-	0.0	0.0	-	-	6.4	-	-	-	-
123-0	42.0	-	-	0.0	-	-	18.5	-	-	27.7	-	0.0
123-0	45.0	0.0	-	0.0	0.0	-	3.0	0.0	-	43.5	-	0.0
123-0	50.0	0.0	-	10.3	13.4	-	6.2	3.1	-	81.3	3.0	0.0
123-0	55.0	0.0	-	0.0	13.1	-	0.0	28.3	-	86.2	-	30.8
123-0	60.0	3.0	-	0.0	3.3	-	5.6	9.6	-	40.9	25.9	21.5
123-0	65.0	0.0	-	-	3.2	-	2.8	-	-	-	-	-
123-0	70.0	7.6	-	-	0.0	-	0.0	-	-	-	-	-
123-0	80.0	20.1	-	-	0.0	-	4.9	-	-	-	-	-
127-0	40.0	0.0	-	0.0	0.0	-	3.0	0.0	-	0.0	0.0	0.0
127-0	45.0	0.0	-	0.0	0.0	-	0.0	7.8	-	0.0	-	0.0
127-0	50.0	0.0	-	0.0	3.3	-	0.0	15.7	-	8.1	2.8	0.0
127-0	55.0	3.1	-	0.0	26.7	-	0.0	6.3	-	6.3	-	0.0
127-0	60.0	2.9	-	0.0	7.3	-	0.0	3.0	-	2.7	0.0	0.0
127-0	65.0	5.2	-	-	3.4	-	0.0	-	-	-	-	-
127-0	70.0	0.0	-	-	6.6	-	9.1	-	-	-	-	-
127-0	75.0	20.5	-	-	-	-	-	-	-	-	-	-
127-0	80.0	0.0	-	-	-	-	5.4	-	-	-	-	-
130-0	35.0	0.0	-	0.0	0.0	-	0.0	6.1	-	0.0	0.0	0.0
130-0	40.0	2.8	-	0.0	16.7	-	0.0	37.0	-	0.0	0.0	0.0
130-0	45.0	0.0	-	0.0	51.0	-	10.4	19.3	-	0.0	0.0	0.0
130-0	50.0	3.2	-	7.1	7.1	-	0.0	31.9	-	0.0	0.0	3.1
130-0	55.0	0.0	-	3.0	3.5	-	5.9	8.6	-	0.0	0.0	0.0
130-0	60.0	2.9	-	0.0	0.0	-	8.4	20.5	-	25.1	0.0	0.0
130-0	70.0	9.7	-	-	0.0	-	10.6	-	-	-	-	-
130-0	80.0	3.1	-	-	-	-	18.1	-	-	-	-	-
130-0	90.0	9.7	-	-	-	-	15.6	-	-	-	-	-
133-0	30.0	0.0	-	0.0	0.0	-	0.0	6.2	-	0.0	0.0	0.0
133-0	35.0	0.0	-	3.5	0.0	-	0.0	7.0	-	0.0	0.0	0.0
133-0	40.0	0.0	-	0.0	0.0	-	5.7	13.4	-	0.0	0.0	0.0
133-0	45.0	0.0	-	0.0	6.8	-	2.9	3.3	-	0.0	0.0	-
133-0	50.0	0.0	-	0.0	13.6	-	5.7	0.0	-	0.0	0.0	-
133-0	55.0	0.0	-	3.8	3.4	-	2.8	0.0	-	2.6	-	-
133-0	60.0	5.9	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
133-0	65.0	2.0	-	0.0	0.0	-	2.7	0.0	-	0.0	0.0	0.0
137-0	23.0	0.0	-	4.1	0.0	-	5.7	3.1	-	0.0	0.0	0.0
137-0	30.0	0.0	-	3.3	0.0	-	0.0	6.2	-	0.0	0.0	0.0
137-0	35.0	0.0	-	-	-	-	-	-	-	-	-	-

TABLE 4. (cont.)

Cyclothone spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
137.0	40.0	-	-	3.9	0.0	-	0.0	0.0	-	0.0	0.0	0.0
137.0	45.0	-	-	0.0	14.1	-	-	2.8	-	0.0	-	-
137.0	50.0	-	-	0.0	3.3	-	0.0	0.0	-	0.0	0.0	-
137.0	55.0	-	-	7.5	0.0	-	2.8	0.0	-	0.0	-	-
137.0	60.0	-	-	0.0	0.0	-	10.4	0.0	-	0.0	0.0	-
140.0	60.0	-	-	-	-	-	-	-	-	-	3.1	-
143.0	30.0	-	-	-	-	-	-	-	-	-	5.9	-
143.0	40.0	-	-	-	-	-	-	-	-	-	3.1	-
143.0	60.0	-	-	-	-	-	-	-	-	-	9.5	-
150.0	30.0	-	-	-	-	-	-	-	-	-	6.3	-
150.0	50.0	-	-	-	-	-	-	-	-	-	5.9	-
150.0	60.0	-	-	-	-	-	-	-	-	-	6.2	-
153.0	50.0	-	-	-	-	-	-	-	-	-	32.0	-

Diplophos taenia

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
123.0	45.0	-	-	0.0	0.0	-	0.0	0.0	-	2.7	-	0.0
123.0	55.0	-	-	0.0	0.0	-	0.0	0.0	-	9.2	-	0.0
140.0	60.0	-	-	-	-	-	-	-	-	-	3.1	-
147.0	25.0	-	-	-	-	-	-	-	-	-	21.0	-
147.0	50.0	-	-	-	-	-	-	-	-	-	6.0	-
147.0	60.0	-	-	-	-	-	-	-	-	-	3.0	-
150.0	60.0	-	-	-	-	-	-	-	-	-	9.2	-
153.0	30.0	-	-	-	-	-	-	-	-	-	9.1	-
153.0	40.0	-	-	-	-	-	-	-	-	-	11.6	-
153.0	50.0	-	-	-	-	-	-	-	-	-	8.7	-
153.0	60.0	-	-	-	-	-	-	-	-	-	9.1	-

Ichthyococcus spp.

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
100.0	40.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.0	0.0	-	0.0
100.0	70.0	0.0	-	0.0	0.0	3.2	0.0	0.0	0.0	0.0	-	0.0
103.0	40.0	0.0	-	0.0	0.0	-	1.7	0.0	0.0	0.0	-	0.0
103.0	50.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.1	0.0	-	0.0
103.0	65.0	0.0	-	0.0	0.0	0.0	0.0	3.0	0.0	0.0	-	0.0
103.0	90.0	-	-	0.0	0.0	3.2	-	-	-	-	-	-
107.0	40.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	60.0	0.0	-	0.0	0.0	-	0.0	0.0	3.0	0.0	-	0.0
107.0	65.0	0.0	0.0	0.0	0.0	-	3.1	0.0	0.0	0.0	-	0.0
110.0	40.0	3.1	0.0	0.0	0.0	-	-	0.0	0.0	0.0	-	0.0
110.0	50.0	0.0	0.0	3.2	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0	60.0	0.0	0.0	0.0	3.4	-	3.0	3.2	0.0	0.0	-	0.0

TABLE 4. (cont.)

Ichthyococcus spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
110.0	70.0	2.8	0.0	0.0	0.0	-	0.0	0.0	3.1	0.0	-	0.0
110.0	90.0	0.0	3.9	0.0	0.0	-	-	-	-	-	-	-
113.0	55.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	3.2	-	0.0
113.0	60.0	0.0	0.0	0.0	-	-	0.0	3.0	0.0	3.2	-	0.0
113.0	65.0	3.3	0.0	3.1	0.0	-	0.0	0.0	0.0	0.0	-	0.0
113.0	80.0	0.0	0.0	0.0	3.4	-	0.0	-	-	-	-	0.0
117.0	55.0	0.0	0.0	0.0	0.0	-	0.0	0.0	2.9	0.0	-	0.0
120.0	45.0	0.0	0.0	0.0	0.0	-	3.3	0.0	-	0.0	0.0	0.0
120.0	60.0	0.0	3.6	0.0	0.0	-	0.0	0.0	-	0.0	-	0.0
120.0	70.0	3.0	0.0	3.4	0.0	-	0.0	0.0	-	0.0	-	0.0
123.0	50.0	0.0	0.0	0.0	0.0	-	0.0	0.0	-	0.0	0.0	3.0
123.0	60.0	0.0	0.0	0.0	0.0	-	0.0	0.0	-	2.9	3.2	0.0
127.0	50.0	0.0	0.0	0.0	0.0	-	0.0	0.0	-	2.7	0.0	0.0
130.0	50.0	0.0	0.0	0.0	0.0	-	0.0	3.2	-	0.0	0.0	0.0
130.0	60.0	-	0.0	0.0	0.0	-	0.0	0.0	-	2.8	0.0	0.0

Vinciguerria lucetia

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
70.0	100.0	2.6	-	-	-	-	-	-	-	-	-	-
80.0	55.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	3.7	-	0.0
80.0	60.0	0.0	-	0.0	0.0	0.0	0.0	0.0	6.4	0.0	-	0.0
80.0	70.0	0.0	-	0.0	0.0	0.0	0.0	0.0	9.5	25.7	-	0.0
80.0	80.0	0.0	-	0.0	0.0	0.0	0.0	0.0	12.9	24.0	-	0.0
80.0	90.0	0.0	-	0.0	0.0	0.0	0.0	0.0	57.1	178.8	-	0.0
83.0	51.0	1.5	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	65.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	6.5
83.0	70.0	1.5	-	0.0	0.0	0.0	0.0	0.0	0.0	3.7	-	0.0
83.0	90.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	46.3	-	0.0
87.0	35.0	1.6	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	60.0	0.0	-	0.0	0.0	0.0	3.2	0.0	0.0	0.0	-	6.8
87.0	70.0	0.0	3.4	0.0	0.0	0.0	3.0	0.0	0.0	0.0	-	9.0
87.0	80.0	0.0	0.0	-	0.0	2.5	2.9	0.0	0.0	0.0	-	0.0
87.0	90.0	3.0	0.0	-	0.0	0.0	0.0	3.2	6.1	0.0	-	0.0
90.0	28.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.1	-	0.0
90.0	37.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	6.7	-	0.0
90.0	45.0	0.0	0.0	-	0.0	0.0	0.0	0.0	6.4	0.0	-	9.8
90.0	53.0	-	0.0	-	-	0.0	0.0	-	-	0.0	-	5.7
90.0	60.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	48.6
90.0	65.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	55.4
90.0	70.0	3.3	0.0	-	0.0	0.0	0.0	0.0	0.0	-	-	75.5
90.0	80.0	0.0	0.0	-	0.0	5.6	0.0	6.4	0.0	290.3	-	6.4
90.0	90.0	0.0	0.0	-	0.0	0.0	6.0	30.1	0.0	46.6	-	15.2
90.0	97.0	-	-	-	-	-	5.8	-	-	45.8	-	-
90.0	100.0	0.0	-	-	-	-	-	-	-	-	-	-

TABLE 4. (cont.)

Vinciguerria lucetia (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
90.0 110.0	-	-	-	-	-	-	-	-	-	417.6	-	30.8
90.0 120.0	-	-	-	-	-	-	-	-	-	1865.9	-	69.3
90.0 130.0	-	-	-	-	-	-	-	-	-	-	-	115.1
90.0 140.0	-	-	-	-	-	-	-	-	-	-	-	6.2
93.0 28.0	0.0	0.0	0.0	-	0.0	0.0	3.1	0.0	0.0	0.0	-	0.0
93.0 30.0	0.0	0.0	0.0	-	0.0	0.0	0.0	3.4	0.0	0.0	-	0.0
93.0 40.0	0.0	0.0	0.0	-	0.0	0.0	0.0	19.0	0.0	165.9	-	0.0
93.0 45.0	0.0	0.0	0.0	-	0.0	0.0	0.0	240.2	31.2	31.2	-	19.1
93.0 50.0	0.0	0.0	0.0	-	0.0	0.0	3.2	3.5	48.5	48.5	-	6.1
93.0 55.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.2	2.9	-	3.2
93.0 60.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.2	-	0.0
93.0 65.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	9.8	2.9	-	24.8
93.0 70.0	0.0	3.3	0.0	-	0.0	0.0	0.0	0.0	3.1	-	-	111.2
93.0 80.0	0.0	0.0	0.0	-	1.9	0.0	0.0	0.0	0.0	-	-	110.5
93.0 90.0	7.7	0.0	0.0	-	0.0	0.0	6.1	-	-	581.4	-	23.7
93.0 100.0	-	-	-	-	0.0	-	-	-	-	376.4	-	25.6
93.0 110.0	-	-	-	-	-	-	-	-	-	70.4	-	32.6
93.0 120.0	-	-	-	-	-	-	-	-	-	998.3	-	151.3
93.0 130.0	-	-	-	-	-	-	-	-	-	-	-	28.6
94.0 78.0	-	-	-	-	-	-	-	-	-	332.8	-	-
94.0 139.0	-	-	-	-	-	-	-	-	-	-	-	18.0
97.0 30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.8	2.7	0.0	-	0.0
97.0 32.0	0.0	0.0	0.0	-	0.0	0.0	5.4	42.8	0.0	3.0	-	0.0
97.0 35.0	0.0	0.0	0.0	-	0.0	-	0.0	30.2	3.4	3.5	0.0	5.1
97.0 40.0	0.0	0.0	0.0	-	0.0	0.0	0.0	6.3	349.9	201.6	-	25.0
97.0 45.0	3.0	0.0	0.0	-	0.0	0.0	3.3	0.0	177.0	144.8	0.0	94.0
97.0 50.0	2.9	0.0	0.0	-	0.0	0.0	0.0	0.0	688.6	34.6	-	24.6
97.0 55.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	55.6	29.4	-	9.8
97.0 60.0	0.0	0.0	0.0	-	0.0	0.0	3.1	30.3	111.0	6.0	-	28.5
97.0 65.0	0.0	0.0	0.0	-	0.0	0.0	3.1	43.5	12.6	6.8	-	10.6
97.0 70.0	0.0	0.0	0.0	-	0.0	0.0	51.3	172.4	341.0	0.0	-	64.8
97.0 80.0	0.0	5.5	0.0	-	13.7	5.8	1096.5	-	-	-	-	54.6
97.0 90.0	2.6	2.7	2.9	-	0.0	48.6	-	-	-	-	-	-
100.0 29.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	-	0.0
100.0 30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.6	0.0	0.0	-	0.0
100.0 35.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.3	35.3	3.2	0.0	0.0
100.0 40.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.9	39.0	34.4	-	4.9
100.0 45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	53.0	98.6	602.8	8.5	13.7
100.0 50.0	5.9	0.0	0.0	0.0	0.0	0.0	3.4	29.2	3.3	157.0	-	58.4
100.0 55.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	454.5	316.2	23.0	-	23.0
100.0 60.0	0.0	0.0	0.0	7.0	0.0	0.0	0.0	27.9	400.5	18.3	-	18.3
100.0 65.0	5.8	3.5	0.0	0.0	0.0	0.0	0.0	241.9	505.3	671.0	-	2.6
100.0 70.0	13.2	0.0	3.7	0.0	29.0	0.0	14.2	214.5	859.5	488.5	-	11.9
100.0 80.0	14.7	37.3	93.6	127.1	42.0	195.8	348.0	-	-	1178.8	-	11.2
100.0 90.0	2.9	-	24.4	167.1	237.3	-	49.3	-	-	-	-	-
100.0 100.0	12.0	-	-	-	-	-	-	-	-	-	-	-

TABLE 4. (cont.)

Vinciguerria lucetia (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
103.0	35.0	0.0	—	0.0	0.0	—	0.0	0.0	0.0	0.0	0.0	2.5
103.0	40.0	0.0	—	3.5	0.0	—	0.0	6.0	26.2	65.8	—	0.0
103.0	45.0	3.1	—	0.0	0.0	—	0.0	0.0	20.6	20.6	3.0	0.0
103.0	50.0	3.3	—	3.7	0.0	13.5	22.4	99.8	78.3	66.9	—	0.0
103.0	55.0	3.0	—	2.9	3.4	100.3	47.5	116.6	18.5	—	—	5.4
103.0	60.0	0.0	—	18.2	3.3	329.3	179.9	115.6	320.5	9.4	—	7.6
103.0	65.0	0.0	—	25.0	3.1	115.6	194.8	1066.1	173.5	151.8	—	15.3
103.0	70.0	11.8	—	9.0	72.9	149.0	374.6	1005.7	1135.7	896.1	—	47.2
103.0	80.0	67.1	—	39.7	103.6	1024.0	113.2	—	—	—	—	433.1
103.0	90.0	—	—	210.6	111.0	670.9	—	—	—	—	—	—
107.0	31.0	0.0	—	0.0	2.0	—	0.0	0.0	5.1	0.0	—	0.0
107.0	35.0	0.0	—	0.0	0.0	—	0.0	0.0	33.0	0.0	—	0.0
107.0	40.0	0.0	—	0.0	0.0	—	0.0	6.7	123.5	20.2	8.7	0.0
107.0	45.0	0.0	—	7.3	0.0	—	0.0	132.0	35.9	57.2	—	7.5
107.0	50.0	3.1	—	3.6	38.8	—	66.0	0.0	0.0	157.9	108.4	4.7
107.0	55.0	0.0	—	3.4	24.9	—	82.7	465.6	3.2	102.3	—	54.8
107.0	60.0	6.3	—	25.6	17.0	—	814.7	303.5	15.4	0.0	—	64.5
107.0	65.0	39.5	—	63.5	141.9	—	93.3	371.3	3003.9	29.0	—	33.2
107.0	70.0	8.4	—	59.0	83.7	—	340.1	619.8	3003.9	7.1	—	25.2
107.0	80.0	53.8	15.4	7.4	42.1	—	94.5	343.9	976.6	370.7	—	2.5
107.0	90.0	6.2	12.2	23.7	24.7	—	320.2	—	—	—	—	257.5
107.0	90.0	—	—	48.8	60.2	—	—	—	—	—	—	—
110.0	32.0	0.0	—	0.0	0.0	—	0.0	0.0	58.6	0.0	—	0.0
110.0	35.0	0.0	—	0.0	0.0	—	0.0	32.3	19.2	13.6	6.3	0.0
110.0	40.0	0.0	—	7.5	20.0	—	—	0.0	260.8	74.4	—	0.0
110.0	41.0	—	—	—	—	—	2.6	—	—	—	—	—
110.0	45.0	0.0	—	6.9	39.7	—	185.9	236.2	408.0	134.4	0.0	55.0
110.0	50.0	3.0	—	0.0	84.2	—	101.8	582.4	642.8	0.0	—	3.0
110.0	55.0	8.5	16.4	0.0	72.7	—	515.2	447.0	633.1	23.4	—	2.5
110.0	60.0	8.9	14.5	0.0	6.8	—	750.5	1294.4	1369.2	461.8	—	5.3
110.0	65.0	30.6	6.5	3.5	12.8	—	261.7	1544.0	1174.8	991.9	—	11.4
110.0	70.0	58.4	0.0	3.6	18.4	—	31.7	1414.3	625.2	1125.4	—	5.8
110.0	80.0	3.1	—	28.3	89.3	—	102.1	—	—	—	—	463.5
110.0	90.0	16.9	—	65.6	221.9	—	—	—	—	—	—	—
113.0	29.0	0.0	—	0.0	0.0	—	0.0	0.0	0.0	3.5	—	0.0
113.0	30.0	0.0	—	0.0	0.0	—	0.0	0.0	0.0	2.7	0.0	0.0
113.0	35.0	3.1	—	0.0	0.0	—	0.0	146.9	71.3	3.2	19.6	0.0
113.0	40.0	0.0	—	0.0	0.0	—	3.0	223.7	532.6	78.2	—	14.2
113.0	45.0	0.0	—	3.1	0.0	—	0.0	22.2	27.3	925.4	83.4	12.3
113.0	50.0	3.0	—	6.3	0.0	—	12.9	132.3	957.5	143.1	—	83.8
113.0	55.0	0.0	—	7.0	3.3	—	62.8	304.4	506.3	124.8	—	44.2
113.0	60.0	11.6	—	0.0	18.7	—	317.2	654.8	148.4	658.9	—	0.0
113.0	65.0	33.1	—	12.5	3.4	—	815.8	1086.3	324.4	417.0	—	19.6
113.0	70.0	9.0	—	0.0	12.6	—	255.2	395.1	1764.0	595.7	—	17.3
113.0	80.0	12.2	—	11.9	61.0	—	66.8	—	—	—	—	71.0
117.0	26.0	0.0	—	0.0	0.0	—	0.0	2.5	0.0	0.0	2.7	0.0

TABLE 4. (cont.)

Vinciguerria lucetia (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
117.0	30.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	2.7	0.0
117.0	35.0	-	0.0	0.0	0.0	-	5.1	0.0	65.4	27.0	86.4	2.1
117.0	40.0	-	0.0	0.0	0.0	-	6.6	0.0	160.2	560.7	40.8	40.8
117.0	45.0	-	0.0	0.0	0.0	-	9.4	0.0	236.5	181.3	38.4	2.5
117.0	50.0	-	0.0	0.0	2.9	-	3.1	38.9	164.6	34.9	-	0.0
117.0	55.0	-	0.0	18.7	55.6	-	184.7	21.1	138.2	258.4	-	2.8
117.0	60.0	-	2.8	89.5	6.5	-	296.6	1042.8	97.0	9.6	-	257.0
117.0	65.0	-	43.8	5.1	0.0	-	272.2	452.8	198.3	89.6	-	172.4
117.0	70.0	-	13.8	47.4	0.0	-	59.6	2224.5	48.0	406.9	-	47.2
117.0	80.0	-	-	14.3	21.5	-	46.3	-	-	-	-	39.5
118.0	35.0	-	-	0.0	0.0	-	27.8	0.0	265.7	13.4	0.0	0.0
119.0	35.0	-	0.0	0.0	0.0	-	0.0	0.0	21.6	36.4	0.0	5.5
120.0	28.0	-	1.3	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
120.0	25.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	2.6	0.0	0.0
120.0	30.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	15.7	0.0
120.0	35.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	10.4	0.0	0.0
120.0	40.0	-	0.0	0.0	0.0	-	0.0	0.0	54.3	0.0	-	0.0
120.0	45.0	-	3.3	0.0	0.0	-	9.9	31.5	-	16.5	0.0	0.0
120.0	50.0	-	3.3	0.0	41.4	-	9.5	8.6	-	38.6	-	5.5
120.0	55.0	-	15.7	9.2	55.8	-	5.2	12.8	-	9.8	-	99.6
120.0	60.0	-	5.8	75.8	42.6	-	111.6	1376.0	-	-	-	245.7
120.0	65.0	-	-	84.4	117.6	-	206.1	0.0	-	22.1	-	520.7
120.0	70.0	-	-	28.4	223.6	-	42.0	884.2	-	9.8	-	60.8
120.0	80.0	-	-	14.0	262.3	-	117.3	-	-	-	-	116.0
120.0	90.0	-	-	-	-	-	-	-	-	-	-	-
120.0	95.0	-	-	-	-	-	-	-	-	-	-	-
123.0	36.0	-	-	0.0	0.0	-	1.4	2.8	-	0.0	0.0	0.0
123.0	37.0	-	-	0.0	0.0	-	15.8	0.0	-	0.0	0.0	0.0
123.0	40.0	-	-	-	0.0	-	-	28.8	-	-	0.0	-
123.0	42.0	-	-	0.0	-	-	567.6	12.8	-	351.1	-	0.0
123.0	45.0	-	-	0.0	0.0	-	65.8	981.9	-	981.9	-	18.4
123.0	50.0	-	-	10.3	57.1	-	285.2	55.3	-	948.2	152.5	109.5
123.0	55.0	-	-	0.0	55.6	-	202.9	866.6	-	1013.3	163.2	163.2
123.0	60.0	-	-	3.4	69.3	-	243.6	520.0	-	1054.1	272.2	419.6
123.0	65.0	-	-	-	25.6	-	115.9	-	-	-	-	-
123.0	70.0	-	-	-	58.1	-	63.6	-	-	-	-	-
123.0	80.0	-	-	-	-	-	668.9	-	-	-	-	-
125.0	35.5	-	-	-	-	-	-	-	-	-	-	-
127.0	33.0	-	-	-	-	-	0.0	0.0	-	0.0	2.8	0.0
127.0	34.0	-	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
127.0	40.0	-	-	0.0	3.3	-	146.0	26.6	-	3.1	6.6	11.4
127.0	45.0	-	-	2.6	0.0	-	97.0	785.2	-	12.1	0.0	0.0
127.0	50.0	-	-	0.0	104.6	-	25.8	288.9	-	103.0	121.8	0.0
127.0	55.0	-	-	3.0	63.5	-	103.4	113.8	-	59.7	21.5	21.5
127.0	60.0	-	-	9.0	116.2	-	48.2	23.7	-	81.9	95.1	27.6
127.0	65.0	-	-	-	162.2	-	42.8	-	-	-	-	-
127.0	70.0	-	-	-	59.8	-	105.7	-	-	-	-	-

TABLE 4. (cont.)

Vinciguerria lucetia (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
127.0	75.0	23.9	-	-	-	-	661.7	-	-	-	-	-
127.0	80.0	16.2	-	50.0	-	-	3.1	125.9	-	0.0	6.5	0.0
130.0	35.0	34.4	-	0.0	2.7	-	18.4	554.4	-	0.0	93.3	0.0
130.0	40.0	22.6	-	14.2	33.4	-	286.0	860.3	-	29.4	-	15.3
130.0	45.0	44.2	-	95.3	35.7	-	352.8	1521.6	-	5.9	39.8	21.6
130.0	50.0	57.6	-	56.0	58.4	-	229.3	462.1	-	53.0	-	13.2
130.0	55.0	6.4	-	18.2	14.0	-	269.8	814.5	-	304.1	9.0	5.7
130.0	60.0	44.0	-	-	-	-	272.6	-	-	-	-	-
130.0	65.0	-	-	-	83.5	-	426.7	-	-	-	-	-
130.0	70.0	12.9	-	-	335.3	-	642.3	-	-	-	-	-
130.0	80.0	71.3	-	-	-	-	57.2	-	-	-	-	-
130.0	90.0	0.0	-	-	-	-	0.0	2.8	-	0.0	-	0.0
133.0	23.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
133.0	25.0	6.0	-	0.0	0.0	-	0.0	302.6	-	0.0	9.3	0.0
133.0	30.0	22.8	-	0.0	0.0	-	14.8	224.0	-	79.0	-	2.6
133.0	35.0	104.0	-	14.3	6.5	-	31.5	930.7	-	15.1	9.7	2.9
133.0	40.0	6.1	-	0.0	0.0	-	0.0	509.9	-	5.5	-	-
133.0	45.0	511.5	-	0.0	10.2	-	31.6	193.2	-	56.3	0.0	-
133.0	50.0	25.3	-	7.9	85.0	-	344.0	19.1	-	57.6	-	-
133.0	55.0	6.0	-	19.0	65.2	-	294.9	130.7	-	55.9	0.0	-
133.0	60.0	17.8	-	17.5	24.5	-	2.1	0.0	-	0.0	-	2.0
137.0	22.0	0.0	-	2.3	0.0	-	35.4	0.0	-	0.0	2.8	0.0
137.0	23.0	4.0	-	0.0	0.0	-	183.0	494.4	-	10.5	0.0	0.0
137.0	30.0	138.0	-	4.1	0.0	-	5.5	485.2	-	208.3	9.8	0.0
137.0	35.0	850.1	-	13.1	0.0	-	4.9	274.2	-	15.5	54.1	23.8
137.0	40.0	32.8	-	35.4	10.7	-	-	603.5	-	51.3	-	-
137.0	45.0	79.1	-	21.1	7.0	-	-	97.0	-	11.0	283.2	-
137.0	50.0	33.9	-	25.1	78.2	-	5.9	-	-	20.0	-	-
137.0	55.0	34.8	-	63.8	18.2	-	8.4	269.3	-	51.9	56.2	-
137.0	60.0	30.3	-	18.3	16.5	-	124.8	1407.4	-	-	2.8	-
140.0	30.0	-	-	-	-	-	-	-	-	-	9.4	-
140.0	45.0	-	-	-	-	-	-	-	-	-	6.4	-
140.0	50.0	-	-	-	-	-	-	-	-	-	330.5	-
140.0	60.0	-	-	-	-	-	-	-	-	-	32.3	-
143.0	30.0	-	-	-	-	-	-	-	-	-	6.0	-
143.0	35.0	-	-	-	-	-	-	-	-	-	91.8	-
143.0	40.0	-	-	-	-	-	-	-	-	-	122.2	-
143.0	50.0	-	-	-	-	-	-	-	-	-	25.3	-
143.0	60.0	-	-	-	-	-	-	-	-	-	8.8	-
144.5	23.0	-	-	-	-	-	-	-	-	-	66.2	-
147.0	20.0	-	-	-	-	-	-	-	-	-	171.0	-
147.0	25.0	-	-	-	-	-	-	-	-	-	139.9	-
147.0	30.0	-	-	-	-	-	-	-	-	-	9.9	-
147.0	40.0	-	-	-	-	-	-	-	-	-	38.7	-
147.0	50.0	-	-	-	-	-	-	-	-	-	244.0	-
147.0	60.0	-	-	-	-	-	-	-	-	-	-	-

TABLE 4. (cont.)

Vinciguerria lucetia (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
150.0 19.0	-	-	-	-	-	-	-	-	-	-	23.1	-
150.0 25.0	-	-	-	-	-	-	-	-	-	-	47.7	-
150.0 30.0	-	-	-	-	-	-	-	-	-	-	47.0	-
150.0 40.0	-	-	-	-	-	-	-	-	-	-	12.9	-
150.0 50.0	-	-	-	-	-	-	-	-	-	-	50.5	-
150.0 60.0	-	-	-	-	-	-	-	-	-	-	184.8	-
153.0 16.0	-	-	-	-	-	-	-	-	-	-	18.4	-
153.0 20.0	-	-	-	-	-	-	-	-	-	-	175.8	-
153.0 30.0	-	-	-	-	-	-	-	-	-	-	6.0	-
153.0 40.0	-	-	-	-	-	-	-	-	-	-	52.4	-
153.0 50.0	-	-	-	-	-	-	-	-	-	-	186.2	-
153.0 60.0	-	-	-	-	-	-	-	-	-	-	832.6	-

Vinciguerria poweriae

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
90.0 120.0	-	-	-	-	-	-	-	-	-	2.8	-	0.0
90.0 140.0	-	-	-	-	-	-	-	-	-	-	-	3.1
93.0 90.0	0.0	0.0	0.0	-	1.9	0.0	0.0	-	-	0.0	-	0.0
93.0 130.0	-	-	-	-	-	-	-	-	-	-	-	7.8
94.0 139.0	-	-	-	-	-	-	-	-	-	-	-	9.0
100.0 80.0	0.0	0.0	-	0.0	0.0	3.2	0.0	-	-	0.0	-	0.0

Sternoptychidae

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0 55.0	2.8	-	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
60.0 90.0	0.0	-	-	-	-	0.0	0.0	-	-	2.9	-	0.0
73.0 70.0	-	-	-	0.0	-	3.2	0.0	-	-	0.0	-	0.0
77.0 55.0	-	3.0	-	0.0	-	0.0	0.0	-	-	3.1	-	0.0
80.0 51.0	-	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	3.0
80.0 52.0	-	1.6	-	0.0	0.0	0.0	0.0	3.0	0.0	0.0	-	0.0
80.0 55.0	-	0.0	-	6.7	0.0	0.0	0.0	0.0	0.0	7.5	-	3.2
80.0 65.0	-	1.7	-	2.4	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0 70.0	-	0.0	-	2.7	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0 90.0	-	1.8	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
82.0 47.0	-	1.6	-	0.0	0.0	0.0	0.0	2.9	0.0	0.0	-	3.0
83.0 43.0	-	0.0	-	3.1	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0 60.0	-	1.6	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0 65.0	-	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	3.3
83.0 80.0	-	0.0	-	0.0	0.0	0.0	0.0	3.0	0.0	0.0	-	0.0
87.0 35.0	-	0.0	-	0.0	3.5	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0 45.0	-	1.9	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0 60.0	-	0.0	-	4.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0

TABLE 4. (cont.)

Sternoptychidae (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
90.0	28.0	3.5	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	3.3
90.0	32.0	0.0	2.9	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	70.0	0.0	0.0	-	3.5	0.0	0.0	0.0	0.0	-	-	0.0
90.0	97.0	-	-	-	-	-	-	-	-	-	-	2.5
90.0	100.0	0.0	-	-	-	-	2.9	-	-	0.0	-	0.0
90.0	110.0	-	-	-	-	-	-	-	-	3.1	-	0.0
90.0	120.0	-	-	-	-	-	-	-	-	5.7	-	0.0
93.0	27.0	0.0	-	-	0.0	0.0	3.0	0.0	0.0	0.0	-	0.0
93.0	30.0	0.0	0.0	-	1.7	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	35.0	0.0	0.0	-	0.0	0.0	0.0	3.4	0.0	0.0	-	0.0
93.0	40.0	0.0	0.0	-	0.0	0.0	-	3.4	0.0	0.0	-	3.4
93.0	45.0	0.0	0.0	-	0.0	0.0	0.0	0.0	6.1	3.1	-	0.0
93.0	50.0	0.0	0.0	-	1.4	0.0	0.0	0.0	3.3	0.0	-	0.0
93.0	50.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	3.1	-	5.3
93.0	90.0	0.0	0.0	-	0.0	0.0	-	-	-	6.2	-	2.8
93.0	100.0	-	-	-	0.0	-	-	-	-	-	-	6.4
93.0	120.0	-	-	-	-	-	-	-	-	-	-	2.6
93.0	130.0	-	-	-	-	6.7	-	-	-	0.0	-	0.0
97.0	32.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.3	0.0	2.8	0.0
97.0	35.0	0.0	0.0	-	0.0	3.0	0.0	0.0	0.0	0.0	3.0	0.0
97.0	40.0	3.5	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	45.0	0.0	0.0	-	3.9	0.0	0.0	0.0	6.0	0.0	-	0.0
97.0	55.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	60.0	0.0	0.0	-	0.0	0.0	3.1	0.0	0.0	0.0	-	0.0
97.0	65.0	0.0	0.0	-	0.0	0.0	3.1	0.0	0.0	0.0	-	0.0
97.0	70.0	0.0	0.0	-	3.6	0.0	2.8	0.0	2.9	0.0	-	0.0
97.0	80.0	0.0	6.6	-	0.0	0.0	0.0	0.0	-	-	-	-
97.0	80.0	0.0	0.0	-	0.0	3.0	0.0	0.0	0.0	0.0	-	0.0
97.0	90.0	0.0	0.0	-	0.0	0.0	0.0	2.8	0.0	0.0	-	0.0
100.0	29.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	-	0.0
100.0	30.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0
100.0	35.0	0.0	-	3.7	0.0	3.1	0.0	0.0	0.0	0.0	0.0	0.0
100.0	45.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	3.1	-	0.0
100.0	50.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	7.1	-	0.0
100.0	70.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	80.0	0.0	-	3.6	10.6	0.0	0.0	-	-	0.0	-	-
100.0	90.0	9.3	-	7.0	3.4	0.0	0.0	-	-	-	-	-
100.0	90.0	2.9	-	4.1	0.0	0.0	0.0	0.0	0.0	0.0	6.3	0.0
103.0	35.0	3.1	-	0.0	0.0	-	1.6	0.0	0.0	0.0	0.0	0.0
103.0	40.0	0.0	-	0.0	0.0	-	0.0	0.0	3.1	3.4	0.0	0.0
103.0	45.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	10.6	-	0.0
103.0	50.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	0.0
103.0	55.0	0.0	-	0.0	0.0	3.5	0.0	0.0	0.0	0.0	-	0.0
103.0	60.0	0.0	-	0.0	0.0	3.3	0.0	0.0	3.3	0.0	-	0.0
103.0	65.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	70.0	0.0	-	0.0	6.3	6.5	0.0	0.0	0.0	0.0	-	0.0
103.0	70.0	3.2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	80.0	0.0	-	0.0	3.3	0.0	3.0	6.1	0.0	3.3	-	0.0
107.0	32.0	0.0	-	0.0	0.0	-	3.2	0.0	5.9	2.5	0.0	0.0
107.0	35.0	0.0	-	3.4	0.0	-	3.2	0.0	-	-	0.0	0.0

TABLE 4. (cont.)

Sternoptychidae (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
107.0	40.0	0.0	-	0.0	3.4	-	0.0	0.0	0.0	0.0	-	2.5
107.0	45.0	0.0	-	0.0	3.3	-	2.8	0.0	0.0	0.0	3.0	0.0
107.0	50.0	0.0	-	0.0	10.7	-	6.0	0.0	0.0	9.9	-	0.0
107.0	55.0	0.0	-	0.0	0.0	-	3.2	0.0	3.1	0.0	-	0.0
107.0	60.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	65.0	0.0	3.3	0.0	0.0	-	0.0	0.0	3.1	0.0	-	0.0
107.0	70.0	9.0	0.0	0.0	0.0	-	2.8	0.0	0.0	0.0	-	5.1
107.0	80.0	0.0	0.0	0.0	0.0	-	3.2	0.0	3.2	0.0	-	0.0
110.0	35.0	0.0	0.0	0.0	0.0	-	2.6	0.0	3.2	3.4	0.0	0.0
110.0	40.0	0.0	0.0	0.0	6.7	-	-	6.3	3.3	3.4	2.9	0.0
110.0	45.0	2.7	0.0	0.0	13.2	-	0.0	0.0	0.0	3.2	2.9	0.0
110.0	50.0	3.0	0.0	0.0	3.5	-	0.0	0.0	0.0	0.0	-	0.0
110.0	55.0	0.0	0.0	0.0	0.0	-	6.4	0.0	3.2	0.0	-	0.0
110.0	60.0	0.0	0.0	0.0	0.0	-	3.0	0.0	6.1	3.1	-	2.7
110.0	65.0	2.8	0.0	0.0	0.0	-	0.0	0.0	0.0	7.1	-	2.8
110.0	70.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	2.9
110.0	80.0	0.0	0.0	0.0	0.0	-	0.0	0.0	-	-	-	6.0
113.0	35.0	0.0	0.0	0.0	5.6	-	0.0	0.0	0.0	0.0	0.0	0.0
113.0	40.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	3.3	0.0	0.0
113.0	45.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	2.9	0.0	0.0
113.0	55.0	2.9	0.0	0.0	0.0	-	0.0	0.0	0.0	16.0	-	0.0
113.0	65.0	3.3	0.0	0.0	0.0	-	0.0	3.7	12.7	3.0	-	0.0
113.0	80.0	0.0	-	0.0	0.0	-	0.0	-	-	-	-	2.8
117.0	40.0	0.0	3.5	0.0	19.1	-	0.0	0.0	0.0	0.0	-	0.0
117.0	45.0	3.2	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	2.7	0.0
117.0	50.0	5.9	2.9	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
117.0	55.0	3.2	3.1	0.0	0.0	-	0.0	0.0	0.0	3.2	-	0.0
117.0	60.0	0.0	0.0	3.9	0.0	-	0.0	3.3	5.9	0.0	-	0.0
117.0	65.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	5.6
117.0	70.0	0.0	0.0	3.2	0.0	-	0.0	0.0	0.0	3.1	-	0.0
118.0	39.0	-	-	0.0	3.3	-	0.0	0.0	0.0	0.0	-	0.0
120.0	45.0	2.7	0.0	0.0	0.0	-	3.3	0.0	0.0	0.0	0.0	0.0
120.0	50.0	0.0	0.0	0.0	0.0	-	6.3	0.0	-	3.2	-	0.0
120.0	55.0	2.9	0.0	0.0	0.0	-	2.6	0.0	-	0.0	-	2.6
120.0	60.0	0.0	0.0	3.6	3.0	-	0.0	0.0	-	-	-	0.0
120.0	65.0	2.3	-	0.0	0.0	-	0.0	0.0	-	6.3	-	0.0
120.0	70.0	0.0	-	0.0	0.0	-	0.0	0.0	-	9.8	-	0.0
120.0	80.0	2.9	-	0.0	0.0	-	0.0	-	-	-	-	0.0
120.0	90.0	2.7	-	-	0.0	-	-	16.0	-	-	0.0	-
123.0	40.0	0.0	-	0.0	0.0	-	0.0	-	-	3.1	-	0.0
123.0	42.0	-	-	0.0	0.0	-	0.0	0.0	-	0.0	-	0.0
123.0	45.0	3.1	-	0.0	0.0	-	9.3	0.0	-	6.0	0.0	0.0
123.0	50.0	6.0	-	0.0	0.0	-	5.9	0.0	-	0.0	-	3.1
123.0	55.0	0.0	-	0.0	0.0	-	0.0	0.0	-	2.9	-	0.0
123.0	60.0	0.0	-	0.0	0.0	-	0.0	0.0	-	-	3.2	-
123.0	70.0	2.5	-	-	0.0	-	0.0	-	-	-	-	-

TABLE 4. (cont.)

Sternoptychidae (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
123.0	80.0	2.9	-	-	-	-	0.0	-	-	-	-	-
127.0	40.0	0.0	-	0.0	0.0	-	0.0	0.0	-	6.2	0.0	0.0
127.0	45.0	0.0	-	0.0	0.0	-	0.0	0.0	-	6.0	0.0	0.0
127.0	50.0	5.3	-	0.0	3.3	-	0.0	0.0	-	2.7	0.0	0.0
127.0	55.0	3.1	-	0.0	0.0	-	0.0	3.2	-	0.0	0.0	5.5
127.0	60.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	-
127.0	75.0	3.4	-	-	-	-	-	-	-	-	-	-
127.0	40.0	8.5	-	0.0	3.3	-	0.0	0.0	-	0.0	0.0	0.0
130.0	45.0	5.5	-	0.0	13.6	-	0.0	0.0	-	0.0	0.0	0.0
130.0	50.0	0.0	-	0.0	0.0	-	0.0	0.0	-	5.9	6.1	0.0
130.0	55.0	6.4	-	0.0	0.0	-	0.0	0.0	-	0.0	-	0.0
130.0	60.0	0.0	-	0.0	0.0	-	0.0	0.0	-	2.8	0.0	0.0
130.0	70.0	3.2	-	-	0.0	-	0.0	-	-	-	-	-
130.0	80.0	6.2	-	-	-	-	0.0	-	-	-	-	-
130.0	90.0	0.0	-	-	-	-	2.6	-	-	-	-	-
133.0	30.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	3.1	0.0
133.0	35.0	3.3	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
133.0	40.0	9.2	-	2.9	0.0	-	0.0	13.4	-	3.0	3.2	0.0
133.0	45.0	6.8	-	0.0	0.0	-	0.0	0.0	-	2.7	3.0	-
133.0	50.0	0.0	-	0.0	0.0	-	0.0	3.2	-	0.0	-	-
133.0	55.0	0.0	-	3.8	0.0	-	0.0	0.0	-	2.7	3.1	-
133.0	60.0	3.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
137.0	35.0	0.0	-	0.0	3.2	-	0.0	0.0	-	0.0	-	-
137.0	45.0	2.9	-	0.0	0.0	-	-	0.0	-	0.0	-	-
137.0	60.0	3.0	-	0.0	3.3	-	0.0	0.0	-	0.0	8.9	-
140.0	40.0	-	-	-	-	-	-	-	-	-	3.0	-
140.0	45.0	-	-	-	-	-	-	-	-	-	3.1	-
143.0	40.0	-	-	-	-	-	-	-	-	-	3.1	-
143.0	60.0	-	-	-	-	-	-	-	-	-	6.3	-
150.0	30.0	-	-	-	-	-	-	-	-	-	3.1	-
153.0	50.0	-	-	-	-	-	-	-	-	-	2.9	-

Chauliodus macouni

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	60.0	3.0	-	0.0	-	0.0	0.0	-	-	0.0	-	5.5
60.0	65.0	0.0	-	0.0	-	6.5	-	-	-	-	-	-
60.0	70.0	0.0	-	0.0	-	4.1	3.2	-	-	0.0	-	0.0
60.0	80.0	0.0	-	-	-	6.0	0.0	-	-	5.0	-	0.0
60.0	90.0	0.0	-	-	-	0.0	3.6	-	-	2.9	-	0.0
63.0	60.0	0.0	-	3.2	-	3.2	0.0	-	-	0.0	-	3.1
63.0	65.0	-	-	0.0	-	2.8	-	-	-	-	-	6.1
63.0	70.0	-	-	0.0	-	2.9	9.6	-	-	8.9	-	-
63.0	80.0	-	-	0.0	-	0.0	3.4	-	-	0.0	-	-
63.0	90.0	-	-	-	-	0.0	3.2	-	-	-	-	-

TABLE 4. (cont.)

Chauliodus macouni (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
67-0	55.0			0.0		0.0	0.0			3.1		0.0
67-0	70.0			0.0		0.0	0.0			6.8		0.0
67-0	80.0			0.0		0.0	6.7			3.4		
67-0	90.0					9.6	0.0			6.5		
70-0	53.0			0.0		0.0	3.1			0.0		0.0
70-0	60.0			6.2		0.0	0.0					0.0
70-0	65.0			5.8		3.2	6.2					0.0
70-0	70.0			2.5		0.0	3.3			0.0		0.0
70-0	80.0			6.0		3.0	0.0			3.1		3.1
70-0	90.0											
70-0	100.0											
73-0	53.0	0.0		0.0		3.3	0.0			0.0		6.0
73-0	60.0	0.0		2.8		3.2	0.0			0.0		0.0
73-0	70.0			5.6		0.0	0.0			0.0		0.0
73-0	80.0			2.8		0.0	0.0			6.1		
73-0	90.0			0.0		3.3	3.1					
77-0	51.0			0.0		3.4	0.0			0.0		0.0
77-0	55.0	0.0		0.0		0.0	0.0			6.2		0.0
77-0	60.0	0.0		0.0		12.2	0.0			0.0		0.0
77-0	65.0			0.0								
77-0	70.0			2.7		0.0	3.4			3.2		3.0
77-0	80.0			5.7		3.3	3.4			6.0		
80-0	52.0				0.0	0.0	0.0		3.4	0.0		0.0
80-0	55.0	0.0		3.3	0.0	0.0	0.0	0.0	0.0	0.0		0.0
80-0	65.0	0.0		0.0	0.0	0.0	0.0	3.3	0.0	3.4		3.0
80-0	70.0	0.0		0.0	3.3	2.9	0.0	3.5	3.2	0.0		0.0
80-0	80.0	0.0		0.0	3.4	0.0	0.0	0.0	0.0	0.0		0.0
80-0	90.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0		3.0
80-0	100.0											
83-0	55.0	1.4		0.0	3.6	0.0	0.0	0.0	0.0	0.0		0.0
83-0	60.0	0.0		0.0	0.0	2.8	0.0	0.0	0.0	0.0		0.0
83-0	65.0	0.0		0.0	0.0	0.0	0.0	6.3	3.2	0.0		0.0
83-0	70.0	1.5		0.0	0.0	0.0	3.3	0.0	3.2	0.0		0.0
83-0	80.0	0.0		0.0	0.0	0.0	0.0	0.0	3.3	0.0		0.0
87-0	45.0	0.0		0.0	0.0	0.0	0.0	0.0	3.3	0.0		0.0
87-0	55.0	0.0		0.0	3.5	2.9	0.0	0.0	0.0	3.1		0.0
87-0	60.0	0.0		0.0	0.0	0.0	3.2	0.0	3.1	0.0		0.0
87-0	65.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
87-0	70.0	0.0	10.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
87-0	80.0	5.9	0.0		3.7	2.6	0.0	0.0	0.0	0.0		0.0
87-0	90.0	0.0	0.0		3.5	8.7	0.0	6.4	0.0	0.0		0.0
90-0	53.0						0.0		0.0	0.0		0.0
90-0	55.0	0.0			3.3		0.0	0.0	0.0	3.0		0.0
90-0	60.0	0.0	3.1		3.4	0.0	0.0	0.0	3.3	0.0		0.0
90-0	65.0	0.0	3.5		0.0	0.0	0.0	0.0	6.2			0.0
90-0	70.0	3.3										

TABLE 4. (cont.)

Chaulioides macouni (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
90.0	80.0	0.0	0.0	-	0.0	0.0	2.8	9.6	0.0	3.2	-	0.0
90.0	90.0	0.0	0.0	-	10.0	2.9	3.0	0.0	0.0	0.0	-	0.0
93.0	27.0	0.0	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	3.1
93.0	30.0	0.0	0.0	-	1.5	0.0	0.0	3.4	0.0	0.0	-	0.0
93.0	40.0	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	-	0.0
93.0	45.0	0.0	0.0	-	0.0	0.0	6.3	0.0	0.0	0.0	-	0.0
93.0	50.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.3	0.0	-	0.0
93.0	55.0	3.0	2.8	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	65.0	0.0	0.0	-	0.0	0.0	0.0	2.7	0.0	0.0	-	0.0
93.0	70.0	0.0	0.0	-	0.0	0.0	-	0.0	6.1	-	-	0.0
93.0	80.0	2.9	0.0	-	7.1	0.0	3.2	0.0	3.2	-	-	0.0
93.0	90.0	0.0	0.0	-	3.7	0.0	0.0	-	-	0.0	-	0.0
94.0	78.0	-	-	-	-	-	-	-	-	5.5	-	-
97.0	32.0	-	0.0	-	-	0.0	3.4	-	0.0	0.0	-	0.0
97.0	35.0	0.0	2.9	-	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
97.0	40.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8
97.0	50.0	5.7	2.1	-	0.0	0.0	0.0	3.1	6.0	2.0	-	0.0
97.0	55.0	0.0	0.0	-	0.0	6.6	0.0	0.0	0.0	0.0	-	0.0
97.0	60.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	65.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	70.0	0.0	0.0	-	7.2	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	70.0	0.0	3.1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	90.0	0.0	2.9	-	0.0	0.0	0.0	-	-	-	-	-
100.0	35.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	2.5
100.0	40.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	3.4	-	0.0
100.0	45.0	0.0	-	0.0	0.0	3.1	3.0	0.0	0.0	0.0	0.0	0.0
100.0	50.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	55.0	0.0	-	0.0	4.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	60.0	0.0	-	3.5	3.9	0.0	0.0	3.1	0.0	0.0	-	0.0
100.0	65.0	2.9	-	3.1	0.0	3.3	0.0	0.0	0.0	0.0	-	0.0
100.0	70.0	0.0	-	0.0	3.7	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	80.0	0.0	-	0.0	0.0	0.0	0.0	-	3.1	0.0	-	2.8
103.0	30.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
103.0	45.0	0.0	-	0.0	3.7	-	0.0	0.0	0.0	0.0	0.0	0.0
103.0	55.0	0.0	-	0.0	0.0	3.5	0.0	0.0	0.0	-	0.0	0.0
107.0	45.0	0.0	-	0.0	3.3	-	0.0	0.0	0.0	0.0	0.0	0.0
107.0	55.0	0.0	-	3.7	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
110.0	35.0	-	0.0	-	0.0	-	0.0	0.0	3.2	0.0	0.0	0.0
110.0	55.0	2.8	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
113.0	35.0	0.0	0.0	0.0	5.6	-	3.3	0.0	0.0	0.0	0.0	0.0
113.0	45.0	0.0	0.0	0.0	3.4	-	0.0	0.0	0.0	0.0	0.0	0.0
120.0	65.0	-	-	0.0	0.0	-	0.0	0.0	-	3.2	-	0.0

TABLE 4. (cont.)

Idiacanthus antrostomus

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
70.0	90.0	0.0	-	0.0	-	0.0	0.0	-	3.2	3.3	-	0.0
80.0	70.0	-	-	0.0	0.0	0.0	0.0	0.0	3.2	3.2	-	0.0
83.0	70.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	2.9
83.0	80.0	0.0	-	2.9	0.0	0.0	0.0	0.0	9.7	0.0	-	0.0
83.0	90.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	13.2	-	-
87.0	33.0	1.6	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	60.0	0.0	-	0.0	0.0	0.0	3.2	0.0	0.0	0.0	-	0.0
87.0	65.0	0.0	-	3.5	0.0	0.0	0.0	0.0	0.0	3.4	-	0.0
87.0	70.0	3.1	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	70.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	80.0	0.0	0.0	-	0.0	2.8	0.0	0.0	3.1	-	-	3.3
90.0	90.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.2	-	12.1
90.0	120.0	-	0.0	-	-	-	-	0.0	3.1	0.0	-	0.0
93.0	65.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.3	11.4	-	0.0
93.0	90.0	0.0	0.0	-	0.0	2.8	0.0	-	-	0.0	-	0.0
93.0	100.0	-	-	-	-	-	-	-	-	15.3	-	0.0
93.0	110.0	-	-	-	-	-	-	-	-	12.2	-	0.0
93.0	120.0	-	-	-	-	-	-	-	-	3.1	-	0.0
97.0	35.0	0.0	0.0	-	0.0	-	0.0	9.2	0.0	6.2	-	0.0
97.0	50.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	55.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	60.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	2.5
97.0	70.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.3	3.3	-	0.0
97.0	80.0	0.0	0.0	-	0.0	0.0	3.1	0.0	0.0	0.0	-	0.0
97.0	90.0	0.0	0.0	-	0.0	14.5	11.4	0.0	2.9	0.0	-	2.7
97.0	90.0	0.0	0.0	-	0.0	0.0	12.3	-	-	-	-	-
100.0	35.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0
100.0	40.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	6.9	-	0.0
100.0	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	2.8	0.0	0.0
100.0	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	-	0.0
100.0	55.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	-	0.0
100.0	60.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	-	0.0
100.0	65.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	2.9	-	0.0
100.0	70.0	3.3	0.0	0.0	0.0	6.4	3.6	2.8	3.2	0.0	-	3.0
100.0	80.0	0.0	0.0	0.0	0.0	0.0	2.9	-	-	0.0	-	0.0
100.0	100.0	-	-	-	-	-	3.1	-	-	-	-	-
103.0	40.0	0.0	0.0	0.0	0.0	-	1.5	0.0	0.0	3.9	-	0.0
103.0	45.0	3.2	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
103.0	55.0	0.0	0.0	0.0	0.0	3.5	0.0	0.0	0.0	-	0.0	0.0
103.0	60.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	-	0.0
103.0	65.0	0.0	0.0	0.0	0.0	0.0	7.6	0.0	0.0	0.0	-	0.0
103.0	70.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	-	0.0
107.0	32.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	2.1
107.0	55.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	60.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	3.6	-	0.0
107.0	70.0	-	-	0.0	3.2	-	0.0	0.0	0.0	0.0	-	0.0
110.0	55.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.2	0.0	-	0.0

TABLE 4. (cont.)

Idiacanthus antrostomus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
113.0	55.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	2.8
113.0	80.0	0.0	-	0.0	0.0	-	0.0	-	-	-	-	2.8
117.0	40.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	5.8	-	0.0
117.0	70.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	3.1	-	0.0
130.0	90.0	0.0	-	-	-	-	2.6	-	-	-	-	-

Aristostomias scintillans

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	80.0	0.0	-	-	-	0.0	0.0	-	-	2.5	-	0.0
93.0	100.0	-	-	-	0.0	-	-	-	-	3.1	-	0.0
93.0	120.0	-	-	-	-	-	-	-	-	0.0	-	3.2
100.0	45.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0
100.0	80.0	0.0	-	3.6	0.0	3.2	0.0	-	-	0.0	-	-
100.0	90.0	2.9	-	0.0	0.0	0.0	0.0	-	-	0.0	-	-
107.0	60.0	0.0	-	7.1	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	65.0	2.8	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	90.0	-	-	2.9	0.0	-	-	-	-	-	-	-
110.0	55.0	0.0	0.0	0.0	3.5	-	0.0	0.0	0.0	0.0	-	0.0
123.0	80.0	2.9	-	-	-	-	0.0	0.0	-	-	-	-

Bathophilus spp.

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
150.0	30.0	-	-	-	-	-	-	-	-	-	3.1	-
150.0	60.0	-	-	-	-	-	-	-	-	-	6.2	-
153.0	40.0	-	-	-	-	-	-	-	-	-	2.9	-
153.0	50.0	-	-	-	-	-	-	-	-	-	2.9	-
153.0	60.0	-	-	-	-	-	-	-	-	-	3.0	-

Photonectes spp.

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
67.0	90.0	-	-	-	-	3.2	0.0	-	-	0.0	-	-
70.0	90.0	0.0	-	-	-	3.0	0.0	-	-	0.0	-	-
83.0	80.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	3.5
97.0	80.0	0.0	0.0	-	0.0	2.9	0.0	0.0	0.0	0.0	-	0.0

Tactostoma macropus

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	80.0	0.0	-	-	-	0.0	6.5	-	-	0.0	-	0.0

TABLE 4. (cont.)

Tactostoma macropus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
63.0	80.0	-	-	-	-	0.0	20.6	-	-	0.0	-	-
63.0	90.0	-	-	-	-	0.0	12.9	-	-	0.0	-	-
67.0	70.0	-	-	0.0	-	0.0	12.2	-	-	0.0	-	0.0
67.0	80.0	-	-	0.0	-	0.0	13.4	-	-	3.4	-	-
70.0	70.0	-	-	0.0	-	0.0	6.2	-	-	0.0	-	0.0
70.0	90.0	0.0	-	-	-	0.0	6.8	-	-	3.3	-	0.0
73.0	80.0	0.0	-	0.0	-	0.0	3.3	-	-	0.0	-	-
74.0	91.0	-	-	-	-	-	-	-	-	3.3	-	-
80.0	90.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	-	0.0
83.0	65.0	-	0.0	0.0	0.0	0.0	0.0	3.2	3.0	3.5	-	0.0
83.0	70.0	-	0.0	0.0	0.0	-	-	0.0	0.0	0.0	-	0.0
117.0	55.0	0.0	0.0	0.0	0.0	-	3.2	0.0	0.0	0.0	-	0.0

Stomias atriventer

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
67.0	80.0	-	-	0.0	-	3.3	0.0	-	-	0.0	-	-
80.0	55.0	-	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	45.0	-	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	60.0	-	0.0	0.0	0.0	0.0	6.4	0.0	0.0	0.0	-	0.0
87.0	80.0	-	0.0	0.0	0.0	2.5	0.0	0.0	0.0	0.0	-	0.0
90.0	60.0	-	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	70.0	-	0.0	0.0	3.5	3.3	0.0	0.0	0.0	-	-	0.0
90.0	80.0	-	0.0	0.0	3.5	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	90.0	-	6.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	100.0	-	6.7	-	-	-	0.0	-	-	0.0	-	-
93.0	30.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	0.0	-	0.0
93.0	35.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	45.0	3.0	3.4	0.0	0.0	0.0	0.0	0.0	3.0	0.0	-	0.0
93.0	50.0	0.0	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	60.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	-	0.0
93.0	80.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	90.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	-	0.0
93.0	110.0	-	-	-	-	-	-	-	-	3.1	-	0.0
97.0	32.0	-	-	-	-	0.0	6.8	-	-	3.1	-	0.0
97.0	35.0	0.0	0.0	-	0.0	-	2.7	6.1	0.0	0.0	0.0	0.0
97.0	40.0	0.0	3.5	-	0.0	0.0	3.6	0.0	0.0	0.0	-	0.0
97.0	50.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	55.0	0.0	0.0	-	3.9	0.0	0.0	0.0	3.0	0.0	-	0.0
97.0	60.0	0.0	6.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	65.0	0.0	5.9	0.0	0.0	3.0	0.0	0.0	0.0	0.0	-	0.0
97.0	70.0	3.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	80.0	-	11.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	90.0	2.6	19.0	-	3.4	0.0	0.0	-	-	-	-	-
100.0	35.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0

TABLE 4. (cont.)

Stomias atriventer (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
100.0	40.0	0.0	-	0.0	0.0	0.0	0.0	8.6	6.0	0.0	-	0.0
100.0	45.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0
100.0	50.0	0.0	-	0.0	0.0	3.3	0.0	0.0	3.3	0.0	0.0	0.0
100.0	55.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.0	0.0	-	0.0
100.0	60.0	0.0	-	3.5	0.0	0.0	0.0	9.3	0.0	9.7	-	0.0
100.0	65.0	0.0	-	3.1	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	70.0	16.5	-	0.0	0.0	0.0	0.0	0.0	0.0	7.1	-	0.0
100.0	80.0	11.0	-	0.0	3.5	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	90.0	2.9	-	3.5	0.0	0.0	0.0	-	-	-	-	-
100.0	100.0	3.0	-	-	-	0.0	0.0	-	-	-	-	-
103.0	29.0	0.0	-	0.0	0.0	-	0.0	4.7	0.0	0.0	-	0.0
103.0	30.0	0.0	-	0.0	0.0	-	0.0	0.0	3.1	0.0	-	0.0
103.0	35.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
103.0	40.0	0.0	-	3.5	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
103.0	45.0	3.1	-	0.0	0.0	-	0.0	3.2	3.1	0.0	0.0	0.0
103.0	50.0	3.3	-	0.0	0.0	0.0	0.0	0.0	3.1	0.0	-	0.0
103.0	55.0	8.9	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	0.0
103.0	60.0	2.7	-	3.0	0.0	0.0	0.0	0.0	6.5	0.0	-	0.0
103.0	65.0	3.0	-	0.0	18.6	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	70.0	3.0	-	0.0	6.3	0.0	3.0	0.0	0.0	0.0	-	0.0
103.0	80.0	9.1	-	3.0	0.0	0.0	3.0	0.0	0.0	0.0	-	0.0
107.0	31.0	0.0	-	0.0	0.0	0.0	0.0	-	5.1	0.0	-	0.0
107.0	32.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	35.0	0.0	-	0.0	0.0	-	0.0	0.0	2.9	0.0	0.0	0.0
107.0	40.0	0.0	-	3.7	0.0	-	0.0	9.2	3.0	0.0	0.0	0.0
107.0	45.0	0.0	-	0.0	3.3	-	0.0	0.0	3.1	0.0	0.0	0.0
107.0	50.0	0.0	-	0.0	0.0	-	0.0	10.1	15.4	0.0	-	0.0
107.0	55.0	0.0	-	3.7	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	60.0	6.1	-	7.1	0.0	-	0.0	0.0	3.0	0.0	-	2.8
107.0	65.0	2.8	-	11.8	0.0	-	0.0	0.0	3.1	0.0	-	0.0
107.0	70.0	3.0	-	3.7	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	80.0	3.1	-	6.1	0.0	-	0.0	0.0	-	-	-	0.0
107.0	90.0	-	-	2.9	0.0	-	-	-	-	-	-	-
110.0	35.0	0.0	-	0.0	3.4	-	0.0	0.0	3.2	0.0	0.0	0.0
110.0	40.0	0.0	-	0.0	0.0	-	-	0.0	9.8	0.0	0.0	0.0
110.0	45.0	0.0	-	6.9	0.0	-	3.2	0.0	9.9	0.0	0.0	0.0
110.0	50.0	8.9	-	0.0	0.0	-	0.0	0.0	3.2	3.2	-	0.0
110.0	55.0	5.7	-	6.8	3.5	-	3.2	0.0	0.0	0.0	-	0.0
110.0	60.0	5.9	-	8.7	0.0	-	0.0	0.0	3.1	0.0	-	0.0
110.0	65.0	5.6	-	3.2	0.0	-	2.9	0.0	0.0	0.0	-	0.0
110.0	70.0	8.3	-	2.9	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0	80.0	3.1	-	6.2	0.0	-	0.0	-	-	-	-	0.0
110.0	90.0	8.4	-	3.9	0.0	-	-	-	-	-	-	-
113.0	35.0	-	-	0.0	0.0	-	0.0	3.1	0.0	3.2	0.0	0.0
113.0	40.0	0.0	-	0.0	0.0	-	6.0	3.2	0.0	0.0	-	0.0
113.0	45.0	0.0	-	0.0	3.4	-	5.7	5.2	0.0	8.7	0.0	0.0

TABLE 4. (cont.)

Stomias atriventer (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
113.0	50.0	0.0	0.0	0.0	3.3	-	3.2	0.0	0.0	0.0	-	2.6
113.0	55.0	5.8	3.3	0.0	3.1	-	0.0	0.0	0.0	0.0	-	0.0
113.0	60.0	0.0	13.2	0.0	-	-	13.1	0.0	0.0	0.0	-	0.0
113.0	65.0	0.0	0.0	3.1	0.0	-	0.0	0.0	0.0	0.0	-	2.8
113.0	70.0	6.0	0.0	0.0	0.0	-	3.2	6.7	0.0	0.0	-	0.0
113.0	80.0	4.1	-	0.0	3.4	-	0.0	-	-	-	-	0.0
117.0	35.0	0.0	0.0	0.0	3.0	-	0.0	0.0	0.0	0.0	0.0	0.0
117.0	40.0	0.0	0.0	0.0	3.2	-	3.3	0.0	0.0	2.8	0.0	0.0
117.0	45.0	6.5	0.0	0.0	6.7	-	3.1	0.0	0.0	0.0	0.0	0.0
117.0	50.0	5.9	0.0	0.0	2.9	-	0.0	0.0	0.0	0.0	-	0.0
117.0	55.0	0.0	0.0	0.0	16.4	-	0.0	0.0	2.9	0.0	-	0.0
117.0	60.0	0.0	5.6	3.9	3.3	-	3.1	16.5	0.0	3.2	-	8.8
117.0	65.0	0.0	6.3	0.0	0.0	-	16.4	2.8	0.0	3.1	-	5.6
117.0	70.0	3.0	0.0	0.0	0.0	-	3.3	8.9	3.0	0.0	-	2.6
117.0	80.0	2.4	-	0.0	0.0	-	0.0	-	-	0.0	0.0	0.0
120.0	45.0	5.4	0.0	0.0	0.0	-	6.6	0.0	-	0.0	0.0	0.0
120.0	50.0	6.0	0.0	0.0	5.9	-	0.0	2.9	-	0.0	0.0	0.0
120.0	55.0	5.7	0.0	3.1	0.0	-	2.6	0.0	-	0.0	-	0.0
120.0	60.0	2.6	0.0	0.0	0.0	-	9.3	22.6	-	0.0	-	15.5
120.0	65.0	11.7	-	11.0	0.0	-	3.2	0.0	-	0.0	-	5.3
120.0	70.0	39.3	-	2.8	0.0	-	0.0	2.9	-	0.0	-	0.0
120.0	80.0	17.3	-	0.0	6.6	-	0.0	-	-	-	-	11.3
120.0	90.0	5.4	-	0.0	-	-	-	-	-	-	0.0	0.0
123.0	37.0	-	-	2.5	0.0	-	0.0	0.0	-	0.0	0.0	-
123.0	40.0	0.0	-	-	0.0	-	-	3.2	-	-	0.0	-
123.0	42.0	-	-	0.0	-	-	7.9	-	-	0.0	-	0.0
123.0	45.0	6.2	-	0.0	3.4	-	0.0	3.2	-	0.0	-	0.0
123.0	50.0	12.1	-	6.9	0.0	-	0.0	0.0	-	15.1	0.0	0.0
123.0	55.0	17.4	-	3.3	0.0	-	2.9	9.4	-	0.0	-	12.3
123.0	60.0	6.0	-	0.0	9.9	-	0.0	3.2	-	2.9	3.2	5.4
123.0	65.0	5.7	-	-	0.0	-	0.0	-	-	-	-	-
123.0	70.0	7.6	-	-	0.0	-	0.0	-	-	-	-	-
123.0	80.0	37.3	-	-	-	-	0.0	-	-	-	-	-
127.0	40.0	-	-	7.3	3.3	-	3.0	0.0	-	0.0	0.0	0.0
127.0	45.0	-	-	2.6	0.0	-	0.0	0.0	-	3.0	0.0	0.0
127.0	50.0	-	-	0.0	0.0	-	0.0	0.0	-	13.6	1.4	0.0
127.0	55.0	-	-	2.9	0.0	-	0.0	0.0	-	15.7	0.0	0.0
127.0	60.0	-	-	0.0	3.6	-	0.0	0.0	-	0.0	-	2.8
127.0	65.0	-	-	-	3.4	-	0.0	-	-	-	-	-
127.0	70.0	-	-	-	0.0	-	0.0	-	-	-	-	-
127.0	75.0	-	-	-	-	-	-	-	-	-	-	-
127.0	80.0	-	-	-	-	-	0.0	-	-	-	-	-
130.0	35.0	-	-	0.0	5.5	-	0.0	-	-	0.0	0.0	0.0
130.0	40.0	-	-	0.0	0.0	-	0.0	6.1	-	0.0	0.0	0.0
130.0	45.0	-	-	3.5	0.0	-	5.2	3.2	-	0.0	0.0	0.0
130.0	50.0	-	-	3.5	7.1	-	0.0	3.2	-	0.0	0.0	0.0

TABLE 4. (cont.)

Stomias atriventer (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
130.0	55.0	0.0	-	0.0	17.5	-	0.0	2.9	-	0.0	-	0.0
130.0	60.0	8.8	-	3.6	7.0	-	0.0	5.9	-	2.8	0.0	0.0
130.0	65.0	-	-	-	0.0	-	5.8	-	-	-	-	-
130.0	70.0	9.7	-	-	0.0	-	0.0	-	-	-	-	-
130.0	80.0	6.2	-	-	-	-	0.0	-	-	-	-	-
130.0	90.0	3.2	-	-	-	-	0.0	-	-	-	-	-
133.0	35.0	0.0	-	0.0	3.3	-	0.0	3.5	-	0.0	-	0.0
133.0	40.0	6.8	-	2.9	0.0	-	2.9	10.1	-	0.0	0.0	0.0
133.0	45.0	9.2	-	0.0	0.0	-	0.0	3.3	-	0.0	-	-
133.0	50.0	2.8	-	19.6	6.8	-	0.0	0.0	-	0.0	0.0	-
133.0	60.0	5.9	-	2.9	0.0	-	0.0	0.0	-	0.0	0.0	0.0
137.0	35.0	2.8	-	0.0	3.6	-	0.0	0.0	-	0.0	0.0	0.0
137.0	40.0	0.0	-	0.0	7.0	-	0.0	5.6	-	0.0	-	-
137.0	45.0	0.0	-	0.0	-	-	-	-	-	-	-	-
137.0	46.0	-	-	-	-	-	3.2	-	-	-	-	-
137.0	50.0	0.0	-	3.6	0.0	-	0.0	3.0	-	0.0	0.0	-
137.0	55.0	3.2	-	3.8	3.6	-	0.0	6.1	-	0.0	0.0	-
137.0	60.0	0.0	-	0.0	0.0	-	0.0	12.4	-	0.0	3.2	-
150.0	40.0	-	-	-	-	-	-	-	-	-	3.0	-
153.0	20.0	-	-	-	-	-	-	-	-	-	2.9	-
153.0	40.0	-	-	-	-	-	-	-	-	-	6.1	-
153.0	60.0	-	-	-	-	-	-	-	-	-	-	-

Lestidiops ringens

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	60.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	2.7
60.0	80.0	0.0	-	-	-	0.0	0.0	-	-	0.0	-	3.0
60.0	90.0	0.0	-	-	-	0.0	0.0	-	-	0.0	-	4.8
63.0	70.0	-	-	5.5	-	0.0	0.0	-	-	-	-	0.0
63.0	90.0	-	-	-	-	0.0	3.2	-	-	3.3	-	-
67.0	50.0	2.8	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
67.0	55.0	0.0	-	0.0	-	6.1	0.0	-	-	0.0	-	0.0
67.0	65.0	-	-	0.0	-	3.2	-	-	-	-	-	2.9
67.0	70.0	-	-	0.0	-	0.0	0.0	-	-	0.0	-	-
67.0	80.0	-	-	0.0	-	0.0	3.3	-	-	6.8	-	0.0
70.0	60.0	0.0	-	0.0	-	0.0	3.5	-	-	-	-	0.0
70.0	65.0	0.0	-	2.9	-	0.0	0.0	-	-	-	-	0.0
70.0	70.0	0.0	-	7.4	-	0.0	0.0	-	-	0.0	-	0.0
70.0	80.0	0.0	-	0.0	-	6.6	3.3	-	-	3.3	-	0.0
70.0	90.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	3.1
70.0	100.0	0.0	-	-	-	-	-	-	-	-	-	0.0
73.0	60.0	2.6	-	0.0	-	0.0	3.4	-	-	0.0	-	0.0
73.0	80.0	-	-	0.0	-	3.3	0.0	-	-	-	-	-
73.0	90.0	-	-	0.0	-	0.0	-	-	-	-	-	0.0
77.0	55.0	0.0	-	0.0	-	0.0	0.0	-	-	3.1	-	0.0

TABLE 4. (cont..)

Lestidiops ringens (cont..)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
77.0	80.0	0.0	-	0.0	-	0.0	6.8	-	-	0.0	-	-
77.0	90.0	0.0	-	0.0	-	12.6	0.0	-	-	9.6	-	-
80.0	51.0	-	-	0.0	0.0	0.0	0.0	0.0	0.0	3.5	-	0.0
80.0	52.0	1.6	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	70.0	1.7	-	2.7	3.3	0.0	0.0	6.9	3.2	0.0	-	3.3
80.0	80.0	1.9	-	0.0	0.0	2.8	0.0	0.0	0.0	3.4	-	3.1
80.0	90.0	3.7	-	0.0	0.0	0.0	0.0	3.3	6.3	4.4	-	6.0
83.0	51.0	1.5	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	55.0	1.6	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	60.0	3.2	-	3.0	0.0	0.0	0.0	3.1	0.0	0.0	-	0.0
83.0	65.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	70.0	1.5	-	0.0	3.1	0.0	3.3	0.0	0.0	0.0	-	0.0
83.0	80.0	0.0	-	6.5	3.4	3.0	0.0	0.0	0.0	3.3	-	0.0
83.0	90.0	0.0	-	0.0	0.0	2.8	0.0	0.0	0.0	0.0	-	0.0
87.0	50.0	0.0	-	0.0	0.0	0.0	21.2	0.0	0.0	0.0	-	0.0
87.0	70.0	0.0	3.4	-	0.0	0.0	0.0	0.0	0.0	0.0	-	5.9
87.0	80.0	0.0	0.0	-	14.2	0.0	0.0	0.0	0.0	6.3	-	0.0
87.0	90.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	53.0	-	0.0	-	0.0	2.9	0.0	-	-	-	-	-
90.0	55.0	0.0	0.0	-	0.0	-	-	6.4	0.0	-	-	-
90.0	60.0	6.7	0.0	-	0.0	0.0	3.1	0.0	0.0	0.0	-	0.0
90.0	65.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	9.8	-	0.0
90.0	80.0	0.0	0.0	-	0.0	0.0	2.8	0.0	0.0	3.2	-	0.0
90.0	90.0	0.0	0.0	-	3.3	0.0	0.0	10.1	0.0	2.9	-	3.2
90.0	100.0	-	-	-	-	-	2.9	-	-	0.0	-	-
90.0	110.0	-	-	-	-	-	-	-	-	12.6	-	0.0
93.0	30.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.0	0.0	-	0.0
93.0	35.0	6.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	40.0	0.0	2.8	-	0.0	0.0	-	0.0	0.0	0.0	-	0.0
93.0	45.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.0	6.2	-	0.0
93.0	50.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	60.0	3.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	65.0	2.8	0.0	-	0.0	0.0	0.0	0.0	3.3	0.0	-	0.0
93.0	80.0	3.2	0.0	-	3.3	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	90.0	0.0	3.0	-	0.0	0.0	3.2	0.0	0.0	-	-	0.0
93.0	100.0	0.0	0.0	-	0.0	0.0	9.1	-	-	6.1	-	0.0
93.0	110.0	-	-	-	6.8	5.5	-	-	-	3.1	-	0.0
94.0	78.0	-	-	-	-	-	-	-	-	2.8	-	-
97.0	30.0	2.9	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	32.0	0.0	-	-	0.0	0.0	3.4	-	-	3.0	-	0.0
97.0	40.0	0.0	0.0	-	0.0	0.0	0.0	3.0	0.0	0.0	-	0.0
97.0	45.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	2.9	-	0.0
97.0	50.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.0	0.0	-	0.0
97.0	55.0	3.0	3.2	-	3.9	0.0	0.0	0.0	18.1	5.8	-	0.0
97.0	60.0	0.0	0.0	-	0.0	3.7	0.0	0.0	9.8	0.0	-	5.2
97.0	65.0	0.0	0.0	-	0.0	0.0	0.0	5.8	0.0	4.0	-	0.0

TABLE 4. (cont.)

Lestidiops ringens (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
97-0	70.0	0.0	0.0	-	0.0	0.0	0.0	5.8	6.3	0.0	-	2.7
97-0	80.0	0.0	3.3	-	0.0	8.7	0.0	2.8	0.0	0.0	-	0.0
97-0	90.0	0.0	0.0	-	0.0	3.0	15.4	-	-	-	-	-
100-0	29.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100-0	30.0	0.0	-	0.0	0.0	0.0	0.0	2.8	0.0	0.0	-	0.0
100-0	35.0	0.0	-	0.0	3.2	0.0	0.0	10.0	0.0	3.2	0.0	0.0
100-0	40.0	0.0	-	0.0	0.0	0.0	0.0	14.3	0.0	0.0	0.0	0.0
100-0	45.0	0.0	-	0.0	0.0	0.0	0.0	2.8	3.2	2.8	2.8	0.0
100-0	50.0	0.0	-	0.0	0.0	0.0	0.0	3.1	0.0	3.1	-	2.3
100-0	55.0	0.0	-	0.0	0.0	0.0	0.0	3.0	3.0	2.9	-	0.0
100-0	60.0	0.0	-	0.0	3.8	0.0	0.0	0.0	3.1	0.0	-	0.0
100-0	65.0	0.0	-	0.0	0.0	3.2	3.6	0.0	0.0	0.0	-	0.0
100-0	70.0	0.0	-	0.0	0.0	0.0	0.0	-	-	0.0	-	0.0
100-0	80.0	0.0	-	0.0	0.0	-	0.0	2.9	0.0	3.1	-	0.0
103-0	30.0	0.0	-	0.0	0.0	-	1.7	0.0	0.0	0.0	0.0	0.0
103-0	35.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	2.7
103-0	40.0	12.0	-	0.0	0.0	3.4	3.2	0.0	0.0	0.0	-	0.0
103-0	50.0	0.0	-	0.0	0.0	10.4	8.9	6.3	0.0	-	-	0.0
103-0	55.0	0.0	-	2.9	0.0	0.0	0.0	6.4	0.0	3.1	-	0.0
103-0	60.0	0.0	-	0.0	0.0	3.2	10.1	9.1	9.5	3.5	-	0.0
103-0	65.0	0.0	-	0.0	0.0	0.0	11.8	6.0	0.0	2.9	-	5.2
103-0	70.0	0.0	-	0.0	0.0	3.2	-	-	-	-	-	-
103-0	90.0	-	-	0.0	0.0	-	0.0	0.0	3.3	0.0	-	0.0
107-0	32.0	0.0	-	0.0	0.0	-	0.0	0.0	8.8	0.0	0.0	0.0
107-0	35.0	0.0	-	0.0	0.0	-	0.0	3.1	3.0	0.0	-	0.0
107-0	40.0	0.0	-	0.0	0.0	-	5.5	0.0	0.0	0.0	0.0	0.0
107-0	45.0	0.0	-	0.0	0.0	-	38.9	3.3	0.0	0.0	-	0.0
107-0	50.0	0.0	-	0.0	0.0	-	6.4	5.4	3.1	0.0	-	0.0
107-0	55.0	0.0	-	0.0	3.3	-	0.0	0.0	3.0	0.0	-	0.0
107-0	60.0	6.0	-	0.0	0.0	-	0.0	0.0	3.0	3.6	-	2.8
107-0	65.0	-	3.3	3.9	0.0	-	-	0.0	3.3	0.0	-	0.0
110-0	40.0	-	2.7	0.0	0.0	-	6.3	0.0	0.0	3.2	0.0	3.0
110-0	45.0	-	2.9	0.0	0.0	-	0.0	2.8	3.2	0.0	-	0.0
110-0	50.0	-	3.4	0.0	0.0	-	9.5	0.0	22.6	0.0	-	0.0
110-0	55.0	-	0.0	0.0	0.0	-	3.0	3.2	0.0	0.0	-	0.0
110-0	60.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	10.6	-	0.0
110-0	65.0	-	3.2	3.5	0.0	-	0.0	3.1	0.0	3.3	0.0	0.0
113-0	35.0	-	0.0	0.0	0.0	-	0.0	3.2	0.0	0.0	0.0	0.0
113-0	40.0	-	3.3	0.0	0.0	-	0.0	3.2	3.0	0.0	0.0	0.0
113-0	45.0	-	5.8	0.0	0.0	-	0.0	0.0	3.0	0.0	-	0.0
113-0	50.0	-	3.0	0.0	0.0	-	0.0	0.0	2.8	0.0	-	0.0
113-0	60.0	-	3.3	0.0	0.0	-	0.0	0.0	3.2	0.0	-	0.0
113-0	65.0	-	3.3	0.0	0.0	-	0.0	0.0	3.2	0.0	-	0.0
117-0	40.0	-	0.0	0.0	0.0	-	6.6	0.0	0.0	0.0	-	0.0
117-0	45.0	-	0.0	0.0	0.0	-	6.2	0.0	0.0	0.0	0.0	0.0
117-0	60.0	-	0.0	0.0	0.0	-	3.1	3.3	0.0	0.0	-	0.0

TABLE 4. (cont.)

Lestidiops ringens (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
119.0	33.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.1	0.0	0.0	0.0
120.0	45.0	0.0	0.0	0.0	0.0	-	3.3	0.0	-	0.0	0.0	0.0
120.0	50.0	0.0	0.0	0.0	0.0	-	15.8	0.0	-	0.0	-	0.0
120.0	60.0	0.0	0.0	0.0	0.0	-	3.1	6.5	-	-	-	0.0
123.0	45.0	0.0	-	0.0	0.0	-	0.0	3.2	-	2.7	-	3.1
127.0	40.0	0.0	-	0.0	0.0	-	0.0	0.0	-	3.1	0.0	0.0

Notolepis risso

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
63.0	70.0	-	-	0.0	-	0.0	3.2	-	-	-	-	0.0
90.0	70.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	3.3
90.0	110.0	-	-	-	-	-	-	-	-	0.0	-	3.1
90.0	120.0	-	-	-	-	-	-	-	-	0.0	-	3.2
93.0	90.0	0.0	3.0	-	0.0	0.0	0.0	-	-	-	-	0.0
97.0	90.0	0.0	0.0	-	0.0	0.0	9.2	0.0	0.0	0.0	-	0.0
103.0	50.0	0.0	-	0.0	0.0	0.0	3.2	0.0	0.0	0.0	-	0.0
103.0	65.0	0.0	-	0.0	3.1	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	70.0	0.0	-	0.0	3.2	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	80.0	0.0	-	0.0	3.1	0.0	0.0	0.0	0.0	0.0	-	0.0
107.0	50.0	0.0	-	0.0	3.6	-	0.0	0.0	0.0	0.0	-	0.0
107.0	80.0	3.1	0.0	0.0	0.0	-	0.0	0.0	-	-	-	0.0

Stemonosudis macrura

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
147.0	60.0	-	-	-	-	-	-	-	-	-	3.0	-
150.0	60.0	-	-	-	-	-	-	-	-	-	6.2	-
153.0	40.0	-	-	-	-	-	-	-	-	-	2.9	-
153.0	50.0	-	-	-	-	-	-	-	-	-	5.8	-
153.0	60.0	-	-	-	-	-	-	-	-	-	6.1	-

Autopus spp.

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
147.0	20.0	-	-	-	-	-	-	-	-	-	3.2	-

Scopelosaurus spp.

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
67.0	55.0	0.0	-	0.0	-	3.0	0.0	-	-	0.0	-	0.0
70.0	65.0	0.0	-	5.8	-	0.0	-	-	-	-	-	-

TABLE 4. (cont.)

Scopelosaurus spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
80.0	90.0	0.0	—	0.0	0.0	3.0	0.0	0.0	0.0	0.0	—	0.0
90.0	80.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	—	0.0
90.0	90.0	0.0	7.4	—	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
97.0	80.0	0.0	0.0	—	3.4	0.0	0.0	0.0	0.0	0.0	—	0.0
100.0	40.0	0.0	—	0.0	0.0	0.0	0.0	2.9	0.0	0.0	—	0.0
100.0	70.0	0.0	—	3.3	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
100.0	80.0	0.0	—	0.0	3.5	0.0	0.0	—	—	0.0	—	0.0
100.0	90.0	0.0	—	0.0	0.0	0.0	3.5	—	—	—	—	—
103.0	65.0	0.0	—	0.0	0.0	0.0	2.5	0.0	0.0	0.0	—	0.0
103.0	70.0	0.0	—	0.0	3.2	0.0	0.0	0.0	0.0	0.0	—	0.0
107.0	40.0	0.0	—	0.0	0.0	—	0.0	0.0	0.0	0.0	—	0.0
107.0	60.0	0.0	0.0	0.0	3.3	—	0.0	—	—	—	—	0.0
107.0	80.0	—	0.0	0.0	3.1	—	—	—	—	—	—	—
107.0	90.0	—	—	2.9	0.0	—	—	—	—	—	—	—
110.0	60.0	—	0.0	3.7	0.0	—	0.0	0.0	0.0	0.0	—	0.0
117.0	40.0	—	0.0	3.2	3.2	—	0.0	0.0	0.0	0.0	—	0.0
117.0	50.0	—	0.0	3.1	0.0	—	0.0	0.0	0.0	0.0	—	0.0

Scopelarchidae

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
77.0	60.0	—	—	0.0	—	0.0	0.0	—	—	0.0	—	0.0
87.0	65.0	3.4	—	0.0	—	2.9	0.0	0.0	0.0	0.0	—	0.0
90.0	65.0	0.0	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0	—	3.0
90.0	90.0	0.0	2.5	—	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
90.0	130.0	—	—	—	—	—	—	—	—	3.1	—	3.0
93.0	90.0	0.0	0.0	—	0.0	0.0	0.0	—	—	3.1	—	0.0
93.0	120.0	—	—	—	—	—	—	—	—	3.1	—	12.9
94.0	139.0	—	—	—	—	—	—	—	—	—	—	3.0
97.0	40.0	—	0.0	—	—	0.0	0.0	0.0	0.0	0.0	—	0.0
97.0	45.0	0.0	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
97.0	70.0	0.0	0.0	—	0.0	0.0	3.1	0.0	0.0	1.4	0.0	0.0
97.0	80.0	0.0	0.0	—	0.0	2.9	0.0	0.0	0.0	0.0	—	0.0
97.0	90.0	0.0	0.0	—	3.4	0.0	0.0	0.0	—	—	—	—
100.0	45.0	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0
100.0	60.0	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0	3.2	—	0.0
100.0	65.0	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0	11.7	—	0.0
100.0	70.0	0.0	—	0.0	0.0	0.0	0.0	2.8	9.5	0.0	—	0.0
100.0	80.0	0.0	—	3.6	3.5	3.2	0.0	—	—	5.6	—	0.0
100.0	90.0	0.0	—	3.5	0.0	3.4	0.0	—	—	—	—	—
103.0	55.0	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0	—	—	2.7
103.0	60.0	0.0	—	0.0	0.0	0.0	0.0	6.4	0.0	0.0	—	0.0
103.0	65.0	0.0	—	2.8	0.0	0.0	2.5	15.9	0.0	0.0	—	0.0
103.0	70.0	0.0	—	0.0	0.0	0.0	0.0	3.0	9.4	0.0	—	0.0
103.0	80.0	0.0	—	3.6	0.0	0.0	0.0	—	—	—	—	8.1

TABLE 4. (cont.)

Scopelarchidae (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
103.0	90.0	-	-	19.4	0.0	0.0	-	-	2.9	0.0	0.0	0.0
107.0	35.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
107.0	45.0	0.0	-	0.0	0.0	-	5.5	0.0	0.0	0.0	0.0	1.9
107.0	50.0	0.0	-	0.0	0.0	-	3.0	0.0	0.0	0.0	-	0.0
107.0	55.0	0.0	-	0.0	3.4	-	0.0	3.1	6.1	0.0	-	0.0
107.0	60.0	0.0	-	0.0	0.0	-	12.5	3.0	6.2	0.0	-	0.0
107.0	65.0	3.0	0.0	0.0	3.2	-	0.0	0.0	0.0	0.0	-	0.0
107.0	70.0	0.0	0.0	3.4	0.0	-	0.0	-	-	-	0.0	3.0
107.0	80.0	0.0	0.0	0.0	0.0	-	6.3	0.0	0.0	0.0	0.0	2.8
110.0	45.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0	50.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0	55.0	-	0.0	0.0	0.0	-	12.7	0.0	3.2	0.0	-	0.0
110.0	60.0	-	0.0	0.0	0.0	-	0.0	0.0	9.2	0.0	-	0.0
110.0	65.0	2.8	0.0	0.0	0.0	-	0.0	6.4	0.0	7.1	-	2.8
110.0	70.0	0.0	0.0	3.6	0.0	-	0.0	0.0	3.1	3.4	-	0.0
113.0	35.0	0.0	0.0	0.0	3.1	-	3.3	0.0	0.0	0.0	0.0	0.0
113.0	45.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	5.8	0.0	0.0
113.0	50.0	0.0	0.0	0.0	0.0	-	3.2	0.0	6.1	0.0	-	0.0
113.0	55.0	0.0	0.0	0.0	0.0	-	3.1	0.0	0.0	0.0	-	0.0
113.0	60.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	9.7	-	0.0
113.0	65.0	0.0	0.0	0.0	-	-	0.0	3.7	0.0	6.0	-	2.8
113.0	70.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.0	5.6	-	0.0
113.0	80.0	0.0	0.0	0.0	3.4	-	0.0	0.0	0.0	0.0	2.7	0.0
117.0	45.0	0.0	0.0	0.0	0.0	-	3.1	9.9	0.0	0.0	-	2.8
117.0	60.0	0.0	0.0	2.5	0.0	-	3.3	2.8	0.0	0.0	-	0.0
117.0	65.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	3.0	0.0	2.6
119.0	33.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	3.1
120.0	55.0	0.0	0.0	0.0	0.0	-	6.2	12.9	-	-	-	2.5
120.0	60.0	0.0	0.0	0.0	0.0	-	0.0	-	-	-	-	0.0
120.0	80.0	0.0	0.0	0.0	0.0	-	0.0	-	-	0.7	-	0.0
123.0	42.0	-	-	0.0	0.0	-	0.0	0.0	-	9.0	0.0	0.0
123.0	45.0	0.0	-	0.0	0.0	-	0.0	0.0	-	9.2	9.7	0.0
123.0	50.0	0.0	-	0.0	0.0	-	0.0	3.1	-	0.0	1.4	0.0
123.0	55.0	0.0	-	0.0	0.0	-	0.0	0.0	-	5.4	-	0.0
123.0	60.0	0.0	-	0.0	0.0	-	0.0	0.0	-	-	-	0.0
127.0	50.0	0.0	-	-	3.4	-	0.0	-	-	2.6	0.0	0.0
130.0	35.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
130.0	45.0	2.8	-	0.0	0.0	-	0.0	2.9	-	2.8	0.0	-
130.0	60.0	0.0	-	0.0	0.0	-	10.4	-	-	-	3.1	-
130.0	90.0	0.0	-	-	-	-	-	-	-	-	-	-
150.0	60.0	-	-	-	-	-	-	-	-	-	-	-

TABLE 4. (cont.)

Myctophidae

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	70.0	0.0	-	0.0	-	0.0	6.4	-	-	0.0	-	0.0
60.0	80.0	0.0	-	0.0	-	0.0	3.2	-	-	0.0	-	0.0
63.0	50.0	3.0	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
63.0	60.0	0.0	-	3.2	-	0.0	0.0	-	-	0.0	-	0.0
63.0	70.0	-	-	2.8	-	0.0	0.0	-	-	-	-	0.0
63.0	80.0	-	-	-	-	0.0	3.4	-	-	0.0	-	-
67.0	58.0	-	-	-	-	0.0	-	-	-	3.2	-	0.0
67.0	70.0	-	-	0.0	-	3.3	0.0	-	-	0.0	-	-
67.0	80.0	-	-	0.0	-	6.5	3.3	-	-	0.0	-	-
70.0	65.0	-	-	0.0	-	3.2	-	-	-	-	-	0.0
70.0	70.0	-	-	5.0	-	0.0	6.2	-	-	0.0	-	0.0
73.0	50.0	-	-	2.7	-	0.0	0.0	-	-	0.0	-	3.0
73.0	60.0	0.0	-	0.0	-	3.2	0.0	-	-	0.0	-	0.0
73.0	70.0	-	-	0.0	-	3.2	0.0	-	-	0.0	-	0.0
77.0	48.0	-	-	0.0	-	0.0	0.0	-	-	0.0	-	1.9
77.0	55.0	0.0	-	2.5	-	0.0	0.0	-	-	0.0	-	0.0
77.0	80.0	0.0	-	0.0	-	0.0	6.8	-	-	0.0	-	-
80.0	52.0	-	-	0.0	-	3.1	0.0	-	-	0.0	-	0.0
80.0	55.0	-	-	0.0	3.1	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	70.0	-	-	0.0	0.0	2.9	0.0	0.0	0.0	0.0	-	3.3
80.0	90.0	-	-	0.0	0.0	11.6	3.6	0.0	0.0	0.0	-	0.0
83.0	43.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	3.1	-	0.0
83.0	51.0	0.0	-	2.9	0.0	0.0	0.0	0.0	5.5	0.0	-	0.0
83.0	55.0	0.0	-	0.0	3.6	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	60.0	0.0	-	0.0	5.9	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	80.0	0.0	-	0.0	10.3	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	40.0	-	-	0.0	0.0	2.9	0.0	0.0	0.0	0.0	-	0.0
87.0	45.0	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	55.0	0.0	-	0.0	0.0	0.0	9.6	6.3	0.0	0.0	-	0.0
87.0	60.0	0.0	-	0.0	3.1	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	65.0	0.0	-	0.0	7.5	0.0	0.0	0.0	0.0	0.0	-	3.0
87.0	70.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	80.0	8.9	0.0	-	0.0	0.0	0.0	0.0	3.0	0.0	-	0.0
90.0	28.0	3.0	0.0	-	14.2	0.0	0.0	10.6	3.4	0.0	-	0.0
90.0	32.0	0.0	0.0	-	0.0	3.3	0.0	3.8	0.0	0.0	-	0.0
90.0	37.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	45.0	3.2	0.0	-	0.0	0.0	0.0	3.0	0.0	0.0	-	0.0
90.0	53.0	0.0	0.0	-	0.0	5.8	0.0	-	-	0.0	-	0.0
90.0	65.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	3.0
90.0	70.0	0.0	6.9	-	0.0	0.0	0.0	0.0	0.0	0.0	-	3.3
90.0	80.0	0.0	3.3	-	10.5	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	90.0	0.0	4.9	-	0.0	0.0	0.0	0.0	0.0	0.0	-	3.2
90.0	120.0	-	-	-	-	-	-	-	-	2.8	-	3.2

TABLE 4. (cont.)

Myctophidae (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
90.0 140.0	-	0.0	-	-	0.0	-	3.0	3.6	-	0.0	-	3.1
93.0 27.0	0.0	0.0	0.0	-	2.9	0.0	0.0	32.2	0.0	0.0	-	0.0
93.0 28.0	0.0	0.0	0.0	-	1.5	0.0	3.1	0.0	0.0	0.0	-	0.0
93.0 30.0	0.0	0.0	0.0	-	0.0	0.0	0.0	3.4	0.0	0.0	-	0.0
93.0 35.0	0.0	0.0	0.0	-	0.0	0.0	-	0.0	6.3	3.2	-	0.0
93.0 40.0	0.0	0.0	0.0	-	6.7	0.0	0.0	0.0	9.1	3.1	-	0.0
93.0 45.0	0.0	0.0	0.0	-	3.5	0.0	0.0	0.0	0.0	9.1	-	0.0
93.0 50.0	0.0	0.0	0.0	-	0.0	3.1	0.0	40.3	0.0	0.0	-	0.0
93.0 55.0	0.0	0.0	0.0	-	0.0	5.4	0.0	0.0	3.3	0.0	-	0.0
93.0 65.0	0.0	0.0	0.0	-	0.0	11.2	0.0	0.0	0.0	0.0	-	0.0
93.0 70.0	3.0	0.0	0.0	-	5.6	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0 80.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0	-	0.0
93.0 90.0	5.1	0.0	0.0	-	3.4	-	-	-	-	6.2	-	0.0
93.0 100.0	-	-	-	-	-	-	-	-	-	2.8	-	0.0
93.0 120.0	-	-	-	-	-	-	-	-	-	0.0	-	6.0
94.0 78.0	-	-	-	-	-	-	-	-	-	0.0	-	0.0
94.0 135.0	-	-	0.0	-	-	6.7	0.0	9.2	3.3	0.0	-	0.0
97.0 32.0	0.0	0.0	0.0	-	0.0	-	0.0	0.0	0.0	0.0	-	0.0
97.0 35.0	0.0	0.0	0.0	-	3.3	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0 40.0	0.0	0.0	0.0	-	0.0	0.0	3.1	0.0	0.0	2.9	-	0.0
97.0 45.0	0.0	0.0	3.0	-	0.0	14.6	0.0	0.0	18.0	0.0	-	0.0
97.0 50.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.0	0.0	-	0.0
97.0 55.0	0.0	0.0	0.0	-	14.1	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0 60.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0 65.0	0.0	0.0	5.7	-	0.0	0.0	0.0	5.8	0.0	0.0	-	0.0
97.0 80.0	0.0	0.0	6.6	-	3.4	0.0	0.0	0.0	0.0	0.0	-	2.7
97.0 90.0	0.0	0.0	0.0	-	0.0	0.0	9.2	-	-	-	-	0.0
100.0 29.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	-	0.0
100.0 30.0	0.0	3.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0 35.0	0.0	0.0	0.0	0.0	0.0	9.3	0.0	9.5	0.0	0.0	0.0	0.0
100.0 40.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6	0.0	11.3	0.0	0.0
100.0 45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	-	0.0
100.0 50.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	6.0	0.0	-	0.0
100.0 55.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.7	-	0.0
100.0 60.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	-	0.0
100.0 65.0	0.0	24.6	0.0	3.1	0.0	0.0	0.0	0.0	0.0	3.5	-	0.0
100.0 70.0	0.0	0.0	0.0	0.0	3.7	0.0	0.0	2.8	0.0	8.4	-	0.0
100.0 80.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	-	-	-	-	0.0
100.0 90.0	0.0	0.0	0.0	10.4	0.0	0.0	3.5	-	-	-	-	0.0
100.0 95.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0
103.0 30.0	0.0	0.0	0.0	0.0	0.0	-	26.6	6.5	0.0	0.0	0.0	0.0
103.0 35.0	0.0	0.0	0.0	0.0	0.0	-	0.0	12.9	0.0	0.0	0.0	0.0
103.0 40.0	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34.4	0.0	-	0.0
103.0 45.0	0.0	0.0	0.0	3.7	0.0	0.0	0.0	3.2	0.0	6.3	-	0.0
103.0 50.0	0.0	0.0	0.0	0.0	0.0	27.7	0.0	0.0	0.0	0.0	-	0.0
103.0 55.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	15.1	0.0	0.0	-	2.5
103.0 60.0	0.0	0.0	0.0	5.6	0.0	0.0	8.9	12.1	6.2	0.0	-	0.0
103.0 65.0	0.0	0.0	0.0	0.0	3.2	3.2	-	-	-	-	-	-
103.0 70.0	3.0	0.0	-	0.0	-	-	-	-	-	-	-	-

TABLE 4. (cont.)

Myctophidae (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
103.0	80.0	0.0	-	0.0	0.0	3.2	0.0	-	-	-	-	2.7
103.0	90.0	-	-	3.2	0.0	0.0	-	-	-	0.0	-	0.0
107.0	35.0	0.0	-	0.0	0.0	-	2.8	3.3	11.8	0.0	0.0	0.0
107.0	45.0	0.0	-	0.0	0.0	-	12.0	6.7	0.0	0.0	0.0	1.9
107.0	50.0	0.0	-	0.0	0.0	-	3.2	0.0	15.8	0.0	-	0.0
107.0	55.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	8.3
107.0	60.0	0.0	-	3.5	0.0	-	0.0	3.0	3.0	3.6	-	0.0
107.0	65.0	0.0	0.0	7.9	0.0	-	0.0	3.0	12.4	0.0	-	0.0
107.0	70.0	0.0	0.0	0.0	0.0	-	0.0	11.6	0.0	0.0	-	3.0
107.0	80.0	0.0	3.1	0.0	0.0	-	-	-	-	-	-	-
107.0	90.0	-	-	11.5	0.0	-	-	-	2.2	0.0	-	0.0
110.0	32.0	-	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0	35.0	0.0	0.0	12.2	3.4	-	0.0	19.4	0.0	0.0	0.0	0.0
110.0	40.0	-	-	7.5	3.3	-	-	0.0	3.3	6.8	-	0.0
110.0	45.0	-	-	0.0	0.0	-	18.9	0.0	0.0	0.0	0.0	0.0
110.0	50.0	-	-	0.0	0.0	-	0.0	0.0	3.2	0.0	-	0.0
110.0	55.0	-	-	0.0	0.0	-	0.0	6.0	0.0	0.0	-	0.0
110.0	60.0	5.9	0.0	0.0	13.5	-	0.0	3.2	6.1	3.1	-	0.0
110.0	65.0	-	0.0	0.0	0.0	-	0.0	16.0	9.1	3.5	-	2.8
110.0	70.0	5.6	0.0	0.0	0.0	-	0.0	3.0	3.1	0.0	-	0.0
110.0	90.0	0.0	-	3.9	0.0	-	-	-	-	0.0	-	-
113.0	35.0	0.0	0.0	0.0	0.0	-	0.0	3.1	0.0	0.0	0.0	0.0
113.0	40.0	-	6.6	0.0	3.1	-	0.0	3.2	3.2	0.0	0.0	0.0
113.0	45.0	-	-	0.0	0.0	-	0.0	0.0	0.0	2.9	2.8	0.0
113.0	50.0	-	-	0.0	0.0	-	0.0	28.4	0.0	0.0	-	2.6
113.0	60.0	-	-	0.0	0.0	-	6.5	3.0	0.0	0.0	-	2.8
113.0	65.0	0.0	3.3	3.2	-	-	68.3	0.0	9.5	6.0	-	0.0
113.0	70.0	0.0	0.0	6.4	0.0	-	18.9	13.3	6.0	2.8	-	0.0
113.0	80.0	0.0	-	0.0	3.4	-	0.0	-	0.0	0.0	-	0.0
117.0	30.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	5.5	0.0
117.0	45.0	3.2	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
117.0	50.0	0.0	0.0	0.0	5.7	-	6.5	0.0	8.8	0.0	-	0.0
117.0	55.0	-	-	7.5	19.6	-	0.0	0.0	0.0	0.0	-	0.0
117.0	60.0	-	2.8	0.0	0.0	-	39.4	62.7	0.0	6.2	-	0.0
117.0	65.0	0.0	9.4	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
117.0	70.0	0.0	0.0	0.0	0.0	-	0.0	3.0	0.0	0.0	-	0.0
117.0	80.0	-	-	0.0	9.2	-	0.0	-	0.0	0.0	-	0.0
118.0	39.0	-	-	0.0	13.3	-	0.0	0.0	0.0	0.0	0.0	0.0
120.0	45.0	0.0	0.0	0.0	11.1	-	0.0	0.0	-	3.3	0.0	0.0
120.0	50.0	0.0	0.0	0.0	20.7	-	15.8	0.0	-	0.0	-	2.8
120.0	55.0	0.0	0.0	6.2	20.9	-	0.0	16.1	-	0.0	-	0.0
120.0	60.0	5.2	-	0.0	0.0	-	0.0	0.0	-	0.0	-	5.3
120.0	65.0	0.0	-	7.3	6.7	-	0.0	0.0	-	6.6	-	0.0
120.0	70.0	9.1	-	5.7	3.4	-	0.0	0.0	-	0.0	-	0.0
120.0	80.0	5.8	-	0.0	3.3	-	0.0	-	-	5.4	-	0.0
123.0	45.0	12.4	-	0.0	0.0	-	0.0	0.0	-	-	-	-

TABLE 4. (cont.)

Myctophidae (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
123.0	50.0	3.0	-	0.0	3.4	-	0.0	0.0	-	3.0	3.0	0.0
123.0	55.0	0.0	-	0.0	9.8	-	0.0	0.0	-	3.1	-	0.0
123.0	60.0	0.0	-	0.0	6.6	-	0.0	0.0	-	2.9	0.0	0.0
123.0	70.0	2.5	-	-	0.0	-	0.0	-	-	-	-	-
123.0	80.0	0.0	-	-	-	-	4.9	-	-	-	-	-
127.0	40.0	5.1	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	2.9
127.0	45.0	0.0	-	0.0	13.4	-	0.0	28.6	-	0.0	-	0.0
127.0	50.0	0.0	-	0.0	0.0	-	0.0	18.8	-	0.0	1.4	0.0
127.0	55.0	3.1	-	2.9	3.3	-	0.0	3.2	-	3.1	-	0.0
127.0	60.0	8.8	-	18.2	-	-	0.0	0.0	-	2.7	0.0	0.0
127.0	65.0	5.2	-	0.0	-	-	0.0	0.0	-	-	-	-
127.0	70.0	0.0	-	-	3.3	-	0.0	-	-	-	-	-
127.0	80.0	3.2	-	-	-	-	8.1	-	-	-	-	-
130.0	35.0	0.0	-	3.3	0.0	-	0.0	3.1	-	0.0	0.0	0.0
130.0	40.0	0.0	-	0.0	3.3	-	0.0	3.1	-	0.0	0.0	0.0
130.0	45.0	0.0	-	10.6	23.8	-	0.0	6.4	-	8.8	-	0.0
130.0	50.0	9.6	-	10.6	0.0	-	0.0	0.0	-	2.9	0.0	0.0
130.0	55.0	0.0	-	5.9	7.0	-	0.0	0.0	-	0.0	0.0	0.0
130.0	60.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	8.5
130.0	65.0	-	-	-	0.0	-	5.8	5.9	-	-	-	-
130.0	80.0	6.2	-	-	-	-	2.7	-	-	-	-	-
130.0	90.0	0.0	-	-	-	-	2.6	-	-	-	-	-
133.0	35.0	3.3	-	7.0	0.0	-	0.0	3.5	-	0.0	0.0	2.6
133.0	40.0	0.0	-	0.0	6.8	-	0.0	0.0	-	0.0	0.0	0.0
133.0	45.0	13.6	-	2.9	0.0	-	0.0	0.0	-	2.8	-	-
133.0	50.0	0.0	-	0.0	0.0	-	0.0	9.7	-	0.0	0.0	-
133.0	55.0	0.0	-	3.8	6.9	-	2.8	9.5	-	0.0	0.0	-
133.0	60.0	0.0	-	0.0	0.0	-	8.8	5.6	-	0.0	0.0	0.0
137.0	23.0	0.0	-	0.0	0.0	-	5.4	0.0	-	0.0	0.0	0.0
137.0	30.0	0.0	-	0.0	0.0	-	0.0	80.3	-	0.0	0.0	0.0
137.0	35.0	13.8	-	3.3	0.0	-	0.0	0.0	-	0.0	0.0	0.0
137.0	40.0	3.0	-	11.8	0.0	-	0.0	0.0	-	2.6	0.0	0.0
137.0	45.0	0.0	-	3.5	3.5	-	0.0	0.0	-	2.8	-	-
137.0	46.0	-	-	-	-	-	6.3	-	-	-	-	-
137.0	50.0	0.0	-	7.2	0.0	-	0.0	0.0	-	0.0	0.0	-
137.0	55.0	3.2	-	18.8	0.0	-	0.0	45.9	-	2.9	0.0	-
137.0	60.0	0.0	-	3.7	0.0	-	2.6	55.8	-	0.0	2.9	-
143.0	50.0	-	-	-	-	-	-	-	-	-	3.3	-
147.0	40.0	-	-	-	-	-	-	-	-	-	6.1	-
147.0	60.0	-	-	-	-	-	-	-	-	-	3.1	-
153.0	16.0	-	-	-	-	-	-	-	-	-	6.0	-
153.0	20.0	-	-	-	-	-	-	-	-	-	2.9	-
153.0	40.0	-	-	-	-	-	-	-	-	-	2.9	-

TABLE 4. (cont.)

Ceratoscopelus townsendi

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	60.0	-	-	0.0	-	0.0	3.2	-	-	0.0	-	0.0
60.0	70.0	-	-	0.0	-	0.0	9.6	-	-	0.0	-	0.0
60.0	80.0	-	-	-	-	0.0	16.1	-	-	2.5	-	0.0
60.0	90.0	-	-	-	-	0.0	7.2	-	-	0.0	-	0.0
63.0	80.0	-	-	-	-	0.0	3.4	-	-	0.0	-	-
63.0	90.0	-	-	-	-	0.0	3.2	-	-	0.0	-	-
67.0	55.0	-	-	0.0	-	9.1	0.0	-	-	0.0	-	0.0
67.0	80.0	-	-	0.0	-	3.3	6.7	-	-	0.0	-	0.0
70.0	80.0	-	-	0.0	-	3.3	0.0	-	-	0.0	-	0.0
70.0	90.0	-	-	0.0	-	3.2	0.0	-	-	19.6	-	0.0
73.0	70.0	-	-	0.0	-	2.8	0.0	0.0	0.0	0.0	-	0.0
80.0	60.0	0.0	-	0.0	0.0	0.0	0.0	3.3	0.0	0.0	-	0.0
80.0	90.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	51.0	0.0	-	0.0	0.0	0.0	0.0	3.5	0.0	0.0	-	3.0
83.0	65.0	0.0	-	0.0	0.0	0.0	0.0	6.3	0.0	0.0	-	0.0
83.0	70.0	0.0	-	0.0	0.0	0.0	3.3	0.0	3.0	0.0	-	0.0
87.0	65.0	0.0	-	5.9	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	95.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	3.1	-	0.0
90.0	70.0	0.0	0.0	-	0.0	0.0	0.0	3.2	0.0	-	-	13.0
90.0	80.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	9.6	-	0.0
90.0	90.0	0.0	0.0	-	0.0	0.0	3.0	0.0	0.0	2.9	-	0.0
90.0	100.0	0.0	-	-	-	-	0.0	-	-	3.1	-	0.0
90.0	110.0	-	-	-	-	-	-	-	-	17.0	-	0.0
90.0	120.0	-	-	-	-	-	-	-	-	-	-	12.1
90.0	130.0	-	-	-	-	-	-	-	-	-	-	34.3
93.0	40.0	0.0	0.0	-	0.0	0.0	-	0.0	0.0	16.0	-	0.0
93.0	45.0	0.0	0.0	-	0.0	0.0	0.0	0.0	9.1	0.0	-	0.0
93.0	50.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	6.1	-	0.0
93.0	70.0	0.0	0.0	-	0.0	0.0	-	0.0	0.0	3.3	-	0.0
93.0	90.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	9.2	-	2.6
93.0	100.0	0.0	-	-	0.0	2.8	0.0	-	-	0.0	-	2.8
93.0	110.0	-	-	-	-	-	-	-	-	3.1	-	3.3
93.0	120.0	-	-	-	-	-	-	-	-	34.2	-	77.3
93.0	130.0	-	-	-	-	-	-	-	-	-	-	36.4
94.0	78.0	-	-	-	-	-	-	-	-	2.8	-	-
94.0	139.0	-	-	-	-	-	-	-	-	-	-	6.0
97.0	35.0	0.0	0.0	-	0.0	-	0.0	3.1	0.0	0.0	0.0	0.0
97.0	45.0	0.0	0.0	-	0.0	0.0	0.0	0.0	9.7	4.3	0.0	0.0
97.0	55.0	0.0	0.0	-	0.0	0.0	0.0	0.0	72.5	0.0	-	0.0
97.0	60.0	0.0	0.0	-	0.0	0.0	0.0	6.1	0.0	0.0	-	0.0
97.0	65.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	2.6
97.0	70.0	0.0	0.0	-	0.0	0.0	0.0	8.7	0.0	0.0	-	2.7
97.0	80.0	0.0	0.0	-	0.0	26.0	11.4	5.6	0.0	0.0	-	0.0

TABLE 4. (cont.)

Ceratoscopelus townsendi (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
97.0	90.0	2.7	0.0	—	0.0	3.0	33.9	—	—	—	—	—
100.0	35.0	0.0	—	0.0	0.0	0.0	0.0	6.4	0.0	0.0	0.0	0.0
100.0	40.0	0.0	—	0.0	0.0	0.0	0.0	0.0	3.0	3.4	0.0	0.0
100.0	45.0	0.0	—	0.0	0.0	0.0	0.0	0.0	6.4	28.3	0.0	0.0
100.0	50.0	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0	3.1	—	0.0
100.0	55.0	0.0	—	0.0	0.0	0.0	0.0	0.0	35.9	6.2	—	0.0
100.0	60.0	0.0	—	0.0	0.0	0.0	0.0	0.0	17.8	9.7	—	0.0
100.0	65.0	0.0	—	0.0	0.0	0.0	0.0	0.0	15.5	11.7	—	0.0
100.0	70.0	3.3	—	0.0	0.0	3.2	7.1	8.3	19.0	10.6	—	0.0
100.0	80.0	0.0	—	18.0	0.0	22.6	17.3	—	—	56.0	—	0.0
100.0	90.0	0.0	—	0.0	20.5	17.0	20.9	—	—	—	—	—
100.0	100.0	9.0	—	—	—	15.4	15.4	—	—	—	—	—
103.0	50.0	0.0	—	0.0	0.0	13.5	6.4	0.0	0.0	3.5	—	0.0
103.0	55.0	0.0	—	0.0	0.0	38.1	20.8	0.0	0.0	—	—	0.0
103.0	60.0	0.0	—	0.0	0.0	42.4	32.7	6.4	0.0	—	—	0.0
103.0	65.0	0.0	—	0.0	12.4	32.1	91.1	126.8	22.3	3.5	—	0.0
103.0	70.0	0.0	—	0.0	13.9	44.3	44.3	57.4	46.8	29.0	—	0.0
103.0	80.0	6.4	—	7.2	3.1	29.0	0.0	—	—	—	—	2.7
103.0	90.0	—	—	51.8	9.5	118.8	—	—	—	—	—	—
107.0	32.0	0.0	—	0.0	0.0	—	0.0	0.0	3.3	0.0	—	0.0
107.0	35.0	0.0	—	0.0	0.0	—	0.0	0.0	8.8	0.0	0.0	0.0
107.0	40.0	0.0	—	0.0	0.0	—	8.3	0.0	0.0	0.0	3.0	0.0
107.0	45.0	0.0	—	0.0	3.6	—	20.9	6.7	0.0	13.2	—	1.9
107.0	50.0	0.0	—	0.0	—	—	54.7	16.3	0.0	0.0	—	—
107.0	55.0	0.0	—	0.0	0.0	—	3.0	40.6	152.5	0.0	—	2.8
107.0	60.0	0.0	—	3.5	0.0	—	3.1	29.8	213.9	3.6	—	0.0
107.0	65.0	5.6	—	3.9	6.4	—	22.2	11.6	12.5	16.5	—	8.9
107.0	70.0	3.0	—	0.0	0.0	—	—	—	—	—	—	—
107.0	80.0	0.0	—	0.0	0.0	—	—	—	—	—	—	—
107.0	90.0	—	—	0.0	9.0	—	—	—	—	—	—	—
110.0	45.0	—	—	0.0	3.3	—	6.3	8.6	29.6	0.0	0.0	0.0
110.0	50.0	0.0	—	0.0	14.0	—	5.2	19.6	38.8	0.0	—	0.0
110.0	55.0	0.0	—	0.0	20.8	—	15.9	65.6	74.3	3.3	—	0.0
110.0	60.0	3.0	—	0.0	0.0	—	35.9	112.7	107.4	12.5	—	0.0
110.0	65.0	5.6	—	0.0	0.0	—	5.9	67.0	78.5	17.6	—	0.0
110.0	70.0	0.0	—	0.0	0.0	—	0.0	83.7	24.6	30.6	—	0.0
110.0	80.0	0.0	—	0.0	19.1	—	0.0	—	—	—	—	9.0
110.0	90.0	8.4	—	0.0	3.2	—	—	—	—	—	—	—
113.0	35.0	—	—	0.0	0.0	—	0.0	9.2	0.0	0.0	0.0	0.0
113.0	40.0	0.0	—	0.0	0.0	—	0.0	3.2	0.0	0.0	—	0.0
113.0	45.0	0.0	—	0.0	0.0	—	0.0	0.0	0.0	5.8	5.6	0.0
113.0	50.0	0.0	—	0.0	0.0	—	0.0	0.0	15.1	0.0	—	0.0
113.0	55.0	2.7	—	0.0	0.0	—	0.0	8.0	8.7	3.2	—	0.0
113.0	60.0	0.0	—	0.0	—	—	3.3	32.9	5.6	3.2	—	0.0
113.0	65.0	0.0	—	0.0	0.0	—	0.0	18.4	6.4	3.0	—	0.0
113.0	70.0	0.0	—	0.0	0.0	—	0.0	0.0	99.0	5.6	—	0.0
117.0	40.0	—	—	0.0	0.0	—	0.0	0.0	6.5	2.9	—	0.0

TABLE 4. (cont.)

Ceratoscopelus townsendi (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
117.0	45.0	0.0	0.0	0.0	0.0	-	0.0	0.0	6.5	0.0	0.0	0.0
117.0	50.0	2.9	0.0	0.0	0.0	-	0.0	0.0	5.9	2.8	-	0.0
117.0	55.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
117.0	60.0	0.0	0.0	0.0	0.0	-	6.2	75.9	5.9	3.2	-	2.9
117.0	65.0	0.0	0.0	0.0	0.0	-	0.0	48.1	0.0	3.1	-	5.6
117.0	70.0	0.0	0.0	0.0	0.0	-	0.0	86.1	0.0	0.0	-	0.0
118.0	39.0	-	0.0	0.0	0.0	-	0.0	0.0	9.3	3.2	-	0.0
120.0	50.0	0.0	3.3	0.0	0.0	-	3.2	0.0	-	0.0	-	0.0
120.0	55.0	2.9	0.0	0.0	0.0	-	0.0	0.0	-	0.0	-	2.6
120.0	60.0	12.1	0.0	7.2	0.0	-	3.1	45.2	-	-	-	12.4
120.0	65.0	2.3	-	3.7	3.4	-	0.0	0.0	-	0.0	-	24.0
120.0	70.0	0.0	-	0.0	10.3	-	0.0	23.0	-	0.0	-	0.0
120.0	80.0	2.9	-	0.0	10.0	-	0.0	-	-	-	-	0.0
123.0	40.0	0.0	-	-	0.0	-	-	6.4	-	-	-	-
123.0	42.0	-	-	0.0	-	-	37.0	-	-	0.0	-	0.0
123.0	45.0	0.0	-	0.0	0.0	-	0.0	3.2	-	16.3	-	0.0
123.0	50.0	0.0	-	0.0	3.4	-	0.0	0.0	-	18.1	-	0.0
123.0	55.0	0.0	-	0.0	3.3	-	5.9	3.1	-	3.1	-	9.2
123.0	60.0	0.0	-	0.0	-	-	0.0	9.6	-	2.9	-	0.0
123.0	70.0	0.0	-	-	0.0	-	5.8	-	-	-	-	-
123.0	80.0	8.6	-	-	-	-	29.4	-	-	-	-	-
127.0	45.0	0.0	-	0.0	0.0	-	0.0	7.8	-	0.0	-	0.0
127.0	50.0	0.0	-	0.0	0.0	-	0.0	12.6	-	0.0	-	0.0
127.0	55.0	0.0	-	0.0	3.3	-	0.0	0.0	-	3.1	-	0.0
127.0	60.0	0.0	-	0.0	-	-	0.0	0.0	-	0.0	-	0.0
127.0	65.0	-	-	0.0	6.8	-	0.0	-	-	-	-	-
127.0	70.0	3.3	-	-	0.0	-	0.0	-	-	-	-	-
127.0	80.0	-	-	-	-	-	2.7	-	-	-	-	-
130.0	40.0	-	-	0.0	0.0	-	0.0	3.1	-	0.0	-	0.0
130.0	45.0	5.6	-	0.0	10.2	-	0.0	16.1	-	0.0	-	3.0
130.0	50.0	0.0	-	0.0	0.0	-	0.0	22.3	-	0.0	-	3.1
130.0	55.0	0.0	-	0.0	0.0	-	0.0	17.2	-	0.0	-	0.0
130.0	60.0	0.0	-	0.0	0.0	-	14.1	11.7	-	0.0	-	0.0
130.0	65.0	-	-	0.0	-	-	2.9	-	-	-	-	-
130.0	70.0	6.5	-	-	10.0	-	0.0	-	-	-	-	-
130.0	80.0	3.1	-	-	-	-	13.0	-	-	-	-	-
133.0	40.0	3.4	-	0.0	6.8	-	0.0	0.0	-	0.0	-	0.0
133.0	45.0	-	-	0.0	0.0	-	0.0	3.3	-	0.0	-	-
133.0	50.0	-	-	0.0	0.0	-	0.0	3.2	-	0.0	-	-
133.0	55.0	0.0	-	7.6	3.4	-	0.0	3.2	-	0.0	-	-
133.0	60.0	0.0	-	0.0	0.0	-	8.8	0.0	-	0.0	-	0.0
137.0	30.0	0.0	-	0.0	0.0	-	0.0	27.8	-	0.0	-	0.0
137.0	35.0	0.0	-	0.0	0.0	-	2.8	0.0	-	0.0	-	0.0
137.0	45.0	2.9	-	7.0	7.0	-	-	0.0	-	2.8	-	-
137.0	46.0	3.2	-	7.5	-	-	3.2	0.0	-	0.0	-	-
137.0	55.0	-	-	-	0.0	-	0.0	18.4	-	-	-	-

TABLE 4. (cont.)

Ceratoscopelus townsendi (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
137.0	60.0	—	—	0.0	0.0	—	0.0	18.6	—	0.0	0.0	—
143.0	60.0	—	—	—	—	—	—	—	—	—	6.3	—
147.0	25.0	—	—	—	—	—	—	—	—	—	3.0	—
147.0	50.0	—	—	—	—	—	—	—	—	—	17.9	—
150.0	50.0	—	—	—	—	—	—	—	—	—	3.0	—
150.0	60.0	—	—	—	—	—	—	—	—	—	3.1	—
153.0	50.0	—	—	—	—	—	—	—	—	—	8.7	—

Diaphus spp.

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	55.0	0.0	—	0.0	—	12.8	0.0	—	—	0.0	—	0.0
60.0	60.0	0.0	—	0.0	—	50.9	19.1	—	—	0.0	—	0.0
60.0	65.0	—	—	0.0	—	29.1	—	—	—	—	—	—
60.0	70.0	—	—	0.0	—	8.3	304.0	—	—	0.0	—	0.0
60.0	80.0	0.0	—	—	—	92.7	126.0	—	—	0.0	—	0.0
60.0	90.0	0.0	—	—	—	40.6	46.8	—	—	0.0	—	0.0
63.0	55.0	—	—	0.0	—	0.0	15.0	—	—	0.0	—	0.0
63.0	60.0	0.0	—	0.0	—	0.0	3.3	—	—	0.0	—	0.0
63.0	65.0	—	—	0.0	—	31.2	—	—	—	—	—	—
63.0	70.0	—	—	0.0	—	5.8	175.4	—	—	—	—	0.0
63.0	80.0	—	—	—	—	55.2	147.5	—	—	0.0	—	—
67.0	90.0	—	—	—	—	42.1	0.0	—	—	0.0	—	—
67.0	55.0	0.0	—	0.0	—	64.0	0.0	—	—	0.0	—	0.0
67.0	60.0	0.0	—	0.0	—	49.1	0.0	—	—	0.0	—	0.0
67.0	65.0	—	—	—	—	60.6	—	—	—	—	—	—
67.0	70.0	—	—	0.0	—	6.5	60.8	—	—	0.0	—	0.0
67.0	80.0	—	—	0.0	—	13.0	20.0	—	—	0.0	—	—
67.0	90.0	—	—	—	—	16.0	34.7	—	—	0.0	—	—
70.0	51.0	0.0	—	0.0	—	3.0	0.0	—	—	0.0	—	—
70.0	60.0	0.0	—	0.0	—	0.0	49.7	—	—	0.0	—	0.0
70.0	65.0	—	—	0.0	—	47.7	—	—	—	—	—	—
70.0	70.0	0.0	—	0.0	—	22.5	143.5	—	—	0.0	—	0.0
70.0	80.0	0.0	—	9.9	—	0.0	26.5	—	—	0.0	—	0.0
70.0	90.0	0.0	—	0.0	—	0.0	9.1	—	—	0.0	—	0.0
73.0	53.0	0.0	—	0.0	—	6.7	0.0	—	—	0.0	—	0.0
73.0	60.0	—	—	0.0	—	3.2	0.0	—	—	0.0	—	0.0
73.0	65.0	—	—	—	—	22.8	—	—	—	—	—	—
73.0	70.0	—	—	0.0	—	57.4	72.6	—	—	0.0	—	0.0
73.0	80.0	—	—	0.0	—	31.4	19.8	—	—	0.0	—	—
73.0	90.0	—	—	0.0	—	26.5	12.3	—	—	0.0	—	—
77.0	51.0	—	—	0.0	—	6.8	0.0	—	—	0.0	—	0.0
77.0	55.0	0.0	—	0.0	—	10.5	0.0	—	—	0.0	—	0.0
77.0	60.0	—	—	0.0	—	9.7	0.0	—	—	0.0	—	—
77.0	65.0	—	—	0.0	—	3.0	—	—	—	—	—	—

TABLE 4. (cont.)

Diaphus spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
77.0	70.0	-	-	0.0	-	0.0	3.4	-	-	0.0	-	0.0
77.0	80.0	-	-	0.0	-	3.3	67.8	-	-	0.0	-	0.0
80.0	52.0	0.0	-	0.0	0.0	3.1	0.0	0.0	0.0	0.0	-	0.0
80.0	55.0	0.0	-	0.0	0.0	2.9	0.0	0.0	0.0	0.0	-	0.0
80.0	60.0	0.0	-	0.0	0.0	2.8	0.0	0.0	0.0	0.0	-	0.0
80.0	65.0	0.0	-	0.0	0.0	3.0	6.3	0.0	127.5	0.0	-	0.0
80.0	70.0	0.0	-	0.0	0.0	17.3	0.0	0.0	6.3	0.0	-	0.0
80.0	80.0	0.0	-	0.0	0.0	11.1	3.3	0.0	19.3	0.0	-	0.0
80.0	90.0	0.0	-	0.0	0.0	0.0	3.2	0.0	0.0	2.2	-	0.0
80.0	95.0	0.0	-	0.0	0.0	0.0	0.0	0.0	2.8	0.0	-	0.0
83.0	55.0	0.0	-	0.0	0.0	16.6	0.0	0.0	0.0	0.0	-	0.0
83.0	60.0	0.0	-	0.0	0.0	0.0	33.5	81.6	0.0	0.0	-	0.0
83.0	65.0	0.0	-	0.0	0.0	11.3	20.1	3.2	51.8	0.0	-	0.0
83.0	70.0	0.0	-	0.0	0.0	23.7	9.0	9.0	9.7	0.0	-	0.0
83.0	80.0	0.0	-	0.0	0.0	8.2	0.0	0.0	3.1	0.0	-	0.0
83.0	90.0	0.0	-	0.0	0.0	0.0	0.0	0.0	2.6	0.0	-	0.0
87.0	33.0	0.0	-	0.0	0.0	2.7	0.0	0.0	0.0	0.0	-	0.0
87.0	35.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	3.9	-	0.0
87.0	45.0	0.0	-	0.0	0.0	0.0	0.0	6.2	0.0	0.0	-	0.0
87.0	50.0	0.0	-	0.0	0.0	34.8	0.0	6.3	0.0	0.0	-	0.0
87.0	60.0	0.0	-	0.0	0.0	3.0	9.1	23.7	6.5	0.0	-	0.0
87.0	70.0	0.0	0.0	-	0.0	0.0	0.0	3.2	8.4	0.0	-	0.0
87.0	80.0	0.0	0.0	-	0.0	0.0	0.0	3.2	0.0	0.0	-	0.0
87.0	90.0	0.0	0.0	-	3.5	11.6	0.0	0.0	0.0	0.0	-	0.0
90.0	53.0	-	0.0	-	-	-	0.0	-	-	-	-	0.0
90.0	55.0	-	0.0	-	3.3	-	-	3.2	0.0	-	-	0.0
90.0	60.0	-	0.0	-	0.0	5.7	3.1	0.0	0.0	0.0	-	0.0
90.0	65.0	-	0.0	-	0.0	0.0	0.0	3.5	0.0	0.0	-	0.0
90.0	70.0	-	0.0	-	0.0	0.0	0.0	3.1	3.1	-	-	0.0
90.0	80.0	-	0.0	-	0.0	0.0	0.0	6.4	0.0	3.2	-	0.0
90.0	90.0	-	0.0	-	0.0	0.0	0.0	10.1	6.2	0.0	-	0.0
90.0	120.0	-	-	-	-	-	-	-	-	5.7	-	0.0
93.0	30.0	0.0	-	-	0.0	0.0	0.0	6.8	0.0	3.0	-	0.0
93.0	35.0	0.0	0.0	-	0.0	0.0	3.3	0.0	3.1	0.0	-	0.0
93.0	40.0	0.0	0.0	-	0.0	0.0	-	0.0	3.2	0.0	-	0.0
93.0	45.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	15.6	-	0.0
93.0	50.0	0.0	0.0	-	0.0	0.0	0.0	3.5	0.0	0.0	-	0.0
93.0	55.0	0.0	0.0	-	0.0	2.8	0.0	0.0	0.0	-	-	0.0
93.0	60.0	0.0	0.0	-	0.0	3.1	3.2	0.0	0.0	-	-	0.0
93.0	70.0	0.0	0.0	-	1.7	5.5	3.0	0.0	0.0	0.0	-	0.0
93.0	80.0	0.0	0.0	-	0.0	-	-	-	-	6.2	-	0.0
93.0	90.0	0.0	0.0	-	0.0	-	-	-	-	-	-	0.0
93.0	120.0	-	-	-	-	-	-	-	-	-	-	0.0
94.0	139.0	-	-	-	-	-	-	-	-	-	-	0.0
97.0	29.0	0.0	-	0.0	0.0	0.0	0.0	4.5	0.0	0.0	-	0.0
97.0	32.0	0.0	-	0.0	0.0	0.0	30.4	-	0.0	0.0	-	0.0
97.0	35.0	0.0	0.0	-	0.0	-	10.8	0.0	0.0	0.0	0.0	0.0
97.0	40.0	0.0	0.0	-	0.0	0.0	7.2	3.0	0.0	0.0	-	0.0
97.0	45.0	0.0	0.0	-	0.0	0.0	3.1	0.0	0.0	4.3	-	0.0

TABLE 4. (cont.)

Diaphus spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
97.0 50.0	0.0	0.0	0.0	-	0.0	5.8	13.4	0.0	6.0	6.1	-	0.0
97.0 55.0	0.0	0.0	0.0	-	0.0	0.0	10.4	3.0	6.0	0.0	-	0.0
97.0 60.0	0.0	0.0	0.0	-	0.0	7.5	0.0	0.0	3.3	0.0	-	0.0
97.0 70.0	0.0	0.0	0.0	-	0.0	0.0	0.0	5.8	0.0	0.0	-	0.0
97.0 80.0	0.0	0.0	0.0	-	0.0	0.0	14.3	0.0	0.0	0.0	-	0.0
97.0 90.0	0.0	0.0	0.0	-	3.4	0.0	12.3	-	-	-	-	-
100.0 35.0	0.0	0.0	-	0.0	0.0	0.0	6.0	3.2	0.0	0.0	0.0	0.0
100.0 40.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0
100.0 45.0	0.0	0.0	-	0.0	0.0	0.0	0.0	2.8	6.4	0.0	0.0	0.0
100.0 50.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.2	3.3	0.0	-	0.0
100.0 55.0	0.0	0.0	-	0.0	0.0	3.3	0.0	0.0	3.0	0.0	-	0.0
100.0 60.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.1	0.0	0.0	-	0.0
100.0 65.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	6.2	8.8	-	0.0
100.0 70.0	0.0	0.0	-	0.0	0.0	0.0	0.0	2.8	0.0	0.0	-	0.0
103.0 40.0	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	3.9	-	0.0
103.0 50.0	0.0	0.0	-	0.0	0.0	0.0	3.2	0.0	0.0	7.0	-	0.0
103.0 60.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	6.5	3.1	-	0.0
103.0 70.0	0.0	0.0	-	0.0	3.2	0.0	0.0	0.0	0.0	5.8	-	0.0
107.0 35.0	0.0	0.0	-	0.0	0.0	-	9.6	6.7	5.9	2.5	0.0	0.0
107.0 50.0	0.0	0.0	-	0.0	0.0	-	6.0	0.0	0.0	0.0	-	0.0
107.0 55.0	0.0	0.0	-	0.0	0.0	-	3.2	0.0	0.0	0.0	-	0.0
107.0 65.0	0.0	0.0	0.0	0.0	3.2	-	6.2	0.0	0.0	0.0	-	0.0
107.0 70.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	3.3	-	0.0
110.0 35.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.2	0.0
110.0 40.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	9.8	0.0	0.0	0.0
110.0 45.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	6.6	0.0	0.0	0.0
113.0 35.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	3.2	0.0	0.0
113.0 40.0	0.0	-	0.0	0.0	0.0	-	3.0	0.0	0.0	3.3	-	0.0
113.0 65.0	0.0	-	0.0	0.0	0.0	-	25.3	0.0	3.2	0.0	-	0.0
117.0 50.0	0.0	-	0.0	0.0	0.0	-	9.9	0.0	2.9	0.0	-	0.0
117.0 70.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
120.0 60.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	-	-	3.1
123.0 55.0	0.0	-	-	0.0	0.0	-	0.0	0.0	-	0.0	-	0.0
123.0 60.0	0.0	-	-	0.0	0.0	-	2.8	0.0	-	0.0	0.0	0.0
127.0 40.0	-	0.0	-	0.0	0.0	-	3.0	0.0	-	0.0	0.0	0.0
127.0 45.0	-	0.0	-	0.0	0.0	-	0.0	0.0	-	3.0	-	0.0
130.0 50.0	-	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	3.1
153.0 60.0	-	-	-	0.0	0.0	-	0.0	0.0	-	-	12.2	-

Lampadena urophaos

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
80.0 65.0	-	0.0	-	0.0	0.0	0.0	0.0	6.6	0.0	0.0	-	0.0
93.0 100.0	-	-	-	-	0.0	-	-	-	-	3.1	-	0.0
97.0 90.0	0.0	0.0	0.0	-	0.0	0.0	9.2	-	-	-	-	-

TABLE 4. (cont.)

Lampadena urophaos (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
100.0	60.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	3.2	-	0.0
100.0	65.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.1	2.9	-	0.0
100.0	70.0	0.0	-	0.0	0.0	0.0	0.0	0.0	9.5	3.5	-	0.0
100.0	80.0	0.0	-	0.0	0.0	0.0	0.0	-	-	5.6	-	0.0
103.0	60.0	0.0	-	0.0	0.0	3.3	0.0	0.0	0.0	0.0	-	0.0
103.0	65.0	0.0	-	0.0	0.0	0.0	0.0	6.0	0.0	0.0	-	0.0
103.0	70.0	0.0	-	0.0	0.0	0.0	0.0	12.1	3.1	5.8	-	0.0
103.0	80.0	0.0	-	0.0	0.0	6.4	0.0	-	-	-	-	0.0
103.0	90.0	-	-	0.0	0.0	6.4	6.0	0.0	0.0	0.0	-	1.9
107.0	50.0	0.0	-	0.0	0.0	-	9.7	5.4	0.0	0.0	-	0.0
107.0	55.0	0.0	-	0.0	0.0	-	0.0	0.0	15.3	0.0	-	0.0
107.0	60.0	0.0	0.0	0.0	0.0	-	6.2	0.0	9.3	0.0	-	0.0
107.0	65.0	-	0.0	0.0	0.0	-	0.0	0.0	6.2	0.0	-	0.0
107.0	70.0	-	0.0	0.0	0.0	-	3.2	8.4	0.0	0.0	-	0.0
110.0	50.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0	55.0	-	-	0.0	0.0	-	0.0	0.0	3.1	0.0	-	0.0
110.0	60.0	-	-	0.0	0.0	-	0.0	0.0	9.1	0.0	-	0.0
110.0	70.0	-	-	0.0	0.0	-	0.0	26.9	0.0	3.4	-	0.0
113.0	45.0	-	-	0.0	0.0	-	0.0	-	0.0	-	0.0	3.0
113.0	55.0	-	-	0.0	0.0	-	0.0	0.0	0.0	2.9	0.0	0.0
113.0	60.0	-	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
113.0	65.0	-	-	0.0	0.0	-	0.0	7.3	0.0	0.0	-	0.0
113.0	70.0	-	-	0.0	0.0	-	0.0	0.0	6.0	2.8	-	0.0
117.0	65.0	-	-	0.0	0.0	-	0.0	2.8	0.0	0.0	-	0.0
117.0	70.0	-	-	0.0	0.0	-	0.0	5.9	0.0	0.0	-	0.0
120.0	55.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	2.6
120.0	70.0	-	0.0	0.0	0.0	-	0.0	31.7	-	0.0	-	0.0
120.0	80.0	-	-	0.0	0.0	-	2.9	-	-	0.0	-	0.0
123.0	50.0	-	-	0.0	0.0	-	0.0	0.0	-	3.0	0.0	0.0
123.0	60.0	-	-	0.0	0.0	-	2.8	3.2	-	0.0	0.0	8.1
123.0	80.0	-	-	-	-	-	4.9	-	-	-	-	0.0
127.0	45.0	3.3	-	0.0	0.0	-	0.0	0.0	-	0.0	-	0.0
127.0	55.0	0.0	-	0.0	0.0	-	0.0	3.2	-	0.0	-	0.0
127.0	70.0	0.0	-	-	0.0	-	16.1	-	-	-	-	-
127.0	80.0	3.2	-	-	-	-	-	6.4	-	0.0	-	0.0
130.0	45.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
130.0	50.0	0.0	-	0.0	0.0	-	0.0	6.4	-	0.0	-	0.0
130.0	55.0	0.0	-	0.0	0.0	-	0.0	2.9	-	0.0	-	0.0
130.0	70.0	3.2	-	0.0	0.0	-	0.0	-	-	-	-	-
130.0	80.0	3.1	-	-	-	-	2.7	-	-	-	-	-
133.0	45.0	3.4	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
137.0	30.0	0.0	-	0.0	0.0	-	2.9	0.0	-	0.0	9.1	-
147.0	60.0	-	-	-	-	-	-	-	-	-	-	-

TABLE 4. (cont.)

Lampanyctus spp.

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0 60.0	0.0	-	-	0.0	-	0.0	0.0	-	-	3.1	-	0.0
60.0 65.0	0.0	-	-	17.8	-	0.0	-	-	-	-	-	-
60.0 70.0	0.0	-	-	9.0	-	0.0	0.0	-	-	0.0	-	0.0
60.0 90.0	0.0	-	-	-	-	0.0	7.2	-	-	0.0	-	0.0
63.0 55.0	0.0	-	-	0.0	-	0.0	26.3	-	-	0.0	-	0.0
63.0 70.0	-	-	-	0.0	-	0.0	22.3	-	-	-	-	-
63.0 80.0	-	-	-	-	-	0.0	6.9	-	-	0.0	-	-
63.0 90.0	-	-	-	-	-	3.5	9.7	-	-	0.0	-	-
67.0 55.0	2.9	-	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
67.0 60.0	0.0	-	-	-	-	9.2	0.0	-	-	0.0	-	0.0
67.0 65.0	-	-	-	8.9	-	0.0	-	-	-	-	-	-
67.0 70.0	-	-	-	0.0	-	0.0	15.2	-	-	0.0	-	0.0
67.0 80.0	-	-	-	13.9	-	0.0	0.0	-	-	0.0	-	-
67.0 90.0	-	-	-	-	-	0.0	13.9	-	-	3.3	-	-
70.0 53.0	0.0	-	-	3.0	-	0.0	0.0	-	-	0.0	-	0.0
70.0 60.0	0.0	-	-	0.0	-	0.0	21.3	-	-	0.0	-	0.0
70.0 70.0	0.0	-	-	0.0	-	6.4	0.0	-	-	0.0	-	0.0
70.0 80.0	0.0	-	-	0.0	-	0.0	3.3	-	-	0.0	-	0.0
70.0 90.0	0.0	-	-	-	-	3.0	0.0	-	-	6.5	-	0.0
70.0 100.0	7.7	-	-	-	-	-	-	-	-	-	-	-
73.0 50.0	-	0.0	-	5.4	-	0.0	0.0	-	-	0.0	-	0.0
73.0 70.0	-	-	-	0.0	-	0.0	10.9	-	-	0.0	-	0.0
73.0 80.0	-	-	-	0.0	-	0.0	13.2	-	-	0.0	-	-
73.0 90.0	-	-	-	0.0	-	0.0	9.2	-	-	-	-	-
77.0 51.0	3.2	-	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
77.0 65.0	-	-	-	0.0	-	12.2	-	-	-	-	-	-
77.0 70.0	-	-	-	0.0	-	0.0	3.4	-	-	0.0	-	0.0
77.0 90.0	0.0	-	-	0.0	-	3.1	6.7	-	-	0.0	-	-
80.0 51.0	-	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	3.5	-	0.0
80.0 55.0	-	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0 60.0	-	0.0	-	3.1	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0 70.0	-	3.4	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0 80.0	-	-	-	0.0	0.0	0.0	6.7	0.0	0.0	0.0	-	0.0
80.0 90.0	-	-	-	0.0	31.2	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0 100.0	-	1.4	-	-	-	-	-	-	3.2	-	-	-
83.0 60.0	-	1.5	-	0.0	0.0	2.8	0.0	0.0	0.0	0.0	-	0.0
83.0 65.0	-	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0 70.0	-	0.0	-	0.0	9.2	0.0	13.4	0.0	6.1	0.0	-	0.0
83.0 80.0	-	0.0	-	0.0	5.9	0.0	0.0	0.0	6.4	0.0	-	0.0
83.0 90.0	-	0.0	-	0.0	0.0	5.5	0.0	0.0	0.0	0.0	-	0.0
87.0 45.0	-	0.0	-	0.0	0.0	0.0	3.4	2.8	0.0	0.0	-	0.0
87.0 50.0	-	0.0	-	0.0	0.0	0.0	0.0	3.1	0.0	0.0	-	0.0
87.0 55.0	-	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	6.7	-	0.0
87.0 60.0	-	0.0	-	0.0	13.9	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0 70.0	-	0.0	0.0	-	0.0	0.0	21.2	3.4	0.0	0.0	-	0.0
87.0 80.0	-	0.0	0.0	-	0.0	2.5	5.9	3.2	0.0	0.0	-	0.0

TABLE 4. (cont.)

Lampanyctus spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
87.0	90.0	0.0	0.0	-	3.5	15.5	0.0	0.0	0.0	0.0	-	0.0
90.0	45.0	0.0	0.0	-	0.0	0.0	3.3	0.0	3.2	0.0	-	0.0
90.0	55.0	0.0	-	-	0.0	-	0.0	12.8	0.0	-	-	0.0
90.0	60.0	6.7	0.0	-	14.7	0.0	0.0	3.5	0.0	0.0	-	0.0
90.0	65.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.3	-	0.0
90.0	70.0	0.0	0.0	-	10.5	6.5	0.0	0.0	0.0	-	-	0.0
90.0	80.0	0.0	0.0	-	28.1	0.0	5.6	0.0	0.0	6.4	-	0.0
90.0	90.0	0.0	2.5	-	0.0	0.0	3.0	0.0	0.0	0.0	-	0.0
90.0	97.0	-	-	-	-	-	-	-	-	3.1	-	2.5
90.0	110.0	-	-	-	-	-	-	-	-	5.7	-	9.2
90.0	120.0	-	-	-	-	0.0	3.0	0.0	0.0	0.0	-	6.3
93.0	27.0	0.0	0.0	-	0.0	0.0	6.2	0.0	0.0	0.0	-	0.0
93.0	28.0	0.0	0.0	-	0.0	0.0	0.0	6.8	0.0	0.0	-	0.0
93.0	30.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	6.4	-	0.0
93.0	35.0	0.0	0.0	-	0.0	5.8	0.0	0.0	0.0	0.0	-	0.0
93.0	40.0	0.0	0.0	-	6.7	0.0	0.0	0.0	0.0	3.1	-	0.0
93.0	45.0	0.0	0.0	-	0.0	0.0	3.2	0.0	0.0	3.0	-	0.0
93.0	50.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	3.2
93.0	55.0	0.0	0.0	-	0.0	0.0	0.0	3.2	0.0	0.0	-	3.3
93.0	60.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	17.7
93.0	65.0	0.0	0.0	-	3.3	0.0	0.0	0.0	0.0	0.0	-	9.8
93.0	70.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	-	-	0.0
93.0	80.0	5.9	0.0	-	0.0	0.0	6.1	0.0	3.2	3.1	-	2.6
93.0	90.0	0.0	0.0	-	3.8	0.0	-	-	-	3.1	-	0.0
93.0	110.0	-	-	-	-	-	-	-	-	3.1	-	3.2
93.0	120.0	-	-	-	-	-	-	-	-	2.8	-	2.6
93.0	130.0	-	-	-	-	-	-	-	-	-	-	-
94.0	78.0	-	-	-	-	-	-	-	-	-	-	-
97.0	30.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.0	-	0.0
97.0	32.0	0.0	5.9	-	3.3	-	0.0	0.0	0.0	0.0	-	0.0
97.0	35.0	0.0	0.0	-	0.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0
97.0	40.0	0.0	0.0	-	0.0	0.0	3.1	0.0	6.5	0.0	5.9	2.5
97.0	45.0	0.0	0.0	-	9.7	0.0	3.3	0.0	0.0	2.0	-	0.0
97.0	50.0	0.0	0.0	-	0.0	0.0	10.4	0.0	0.0	0.0	-	2.5
97.0	55.0	0.0	0.0	-	0.0	0.0	6.6	0.0	0.0	0.0	-	0.0
97.0	60.0	0.0	0.0	-	0.0	12.0	0.0	0.0	0.0	0.0	-	0.0
97.0	65.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.2	2.3	-	0.0
97.0	70.0	0.0	0.0	-	0.0	0.0	8.6	0.0	2.9	2.2	-	0.0
97.0	80.0	0.0	0.0	-	6.8	0.0	9.2	-	-	-	-	0.0
100.0	30.0	0.0	0.0	0.0	9.5	9.3	0.0	2.8	0.0	0.0	0.0	5.5
100.0	35.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
100.0	40.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0
100.0	45.0	0.0	-	0.0	0.0	0.0	0.0	2.8	0.0	5.7	0.0	0.0
100.0	50.0	0.0	-	0.0	3.9	0.0	13.6	0.0	0.0	0.0	-	0.0
100.0	55.0	0.0	-	0.0	0.0	0.0	0.0	3.1	3.0	0.0	-	0.0

TABLE 4. (cont.)

Lampanyctus spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
100.0	60.0	0.0	-	0.0	0.0	0.0	4.1	3.1	0.0	3.2	-	0.0
100.0	65.0	0.0	-	0.0	0.0	6.6	0.0	2.9	0.0	5.9	-	0.0
100.0	70.0	3.3	-	0.0	0.0	6.4	0.0	0.0	0.0	0.0	-	0.0
100.0	80.0	0.0	-	3.6	42.4	3.2	2.9	-	-	8.4	-	5.6
100.0	90.0	5.8	-	0.0	17.1	0.0	10.4	-	-	-	-	-
103.0	29.0	0.0	-	0.0	0.0	-	0.8	0.0	0.0	0.0	-	0.0
103.0	30.0	0.0	-	0.0	0.0	-	2.7	0.0	0.0	0.0	-	0.0
103.0	35.0	0.0	-	0.0	0.0	-	0.0	0.0	3.0	0.0	0.0	0.0
103.0	40.0	0.0	-	0.0	0.0	-	1.6	0.0	0.0	0.0	-	2.6
103.0	45.0	0.0	-	0.0	0.0	-	3.3	0.0	0.0	0.0	0.0	0.0
103.0	50.0	0.0	-	0.0	0.0	0.0	6.4	0.0	0.0	0.0	-	0.0
103.0	55.0	0.0	-	0.0	0.0	0.0	5.9	0.0	3.1	-	-	0.0
103.0	60.0	0.0	-	0.0	0.0	3.3	9.8	0.0	0.0	0.0	-	0.0
103.0	65.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	7.7
103.0	70.0	0.0	-	0.0	0.0	6.5	0.0	0.0	3.1	2.9	-	2.7
103.0	80.0	0.0	-	0.0	0.0	0.0	0.0	-	-	-	-	-
103.0	90.0	-	-	0.0	6.3	6.4	-	-	0.0	-	-	0.0
107.0	31.0	0.0	-	0.0	0.0	-	0.0	0.0	3.3	2.3	-	0.0
107.0	32.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	35.0	0.0	-	0.0	0.0	-	3.2	0.0	0.0	2.5	0.0	0.0
107.0	40.0	3.5	-	0.0	0.0	-	10.4	0.0	0.0	0.0	-	2.5
107.0	45.0	0.0	-	0.0	0.0	-	5.5	0.0	0.0	0.0	0.0	1.9
107.0	50.0	3.2	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	55.0	0.0	-	0.0	0.0	-	0.0	0.0	9.3	0.0	-	2.5
107.0	65.0	0.0	0.0	7.9	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	70.0	0.0	-	0.0	0.0	-	-	-	-	-	-	-
107.0	90.0	-	-	2.9	3.0	-	-	-	0.0	0.0	0.0	0.0
110.0	35.0	0.0	0.0	0.0	3.4	-	0.0	0.0	0.0	0.0	0.0	0.0
110.0	40.0	0.0	0.0	0.0	0.0	-	-	0.0	9.8	0.0	-	2.9
110.0	45.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.3	0.0	2.9	11.0
110.0	50.0	0.0	0.0	0.0	0.0	-	0.0	5.6	3.2	0.0	-	0.0
110.0	55.0	0.0	0.0	0.0	0.0	-	0.0	3.0	6.5	0.0	-	0.0
110.0	60.0	0.0	0.0	0.0	0.0	-	12.0	0.0	12.3	3.1	-	0.0
110.0	65.0	0.0	0.0	0.0	0.0	-	0.0	6.4	9.1	10.6	-	2.8
110.0	70.0	2.8	0.0	0.0	0.0	-	0.0	6.0	0.0	0.0	-	0.0
110.0	80.0	0.0	3.1	0.0	0.0	-	0.0	-	-	-	-	0.0
110.0	90.0	5.6	-	0.0	0.0	-	-	6.1	0.0	0.0	0.0	7.0
113.0	35.0	0.0	0.0	0.0	0.0	-	0.0	3.2	0.0	0.0	0.0	2.4
113.0	40.0	0.0	0.0	3.2	0.0	-	0.0	0.0	0.0	2.9	0.0	0.0
113.0	45.0	0.0	0.0	0.0	0.0	-	0.0	3.2	3.0	0.0	-	0.0
113.0	50.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	3.2	-	0.0
113.0	55.0	0.0	0.0	0.0	0.0	-	6.5	0.0	2.8	3.2	-	0.0
113.0	60.0	0.0	0.0	0.0	-	-	0.0	0.0	0.0	0.0	-	0.0
113.0	65.0	0.0	0.0	0.0	0.0	-	0.0	3.7	0.0	0.0	-	0.0
113.0	70.0	6.0	0.0	0.0	0.0	-	0.0	0.0	3.0	0.0	-	0.0
113.0	80.0	0.0	-	3.0	0.0	-	0.0	-	-	-	-	0.0
117.0	40.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.3	2.9	-	0.0

TABLE 4. (cont.)

Lampanyctus spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
117.0	45.0	-	9.5	0.0	0.0	-	0.0	0.0	3.2	0.0	0.0	0.0
117.0	50.0	-	0.0	0.0	0.0	-	0.0	0.0	2.9	0.0	-	0.0
117.0	60.0	-	0.0	7.8	0.0	-	0.0	0.0	0.0	0.0	-	0.0
117.0	65.0	-	6.3	0.0	0.0	-	0.0	0.0	3.0	6.2	-	2.8
117.0	70.0	-	2.8	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
117.0	80.0	-	-	0.0	3.1	-	0.0	0.0	0.0	-	-	0.0
118.0	39.0	-	-	0.0	0.0	-	3.1	0.0	0.0	0.0	-	0.0
120.0	45.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	3.3	0.0	0.0
120.0	50.0	-	0.0	8.5	0.0	-	3.2	0.0	-	0.0	-	0.0
120.0	55.0	-	0.0	3.1	7.0	-	0.0	0.0	-	0.0	-	2.6
120.0	60.0	-	0.0	14.4	0.0	-	0.0	9.7	-	0.0	-	0.0
120.0	65.0	-	0.0	25.7	0.0	-	0.0	0.0	-	0.0	-	21.4
120.0	70.0	-	-	2.8	0.0	-	0.0	0.0	-	3.3	-	0.0
120.0	80.0	-	-	0.0	3.3	-	0.0	0.0	-	0.0	-	0.0
123.0	37.0	2.9	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
123.0	40.0	-	-	0.0	0.0	-	-	9.6	-	-	0.0	-
123.0	42.0	-	-	0.0	0.0	-	15.8	-	-	3.1	-	0.0
123.0	45.0	-	-	0.0	0.0	-	0.0	0.0	-	10.9	-	3.1
123.0	50.0	-	-	13.8	0.0	-	0.0	3.1	-	3.0	0.0	5.9
123.0	55.0	-	-	3.3	3.3	-	0.0	0.0	-	3.1	-	3.1
123.0	60.0	-	-	0.0	19.8	-	2.8	3.2	-	14.6	6.5	18.8
123.0	65.0	-	-	-	0.0	-	0.0	-	-	-	-	-
123.0	70.0	-	-	-	3.4	-	0.0	-	-	-	-	-
123.0	80.0	-	-	-	0.0	-	0.0	-	-	-	-	-
127.0	40.0	0.0	-	0.0	0.0	-	8.9	0.0	-	3.1	0.0	0.0
127.0	45.0	3.3	-	0.0	0.0	-	0.0	13.0	-	0.0	0.0	2.9
127.0	50.0	2.6	-	0.0	3.1	-	0.0	3.1	-	0.0	1.4	0.0
127.0	55.0	15.3	-	2.9	3.3	-	0.0	0.0	-	0.0	0.0	0.0
127.0	60.0	0.0	-	0.0	29.0	-	0.0	0.0	-	0.0	0.0	0.0
127.0	65.0	0.0	-	0.0	3.4	-	0.0	-	-	-	-	-
127.0	70.0	0.0	-	-	3.3	-	6.0	-	-	-	-	-
127.0	80.0	9.7	-	-	-	-	8.1	-	-	-	-	-
130.0	40.0	0.0	-	0.0	0.0	-	0.0	6.2	-	0.0	0.0	0.0
130.0	45.0	2.8	-	3.5	13.6	-	2.6	44.9	-	0.0	0.0	3.0
130.0	50.0	0.0	-	0.0	0.0	-	2.8	12.8	-	0.0	0.0	3.1
130.0	55.0	0.0	-	3.0	7.0	-	2.9	8.6	-	0.0	0.0	2.6
130.0	60.0	2.9	-	3.6	10.0	-	8.4	26.4	-	0.0	0.0	0.0
130.0	65.0	-	-	-	10.9	-	8.7	-	-	-	-	-
130.0	70.0	6.5	-	-	0.0	-	10.6	-	-	-	-	-
130.0	80.0	18.6	-	-	-	-	19.0	-	-	-	-	-
130.0	90.0	0.0	-	-	-	-	10.4	-	-	-	-	-
133.0	35.0	0.0	-	0.0	0.0	-	0.0	7.0	-	3.0	0.0	0.0
133.0	40.0	6.1	-	0.0	0.0	-	14.3	13.4	-	0.0	0.0	2.9
133.0	45.0	17.1	-	0.0	0.0	-	5.8	16.5	-	0.0	0.0	-
133.0	50.0	2.8	-	3.9	0.0	-	0.0	3.2	-	0.0	0.0	-
133.0	55.0	6.0	-	3.8	0.0	-	2.8	0.0	-	2.6	-	-

TABLE 4. (cont.)

Lampanyctus spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
133.0	60.0	5.9	-	2.9	7.0	-	8.8	0.0	-	0.0	0.0	-
137.0	30.0	0.0	-	0.0	0.0	-	2.9	3.1	-	0.0	0.0	0.0
137.0	35.0	2.8	-	0.0	0.0	-	0.0	46.6	-	2.5	0.0	0.0
137.0	40.0	3.0	-	3.9	0.0	-	0.0	6.0	-	0.0	3.2	0.0
137.0	45.0	5.9	-	0.0	7.0	-	-	11.3	-	5.7	-	-
137.0	50.0	0.0	-	0.0	3.3	-	2.9	3.0	-	0.0	5.8	-
137.0	55.0	0.0	-	26.3	0.0	-	0.0	15.3	-	0.0	-	-
137.0	60.0	6.1	-	0.0	9.9	-	2.6	6.2	-	0.0	0.0	-
140.0	60.0	-	-	-	-	-	-	-	-	0.0	21.4	-
143.0	30.0	-	-	-	-	-	-	-	-	-	8.8	-
143.0	40.0	-	-	-	-	-	-	-	-	-	6.1	-
143.0	50.0	-	-	-	-	-	-	-	-	-	8.7	-
143.0	60.0	-	-	-	-	-	-	-	-	-	12.6	-
147.0	20.0	-	-	-	-	-	-	-	-	-	3.2	-
147.0	25.0	-	-	-	-	-	-	-	-	-	3.0	-
147.0	50.0	-	-	-	-	-	-	-	-	-	6.0	-
147.0	60.0	-	-	-	-	-	-	-	-	-	12.2	-
150.0	19.0	-	-	-	-	-	-	-	-	-	4.6	-
150.0	25.0	-	-	-	-	-	-	-	-	-	14.9	-
150.0	30.0	-	-	-	-	-	-	-	-	-	12.5	-
150.0	50.0	-	-	-	-	-	-	-	-	-	5.9	-
150.0	60.0	-	-	-	-	-	-	-	-	-	6.2	-
153.0	20.0	-	-	-	-	-	-	-	-	-	11.9	-
153.0	40.0	-	-	-	-	-	-	-	-	-	2.9	-
153.0	50.0	-	-	-	-	-	-	-	-	-	29.1	-
153.0	60.0	-	-	-	-	-	-	-	-	-	82.3	-

Lampanyctus regalis

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	60.0	0.0	-	0.0	-	2.8	0.0	-	-	0.0	-	0.0
60.0	70.0	0.0	-	0.0	-	0.0	9.6	-	-	0.0	-	0.0
60.0	80.0	0.0	-	-	-	6.0	3.2	-	-	0.0	-	0.0
60.0	90.0	0.0	-	-	-	0.0	3.6	-	-	0.0	-	0.0
63.0	80.0	-	-	-	-	0.0	3.4	-	-	0.0	-	-
67.0	65.0	-	-	0.0	-	6.4	-	-	-	-	-	-
70.0	65.0	-	-	0.0	-	6.4	-	-	-	-	-	-
70.0	70.0	0.0	-	0.0	-	0.0	3.1	-	-	0.0	-	0.0
70.0	90.0	0.0	-	-	-	3.0	0.0	-	-	0.0	-	0.0
73.0	60.0	0.0	-	0.0	-	3.2	0.0	-	-	3.0	-	0.0
73.0	65.0	-	-	-	-	3.3	-	-	-	-	-	-
73.0	70.0	-	-	0.0	-	6.4	3.6	-	-	0.0	-	0.0
73.0	80.0	-	-	0.0	-	6.3	0.0	-	-	0.0	-	-
73.0	90.0	-	-	0.0	-	6.6	0.0	-	-	-	-	-
77.0	70.0	-	-	0.0	-	9.1	0.0	-	-	0.0	-	0.0

TABLE 4. (cont.)

Lampanyctus regalis (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
77.0	80.0	0.0	-	0.0	-	0.0	3.4	-	-	0.0	-	-
80.0	65.0	0.0	-	0.0	-	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	80.0	0.0	-	0.0	6.9	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	43.0	0.0	-	0.0	5.9	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	60.0	0.0	-	0.0	0.0	2.8	0.0	0.0	0.0	0.0	-	0.0
83.0	70.0	0.0	-	0.0	0.0	0.0	0.0	3.2	0.0	0.0	-	0.0
83.0	80.0	0.0	-	0.0	3.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	90.0	0.0	-	0.0	3.4	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	65.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	3.1	-	0.0
87.0	70.0	0.0	0.0	-	7.1	0.0	3.0	0.0	0.0	0.0	-	0.0
87.0	90.0	0.0	0.0	-	-	5.8	0.0	0.0	0.0	0.0	-	0.0
90.0	53.0	-	0.0	-	3.7	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	60.0	-	0.0	-	2.0	2.8	-	0.0	0.0	0.0	-	0.0
93.0	70.0	0.0	0.0	-	1.7	6.2	0.0	0.0	0.0	-	-	0.0
93.0	80.0	0.0	0.0	-	1.9	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	90.0	0.0	0.0	-	0.0	0.0	3.1	0.0	0.0	0.0	-	0.0
97.0	70.0	0.0	0.0	-	0.0	3.3	0.0	0.0	0.0	0.0	-	0.0
100.0	50.0	0.0	-	0.0	0.0	0.0	0.0	0.0	6.0	0.0	-	0.0
100.0	55.0	0.0	-	3.6	3.5	0.0	0.0	0.0	-	0.0	-	0.0
100.0	80.0	0.0	-	3.5	0.0	0.0	0.0	-	-	-	-	0.0
103.0	90.0	0.0	-	0.0	3.1	0.0	0.0	-	-	-	-	0.0
107.0	80.0	0.0	-	3.5	0.0	-	0.0	0.0	0.0	0.0	-	0.0

Lampanyctus ritteri

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	60.0	-	-	0.0	-	2.8	0.0	-	-	0.0	-	0.0
60.0	65.0	-	-	11.8	-	3.2	-	-	-	0.0	-	0.0
60.0	70.0	-	-	0.0	-	0.0	44.8	-	-	3.3	-	0.0
60.0	80.0	-	-	-	-	12.0	38.8	-	-	5.0	-	0.0
60.0	90.0	-	-	-	-	3.7	0.0	-	-	0.0	-	4.8
63.0	60.0	-	-	0.0	-	0.0	3.3	-	-	0.0	-	0.0
63.0	65.0	-	-	23.4	-	8.5	-	-	-	-	-	0.0
63.0	70.0	-	-	13.9	-	0.0	0.0	-	-	-	-	0.0
63.0	80.0	-	-	-	-	0.0	6.9	-	-	3.0	-	0.0
67.0	55.0	-	-	0.0	-	33.5	0.0	-	-	0.0	-	0.0
67.0	60.0	-	-	0.0	-	3.1	0.0	-	-	-	-	0.0
67.0	65.0	-	-	0.0	-	6.4	-	-	-	3.4	-	0.0
67.0	70.0	-	-	5.9	-	0.0	0.0	-	-	0.0	-	0.0
67.0	80.0	-	-	0.0	-	13.0	6.7	-	-	0.0	-	0.0
67.0	90.0	-	-	-	-	6.4	0.0	-	-	0.0	-	0.0
70.0	51.0	-	-	2.9	-	3.0	0.0	-	-	0.0	-	0.0
70.0	53.0	-	-	3.0	-	0.0	0.0	-	-	0.0	-	0.0

TABLE 4. (cont.)

Lampanyctus ritteri (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
70.0	60.0	0.0	-	12.4	-	0.0	0.0	-	-	-	-	0.0
70.0	65.0	0.0	-	31.8	-	12.7	-	-	-	-	-	-
70.0	70.0	0.0	-	64.5	-	3.2	9.4	-	-	0.0	-	0.0
70.0	80.0	3.6	-	33.0	-	3.3	0.0	-	-	0.0	-	0.0
70.0	90.0	3.5	-	-	-	6.1	0.0	-	-	0.0	-	3.1
73.0	53.0	0.0	-	3.0	-	0.0	0.0	-	-	0.0	-	0.0
73.0	60.0	0.0	-	8.6	-	3.2	0.0	-	-	3.0	-	0.0
73.0	65.0	-	-	-	-	6.5	-	-	-	-	-	0.0
73.0	70.0	-	-	16.8	-	12.8	0.0	-	-	0.0	-	0.0
73.0	80.0	-	-	22.2	-	3.1	0.0	-	-	0.0	-	-
73.0	90.0	-	-	25.7	-	13.2	0.0	-	-	0.0	-	-
77.0	51.0	-	-	0.0	-	7.0	0.0	-	-	3.3	-	0.0
77.0	55.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
77.0	60.0	3.4	-	8.2	-	0.0	0.0	-	-	0.0	-	0.0
77.0	65.0	-	-	13.4	-	0.0	-	-	-	-	-	-
77.0	70.0	-	-	11.0	-	6.1	0.0	-	-	0.0	-	0.0
77.0	80.0	-	-	17.0	-	0.0	13.6	-	-	0.0	-	-
77.0	90.0	0.0	-	11.4	-	0.0	0.0	-	-	0.0	-	-
80.0	51.0	0.0	-	0.0	2.1	0.0	0.0	1.8	0.0	0.0	-	0.0
80.0	55.0	1.6	-	0.0	3.1	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	60.0	0.0	-	10.1	10.6	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	65.0	1.7	-	0.0	10.4	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	70.0	8.4	-	9.5	3.3	3.0	3.1	0.0	0.0	0.0	-	0.0
80.0	75.0	5.8	-	24.1	3.3	17.3	0.0	17.3	9.5	0.0	-	6.5
80.0	80.0	5.9	-	6.1	0.0	16.6	3.3	19.9	6.4	0.0	-	0.0
80.0	90.0	20.6	-	5.5	0.0	3.0	3.2	3.3	0.0	15.3	-	0.0
80.0	100.0	1.4	-	-	-	-	-	-	-	-	-	-
83.0	51.0	0.0	-	0.0	3.1	0.0	0.0	0.0	0.0	0.0	-	2.9
83.0	55.0	0.0	-	0.0	0.0	0.0	0.0	0.0	2.8	0.0	-	0.0
83.0	60.0	0.0	-	3.0	0.0	2.8	0.0	9.0	0.0	0.0	-	0.0
83.0	65.0	21.1	-	3.0	0.0	6.1	6.7	9.4	0.0	0.0	-	0.0
83.0	70.0	15.4	-	9.4	0.0	0.0	0.0	0.0	0.0	3.7	-	0.0
83.0	75.0	1.6	-	91.3	0.0	3.0	0.0	6.0	6.4	3.5	-	0.0
83.0	80.0	1.6	-	88.2	20.6	5.5	0.0	6.1	0.0	3.3	-	-
83.0	90.0	0.0	-	5.4	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	50.0	6.1	-	3.1	3.3	2.7	0.0	0.0	0.0	0.0	-	0.0
87.0	55.0	0.0	-	47.6	0.0	17.4	12.8	18.8	0.0	0.0	-	0.0
87.0	60.0	0.0	-	13.8	6.2	0.0	6.4	0.0	3.1	0.0	-	0.0
87.0	65.0	13.7	-	-	11.3	3.0	0.0	0.0	0.0	0.0	-	3.3
87.0	70.0	3.1	71.0	-	7.3	0.0	0.0	0.0	0.0	0.0	-	11.8
87.0	75.0	5.9	10.0	-	24.8	0.0	0.0	3.2	12.2	0.0	-	-
87.0	80.0	22.5	-	-	0.0	0.0	0.0	0.0	5.7	0.0	-	0.0
87.0	85.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	13.3	-	0.0
90.0	32.0	0.0	0.0	-	0.0	0.0	6.6	3.5	0.0	0.0	-	0.0
90.0	37.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	45.0	0.0	0.0	-	0.0	2.8	0.0	0.0	0.0	0.0	-	0.0
90.0	50.0	3.3	-	-	23.9	-	-	0.0	-	-	-	-
90.0	55.0	-	2.9	-	-	11.6	0.0	-	-	0.0	-	-
90.0	53.0	-	-	-	-	-	-	-	-	-	-	-

TABLE 4. (cont.)

Lampanyctus ritteri (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
90.0	55.0	0.0	3.1	—	23.2	—	—	0.0	3.4	—	—	—
90.0	60.0	3.4	—	—	7.3	0.0	0.0	0.0	0.0	0.0	—	5.7
90.0	65.0	35.2	13.3	—	13.5	2.7	0.0	0.0	0.0	0.0	—	0.0
90.0	70.0	3.3	38.2	—	7.0	9.8	0.0	10.7	0.0	—	—	3.3
90.0	80.0	3.0	13.3	—	30.1	2.8	0.0	3.1	0.0	16.0	—	6.0
90.0	90.0	3.2	9.8	—	—	0.0	0.0	9.6	3.5	0.0	—	0.0
90.0	97.0	—	—	—	—	—	—	13.4	6.2	—	—	2.5
90.0	100.0	10.1	—	—	—	—	2.9	—	—	3.0	—	—
90.0	110.0	—	—	—	—	—	—	—	—	0.0	—	9.2
90.0	120.0	—	—	—	—	—	—	—	—	0.0	—	3.2
93.0	27.0	7.4	—	—	0.0	0.0	0.0	3.6	0.0	0.0	—	0.0
93.0	30.0	0.0	6.4	—	0.0	0.0	0.0	0.0	3.0	0.0	—	0.0
93.0	35.0	0.0	0.0	—	0.0	0.0	0.0	0.0	3.1	0.0	—	0.0
93.0	40.0	3.1	14.1	—	5.1	0.0	—	0.0	0.0	9.6	—	0.0
93.0	45.0	15.1	3.0	—	0.0	0.0	0.0	6.6	3.0	0.0	—	0.0
93.0	50.0	2.8	9.7	—	5.3	0.0	0.0	3.5	3.3	0.0	—	0.0
93.0	55.0	0.0	12.6	—	14.4	0.0	0.0	0.0	0.0	2.9	—	0.0
93.0	60.0	36.7	18.3	—	1.7	9.1	0.0	0.0	6.4	0.0	—	0.0
93.0	65.0	25.0	0.0	—	0.0	0.0	0.0	0.0	6.5	0.0	—	0.0
93.0	70.0	0.0	0.0	—	1.7	16.9	0.0	0.0	0.0	0.0	—	0.0
93.0	75.0	3.0	2.7	—	31.4	15.4	0.0	0.0	0.0	—	—	3.3
93.0	80.0	0.0	18.1	—	18.4	24.8	—	—	0.0	0.0	—	0.0
93.0	90.0	33.4	24.1	—	6.8	—	—	—	—	0.0	—	0.0
93.0	100.0	—	—	0.0	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
97.0	30.0	1.5	—	—	0.0	—	—	—	0.0	0.0	—	0.0
97.0	35.0	0.0	0.0	—	0.0	—	—	—	0.0	0.0	—	10.2
97.0	40.0	3.5	24.7	—	0.0	0.0	0.0	3.1	0.0	0.0	0.0	0.0
97.0	45.0	9.5	17.6	—	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
97.0	50.0	25.8	34.2	—	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0
97.0	55.0	3.0	9.3	—	11.8	3.3	0.0	0.0	9.1	1.9	—	0.0
97.0	60.0	0.0	6.2	—	17.6	7.5	0.0	0.0	6.5	0.0	—	0.0
97.0	65.0	15.1	8.6	—	3.6	6.0	3.1	5.8	0.0	0.0	—	0.0
97.0	70.0	0.0	24.9	—	0.0	2.9	0.0	5.8	0.0	0.0	—	10.8
97.0	75.0	35.6	62.7	—	0.0	—	—	0.0	0.0	0.0	—	—
97.0	80.0	5.4	40.7	—	0.0	0.0	0.0	0.0	—	—	—	—
97.0	90.0	6.6	—	0.0	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
100.0	29.0	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
100.0	30.0	3.0	—	8.1	0.0	0.0	0.0	9.5	3.2	0.0	0.0	0.0
100.0	35.0	0.0	—	5.8	19.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
100.0	40.0	9.2	—	11.2	0.0	6.7	0.0	0.0	0.0	0.0	0.0	0.0
100.0	45.0	19.6	—	0.0	3.2	6.5	0.0	0.0	3.2	0.0	0.0	5.5
100.0	50.0	8.8	—	6.2	0.0	10.0	0.0	0.0	0.0	0.0	0.0	8.3
100.0	55.0	3.6	—	7.0	0.0	6.6	0.0	0.0	3.0	0.0	—	2.6
100.0	60.0	15.2	—	15.3	3.9	0.0	0.0	0.0	0.0	0.0	—	0.0
100.0	65.0	8.7	—	0.0	3.8	0.0	3.6	2.8	0.0	0.0	—	0.0
100.0	70.0	10.5	—	10.8	14.7	0.0	0.0	—	0.0	0.0	—	0.0
100.0	75.0	21.8	—	0.0	0.0	6.5	0.0	—	—	0.0	—	—
100.0	80.0	—	—	31.3	0.0	0.0	0.0	—	—	—	—	—
100.0	90.0	0.0	—	—	—	0.0	0.0	—	—	—	—	—

TABLE 4. (cont.)

Lampanyctus ritteri (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
100.0	100.0	0.0	-	0.0	-	-	3.1	1.6	-	0.0	-	0.0
103.0	29.0	0.0	-	0.0	0.0	-	0.0	14.7	0.0	0.0	-	0.0
103.0	30.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
103.0	35.0	0.0	-	16.3	3.3	-	0.0	0.0	0.0	0.0	0.0	2.5
103.0	40.0	0.0	-	10.5	9.3	-	3.3	0.0	0.0	0.0	0.0	0.0
103.0	45.0	0.0	-	6.1	3.7	-	0.0	0.0	0.0	0.0	0.0	0.0
103.0	50.0	9.9	-	14.8	6.5	27.0	0.0	0.0	0.0	-	-	0.0
103.0	55.0	3.0	-	11.6	20.5	10.4	0.0	0.0	0.0	0.0	-	2.5
103.0	60.0	16.0	-	3.0	19.5	0.0	6.5	0.0	6.5	0.0	-	0.0
103.0	65.0	9.1	-	5.6	27.9	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	70.0	11.8	-	6.0	6.3	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	80.0	3.0	-	7.2	3.1	0.0	0.0	-	-	-	-	0.0
103.0	90.0	-	-	16.2	0.0	0.0	-	0.0	0.0	0.0	-	0.0
107.0	31.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	32.0	0.0	-	0.0	0.0	-	0.0	3.0	0.0	0.0	-	0.0
107.0	35.0	0.0	-	0.0	3.5	-	0.0	13.4	0.0	0.0	0.0	0.0
107.0	40.0	0.0	-	25.7	0.0	-	0.0	3.1	0.0	0.0	0.0	0.0
107.0	45.0	3.1	-	7.3	6.6	-	0.0	0.0	0.0	0.0	0.0	0.0
107.0	50.0	0.0	-	20.3	14.2	-	6.0	3.3	0.0	0.0	-	0.0
107.0	55.0	0.0	-	7.3	16.8	-	0.0	0.0	12.3	0.0	-	0.0
107.0	60.0	3.3	-	10.6	13.2	-	0.0	0.0	9.1	0.0	-	0.0
107.0	65.0	2.8	-	0.0	12.9	-	0.0	0.0	0.0	0.0	-	2.8
107.0	70.0	0.0	-	9.3	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	80.0	9.2	-	0.0	0.0	-	15.9	0.0	0.0	-	-	0.0
107.0	90.0	-	-	8.6	0.0	-	0.0	-	-	0.0	0.0	3.0
110.0	35.0	0.0	-	0.0	0.0	-	-	0.0	0.0	0.0	0.0	0.0
110.0	40.0	0.0	-	0.0	23.3	-	-	0.0	0.0	6.8	0.0	0.0
110.0	45.0	2.7	-	5.9	19.9	-	6.3	0.0	0.0	0.0	0.0	0.0
110.0	50.0	5.9	-	23.9	14.0	-	5.2	0.0	0.0	0.0	-	0.0
110.0	55.0	5.7	-	16.4	3.5	-	9.5	0.0	0.0	0.0	-	0.0
110.0	60.0	20.8	-	8.7	10.1	-	6.0	0.0	0.0	3.1	-	0.0
110.0	65.0	19.5	-	3.2	3.2	-	0.0	0.0	0.0	0.0	-	0.0
110.0	70.0	2.8	-	2.9	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0	80.0	6.1	-	0.0	3.1	-	0.0	6.0	0.0	-	-	15.1
110.0	90.0	8.4	-	0.0	0.0	-	-	-	-	-	-	-
113.0	35.0	12.4	-	9.5	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
113.0	40.0	3.2	-	13.3	0.0	-	0.0	0.0	0.0	6.5	0.0	4.9
113.0	45.0	0.0	-	11.6	0.0	-	0.0	0.0	0.0	0.0	0.0	5.2
113.0	50.0	0.0	-	5.7	6.6	-	3.2	0.0	0.0	0.0	-	0.0
113.0	55.0	5.8	-	0.0	9.4	-	0.0	0.0	2.9	0.0	-	0.0
113.0	65.0	13.4	-	12.5	6.8	-	3.3	0.0	0.0	3.0	-	0.0
113.0	70.0	0.0	-	3.6	37.3	-	6.3	0.0	0.0	0.0	-	0.0
113.0	80.0	0.0	-	9.5	0.0	-	0.0	0.0	0.0	-	-	0.0
117.0	26.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	2.7	0.0
117.0	30.0	0.0	-	2.7	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
117.0	35.0	0.0	-	0.0	3.0	-	0.0	0.0	3.3	0.0	0.0	4.2

TABLE 4. (cont.)

Lampanyctus ritteri (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
117-0	40.0	5.3	0.0	0.0	6.4	-	0.0	0.0	0.0	0.0	-	0.0
117-0	45.0	3.2	0.0	0.0	0.0	-	3.1	0.0	0.0	0.0	0.0	0.0
117-0	50.0	2.9	2.9	3.1	0.0	-	3.1	0.0	0.0	0.0	-	0.0
117-0	55.0	0.0	3.1	0.0	3.3	-	0.0	0.0	0.0	0.0	-	0.0
117-0	60.0	0.0	2.8	0.0	0.0	-	3.1	0.0	0.0	0.0	-	5.8
117-0	65.0	2.9	0.0	0.0	9.6	-	0.0	0.0	0.0	0.0	-	0.0
117-0	70.0	0.0	0.0	6.3	0.0	-	0.0	0.0	0.0	0.0	-	2.6
117-0	80.0	0.0	-	0.0	0.0	-	0.0	-	-	-	-	5.6
120-0	45.0	0.0	0.0	0.0	0.0	-	9.9	0.0	0.0	0.0	0.0	0.0
120-0	50.0	0.0	3.3	0.0	3.0	-	0.0	0.0	0.0	0.0	-	0.0
120-0	55.0	5.7	0.0	0.0	3.5	-	0.0	0.0	0.0	0.0	-	0.0
120-0	60.0	0.0	8.7	3.6	3.0	-	0.0	0.0	0.0	-	-	0.0
120-0	65.0	2.3	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
120-0	90.0	8.1	-	-	-	-	-	0.0	-	-	-	-
123-0	40.0	0.0	-	-	3.3	-	-	0.0	-	-	0.0	0.0
123-0	45.0	0.0	-	0.0	6.8	-	0.0	0.0	-	0.0	0.0	0.0
123-0	50.0	0.0	-	0.0	3.4	-	0.0	0.0	-	0.0	0.0	2.7
127-0	55.0	3.1	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
130-0	35.0	0.0	-	0.0	2.7	-	0.0	0.0	-	0.0	0.0	0.0
133-0	45.0	0.0	-	0.0	10.2	-	0.0	0.0	-	0.0	-	-
133-0	50.0	0.0	-	0.0	3.4	-	0.0	0.0	-	0.0	0.0	-

Notolichnus valdiviae

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
90-0	80.0	-	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	3.0
90-0	120.0	0.0	-	-	-	-	-	-	-	2.8	-	0.0
90-0	130.0	-	-	-	-	-	-	-	-	-	-	3.0
93-0	130.0	-	-	-	-	-	-	-	-	-	-	2.6
94-0	139.0	-	-	-	-	-	-	-	-	-	-	3.0
100-0	45.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0
100-0	70.0	0.0	-	0.0	3.7	0.0	0.0	0.0	0.0	0.0	-	0.0
100-0	80.0	0.0	-	14.4	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100-0	90.0	0.0	-	0.0	0.0	0.0	3.5	-	-	-	-	-
103-0	65.0	0.0	-	0.0	0.0	0.0	2.5	0.0	0.0	0.0	-	0.0
103-0	70.0	0.0	-	0.0	0.0	0.0	3.0	0.0	0.0	0.0	-	0.0
103-0	80.0	0.0	-	0.0	0.0	0.0	0.0	-	-	-	-	0.0
103-0	90.0	0.0	-	3.2	3.2	0.0	-	-	-	-	-	0.0
107-0	55.0	0.0	-	0.0	3.4	-	0.0	0.0	0.0	0.0	-	0.0
107-0	70.0	0.0	0.0	2.9	0.0	-	0.0	0.0	0.0	0.0	-	2.5
107-0	90.0	-	-	-	0.0	-	0.0	0.0	0.0	-	-	-
110-0	60.0	0.0	0.0	0.0	0.0	-	3.0	0.0	0.0	0.0	-	0.0
110-0	65.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
113-0	60.0	0.0	0.0	0.0	-	-	0.0	0.0	2.8	0.0	-	0.0
113-0	80.0	0.0	-	0.0	3.4	-	0.0	0.0	-	-	-	0.0

TABLE 4. (cont.)

Notolynchus valdiviae (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
153.0 60.0	-	-	-	-	-	-	-	-	-	-	3.0	-

Notoscopelus resplendens

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
90.0 90.0	-	0.0	4.9	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0 100.0	-	0.0	-	-	-	0.0	0.0	-	0.0	3.0	-	-
93.0 80.0	0.0	0.0	0.0	-	1.7	0.0	0.0	0.0	0.0	-	-	0.0
97.0 45.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	6.5	0.0	0.0	0.0
97.0 55.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0
100.0 60.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	6.5	-	0.0
100.0 65.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.1	8.8	-	0.0
100.0 70.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	9.5	3.5	-	0.0
100.0 90.0	0.0	-	-	3.5	0.0	0.0	0.0	-	-	-	-	-
100.0 100.0	3.0	-	-	-	-	-	0.0	-	-	-	-	-
103.0 60.0	0.0	0.0	-	3.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0 65.0	0.0	0.0	-	0.0	0.0	0.0	7.6	3.0	0.0	0.0	-	0.0
103.0 70.0	3.0	0.0	-	0.0	3.2	0.0	8.9	3.0	0.0	11.6	-	0.0
103.0 80.0	0.0	3.2	-	0.0	0.0	0.0	0.0	-	-	-	-	0.0
103.0 90.0	-	-	-	9.7	0.0	0.0	-	-	-	-	-	-
107.0 32.0	0.0	0.0	-	0.0	0.0	-	0.0	0.0	3.3	0.0	-	0.0
107.0 45.0	0.0	0.0	-	0.0	3.3	-	0.0	0.0	0.0	0.0	0.0	0.0
107.0 55.0	0.0	0.0	-	0.0	0.0	-	3.2	0.0	0.0	0.0	-	0.0
107.0 60.0	3.0	0.0	-	3.5	6.6	-	0.0	0.0	3.0	0.0	-	0.0
107.0 65.0	0.0	-	0.0	3.9	0.0	-	0.0	0.0	15.5	0.0	-	0.0
107.0 70.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	3.1	3.3	-	0.0
107.0 80.0	0.0	-	0.0	0.0	3.1	-	0.0	-	-	-	-	0.0
107.0 90.0	-	-	-	5.7	0.0	-	-	-	-	-	-	-
110.0 45.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	3.3	0.0	0.0	0.0
110.0 55.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	3.3	-	0.0
110.0 65.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	6.0	7.1	-	0.0
110.0 70.0	0.0	-	0.0	0.0	0.0	-	0.0	3.0	12.3	6.8	-	0.0
113.0 35.0	0.0	-	0.0	0.0	0.0	-	0.0	3.1	0.0	3.3	0.0	0.0
113.0 40.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	3.3	-	0.0
113.0 45.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	5.8	0.0	0.0
113.0 50.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	3.0	0.0	-	0.0
113.0 55.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
113.0 60.0	0.0	-	0.0	0.0	3.1	-	0.0	0.0	0.0	3.2	-	0.0
117.0 45.0	0.0	-	0.0	0.0	-	-	0.0	0.0	0.0	2.8	0.0	0.0
117.0 50.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	2.8	-	0.0
117.0 60.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	2.9	-	0.0
127.0 55.0	-	0.0	-	0.0	0.0	-	0.0	0.0	-	3.1	-	0.0
130.0 50.0	-	0.0	-	0.0	0.0	-	0.0	3.2	-	0.0	0.0	0.0
130.0 80.0	-	0.0	-	-	-	-	2.7	-	-	-	-	-

TABLE 4. (cont.)

Stenobrachius leucopsarus

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	50.0	4.3	-	0.0	-	0.0	0.0	-	-	0.0	-	2.4
60.0	52.0	15.8	-	28.0	-	0.0	0.0	-	-	0.0	-	0.0
60.0	55.0	203.0	-	64.0	-	12.8	12.6	-	-	3.0	-	7.9
60.0	60.0	17.7	-	0.0	-	34.0	19.1	-	-	0.0	-	10.9
60.0	65.0	0.0	-	207.2	-	119.5	-	-	-	-	-	-
60.0	70.0	0.0	-	188.4	-	103.3	41.6	-	-	0.0	-	14.9
60.0	80.0	13.9	-	-	-	663.8	29.1	-	-	0.0	-	9.0
60.0	90.0	0.0	-	-	-	18.5	0.0	-	-	0.0	-	2.4
60.0	100.0	6.6	-	-	-	-	-	-	-	-	-	-
63.0	50.0	16.3	-	0.0	-	1.2	0.0	-	-	0.0	-	0.0
63.0	52.0	71.0	-	0.0	-	0.0	0.0	-	-	0.0	-	14.6
63.0	55.0	2.5	-	183.5	-	0.0	11.3	-	-	0.0	-	2.5
63.0	60.0	23.2	-	185.0	-	64.6	0.0	-	-	0.0	-	18.4
63.0	65.0	-	-	2055.7	-	82.4	-	-	-	-	-	-
63.0	70.0	-	-	307.5	-	31.7	0.0	-	-	-	-	0.0
63.0	80.0	-	-	-	-	165.5	20.6	-	-	0.0	-	-
63.0	90.0	-	-	-	-	17.5	0.0	-	-	0.0	-	-
63.0	100.0	-	-	-	-	0.0	-	-	-	0.0	-	-
67.0	48.0	36.2	-	13.9	-	0.0	0.0	-	-	0.0	-	0.0
67.0	50.0	53.0	-	291.9	-	0.0	0.0	-	-	2.9	-	14.3
67.0	55.0	28.6	-	136.8	-	36.6	0.0	-	-	0.0	-	23.4
67.0	60.0	-	-	-	-	-	-	-	-	3.2	-	-
67.0	65.0	109.2	-	166.9	-	21.5	0.0	-	-	-	-	33.5
67.0	70.0	-	-	393.4	-	6.4	-	-	-	0.0	-	5.8
67.0	80.0	-	-	209.4	-	0.0	24.3	-	-	3.4	-	-
67.0	90.0	-	-	16.7	-	6.4	0.0	-	-	0.0	-	-
67.0	100.0	-	-	-	-	-	-	-	-	-	-	-
70.0	50.0	409.6	-	319.4	-	15.1	0.0	-	-	0.0	-	8.3
70.0	51.0	1021.1	-	246.0	-	37.0	0.0	-	-	0.0	-	0.0
70.0	53.0	12.1	-	350.3	-	50.1	14.2	-	-	0.0	-	10.2
70.0	60.0	0.0	-	271.7	-	12.7	-	-	-	-	-	-
70.0	65.0	0.0	-	652.2	-	19.3	0.0	-	-	0.0	-	6.1
70.0	70.0	0.0	-	81.0	-	0.0	0.0	-	-	0.0	-	5.8
70.0	80.0	3.6	-	-	-	9.1	0.0	-	-	0.0	-	3.1
70.0	90.0	3.5	-	-	-	-	-	-	-	-	-	-
70.0	100.0	2.6	-	-	-	-	-	-	-	-	-	-
73.0	50.0	-	-	225.1	-	8.1	0.0	-	-	0.0	-	0.0
73.0	53.0	39.4	-	302.9	-	13.3	0.0	-	-	0.0	-	0.0
73.0	60.0	18.7	-	94.0	-	6.3	0.0	-	-	0.0	-	0.0
73.0	70.0	-	-	117.6	-	0.0	0.0	-	-	0.0	-	-
73.0	80.0	-	-	235.4	-	12.6	0.0	-	-	0.0	-	-
73.0	90.0	-	-	74.4	-	53.0	0.0	-	-	-	-	-
77.0	48.0	7.3	-	29.9	-	2.5	0.0	-	-	0.0	-	0.0
77.0	51.0	-	-	187.9	-	27.0	0.0	-	-	0.0	-	87.6
77.0	55.0	25.9	-	52.9	-	14.0	0.0	-	-	0.0	-	9.0
77.0	60.0	-	-	378.1	-	6.5	0.0	-	-	3.0	-	2.9
77.0	65.0	-	-	1046.6	-	12.2	-	-	-	-	-	-
77.0	70.0	-	-	476.8	-	9.1	0.0	-	-	0.0	-	3.0

TABLE 4. (cont.)

Stenobrachius leucopsarus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
77.0	80.0	12.9	-	289.7	-	26.8	0.0	-	-	0.0	-	-
77.0	90.0	3.4	-	39.8	-	0.0	0.0	-	-	0.0	-	-
80.0	51.0	-	-	470.8	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	52.0	13.6	-	249.3	241.8	3.1	0.0	0.0	0.0	0.0	-	6.2
80.0	55.0	62.5	-	217.8	34.5	35.0	0.0	0.0	0.0	0.0	-	0.0
80.0	60.0	254.8	-	114.0	24.1	51.1	0.0	0.0	0.0	0.0	-	0.0
80.0	65.0	82.0	-	166.1	85.7	6.0	0.0	3.3	0.0	0.0	-	0.0
80.0	70.0	166.1	-	179.6	6.6	40.5	0.0	24.2	0.0	0.0	-	9.8
80.0	80.0	64.3	-	54.5	49.3	0.0	0.0	13.3	0.0	0.0	-	0.0
80.0	80.0	11.5	-	82.5	143.5	0.0	0.0	6.6	0.0	0.0	-	0.0
80.0	90.0	10.9	-	396.0	322.9	0.0	0.0	0.0	0.0	0.0	-	20.8
82.0	47.0	22.5	-	0.7	14.1	0.0	-	0.0	0.0	0.0	-	0.0
83.0	40.0	1.0	-	39.9	502.7	0.0	0.0	0.0	0.0	3.1	-	0.0
83.0	43.0	37.8	-	43.7	52.9	8.2	0.0	0.0	0.0	0.0	-	0.0
83.0	51.0	101.0	-	137.7	40.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	55.0	48.4	-	298.0	84.6	46.9	0.0	0.0	0.0	0.0	-	0.0
83.0	60.0	32.6	-	162.5	50.9	27.5	0.0	0.0	0.0	0.0	-	0.0
83.0	65.0	24.3	-	0.0	27.7	28.3	0.0	0.0	0.0	0.0	-	0.0
83.0	70.0	26.2	-	156.5	17.8	3.0	0.0	0.0	0.0	0.0	-	0.0
83.0	80.0	17.0	-	14.7	48.2	0.0	3.2	0.0	0.0	0.0	-	0.0
83.0	90.0	3.2	-	-	5.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	33.0	55.5	-	82.9	86.3	0.0	0.0	0.0	0.0	0.0	-	2.5
87.0	35.0	98.8	-	44.5	128.3	0.0	0.0	0.0	0.0	0.0	-	3.7
87.0	40.0	63.0	-	88.0	114.5	0.0	0.0	0.0	0.0	0.0	-	3.0
87.0	45.0	124.7	-	81.6	2.7	11.2	2.7	0.0	0.0	0.0	-	0.0
87.0	50.0	81.6	-	25.1	46.3	31.9	0.0	3.1	0.0	0.0	-	0.0
87.0	55.0	9.2	-	35.7	10.4	17.4	0.0	0.0	0.0	0.0	-	0.0
87.0	60.0	6.9	-	6.9	90.5	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	65.0	10.3	-	-	15.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	70.0	57.5	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	80.0	0.0	6.7	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	90.0	0.0	86.7	-	102.7	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	28.0	6.0	49.6	-	9.9	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	32.0	71.0	67.6	-	30.9	10.0	0.0	0.0	0.0	0.0	-	0.0
90.0	37.0	25.4	165.8	-	45.8	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	45.0	13.0	34.7	-	87.4	14.0	0.0	0.0	0.0	0.0	-	0.0
90.0	50.0	10.4	-	-	105.7	-	-	0.0	0.0	0.0	-	0.0
90.0	53.0	13.2	46.7	-	-	5.8	0.0	-	0.0	0.0	-	0.0
90.0	55.0	-	-	-	53.0	-	-	0.0	0.0	0.0	-	0.0
90.0	60.0	9.4	15.6	-	14.7	5.7	0.0	0.0	0.0	0.0	-	0.0
90.0	65.0	16.9	6.7	-	6.8	0.0	0.0	3.6	0.0	0.0	-	0.0
90.0	70.0	28.8	27.8	-	10.5	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	80.0	0.0	26.6	-	0.0	0.0	0.0	0.0	0.0	2.9	-	0.0
90.0	90.0	3.0	0.0	-	13.4	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	27.0	0.0	0.0	-	10.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	27.0	257.9	7.4	-	11.7	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	28.0	151.6	26.5	-	8.0	8.8	0.0	0.0	0.0	0.0	-	0.0
93.0	30.0	0.0	9.6	-	-	0.0	0.0	0.0	0.0	0.0	-	0.0

TABLE 4. (cont.)

Stenobrachius leucopsarus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
93.0	35.0	6.7	8.1	-	30.1	2.8	0.0	0.0	0.0	0.0	-	3.0
93.0	40.0	0.0	0.0	-	28.6	26.1	-	0.0	0.0	0.0	-	0.0
93.0	45.0	3.0	0.0	-	6.7	14.8	0.0	0.0	9.1	0.0	-	0.0
93.0	50.0	11.1	0.0	-	26.8	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	55.0	11.8	15.1	-	111.3	12.5	0.0	0.0	0.0	0.0	-	0.0
93.0	60.0	6.0	18.3	-	34.2	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	65.0	3.0	0.0	-	3.3	5.4	0.0	0.0	0.0	0.0	-	0.0
93.0	70.0	0.0	0.0	-	0.0	0.0	-	0.0	0.0	-	-	0.0
93.0	75.0	0.0	0.0	-	24.7	6.2	0.0	0.0	0.0	-	-	0.0
93.0	80.0	0.0	0.0	-	16.6	8.3	0.0	-	-	0.0	-	0.0
93.0	85.0	0.0	-	-	10.2	-	-	-	-	0.0	-	0.0
93.0	90.0	-	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	95.0	1.4	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	100.0	0.0	19.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	29.0	0.0	-	-	-	0.0	0.0	-	-	0.0	-	0.0
97.0	30.0	7.7	42.0	-	-	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	32.0	-	-	-	3.3	-	0.0	0.0	0.0	0.0	0.0	0.0
97.0	35.0	0.0	5.9	-	16.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
97.0	40.0	0.0	5.5	-	17.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0
97.0	45.0	0.0	8.9	-	25.9	5.8	0.0	0.0	0.0	0.0	-	0.0
97.0	50.0	51.7	25.7	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	55.0	9.0	0.0	-	3.5	0.0	0.0	0.0	6.5	0.0	-	0.0
97.0	60.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	65.0	6.2	0.0	-	21.7	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	70.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	75.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	80.0	0.0	9.9	-	0.0	0.0	0.0	0.0	-	0.0	-	0.0
97.0	85.0	8.8	8.7	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	29.0	0.0	-	3.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	30.0	0.0	-	14.3	3.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	35.0	6.4	-	4.0	0.0	3.1	0.0	0.0	0.0	0.0	0.0	0.0
100.0	40.0	0.0	-	20.2	9.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
100.0	45.0	0.0	-	26.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
100.0	50.0	0.0	-	3.1	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	55.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	60.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	65.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	70.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	75.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	80.0	0.0	-	3.6	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	85.0	0.0	-	1.5	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	29.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
103.0	30.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
103.0	35.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
103.0	40.0	0.0	-	0.0	0.0	-	3.3	0.0	0.0	0.0	0.0	2.6
103.0	45.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
103.0	50.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	55.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	60.0	0.0	-	2.9	0.0	6.9	0.0	0.0	0.0	0.0	-	0.0
103.0	65.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	70.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	75.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	80.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	85.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
107.0	32.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	35.0	0.0	-	3.4	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
107.0	40.0	0.0	-	7.3	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
107.0	45.0	5.6	-	-	-	-	0.0	0.0	0.0	0.0	0.0	0.0

TABLE 4. (cont.)

Stenobrachius leucopsarus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
107.0	55.0	0.0	—	0.0	0.0	—	0.0	0.0	0.0	0.0	—	0.0
107.0	60.0	0.0	—	3.5	0.0	—	0.0	0.0	0.0	0.0	—	0.0
107.0	65.0	0.0	0.0	3.9	0.0	—	0.0	0.0	0.0	0.0	—	0.0
110.0	35.0	0.0	0.0	21.4	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0
110.0	40.0	0.0	—	37.7	0.0	—	—	0.0	0.0	0.0	—	0.0
110.0	60.0	0.0	2.9	0.0	0.0	—	0.0	0.0	0.0	0.0	—	0.0
110.0	80.0	0.0	3.1	0.0	0.0	—	0.0	—	—	—	—	0.0

Triphoturus mexicanus

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
73.0	90.0	—	—	0.0	—	9.9	0.0	—	—	—	—	—
80.0	51.0	—	—	0.0	20.9	0.0	0.0	0.0	0.0	0.0	—	0.0
80.0	52.0	0.0	—	0.0	0.0	0.0	0.0	0.0	20.5	3.7	—	0.0
80.0	55.0	0.0	—	0.0	0.0	0.0	0.0	3.2	0.0	0.0	—	0.0
80.0	65.0	0.0	—	0.0	0.0	3.0	0.0	0.0	0.0	0.0	—	0.0
80.0	70.0	0.0	—	0.0	0.0	0.0	0.0	0.0	6.3	3.2	—	0.0
80.0	80.0	0.0	—	0.0	0.0	0.0	3.3	0.0	6.4	0.0	—	0.0
80.0	90.0	0.0	—	0.0	0.0	3.0	3.2	0.0	25.4	0.0	—	0.0
83.0	40.0	0.0	—	0.0	0.0	0.0	—	4.6	0.0	0.0	—	0.0
83.0	43.0	0.0	—	0.0	0.0	0.0	0.0	12.9	0.0	0.0	—	0.0
83.0	51.0	0.0	—	0.0	0.0	0.0	0.0	3.5	5.4	15.4	—	0.0
83.0	55.0	0.0	—	0.0	0.0	0.0	0.0	7.0	11.1	3.8	—	0.0
83.0	65.0	0.0	—	0.0	0.0	0.0	3.3	15.7	6.5	7.1	—	0.0
83.0	80.0	0.0	—	0.0	3.0	0.0	0.0	0.0	0.0	3.5	—	0.0
83.0	90.0	0.0	—	0.0	0.0	0.0	0.0	6.1	3.1	3.3	—	0.0
87.0	33.0	0.0	—	—	0.0	0.0	0.0	8.6	5.2	0.0	—	0.0
87.0	35.0	0.0	—	0.0	0.0	5.4	12.5	3.4	39.3	9.5	—	0.0
87.0	40.0	0.0	—	0.0	0.0	0.0	0.0	31.7	32.9	7.0	—	3.7
87.0	45.0	0.0	—	0.0	0.0	0.0	0.0	11.1	13.2	3.9	—	0.0
87.0	50.0	0.0	—	0.0	2.7	0.0	2.7	21.6	15.1	0.0	—	0.0
87.0	55.0	0.0	—	0.0	0.0	0.0	7.1	15.7	9.9	0.0	—	0.0
87.0	60.0	0.0	—	0.0	0.0	0.0	48.2	0.0	0.0	0.0	—	0.0
87.0	65.0	0.0	—	0.0	0.0	2.9	3.2	0.0	0.0	9.4	—	0.0
87.0	70.0	0.0	0.0	0.0	3.8	9.1	30.3	0.0	0.0	3.4	—	0.0
87.0	80.0	0.0	0.0	—	0.0	17.4	26.5	9.7	0.0	0.0	—	0.0
87.0	90.0	0.0	0.0	—	10.6	31.1	0.0	16.0	21.3	3.2	—	0.0
90.0	28.0	0.0	0.0	—	2.8	—	0.0	49.6	6.8	9.3	—	0.0
90.0	30.0	—	—	—	—	—	—	59.4	—	—	—	—
90.0	32.0	—	0.0	—	—	10.0	55.3	30.1	40.2	6.9	—	0.0
90.0	37.0	0.0	0.0	—	0.0	0.0	32.8	20.7	16.4	113.2	—	0.0
90.0	45.0	0.0	0.0	—	0.0	2.8	—	8.9	9.7	2.8	—	0.0
90.0	50.0	0.0	0.0	—	0.0	—	0.0	19.3	3.2	—	—	0.0
90.0	53.0	0.0	0.0	—	—	14.5	0.0	—	—	0.0	—	—
90.0	55.0	0.0	—	—	23.2	—	—	6.4	13.6	—	—	—

TABLE 4. (cont.)

Triphoturus mexicanus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
90.0 60.0	-	0.0	0.0	-	22.0	0.0	0.0	0.0	6.5	3.0	-	2.8
90.0 65.0	-	0.0	0.0	-	3.4	13.4	3.1	3.6	23.2	9.8	-	0.0
90.0 70.0	-	0.0	0.0	-	3.5	3.3	12.5	0.0	0.0	-	-	0.0
90.0 80.0	-	0.0	0.0	-	24.6	2.8	25.2	6.4	3.5	41.5	-	0.0
90.0 90.0	-	0.0	0.0	-	6.7	0.0	59.6	30.1	9.3	12.2	-	0.0
90.0 100.0	-	0.0	-	-	-	-	2.9	-	-	40.8	-	0.0
90.0 110.0	-	-	-	-	-	-	-	-	-	6.5	-	0.0
93.0 27.0	0.0	0.0	-	-	0.0	0.0	15.3	10.8	9.6	9.8	-	0.0
93.0 28.0	0.0	0.0	2.4	-	1.4	0.0	46.5	129.0	6.2	-	-	0.0
93.0 30.0	0.0	0.0	0.0	-	1.5	43.7	40.7	152.1	9.1	20.9	-	0.0
93.0 35.0	0.0	0.0	0.0	-	0.0	68.2	13.0	106.6	18.5	12.8	-	0.0
93.0 40.0	0.0	0.0	0.0	-	0.0	8.7	-	20.2	28.5	67.0	-	0.0
93.0 45.0	0.0	0.0	0.0	-	6.7	5.9	76.1	106.2	60.8	49.9	-	0.0
93.0 50.0	0.0	0.0	0.0	-	11.3	3.1	63.4	55.7	157.9	24.2	-	0.0
93.0 55.0	0.0	0.0	0.0	-	0.0	0.0	6.3	20.2	64.6	11.7	-	3.2
93.0 60.0	0.0	2.8	0.0	-	0.0	6.1	12.8	3.2	60.8	28.7	-	0.0
93.0 65.0	0.0	0.0	0.0	-	0.0	2.7	3.1	29.7	16.4	5.8	-	0.0
93.0 67.0	-	-	-	-	-	-	-	-	9.2	9.1	-	3.3
93.0 70.0	3.0	0.0	0.0	-	2.0	5.6	6.3	3.6	6.4	-	-	3.3
93.0 80.0	2.9	0.0	6.0	-	9.0	15.4	-	0.0	-	36.7	-	0.0
93.0 90.0	0.0	0.0	0.0	-	5.8	22.0	30.5	-	-	3.1	-	0.0
93.0 100.0	-	-	-	-	37.3	-	-	-	-	5.5	-	-
93.0 110.0	-	-	-	-	-	-	-	-	-	14.9	-	0.0
94.0 78.0	0.0	0.0	-	0.0	0.0	5.5	67.8	22.3	14.2	21.9	-	0.0
97.0 29.0	0.0	0.0	-	0.0	0.0	0.0	31.3	89.4	10.8	63.6	-	0.0
97.0 30.0	0.0	-	0.0	-	-	3.3	47.3	-	-	17.5	8.4	0.0
97.0 32.0	0.0	0.0	0.0	-	13.2	-	56.7	45.9	16.5	20.4	-	0.0
97.0 35.0	0.0	0.0	2.7	-	0.0	77.0	35.9	45.3	16.9	187.9	0.0	0.0
97.0 40.0	0.0	0.0	0.0	-	28.7	94.0	15.7	22.0	66.0	8.2	-	0.0
97.0 45.0	0.0	0.0	6.4	-	35.6	14.6	134.0	6.2	51.3	1.9	-	7.4
97.0 50.0	0.0	0.0	0.0	-	19.6	46.1	20.8	35.6	49.0	0.0	-	0.0
97.0 55.0	0.0	0.0	3.1	-	31.7	22.4	39.8	12.1	22.8	0.0	-	0.0
97.0 60.0	0.0	0.0	12.4	-	7.2	60.2	15.7	20.4	15.8	0.0	-	0.0
97.0 65.0	3.0	0.0	0.0	-	41.0	12.0	9.4	5.8	5.9	0.0	-	16.4
97.0 70.0	3.0	5.5	0.0	-	10.3	23.1	11.4	5.6	-	-	-	-
97.0 80.0	0.0	0.0	0.0	-	0.0	23.2	67.8	-	8.5	3.0	-	0.0
97.0 90.0	0.0	0.0	-	0.0	15.3	0.0	0.0	27.5	11.9	6.7	-	2.7
100.0 29.0	0.0	0.0	-	-	47.7	46.3	27.2	59.8	122.0	9.5	6.0	0.0
100.0 30.0	0.0	0.0	-	20.2	0.0	0.0	0.0	38.2	84.0	20.6	-	0.0
100.0 35.0	0.0	0.0	-	0.0	6.1	30.1	0.0	34.3	101.8	17.0	0.0	0.0
100.0 40.0	0.0	0.0	-	0.0	12.8	12.3	47.5	67.0	68.5	9.4	-	0.0
100.0 45.0	0.0	0.0	-	6.2	0.0	22.8	30.7	16.2	35.9	12.4	-	6.9
100.0 50.0	0.0	5.3	-	3.1	11.7	16.6	31.0	28.3	3.0	48.5	-	7.9
100.0 55.0	0.0	0.0	-	10.5	15.8	10.0	0.0	6.2	3.0	8.8	-	0.0
100.0 60.0	0.0	0.0	-	9.2	7.7	23.0	3.5	34.6	34.1	-	-	-
100.0 65.0	2.9	3.5	-	-	-	-	-	-	-	-	-	-

TABLE 4. (cont.)

Triphoturus mexicanus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
100.0	70.0	0.0	-	3.3	25.8	9.7	60.5	35.8	34.8	85.0	-	0.0
100.0	80.0	0.0	-	14.4	45.9	42.0	17.3	-	-	14.0	-	2.8
100.0	90.0	0.0	-	20.9	13.6	23.7	27.8	-	-	-	-	-
100.0	100.0	0.0	-	0.0	0.0	-	1.6	17.3	1.9	0.0	-	1.1
103.0	29.0	0.0	-	0.0	0.0	-	17.9	55.7	46.6	0.0	-	0.0
103.0	30.0	0.0	-	0.0	33.0	-	63.0	9.8	12.1	11.6	-	0.0
103.0	35.0	0.0	-	0.0	74.4	-	69.7	84.0	536.3	15.5	-	0.0
103.0	40.0	2.9	0.0	6.1	11.1	-	57.2	6.4	426.4	13.7	3.0	0.0
103.0	45.0	0.0	-	3.7	22.7	-	22.4	38.6	216.0	66.9	-	0.0
103.0	50.0	0.0	-	2.9	34.1	87.6	71.3	85.1	234.1	-	-	0.0
103.0	55.0	0.0	-	3.0	55.3	128.0	71.3	28.9	42.5	15.7	-	0.0
103.0	60.0	0.0	-	13.9	117.8	58.7	58.9	28.9	22.3	58.7	-	0.0
103.0	65.0	0.0	-	9.0	133.1	51.4	25.3	120.8	49.9	81.2	-	0.0
103.0	70.0	0.0	-	28.9	22.0	9.7	35.4	24.2	-	-	-	0.0
103.0	80.0	0.0	-	0.0	25.4	64.2	-	-	-	-	-	0.0
103.0	85.0	0.0	-	0.0	0.0	-	0.0	2.0	20.3	9.3	-	0.0
107.0	31.0	0.0	-	3.2	3.3	-	32.8	30.4	33.0	6.6	-	0.0
107.0	32.0	0.0	-	6.8	7.1	-	86.4	113.6	76.4	10.1	8.7	2.8
107.0	35.0	0.0	-	14.7	44.5	-	62.3	669.3	80.7	25.4	-	0.0
107.0	40.0	0.0	-	14.5	66.4	-	68.8	73.6	6.2	36.2	0.0	0.0
107.0	45.0	0.0	-	13.5	113.9	-	116.6	60.3	189.0	46.2	-	3.8
107.0	50.0	0.0	-	11.0	64.4	-	64.4	35.2	67.8	34.2	-	2.1
107.0	55.0	0.0	-	42.4	141.9	-	6.0	40.6	58.0	7.1	-	2.8
107.0	60.0	3.0	0.0	3.9	312.3	-	53.0	98.3	148.8	32.6	-	0.0
107.0	65.0	0.0	0.0	3.1	11.1	-	8.3	46.2	49.9	26.5	-	2.5
107.0	70.0	0.0	-	13.6	71.1	-	339.2	-	-	-	-	0.0
107.0	80.0	0.0	-	14.3	36.1	-	-	-	-	-	-	0.0
107.0	90.0	0.0	-	0.0	0.0	-	0.0	39.6	17.4	2.5	-	0.0
110.0	32.0	0.0	-	3.0	33.9	-	0.0	84.0	76.8	17.1	3.2	0.0
110.0	35.0	0.0	2.7	0.0	109.9	-	0.0	38.0	16.3	131.8	-	2.9
110.0	40.0	0.0	-	3.8	-	-	-	-	-	-	-	0.0
110.0	41.0	-	-	-	-	-	55.0	49.0	52.6	57.6	0.0	0.0
110.0	45.0	0.0	2.9	17.2	168.8	-	135.4	72.8	126.0	22.1	-	0.0
110.0	50.0	0.0	0.0	18.9	147.4	-	107.0	92.4	64.6	36.7	-	0.0
110.0	55.0	0.0	6.5	0.0	301.0	-	276.7	280.1	184.2	65.5	-	2.7
110.0	60.0	3.0	2.9	14.7	33.8	-	334.9	146.7	93.6	95.3	-	2.8
110.0	65.0	0.0	9.7	7.0	83.5	-	132.3	248.2	58.5	54.4	-	5.8
110.0	70.0	0.0	0.0	10.8	27.6	-	23.0	-	-	-	-	0.0
110.0	80.0	0.0	0.0	6.3	57.4	-	9.6	-	-	-	-	0.0
110.0	90.0	2.8	-	15.4	9.5	-	-	-	0.0	0.0	-	0.0
113.0	29.0	0.0	0.0	0.0	0.0	-	1.3	4.7	16.2	41.6	19.6	0.0
113.0	35.0	9.3	9.5	4.1	36.1	-	22.8	70.4	342.4	78.2	-	2.4
113.0	40.0	0.0	10.0	3.1	9.2	-	96.6	207.9	118.2	49.5	2.8	2.5
113.0	45.0	3.0	23.1	6.3	58.0	-	14.1	53.9	6.1	9.5	-	5.2
113.0	50.0	2.7	2.8	14.0	13.2	-	96.6	333.9	-	-	-	-

TABLE 4. (cont.)

Triphoturus mexicanus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
113.0	55.0	2.9	3.3	23.2	99.8	-	78.5	93.5	346.3	35.2	-	0.0
113.0	60.0	0.0	0.0	19.3	-	-	179.9	83.7	84.0	19.7	-	0.0
113.0	65.0	3.3	0.0	40.7	74.4	-	224.3	150.5	429.3	18.0	-	5.6
113.0	70.0	12.0	0.0	41.3	72.2	-	53.6	76.4	237.0	8.4	-	0.0
113.0	80.0	2.0	-	26.7	294.9	-	10.0	-	-	-	-	0.0
113.0	85.0	0.0	0.0	0.0	0.0	-	1.4	0.0	0.0	0.0	-	0.0
117.0	25.0	0.0	2.8	0.0	0.0	-	8.9	2.5	0.0	0.0	21.6	0.0
117.0	26.0	0.0	5.4	0.0	18.0	-	0.0	45.0	3.0	30.6	24.7	0.0
117.0	30.0	0.0	0.0	0.0	12.0	-	56.5	104.4	176.6	120.1	40.5	2.1
117.0	35.0	5.7	0.0	35.9	38.3	-	6.6	13.9	163.5	23.1	-	0.0
117.0	40.0	5.3	0.0	13.4	53.3	-	31.2	0.0	87.5	16.7	0.0	0.0
117.0	45.0	3.2	2.9	18.6	62.1	-	315.1	230.0	164.6	42.8	-	4.9
117.0	50.0	23.5	0.0	29.9	62.1	-	90.7	90.6	43.2	19.4	-	0.0
117.0	55.0	0.0	2.8	46.7	55.4	-	327.5	524.7	70.6	16.1	-	0.0
117.0	60.0	0.0	50.1	27.8	93.1	-	347.7	294.3	15.3	77.3	-	0.0
117.0	65.0	17.5	13.8	50.6	52.5	-	56.3	285.1	12.0	125.2	-	2.6
117.0	70.0	2.4	-	7.1	64.5	-	9.9	-	-	-	-	5.6
117.0	80.0	-	-	0.0	46.6	-	37.1	11.2	200.8	37.4	-	0.0
118.0	39.0	0.0	0.0	0.0	0.0	-	0.0	17.5	55.6	27.3	0.0	0.0
119.0	33.0	0.0	0.0	0.0	0.0	-	1.3	0.0	0.0	0.0	0.0	0.0
120.0	24.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	2.6	0.0	0.0
120.0	25.0	0.0	0.0	0.0	0.0	-	2.1	3.1	0.0	0.0	2.6	0.0
120.0	30.0	0.0	0.0	3.2	0.0	-	0.0	0.0	6.2	2.0	2.8	0.0
120.0	35.0	0.0	0.0	0.0	0.0	-	1.6	0.0	40.0	2.0	0.0	0.0
120.0	40.0	0.0	0.0	9.5	59.0	-	148.5	117.3	-	23.1	0.0	2.8
120.0	45.0	35.2	0.0	40.5	162.8	-	316.0	77.5	-	3.2	-	0.0
120.0	50.0	20.9	39.1	21.6	157.7	-	41.6	316.8	-	0.0	-	0.0
120.0	55.0	22.9	15.7	90.3	60.8	-	127.1	400.5	-	-	-	0.0
120.0	60.0	41.9	49.3	77.1	28.9	-	32.2	0.0	-	98.0	-	0.0
120.0	65.0	70.2	-	14.2	6.9	-	9.0	158.4	-	49.2	-	0.0
120.0	70.0	93.6	-	10.5	33.2	-	2.9	-	-	-	-	0.0
120.0	80.0	8.6	-	-	-	-	-	-	-	-	-	-
120.0	90.0	2.7	-	0.0	0.0	-	4.2	34.1	-	36.5	-	0.0
123.0	36.0	0.0	-	10.0	5.4	-	31.7	12.0	-	15.8	0.0	0.0
123.0	37.0	5.8	-	-	3.3	-	-	556.8	-	-	0.0	-
123.0	40.0	-	-	23.2	-	-	264.0	-	-	184.8	-	2.5
123.0	42.0	-	-	18.9	284.8	-	149.5	216.9	-	24.5	-	0.0
123.0	45.0	18.6	-	34.4	33.6	-	257.3	33.8	-	36.1	18.3	5.9
123.0	50.0	30.2	-	6.7	55.6	-	14.7	336.0	-	43.1	-	0.0
123.0	55.0	23.2	-	3.4	39.6	-	5.6	234.3	-	23.4	3.2	0.0
123.0	60.0	9.1	-	-	32.0	-	5.5	-	-	-	-	-
123.0	65.0	48.3	-	-	0.0	-	0.0	-	-	-	-	-
123.0	70.0	55.9	-	-	0.0	-	58.8	-	-	-	-	-
123.0	80.0	0.0	-	0.0	2.3	-	0.0	-	-	16.0	-	0.0
127.0	33.0	2.8	-	0.0	8.7	-	6.7	0.0	-	13.8	0.0	0.0
127.0	34.0	10.2	-	62.1	6.5	-	71.5	79.7	-	124.8	0.0	0.0

TABLE 4. (cont.)

Triphoturus mexicanus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
127.0	45.0	9.8	-	28.3	23.5	-	47.0	124.8	-	15.1	-	0.0
127.0	50.0	5.3	-	3.3	81.8	-	112.7	12.6	-	24.4	7.0	0.0
127.0	55.0	92.1	-	34.9	90.2	-	76.2	82.2	-	12.6	-	0.0
127.0	60.0	29.4	-	15.0	173.0	-	67.0	50.3	-	2.7	12.7	0.0
127.0	65.0	2.6	-	-	13.5	-	427.5	-	-	-	-	-
127.0	70.0	13.0	-	-	10.0	-	66.4	-	-	-	-	-
127.0	75.0	6.8	-	-	-	-	-	-	-	-	-	-
127.0	80.0	3.2	-	-	-	-	43.0	-	-	-	-	-
130.0	30.0	3.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
130.0	35.0	28.7	-	0.0	197.3	-	0.0	110.5	-	5.1	0.0	0.0
130.0	40.0	19.7	-	17.6	90.2	-	4.6	301.8	-	7.2	12.4	0.0
130.0	45.0	16.6	-	28.3	241.4	-	20.8	160.5	-	0.0	-	0.0
130.0	50.0	6.4	-	102.4	117.8	-	39.2	357.3	-	2.9	3.1	0.0
130.0	55.0	0.0	-	36.4	62.8	-	52.9	149.2	-	0.0	-	0.0
130.0	60.0	8.8	-	14.6	28.1	-	42.1	337.0	-	27.9	0.0	0.0
130.0	65.0	-	-	-	54.5	-	84.1	-	-	-	-	-
130.0	70.0	16.1	-	-	19.9	-	90.1	-	-	-	-	-
130.0	80.0	18.6	-	-	-	-	37.9	-	-	-	-	-
130.0	90.0	0.0	-	0.0	0.0	-	7.8	-	-	0.0	0.0	0.0
133.0	25.0	0.0	-	0.0	3.5	-	0.0	118.6	-	0.0	6.2	0.0
133.0	30.0	6.5	-	38.3	55.6	-	3.0	136.5	-	3.0	-	0.0
133.0	35.0	3.3	-	40.0	40.8	-	5.7	80.6	-	0.0	0.0	0.0
133.0	40.0	0.0	-	26.5	651.3	-	2.9	69.1	-	2.8	-	-
133.0	45.0	13.6	-	27.5	85.0	-	8.6	41.9	-	8.0	0.0	-
133.0	50.0	0.0	-	3.8	27.4	-	132.5	15.9	-	5.2	-	-
133.0	55.0	15.0	-	8.7	3.5	-	87.6	27.8	-	2.7	0.0	-
133.0	60.0	17.8	-	0.0	0.0	-	5.4	0.0	-	0.0	0.0	0.0
137.0	23.0	0.0	-	0.0	0.0	-	8.6	877.6	-	5.3	0.0	5.4
137.0	30.0	3.2	-	0.0	0.0	-	5.5	15.5	-	0.0	0.0	0.0
137.0	35.0	24.8	-	9.8	34.8	-	0.0	20.9	-	0.0	0.0	0.0
137.0	40.0	18.9	-	19.6	3.6	-	-	62.0	-	2.8	-	-
137.0	45.0	17.6	-	10.6	81.0	-	-	-	-	-	-	-
137.0	46.0	-	-	-	-	-	3.2	-	-	-	0.0	-
137.0	50.0	6.2	-	25.1	3.3	-	5.9	84.8	-	0.0	-	-
137.0	55.0	12.6	-	105.0	10.9	-	2.8	82.6	-	0.0	-	-
137.0	60.0	33.4	-	43.8	13.2	-	13.0	164.3	-	10.9	11.8	-
140.0	30.0	-	-	-	-	-	-	-	-	-	18.4	-
143.0	30.0	-	-	-	-	-	-	-	-	-	11.8	-
143.0	35.0	-	-	-	-	-	-	-	-	-	3.0	-
143.0	40.0	-	-	-	-	-	-	-	-	-	6.1	-
143.0	45.0	-	-	-	-	-	-	-	-	-	2.9	-
143.0	50.0	-	-	-	-	-	-	-	-	-	9.5	-
143.0	60.0	-	-	-	-	-	-	-	-	-	3.0	-
147.0	25.0	-	-	-	-	-	-	-	-	-	4.6	-
150.0	19.0	-	-	-	-	-	-	-	-	-	3.0	-
150.0	25.0	-	-	-	-	-	-	-	-	-	6.3	-
150.0	30.0	-	-	-	-	-	-	-	-	-	-	-

TABLE 4. (cont.)

Benthosema pterota

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
137.0	30.0	0.0	-	0.0	0.0	-	0.0	3.1	-	0.0	0.0	0.0
153.0	16.0	-	-	-	-	-	-	-	-	-	3.1	-
153.0	20.0	-	-	-	-	-	-	-	-	-	23.8	-

Diogenichthys spp.

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
80.0	90.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	2.2	-	0.0
87.0	35.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	3.2	-	0.0
87.0	65.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	3.3
87.0	80.0	0.0	0.0	-	0.0	0.0	0.0	3.2	0.0	0.0	-	0.0
90.0	30.0	-	-	-	-	-	-	3.7	-	-	-	-
90.0	70.0	0.0	0.0	3.5	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	90.0	0.0	12.3	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	110.0	-	-	-	-	-	-	-	-	6.3	-	0.0
93.0	30.0	0.0	0.0	0.0	0.0	0.0	6.3	0.0	0.0	0.0	-	0.0
93.0	45.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	3.0	0.0	-	0.0
93.0	60.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	-	0.0
97.0	35.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.3	0.0	0.0	0.0
97.0	40.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	-	0.0
97.0	50.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	70.0	0.0	0.0	0.0	3.6	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	35.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
100.0	50.0	0.0	0.0	0.0	0.0	0.0	0.0	6.4	0.0	0.0	0.0	0.0
100.0	55.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0
100.0	60.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	-	0.0
100.0	65.0	0.0	0.0	7.0	0.0	0.0	0.0	3.1	0.0	0.0	-	0.0
100.0	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	70.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	-	0.0
100.0	90.0	2.9	-	0.0	0.0	0.0	0.0	2.8	0.0	0.0	-	0.0
103.0	40.0	0.0	0.0	0.0	0.0	-	0.0	-	9.8	0.0	-	0.0
103.0	45.0	0.0	0.0	0.0	0.0	-	0.0	0.0	12.4	0.0	0.0	0.0
103.0	55.0	0.0	0.0	0.0	0.0	6.9	0.0	0.0	15.4	0.0	-	0.0
103.0	60.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	70.0	8.9	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	-	7.9
103.0	80.0	0.0	0.0	0.0	0.0	0.0	0.0	-	-	0.0	-	2.7
103.0	90.0	-	0.0	0.0	3.2	0.0	-	-	-	0.0	-	0.0
107.0	32.0	0.0	0.0	0.0	0.0	-	0.0	3.0	0.0	0.0	-	0.0
107.0	35.0	0.0	0.0	0.0	0.0	-	0.0	6.7	0.0	0.0	0.0	0.0
107.0	40.0	3.5	0.0	0.0	0.0	-	0.0	9.2	0.0	0.0	-	0.0
107.0	50.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.2	0.0	-	1.9
107.0	55.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	7.6	-	0.0
107.0	60.0	0.0	0.0	0.0	0.0	-	3.0	0.0	0.0	3.6	-	0.0
107.0	65.0	0.0	0.0	0.0	0.0	-	0.0	0.0	46.5	0.0	-	2.8
107.0	70.0	0.0	0.0	0.0	0.0	-	0.0	0.0	28.1	0.0	-	0.0
107.0	80.0	3.1	0.0	13.6	0.0	-	0.0	0.0	-	-	-	0.0

TABLE 4. (cont.)

Diogenichthys spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
1107.0	90.0	-	-	2.9	3.0	-	-	9.7	6.4	0.0	0.0	0.0
1110.0	35.0	0.0	0.0	0.0	0.0	-	6.0	19.3	24.6	6.2	-	8.0
1110.0	60.0	0.0	0.0	0.0	3.4	-	0.0	3.2	9.1	0.0	-	0.0
1110.0	65.0	2.8	0.0	0.0	0.0	-	0.0	23.9	12.3	0.0	-	0.0
1110.0	70.0	0.0	0.0	0.0	0.0	-	3.2	-	-	-	-	0.0
1110.0	80.0	6.1	0.0	15.7	0.0	-	-	-	-	-	-	-
1110.0	90.0	2.8	-	15.4	0.0	-	0.0	2.6	0.0	2.7	0.0	0.0
1113.0	30.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
1113.0	35.0	-	3.2	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
1113.0	40.0	-	0.0	0.0	0.0	-	0.0	3.2	0.0	0.0	0.0	0.0
1113.0	45.0	-	0.0	0.0	0.0	-	0.0	0.0	3.0	78.6	0.0	0.0
1113.0	50.0	-	0.0	0.0	0.0	-	0.0	0.0	3.0	6.4	-	2.6
1113.0	55.0	-	0.0	0.0	0.0	-	0.0	0.0	8.7	6.4	-	0.0
1113.0	60.0	0.0	3.3	0.0	-	-	0.0	3.0	0.0	25.8	-	11.2
1113.0	65.0	10.0	0.0	0.0	0.0	-	16.3	29.4	57.2	30.0	-	0.0
1113.0	70.0	6.0	0.0	0.0	0.0	-	0.0	10.0	0.0	16.9	-	0.0
1113.0	80.0	0.0	-	17.8	0.0	-	0.0	5.6	0.0	-	0.0	0.0
1117.0	30.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
1117.0	40.0	0.0	0.0	0.0	0.0	-	0.0	5.6	3.3	0.0	0.0	0.0
1117.0	45.0	0.0	0.0	0.0	3.3	-	0.0	6.5	3.2	8.4	0.0	0.0
1117.0	50.0	0.0	0.0	0.0	0.0	-	0.0	9.7	0.0	0.0	-	2.4
1117.0	55.0	0.0	0.0	3.7	0.0	-	0.0	0.0	0.0	0.0	-	5.5
1117.0	60.0	0.0	0.0	23.3	0.0	-	0.0	0.0	0.0	0.0	-	17.5
1117.0	65.0	0.0	0.0	0.0	0.0	-	32.8	19.8	0.0	0.0	-	0.0
1117.0	70.0	0.0	0.0	12.6	0.0	-	0.0	0.0	12.0	0.0	-	0.0
1117.0	80.0	0.0	-	10.7	0.0	-	0.0	0.0	0.0	-	2.8	2.8
1120.0	30.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	2.6	0.0
1120.0	35.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	2.8	0.0
1120.0	50.0	0.0	0.0	0.0	14.8	-	0.0	0.0	-	0.0	-	2.8
1120.0	55.0	0.0	0.0	0.0	0.0	-	2.5	0.0	-	0.0	-	13.1
1120.0	60.0	0.0	0.0	21.7	0.0	-	6.2	0.0	-	-	-	21.8
1120.0	65.0	0.0	0.0	14.7	6.7	-	6.4	0.0	-	28.4	-	0.0
1120.0	70.0	0.0	-	0.0	13.8	-	0.0	0.0	-	0.0	-	0.0
1120.0	80.0	0.0	-	0.0	43.2	-	0.0	0.0	-	0.0	-	0.0
1123.0	42.0	-	-	2.6	-	-	0.0	-	-	0.0	0.0	0.0
1123.0	50.0	0.0	-	3.4	6.7	-	15.5	0.0	-	0.0	0.0	0.0
1123.0	60.0	0.0	-	0.0	23.1	-	5.5	0.0	-	0.0	0.0	0.0
1123.0	65.0	0.0	-	-	16.0	-	0.0	0.0	-	-	-	-
1123.0	70.0	0.0	-	-	13.7	-	5.5	-	-	-	-	-
1123.0	80.0	0.0	-	-	-	-	9.8	0.0	-	0.0	0.0	0.0
1127.0	40.0	0.0	-	0.0	3.3	-	0.0	0.0	-	0.0	0.0	0.0
1127.0	45.0	0.0	-	0.0	0.0	-	12.5	0.0	-	0.0	-	0.0
1127.0	55.0	0.0	-	0.0	113.6	-	0.0	0.0	-	0.0	0.0	0.0
1127.0	60.0	0.0	-	0.0	65.3	-	0.0	0.0	-	-	-	-
1127.0	65.0	0.0	-	-	16.9	-	0.0	-	-	-	-	-
1127.0	70.0	0.0	-	-	26.6	-	0.0	-	-	-	-	-

TABLE 4. (cont.)

Diogenichthys spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
130.0 35.0	-	0.0	-	0.0	13.7	-	0.0	0.0	-	0.0	0.0	0.0
130.0 40.0	-	0.0	-	0.0	43.4	-	0.0	0.0	-	0.0	0.0	0.0
130.0 45.0	-	0.0	-	7.1	64.6	-	0.0	0.0	-	0.0	-	0.0
130.0 50.0	-	0.0	-	31.8	17.9	-	0.0	0.0	-	0.0	58.1	0.0
130.0 55.0	-	0.0	-	0.0	76.8	-	0.0	0.0	-	0.0	-	0.0
130.0 60.0	-	0.0	-	0.0	0.0	-	50.6	0.0	-	0.0	6.0	0.0
130.0 65.0	-	-	-	-	0.0	-	26.1	-	-	-	-	-
130.0 70.0	-	0.0	-	-	33.2	-	0.0	-	-	-	18.6	0.0
133.0 30.0	-	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	-	-
133.0 45.0	-	0.0	-	5.9	0.0	-	0.0	0.0	-	0.0	-	-
133.0 50.0	-	0.0	-	27.5	0.0	-	0.0	0.0	-	0.0	0.0	-
133.0 55.0	-	0.0	-	22.9	0.0	-	0.0	0.0	-	0.0	-	-
133.0 60.0	-	0.0	-	43.7	0.0	-	0.0	0.0	-	0.0	0.0	0.0
137.0 30.0	-	0.0	-	20.7	0.0	-	0.0	0.0	-	0.0	-	-
137.0 45.0	-	0.0	-	35.2	0.0	-	-	0.0	-	0.0	-	-

Diogenichthys atlanticus

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0 52.0	0.0	-	-	2.5	-	0.0	0.0	-	-	0.0	-	0.0
60.0 60.0	0.0	-	-	2.9	-	0.0	0.0	-	-	0.0	-	0.0
70.0 80.0	0.0	-	-	0.0	-	0.0	3.3	-	-	0.0	-	0.0
70.0 90.0	0.0	-	-	-	-	0.0	0.0	-	-	-	-	-
70.0 100.0	2.6	-	-	-	-	-	-	-	-	-	-	-
80.0 52.0	-	1.6	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
80.0 60.0	-	0.0	-	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0
80.0 70.0	-	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
80.0 80.0	-	0.0	-	0.0	0.0	5.5	10.0	0.0	0.0	0.0	-	0.0
83.0 80.0	-	0.0	-	0.0	0.0	8.2	0.0	0.0	0.0	0.0	-	0.0
87.0 55.0	-	1.5	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0 60.0	-	-	-	7.9	0.0	0.0	3.2	0.0	0.0	0.0	-	0.0
87.0 65.0	-	0.0	-	0.0	0.0	0.0	3.2	0.0	0.0	0.0	-	0.0
87.0 70.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0 80.0	-	3.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.2	-	0.0
87.0 90.0	-	0.0	0.0	-	0.0	5.2	0.0	0.0	0.0	0.0	-	0.0
90.0 28.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0 60.0	-	0.0	0.0	-	3.7	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0 65.0	-	0.0	0.0	-	0.0	5.3	0.0	3.6	0.0	0.0	-	0.0
90.0 70.0	-	3.3	3.5	-	0.0	0.0	3.1	0.0	0.0	0.0	-	3.3
90.0 80.0	-	0.0	6.6	-	0.0	0.0	2.8	0.0	0.0	3.2	-	0.0
90.0 90.0	-	3.2	2.5	-	3.3	0.0	0.0	0.0	6.2	0.0	-	0.0
90.0 97.0	-	-	-	-	-	-	-	-	-	-	-	5.1
90.0 110.0	-	-	-	-	-	-	-	-	-	-	-	6.2
90.0 120.0	-	-	-	-	-	-	-	-	-	17.0	-	3.2
90.0 130.0	-	-	-	-	-	-	-	-	-	-	-	18.2

TABLE 4. (cont.)

Diogenichthys atlanticus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
93.0 35.0	3.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0 40.0	0.0	0.0	0.0	-	0.0	0.0	-	0.0	6.3	0.0	-	0.0
93.0 45.0	3.0	0.0	0.0	-	3.3	0.0	6.3	0.0	0.0	0.0	-	3.2
93.0 50.0	5.6	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	6.1
93.0 55.0	0.0	0.0	0.0	-	3.6	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0 60.0	0.0	2.8	0.0	-	0.0	3.0	0.0	0.0	0.0	0.0	-	0.0
93.0 70.0	0.0	0.0	0.0	-	2.0	0.0	-	0.0	0.0	-	-	0.0
93.0 80.0	0.0	0.0	0.0	-	1.7	0.0	0.0	0.0	0.0	-	-	0.0
93.0 90.0	0.0	0.0	0.0	-	0.0	5.5	0.0	-	-	3.1	-	0.0
93.0 100.0	-	-	-	-	0.0	-	-	-	-	0.0	-	0.0
93.0 110.0	-	-	-	-	-	-	-	-	-	15.5	-	12.9
93.0 120.0	-	-	-	-	-	-	-	-	-	7.8	-	9.0
93.0 130.0	-	-	-	-	-	-	-	-	-	0.0	-	2.0
94.0 139.0	-	-	-	-	-	0.0	0.0	0.0	0.0	0.0	-	8.3
97.0 30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	-	0.0
97.0 40.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0
97.0 45.0	0.0	0.0	0.0	-	3.2	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0 50.0	8.6	0.0	0.0	-	0.0	0.0	0.0	0.0	3.0	0.0	-	0.0
97.0 55.0	0.0	0.0	0.0	-	3.9	0.0	0.0	2.9	0.0	0.0	-	0.0
97.0 65.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0 80.0	0.0	0.0	3.3	-	13.7	0.0	15.4	0.0	0.0	0.0	-	0.0
97.0 90.0	0.0	5.4	0.0	-	3.4	3.0	0.0	2.9	3.0	3.4	-	2.5
100.0 40.0	0.0	0.0	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7
100.0 45.0	0.0	0.0	-	-	0.0	0.0	3.4	0.0	0.0	0.0	-	2.8
100.0 50.0	0.0	0.0	-	-	0.0	0.0	0.0	0.0	0.0	3.1	-	0.0
100.0 55.0	0.0	0.0	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0 60.0	0.0	0.0	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0 65.0	2.9	0.0	-	-	0.0	0.0	0.0	0.0	0.0	2.9	-	0.0
100.0 70.0	13.2	9.3	-	25.2	7.4	0.0	0.0	0.0	0.0	3.5	-	3.0
100.0 80.0	3.7	0.0	-	3.5	24.7	3.2	0.0	0.0	0.0	2.8	-	0.0
100.0 90.0	0.0	-	-	-	37.5	0.0	7.0	-	-	-	-	-
100.0 100.0	12.0	-	-	-	-	-	0.0	-	-	-	-	-
103.0 35.0	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
103.0 40.0	0.0	9.0	-	0.0	0.0	-	0.0	0.0	0.0	3.9	0.0	2.6
103.0 45.0	3.1	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
103.0 50.0	0.0	0.0	-	0.0	0.0	6.7	0.0	0.0	0.0	0.0	-	2.7
103.0 55.0	3.0	0.0	-	2.9	0.0	3.5	0.0	0.0	3.1	0.0	-	0.0
103.0 60.0	0.0	0.0	-	0.0	0.0	3.3	3.3	0.0	0.0	0.0	-	0.0
103.0 65.0	6.1	0.0	-	0.0	9.3	0.0	2.5	3.0	6.4	0.0	-	2.6
103.0 70.0	0.0	0.0	-	0.0	25.4	0.0	0.0	0.0	0.0	0.0	-	5.4
103.0 80.0	18.3	19.2	-	0.0	6.3	0.0	0.0	-	-	-	-	-
103.0 90.0	-	-	-	19.4	3.2	0.0	-	-	-	-	-	3.8
107.0 50.0	0.0	6.3	-	0.0	0.0	-	9.0	0.0	0.0	0.0	-	4.2
107.0 55.0	13.1	0.0	-	3.7	6.8	-	0.0	0.0	0.0	0.0	-	0.0
107.0 60.0	6.1	0.0	-	0.0	13.2	-	0.0	0.0	0.0	0.0	-	0.0
107.0 65.0	5.6	-	6.6	7.9	6.4	-	-	0.0	0.0	0.0	-	0.0

TABLE 4. (cont.)

Diogenichthys atlanticus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
107.0	70.0	0.0	15.4	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	80.0	0.0	0.0	0.0	6.2	-	0.0	-	-	-	-	8.9
110.0	40.0	0.0	0.0	0.0	3.3	-	-	0.0	0.0	0.0	-	0.0
110.0	45.0	0.0	0.0	6.9	0.0	-	0.0	0.0	0.0	0.0	0.0	5.5
110.0	50.0	0.0	0.0	6.3	0.0	-	6.4	0.0	0.0	0.0	-	0.0
110.0	55.0	2.8	3.3	0.0	3.5	-	3.0	0.0	3.2	0.0	-	0.0
110.0	60.0	0.0	2.9	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0	65.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	5.7
110.0	70.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	2.9
110.0	80.0	3.1	0.0	0.0	0.0	-	-	-	-	-	-	0.0
110.0	90.0	5.6	0.0	0.0	0.0	-	-	0.0	0.0	0.0	0.0	0.0
113.0	35.0	0.0	0.0	0.0	0.0	-	3.3	0.0	0.0	0.0	-	0.0
113.0	40.0	0.0	3.3	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
113.0	45.0	0.0	2.9	0.0	3.4	-	0.0	0.0	0.0	0.0	0.0	5.2
113.0	50.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	2.8
113.0	65.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
117.0	45.0	0.0	0.0	0.0	0.0	-	3.1	0.0	0.0	0.0	-	0.0
117.0	55.0	0.0	0.0	0.0	0.0	-	3.2	0.0	0.0	0.0	-	0.0
117.0	60.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	5.8
120.0	30.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	2.6	0.0
120.0	60.0	0.0	0.0	0.0	0.0	-	3.1	0.0	-	-	-	0.0

Diogenichthys laternatus

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
97.0	80.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	2.7
100.0	40.0	0.0	-	0.0	0.0	0.0	0.0	2.9	0.0	0.0	-	0.0
100.0	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0
103.0	40.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.0	0.0	-	0.0
103.0	45.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.3	0.0	0.0	0.0
103.0	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.5	0.0	0.0	0.0
103.0	55.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	0.0	-	0.0
103.0	65.0	0.0	0.0	0.0	0.0	3.2	2.5	0.0	6.2	0.0	-	0.0
103.0	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	80.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.8	-	5.2
103.0	90.0	0.0	0.0	0.0	0.0	6.4	0.0	-	-	-	-	16.1
107.0	40.0	0.0	0.0	0.0	0.0	-	0.0	0.0	17.9	0.0	-	0.0
107.0	45.0	0.0	0.0	0.0	0.0	-	2.8	6.4	0.0	3.3	0.0	0.0
107.0	50.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	1.9
107.0	60.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.0	0.0	-	8.3
107.0	65.0	0.0	0.0	0.0	96.6	-	0.0	0.0	0.0	0.0	-	0.0
107.0	70.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	53.0	-	0.0
107.0	80.0	0.0	0.0	0.0	0.0	-	25.4	0.0	-	-	-	0.0
110.0	35.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.2	0.0

TABLE 4. (cont.)

Diogenichthys laternatus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
110.0	40.0	0.0	0.0	0.0	0.0	-	-	0.0	0.0	6.8	-	0.0
110.0	45.0	0.0	0.0	0.0	3.3	-	0.0	0.0	0.0	12.8	0.0	2.8
110.0	55.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	3.3	-	0.0
110.0	60.0	0.0	0.0	0.0	0.0	-	17.9	0.0	9.2	3.1	-	0.0
110.0	65.0	0.0	0.0	0.0	0.0	-	2.9	0.0	6.0	35.3	-	0.0
110.0	70.0	2.8	0.0	0.0	0.0	-	2.9	3.0	0.0	119.0	-	11.6
110.0	80.0	0.0	0.0	6.3	3.2	-	0.0	-	-	-	-	42.1
110.0	90.0	5.6	-	0.0	3.2	-	-	-	-	-	-	0.0
113.0	35.0	0.0	0.0	0.0	0.0	-	0.0	6.1	0.0	0.0	0.0	0.0
113.0	40.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	6.5	19.5	0.0
113.0	45.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	49.5	-	0.0
113.0	50.0	0.0	0.0	0.0	0.0	-	0.0	34.7	9.1	0.0	-	0.0
113.0	55.0	5.8	0.0	0.0	0.0	-	0.0	5.3	0.0	0.0	-	0.0
113.0	60.0	6.0	0.0	0.0	-	-	0.0	0.0	16.8	12.9	-	0.0
113.0	65.0	0.0	3.3	0.0	0.0	-	0.0	7.3	3.2	0.0	-	2.8
113.0	70.0	17.9	3.6	0.0	0.0	-	0.0	0.0	363.0	3.0	-	0.0
113.0	80.0	2.0	-	0.0	17.0	-	0.0	-	-	-	-	0.0
117.0	25.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	2.7	0.0
117.0	30.0	2.8	0.0	0.0	0.0	-	0.0	0.0	0.0	3.1	13.7	0.0
117.0	35.0	5.7	0.0	0.0	0.0	-	0.0	9.2	0.0	9.8	5.4	0.0
117.0	40.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	2.9	-	0.0
117.0	45.0	29.2	0.0	0.0	0.0	-	0.0	0.0	0.0	8.4	0.0	0.0
117.0	50.0	5.9	28.7	0.0	0.0	-	0.0	0.0	14.7	2.8	-	0.0
117.0	55.0	3.2	3.1	7.5	0.0	-	0.0	0.0	0.0	106.6	-	0.0
117.0	60.0	12.4	5.6	50.6	0.0	-	0.0	13.2	32.3	9.6	-	14.6
117.0	65.0	43.7	103.3	10.1	0.0	-	0.0	0.0	12.2	58.7	-	5.6
117.0	70.0	3.0	13.8	0.0	0.0	-	0.0	77.2	0.0	62.6	-	2.6
117.0	80.0	0.0	-	17.9	0.0	-	0.0	-	-	-	-	0.0
118.0	33.0	-	-	0.0	0.0	-	6.2	2.8	0.0	0.0	-	0.0
119.0	39.0	0.0	0.0	0.0	0.0	-	0.0	40.7	24.7	9.1	0.0	0.0
120.0	30.0	0.0	0.0	0.0	0.0	-	0.0	6.2	0.0	0.0	0.0	0.0
120.0	35.0	0.0	0.0	0.0	0.0	-	0.0	2.5	0.0	0.0	0.0	0.0
120.0	40.0	0.0	0.0	0.0	0.0	-	0.0	0.0	5.7	0.0	0.0	0.0
120.0	45.0	40.7	0.0	0.0	0.0	-	0.0	28.6	-	0.0	0.0	0.0
120.0	50.0	17.9	16.3	0.0	0.0	-	0.0	2.9	-	12.9	0.0	0.0
120.0	55.0	20.0	18.8	0.0	321.1	-	0.0	0.0	-	3.3	-	18.3
120.0	60.0	28.8	81.2	10.8	152.0	-	0.0	16.1	-	-	-	12.4
120.0	65.0	70.2	-	25.7	0.0	-	3.2	0.0	-	0.0	-	77.4
120.0	70.0	102.7	-	22.7	0.0	-	0.0	14.4	-	52.5	-	27.4
120.0	80.0	0.0	-	31.4	0.0	-	-	-	-	-	-	2.8
120.0	90.0	5.4	-	-	-	-	-	-	-	-	-	-
123.0	37.0	-	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
123.0	40.0	0.0	-	-	6.7	-	55.4	64.0	-	43.1	0.0	0.0
123.0	42.0	-	-	0.0	0.0	-	26.9	-	-	69.0	-	9.2
123.0	45.0	24.8	-	6.9	0.0	-	0.0	0.0	-	69.2	12.2	14.8
123.0	50.0	99.7	-	-	3.4	-	-	-	-	-	-	-

TABLE 4. (cont.)

Diogenichthys laternatus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
123.0	55.0	5.8	-	0.0	0.0	-	0.0	0.0	-	83.2	-	55.4
123.0	60.0	105.7	-	0.0	0.0	-	11.2	12.8	-	99.3	42.1	35.0
123.0	65.0	42.6	-	-	0.0	-	0.0	-	-	-	-	-
123.0	70.0	106.7	-	-	17.1	-	0.0	-	-	-	-	-
123.0	80.0	8.6	-	-	-	-	0.0	-	-	-	-	-
123.0	34.0	-	-	0.0	5.8	-	0.0	0.0	-	2.8	0.0	0.0
127.0	40.0	0.0	-	0.0	0.0	-	0.0	0.0	-	12.5	0.0	11.4
127.0	45.0	36.0	-	0.0	0.0	-	29.8	8.9	-	24.2	0.0	23.2
127.0	50.0	18.5	-	0.0	12.1	-	0.0	26.0	-	5.4	8.4	8.1
127.0	55.0	150.4	-	0.0	73.5	-	3.2	12.6	-	12.6	-	16.6
127.0	60.0	76.4	-	14.6	101.6	-	10.9	116.9	-	24.6	19.0	-
127.0	65.0	7.9	-	114.0	0.0	-	5.4	56.2	-	-	-	-
127.0	70.0	22.8	-	-	0.0	-	11.4	-	-	-	-	-
127.0	75.0	10.3	-	-	-	-	24.2	-	-	-	-	-
127.0	80.0	3.2	-	-	-	-	-	-	-	-	-	-
130.0	30.0	40.2	-	5.5	0.0	-	212.5	0.0	-	0.0	0.0	0.0
130.0	35.0	3.3	-	3.3	0.0	-	0.0	58.3	-	0.0	3.3	3.3
130.0	40.0	50.8	-	3.5	0.0	-	0.0	80.1	-	7.2	6.2	14.8
130.0	45.0	60.7	-	10.6	40.8	-	0.0	125.2	-	17.6	-	9.1
130.0	50.0	80.0	-	49.4	10.7	-	33.6	70.2	-	8.8	24.5	92.7
130.0	55.0	19.3	-	85.6	45.4	-	35.3	281.3	-	53.0	-	13.2
130.0	60.0	29.3	-	18.2	63.2	-	0.0	378.0	-	103.2	0.0	17.0
130.0	65.0	-	-	-	29.0	-	0.0	-	-	-	-	-
130.0	70.0	16.1	-	-	0.0	-	114.0	-	-	-	-	-
130.0	80.0	130.2	-	-	-	-	103.0	-	-	-	-	-
130.0	90.0	25.8	-	-	-	-	46.8	-	-	-	-	-
130.0	95.0	6.0	-	-	-	-	0.0	34.7	-	0.0	0.0	0.0
130.0	100.0	32.5	-	0.0	0.0	-	0.0	143.5	-	0.0	0.0	0.0
130.0	105.0	26.0	-	100.9	0.0	-	20.6	154.0	-	12.2	-	0.0
130.0	110.0	15.3	-	85.8	51.0	-	25.7	144.5	-	12.1	16.1	2.9
133.0	40.0	75.0	-	0.0	54.6	-	5.8	88.8	-	38.6	-	-
133.0	45.0	33.3	-	0.0	74.8	-	14.3	45.1	-	91.1	12.0	-
133.0	50.0	30.0	-	0.0	99.5	-	177.7	60.4	-	83.8	-	-
133.0	55.0	101.0	-	23.3	45.5	-	172.3	36.1	-	125.0	18.6	0.0
133.0	60.0	2.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
133.0	65.0	35.3	-	0.0	0.0	-	14.3	108.1	-	7.9	0.0	2.7
133.0	70.0	38.6	-	32.7	12.6	-	13.8	71.5	-	0.0	6.5	0.0
133.0	75.0	44.7	-	98.3	0.0	-	14.8	29.8	-	23.2	3.2	50.2
133.0	80.0	5.9	-	0.0	59.8	-	-	112.8	-	2.8	-	-
137.0	40.0	-	-	64.4	32.6	-	12.7	63.6	-	46.9	23.1	-
137.0	45.0	12.3	-	34.8	29.0	-	79.1	91.8	-	5.7	-	-
137.0	50.0	34.8	-	138.7	16.5	-	41.8	83.7	-	46.4	26.6	-
137.0	55.0	24.2	-	-	-	-	41.6	-	-	-	82.6	-
137.0	60.0	-	-	-	-	-	-	-	-	-	11.8	-
140.0	30.0	-	-	-	-	-	-	-	-	-	12.2	-
143.0	40.0	-	-	-	-	-	-	-	-	-	-	-
143.0	45.0	-	-	-	-	-	-	-	-	-	-	-

TABLE 4. (cont.)

Diogenichthys laternatus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
143.0	60.0	-	-	-	-	-	-	-	-	-	37.9	-
144.5	23.0	-	-	-	-	-	-	-	-	-	5.9	-
147.0	20.0	-	-	-	-	-	-	-	-	-	3.2	-
147.0	25.0	-	-	-	-	-	-	-	-	-	6.0	-
147.0	30.0	-	-	-	-	-	-	-	-	-	6.2	-
147.0	40.0	-	-	-	-	-	-	-	-	-	3.3	-
147.0	60.0	-	-	-	-	-	-	-	-	-	9.1	-
150.0	19.0	-	-	-	-	-	-	-	-	-	4.6	-
150.0	25.0	-	-	-	-	-	-	-	-	-	8.9	-
150.0	30.0	-	-	-	-	-	-	-	-	-	18.8	-
150.0	40.0	-	-	-	-	-	-	-	-	-	3.2	-
150.0	50.0	-	-	-	-	-	-	-	-	-	8.9	-
150.0	60.0	-	-	-	-	-	-	-	-	-	18.5	-
153.0	20.0	-	-	-	-	-	-	-	-	-	44.7	-
153.0	30.0	-	-	-	-	-	-	-	-	-	3.0	-
153.0	50.0	-	-	-	-	-	-	-	-	-	14.6	-
153.0	60.0	-	-	-	-	-	-	-	-	-	12.2	-

Electrona rissoi

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
80.0	65.0	-	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	-	0.0
113.0	60.0	-	0.0	0.0	-	-	-	0.0	0.0	25.8	-	2.8

Goniichthys tenuiculus

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
100.0	60.0	0.0	-	3.5	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	70.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.1	0.0	-	0.0
107.0	45.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	3.0	0.0
107.0	60.0	0.0	0.0	3.5	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	65.0	0.0	0.0	0.0	3.2	-	0.0	0.0	0.0	0.0	-	0.0
107.0	70.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.1	0.0	-	0.0
107.0	80.0	0.0	0.0	3.4	0.0	-	0.0	0.0	3.1	0.0	-	3.0
107.0	90.0	-	-	2.9	3.0	-	-	-	-	-	-	-
110.0	50.0	0.0	0.0	3.2	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0	55.0	0.0	0.0	0.0	0.0	-	0.0	3.0	0.0	0.0	-	0.0
110.0	60.0	0.0	0.0	0.0	0.0	-	0.0	6.4	0.0	0.0	-	0.0
110.0	65.0	0.0	0.0	0.0	3.2	-	0.0	0.0	0.0	3.5	-	0.0
113.0	65.0	0.0	0.0	0.0	0.0	-	3.3	0.0	0.0	3.0	-	0.0
113.0	70.0	0.0	0.0	0.0	0.0	-	0.0	16.6	0.0	2.8	-	0.0
117.0	45.0	3.2	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
117.0	55.0	0.0	0.0	0.0	0.0	-	0.0	0.0	2.9	0.0	-	0.0
117.0	60.0	3.1	0.0	7.8	0.0	-	0.0	0.0	0.0	0.0	-	2.9

TABLE 4. (cont.)

Gonichthys tenuiculus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
117.0	65.0	8.7	6.3	2.5	0.0	-	0.0	0.0	0.0	0.0	-	0.0
117.0	70.0	0.0	0.0	3.2	0.0	-	3.3	5.9	0.0	0.0	-	0.0
120.0	45.0	5.4	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
120.0	50.0	9.0	3.3	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
120.0	55.0	0.0	0.0	0.0	14.0	-	0.0	0.0	0.0	0.0	-	0.0
120.0	60.0	7.9	0.0	0.0	6.1	-	0.0	0.0	0.0	0.0	-	15.5
120.0	65.0	16.4	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	2.7
120.0	70.0	9.1	-	0.0	34.4	-	0.0	0.0	0.0	0.0	-	3.0
120.0	80.0	0.0	-	7.0	16.6	-	0.0	0.0	-	-	-	0.0
123.0	40.0	0.0	-	-	0.0	-	-	6.4	-	-	0.0	-
123.0	42.0	-	-	0.0	-	-	2.6	0.0	-	0.0	0.0	0.0
123.0	50.0	6.0	-	0.0	6.7	-	0.0	0.0	-	3.0	0.0	0.0
123.0	55.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	3.1
123.0	60.0	3.0	-	0.0	19.8	-	0.0	0.0	-	2.9	0.0	2.7
123.0	65.0	2.8	-	-	25.6	-	0.0	-	-	-	-	-
123.0	70.0	12.7	-	-	10.3	-	2.9	-	-	-	-	-
123.0	80.0	5.7	-	-	-	-	0.0	-	-	-	-	-
127.0	40.0	0.0	-	0.0	0.0	-	6.0	0.0	-	0.0	0.0	0.0
127.0	45.0	0.0	-	0.0	0.0	-	0.0	15.6	-	0.0	0.0	0.0
127.0	50.0	0.0	-	0.0	13.1	-	0.0	18.8	-	0.0	0.0	0.0
127.0	55.0	33.8	-	0.0	3.3	-	0.0	0.0	-	0.0	0.0	0.0
127.0	60.0	20.6	-	3.0	21.8	-	0.0	0.0	-	8.2	6.3	0.0
127.0	65.0	2.6	-	-	3.4	-	0.0	-	-	-	-	-
127.0	70.0	3.3	-	-	10.0	-	0.0	-	-	-	-	-
127.0	75.0	6.8	-	-	-	-	-	-	-	-	-	-
130.0	35.0	5.7	-	0.0	0.0	-	0.0	3.1	-	0.0	0.0	0.0
130.0	40.0	8.5	-	0.0	3.3	-	0.0	0.0	-	0.0	0.0	0.0
130.0	45.0	9.6	-	24.7	6.8	-	5.2	9.6	-	0.0	0.0	0.0
130.0	50.0	9.6	-	38.4	3.6	-	0.0	25.5	-	0.0	0.0	15.4
130.0	55.0	2.9	-	0.0	14.0	-	2.9	8.6	-	0.0	0.0	0.0
130.0	60.0	2.9	-	-	14.0	-	5.6	20.5	-	0.0	0.0	5.7
130.0	70.0	9.3	-	-	0.0	-	5.3	-	-	-	-	-
130.0	80.0	10.2	-	0.0	0.0	-	5.4	-	-	-	-	-
133.0	35.0	10.2	-	0.0	0.0	-	0.0	7.0	-	0.0	-	2.6
133.0	45.0	8.4	-	11.8	6.8	-	0.0	3.3	-	2.8	-	-
133.0	50.0	6.0	-	0.0	3.4	-	0.0	3.2	-	0.0	0.0	-
133.0	55.0	0.0	-	2.9	0.0	-	5.6	3.2	-	0.0	0.0	-
133.0	60.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	-
137.0	30.0	0.0	-	0.0	0.0	-	2.8	3.1	-	0.0	0.0	0.0
137.0	35.0	0.0	-	0.0	0.0	-	0.0	3.1	-	0.0	0.0	0.0
137.0	40.0	8.8	-	15.7	0.0	-	0.0	3.0	-	0.0	0.0	7.9
137.0	45.0	0.0	-	0.0	14.1	-	-	2.8	-	0.0	-	-
137.0	50.0	0.0	-	3.6	3.3	-	0.0	3.0	-	0.0	0.0	-
137.0	55.0	6.3	-	7.5	3.6	-	0.0	12.2	-	0.0	0.0	-
137.0	60.0	3.0	-	7.3	6.6	-	0.0	21.7	-	0.0	0.0	-
140.0	60.0	-	-	-	-	-	-	-	-	-	3.1	-

TABLE 4. (cont.)

Gonichthys tenuiculus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
143.0	60.0	-	-	-	-	-	-	-	-	-	3.2	-
147.0	20.0	-	-	-	-	-	-	-	-	-	3.2	-
147.0	25.0	-	-	-	-	-	-	-	-	-	9.0	-
150.0	19.0	-	-	-	-	-	-	-	-	-	4.6	-
150.0	25.0	-	-	-	-	-	-	-	-	-	3.0	-
150.0	30.0	-	-	-	-	-	-	-	-	-	3.1	-
150.0	50.0	-	-	-	-	-	-	-	-	-	3.0	-
150.0	60.0	-	-	-	-	-	-	-	-	-	3.1	-
153.0	50.0	-	-	-	-	-	-	-	-	-	2.9	-

Hygophum spp.

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
113.0	80.0	2.0	-	0.0	0.0	-	0.0	-	-	-	-	0.0
120.0	70.0	0.0	-	2.8	0.0	-	0.0	0.0	-	0.0	-	0.0
130.0	60.0	-	0.0	0.0	3.5	-	0.0	0.0	-	0.0	0.0	0.0
137.0	60.0	-	0.0	0.0	0.0	-	0.0	0.0	-	2.7	0.0	-

Hygophum atratum

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
97.0	80.0	0.0	0.0	-	3.4	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	80.0	0.0	0.0	0.0	0.0	0.0	0.0	-	-	2.8	-	0.0
103.0	70.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	-	0.0
107.0	45.0	0.0	0.0	0.0	0.0	-	2.8	0.0	0.0	0.0	0.0	0.0
107.0	50.0	0.0	0.0	0.0	0.0	-	6.0	0.0	0.0	0.0	-	0.0
107.0	55.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.1	0.0	-	0.0
107.0	60.0	0.0	0.0	0.0	3.3	-	0.0	0.0	0.0	0.0	-	0.0
107.0	65.0	0.0	0.0	0.0	16.1	-	0.0	0.0	6.2	0.0	-	0.0
107.0	70.0	6.0	0.0	3.4	0.0	-	0.0	0.0	0.0	6.6	-	0.0
110.0	32.0	0.0	0.0	0.0	0.0	-	3.2	-	-	-	-	0.0
110.0	35.0	0.0	0.0	0.0	3.4	-	0.0	0.0	2.2	0.0	-	0.0
110.0	50.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.2	0.0	0.0	0.0
110.0	55.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0	60.0	0.0	0.0	0.0	0.0	-	3.2	0.0	0.0	0.0	-	0.0
110.0	65.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.1	6.2	-	0.0
110.0	70.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.2	3.0	-	0.0
110.0	80.0	0.0	0.0	0.0	0.0	-	0.0	12.0	0.0	3.4	-	0.0
110.0	90.0	0.0	0.0	0.0	0.0	-	0.0	-	-	-	-	3.0
110.0	90.0	0.0	0.0	7.7	6.3	-	-	-	-	-	-	-
113.0	45.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	8.7	2.8	0.0
113.0	50.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.0	0.0	-	2.6
113.0	55.0	0.0	0.0	0.0	3.1	-	0.0	0.0	0.0	0.0	-	0.0
113.0	60.0	0.0	0.0	0.0	-	-	0.0	0.0	2.8	0.0	-	0.0

TABLE 4. (cont.)

Hygophum atratum (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
113.0	65.0	0.0	0.0	0.0	0.0	-	0.0	7.3	0.0	3.0	-	0.0
113.0	70.0	0.0	0.0	0.0	0.0	-	0.0	0.0	6.0	5.6	-	0.0
113.0	80.0	0.0	0.0	11.9	0.0	-	0.0	-	-	5.6	-	0.0
117.0	26.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	2.7	0.0
117.0	45.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
117.0	50.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	2.8	-	0.0
117.0	55.0	-	0.0	0.0	0.0	-	0.0	0.0	2.9	0.0	-	0.0
117.0	60.0	-	6.1	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
117.0	65.0	-	25.0	7.8	0.0	-	0.0	0.0	0.0	0.0	-	2.8
117.0	70.0	-	0.0	2.5	0.0	-	0.0	3.0	3.0	15.7	-	0.0
117.0	80.0	-	0.0	0.0	0.0	-	0.0	0.0	-	-	-	0.0
117.0	85.0	-	0.0	7.1	0.0	-	0.0	-	-	-	-	0.0
120.0	45.0	-	0.0	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
120.0	50.0	-	0.0	0.0	0.0	-	0.0	0.0	-	0.0	-	0.0
120.0	55.0	-	0.0	10.5	0.0	-	0.0	0.0	-	0.0	-	0.0
120.0	60.0	-	17.4	3.6	6.1	-	0.0	0.0	-	-	-	3.1
120.0	65.0	-	-	3.7	3.4	-	0.0	0.0	-	0.0	-	8.0
120.0	70.0	-	-	3.7	0.0	-	0.0	5.8	-	0.0	-	12.2
120.0	80.0	-	-	3.5	0.0	-	0.0	-	-	-	-	0.0
123.0	40.0	-	-	0.0	0.0	-	-	3.2	-	-	0.0	-
123.0	42.0	-	-	0.0	-	-	0.0	-	-	6.2	-	0.0
123.0	45.0	-	-	0.0	0.0	-	0.0	0.0	-	10.9	-	0.0
123.0	50.0	-	-	0.0	3.4	-	3.1	0.0	-	6.0	0.0	0.0
123.0	55.0	-	-	0.0	0.0	-	0.0	3.1	-	6.2	-	16.1
123.0	60.0	-	-	0.0	6.6	-	0.0	0.0	-	5.8	0.0	-
123.0	65.0	-	-	0.0	3.2	-	0.0	-	-	-	-	-
123.0	70.0	-	-	-	6.8	-	0.0	-	-	-	-	-
123.0	80.0	-	-	-	-	-	2.5	-	-	-	-	-
127.0	45.0	3.3	-	0.0	0.0	-	3.1	2.6	-	0.0	-	0.0
127.0	50.0	12.3	-	0.0	3.3	-	0.0	12.6	-	2.7	1.4	0.0
127.0	55.0	2.9	-	0.0	6.7	-	0.0	0.0	-	0.0	-	0.0
127.0	60.0	6.5	-	0.0	14.5	-	2.7	0.0	-	5.5	0.0	0.0
127.0	65.0	6.5	-	-	6.6	-	0.0	-	-	-	-	-
127.0	70.0	0.0	-	-	-	-	3.0	-	-	-	-	-
127.0	80.0	0.0	-	-	-	-	2.7	-	-	-	-	-
130.0	30.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	2.5
130.0	35.0	0.0	-	0.0	0.0	-	0.0	3.1	-	0.0	0.0	0.0
130.0	40.0	8.5	-	0.0	6.7	-	0.0	0.0	-	0.0	0.0	0.0
130.0	45.0	2.8	-	2.5	0.0	-	0.0	19.3	-	0.0	-	3.0
130.0	50.0	6.4	-	7.1	0.0	-	2.8	6.4	-	0.0	3.1	18.5
130.0	55.0	0.0	-	8.9	7.0	-	2.9	2.8	-	2.8	-	0.0
130.0	60.0	0.0	-	0.0	0.0	-	2.8	8.8	-	0.0	0.0	2.8
130.0	65.0	-	-	0.0	7.3	-	0.0	-	-	-	-	-
130.0	70.0	0.0	-	-	13.3	-	8.0	-	-	-	-	-
130.0	80.0	24.8	-	-	-	-	27.1	-	-	-	-	-
133.0	35.0	0.0	-	0.0	0.0	-	0.0	10.5	-	0.0	0.0	0.0
133.0	40.0	0.0	-	0.0	0.0	-	0.0	13.4	-	-	-	-

TABLE 4. (cont.)

Hygophum atratum (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
133-0	45.0	3.4	-	0.0	10.2	-	0.0	0.0	-	0.0	-	-
133-0	50.0	0.0	-	3.9	3.4	-	0.0	0.0	-	0.0	0.0	-
133-0	55.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	-
133-0	60.0	3.0	-	0.0	10.5	-	23.4	0.0	-	0.0	0.0	-
137-0	30.0	0.0	-	0.0	0.0	-	0.0	21.6	-	0.0	0.0	0.0
137-0	35.0	2.8	-	0.0	0.0	-	0.0	9.3	-	2.5	0.0	0.0
137-0	40.0	6.0	-	0.0	0.0	-	0.0	8.9	-	0.0	0.0	2.6
137-0	45.0	0.0	-	0.0	3.5	-	-	8.5	-	0.0	-	-
137-0	50.0	3.1	-	3.6	3.3	-	0.0	0.0	-	0.0	5.8	-
137-0	55.0	3.2	-	11.3	0.0	-	5.2	0.0	-	0.0	-	-
137-0	60.0	0.0	-	7.3	-	-	-	-	-	0.0	-	-
140-0	60.0	-	-	-	-	-	-	-	-	-	18.4	-
143-0	26.0	-	-	-	-	-	-	-	-	-	2.5	-
143-0	30.0	-	-	-	-	-	-	-	-	-	11.8	-
143-0	35.0	-	-	-	-	-	-	-	-	-	3.0	-
143-0	40.0	-	-	-	-	-	-	-	-	-	6.1	-
143-0	50.0	-	-	-	-	-	-	-	-	-	11.6	-
143-0	60.0	-	-	-	-	-	-	-	-	-	3.2	-
144-5	23.0	-	-	-	-	-	-	-	-	-	2.9	-
147-0	25.0	-	-	-	-	-	-	-	-	-	3.0	-
147-0	30.0	-	-	-	-	-	-	-	-	-	21.8	-
147-0	60.0	-	-	-	-	-	-	-	-	-	36.6	-
150-0	19.0	-	-	-	-	-	-	-	-	-	20.8	-
150-0	25.0	-	-	-	-	-	-	-	-	-	20.9	-
150-0	50.0	-	-	-	-	-	-	-	-	-	8.9	-
150-0	60.0	-	-	-	-	-	-	-	-	-	49.3	-
153-0	16.0	-	-	-	-	-	-	-	-	-	3.1	-
153-0	20.0	-	-	-	-	-	-	-	-	-	6.0	-
153-0	50.0	-	-	-	-	-	-	-	-	-	37.8	-
153-0	60.0	-	-	-	-	-	-	-	-	-	61.0	-
153-0	60.0	-	-	-	-	-	-	-	-	-	-	-

Hygophum reinhardtii

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
90-0	120.0	-	-	-	-	-	-	-	-	2.8	-	0.0
93-0	130.0	-	-	-	-	-	-	-	-	0.0	-	10.4
97-0	80.0	0.0	0.0	-	0.0	0.0	0.0	2.8	0.0	0.0	-	0.0
97-0	90.0	0.0	0.0	-	0.0	0.0	3.1	-	-	-	-	-
100-0	80.0	0.0	-	7.2	0.0	0.0	0.0	-	-	0.0	-	0.0
103-0	65.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
107-0	50.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107-0	60.0	3.1	-	3.5	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107-0	70.0	0.0	-	0.0	0.0	-	0.0	0.0	9.4	0.0	-	0.0

TABLE 4. (cont.)

Loweina rara

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
100.0	80.0	0.0	-	0.0	3.5	0.0	0.0	-	-	0.0	-	0.0
103.0	90.0	-	-	3.2	0.0	0.0	-	-	-	-	-	-
107.0	60.0	0.0	-	3.5	3.3	-	0.0	0.0	0.0	0.0	0.0	0.0
123.0	60.0	-	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	2.7
127.0	55.0	-	-	0.0	0.0	-	0.0	0.0	-	0.0	-	0.0

Myctophum nitidulum

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
90.0	120.0	-	-	-	-	-	-	-	-	0.0	-	3.2
90.0	130.0	-	-	-	-	-	-	-	-	-	-	3.0
93.0	90.0	2.6	0.0	-	0.0	0.0	0.0	-	-	0.0	-	0.0
93.0	130.0	-	0.0	-	-	-	-	-	-	-	-	2.6
97.0	55.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.0	0.0	-	2.7
97.0	80.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	-	-	-
97.0	90.0	0.0	0.0	-	0.0	0.0	3.1	-	-	-	-	-
100.0	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.7	0.0	0.0
100.0	55.0	0.0	-	0.0	0.0	0.0	0.0	0.0	6.0	0.0	-	0.0
100.0	60.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	-	0.0
100.0	65.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	2.9	-	0.0
100.0	70.0	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	80.0	0.0	-	3.6	3.5	0.0	0.0	-	-	0.0	-	0.0
100.0	90.0	0.0	-	0.0	0.0	3.4	7.0	-	-	-	-	-
100.0	100.0	6.0	-	-	-	-	0.0	0.0	-	-	-	-
103.0	40.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
103.0	60.0	0.0	0.0	6.1	0.0	0.0	3.3	0.0	0.0	0.0	-	0.0
103.0	65.0	0.0	3.0	0.0	0.0	6.4	0.0	3.0	6.4	0.0	-	0.0
103.0	70.0	3.0	0.0	0.0	0.0	0.0	3.0	3.0	0.0	5.8	-	0.0
103.0	80.0	0.0	-	0.0	3.1	3.2	0.0	-	-	-	-	5.4
103.0	90.0	-	-	3.2	0.0	9.6	-	-	-	-	-	-
107.0	50.0	0.0	-	0.0	0.0	-	3.0	0.0	0.0	0.0	-	0.0
107.0	60.0	0.0	-	0.0	6.6	-	0.0	3.1	0.0	0.0	-	0.0
107.0	70.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.1	0.0	-	0.0
107.0	90.0	-	-	2.9	0.0	-	-	-	-	-	-	-
110.0	40.0	0.0	0.0	0.0	0.0	-	-	0.0	3.3	0.0	-	0.0
110.0	45.0	0.0	0.0	0.0	0.0	-	3.2	0.0	0.0	0.0	0.0	0.0
110.0	50.0	0.0	0.0	0.0	7.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0	60.0	0.0	2.9	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0	80.0	0.0	0.0	0.0	0.0	-	0.0	-	-	-	-	3.0
110.0	90.0	0.0	-	0.0	0.0	-	-	-	-	-	-	-
113.0	50.0	0.0	0.0	0.0	3.2	-	-	0.0	0.0	3.2	-	0.0
113.0	55.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
113.0	65.0	0.0	0.0	0.0	3.1	-	0.0	0.0	0.0	6.0	-	0.0
113.0	70.0	0.0	0.0	0.0	0.0	-	0.0	0.0	9.0	0.0	-	0.0
117.0	40.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	2.9	-	0.0

TABLE 4. (cont.)

Myctophum nitidulum (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
117.0	60.0	0.0	0.0	0.0	0.0	-	0.0	3.3	2.9	0.0	-	0.0
117.0	70.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	2.6
120.0	55.0	2.9	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
120.0	80.0	0.0	0.0	0.0	0.0	-	0.0	-	-	-	0.0	2.8
123.0	50.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	3.0
123.0	80.0	2.9	-	-	-	-	0.0	-	-	-	-	-
130.0	50.0	0.0	-	0.0	0.0	-	2.8	0.0	-	0.0	0.0	0.0

Protomyctophum crockeri

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	50.0	1.4	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
60.0	55.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	5.3
60.0	60.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	8.2
60.0	65.0	0.0	-	5.9	-	3.2	-	-	-	-	-	-
60.0	70.0	0.0	-	0.0	-	8.3	12.8	-	-	3.3	-	0.0
60.0	80.0	0.0	-	-	-	3.0	6.5	-	-	2.5	-	3.0
60.0	90.0	0.0	-	-	-	0.0	0.0	-	-	0.0	-	4.8
63.0	55.0	0.0	-	5.9	-	0.0	0.0	-	-	0.0	-	6.1
63.0	60.0	0.0	-	6.4	-	3.2	6.6	-	-	2.9	-	-
63.0	65.0	0.0	-	2.9	-	2.8	-	-	-	-	-	6.1
63.0	70.0	-	-	8.3	-	5.8	0.0	-	-	-	-	-
63.0	80.0	-	-	-	-	0.0	17.1	-	-	8.9	-	0.0
67.0	50.0	0.0	-	0.0	-	0.0	0.0	-	-	2.9	-	5.8
67.0	55.0	2.9	-	3.0	-	3.0	0.0	-	-	3.1	-	3.0
67.0	60.0	0.0	-	0.0	-	0.0	3.6	-	-	-	-	-
67.0	65.0	0.0	-	3.0	-	0.0	-	-	-	-	-	0.0
67.0	70.0	-	-	3.0	-	3.3	3.0	-	-	10.2	-	0.0
67.0	80.0	-	-	0.0	-	0.0	6.7	-	-	3.4	-	0.0
70.0	53.0	0.0	-	0.0	-	6.2	0.0	-	-	0.0	-	0.0
70.0	60.0	0.0	-	3.1	-	3.3	3.5	-	-	6.8	-	0.0
70.0	70.0	0.0	-	2.5	-	3.3	6.2	-	-	0.0	-	2.9
70.0	80.0	0.0	-	15.0	-	3.3	0.0	-	-	0.0	-	6.1
70.0	90.0	0.0	-	-	-	3.0	0.0	-	-	9.8	-	-
70.0	100.0	7.7	-	-	-	-	-	-	-	-	-	0.0
73.0	50.0	0.0	-	0.0	-	0.0	2.9	-	-	0.0	-	0.0
73.0	60.0	-	-	0.0	-	0.0	20.2	-	-	0.0	-	0.0
73.0	70.0	-	-	5.6	-	0.0	3.6	-	-	0.0	-	-
73.0	80.0	-	-	2.8	-	3.1	6.6	-	-	0.0	-	-
73.0	90.0	-	-	5.7	-	6.6	3.1	-	-	-	-	-
77.0	51.0	0.0	-	0.0	-	0.0	0.0	-	-	3.3	-	2.9
77.0	55.0	-	-	0.0	-	3.5	0.0	-	-	3.1	-	0.0
77.0	60.0	6.8	-	0.0	-	3.2	0.0	-	-	3.0	-	0.0
77.0	70.0	-	-	2.7	-	0.0	3.4	-	-	3.2	-	3.0
77.0	80.0	0.0	-	8.5	-	0.0	0.0	-	-	6.0	-	-

TABLE 4. (cont.)

Protomyctophum crockeri (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
77.0	90.0	3.4		0.0		0.0	0.0			9.6		
80.0	52.0		0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0		0.0
80.0	55.0		0.0	0.0	0.0	2.9	0.0	0.0	0.0	3.7		0.0
80.0	60.0		0.0	3.1	3.5	2.8	0.0	0.0	3.2	3.1		3.0
80.0	65.0		0.0	2.4	0.0	0.0	0.0	3.3	0.0	0.0		0.0
80.0	70.0		0.0	0.0	0.0	5.8	0.0	6.9	3.2	0.0		16.3
80.0	80.0		5.3	0.0	6.9	0.0	0.0	3.3	6.4	0.0		6.3
80.0	90.0		0.0	0.0	3.1	0.0	0.0	0.0	6.3	4.4		18.1
80.0	100.0		2.8									
82.0	47.0		0.0	3.1	0.0	0.0	0.0	0.0	0.0	0.0		0.0
83.0	55.0		0.0	2.9	3.6	0.0	0.0	0.0	0.0	0.0		0.0
83.0	60.0		0.0	0.0	0.0	5.5	0.0	0.0	2.7	0.0		0.0
83.0	65.0		1.7	0.0	0.0	9.2	0.0	9.4	0.0	0.0		3.3
83.0	70.0		6.2	0.0	0.0	0.0	13.4	0.0	0.0	0.0		2.9
83.0	80.0		6.2	3.3	3.0	3.0	0.0	0.0	3.2	7.0		0.0
83.0	90.0		1.6	8.8	10.3	2.7	0.0	3.1	0.0	3.3		0.0
87.0	35.0		0.0	0.0	0.0	0.0	6.2	0.0	3.0	0.0		0.0
87.0	40.0		0.0	0.0	0.0	0.0	0.0	0.0	3.3	3.5		14.6
87.0	45.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
87.0	50.0		0.0	3.1	0.0	0.0	0.0	3.1	0.0	3.3		3.3
87.0	55.0		0.0	0.0	3.5	0.0	6.4	0.0	0.0	0.0		0.0
87.0	60.0		0.0	10.4	9.4	5.7	9.5	0.0	0.0	0.0		0.0
87.0	65.0		3.4		0.0	0.0	15.1	0.0	0.0	6.8		12.0
87.0	70.0		3.1		0.0	7.5	5.9	3.2	5.6	0.0		5.9
87.0	80.0	1.8	3.3		3.7	5.2	0.0	0.0	3.0	6.3		0.0
90.0	28.0	0.0	0.0		21.2	0.0	0.0	3.5	0.0	0.0		0.0
90.0	30.0		0.0		0.0	0.0		7.4				
90.0	32.0		0.0		0.0	0.0	0.0	3.8	8.6	0.0		0.0
90.0	37.0		0.0		0.0	0.0	0.0	0.0	0.0	0.0		3.1
90.0	50.0		0.0		0.0	2.9	0.0	0.0	3.2	0.0		0.0
90.0	53.0		2.9									
90.0	55.0				3.3			0.0	0.0	0.0		0.0
90.0	60.0		0.0		0.0	0.0	0.0	3.5	9.8	0.0		0.0
90.0	65.0		6.7		0.0	0.0	0.0	0.0	3.3	0.0		3.0
90.0	70.0		3.2		0.0	0.0	0.0	0.0	0.0	0.0		0.0
90.0	75.0		9.9		0.0	0.0	2.8	0.0	0.0	3.2		6.0
90.0	80.0		0.0		10.5	0.0	6.0	3.3	3.1	0.0		3.2
90.0	90.0		0.0		3.3	0.0				10.1		10.1
90.0	97.0		2.5									
90.0	100.0						0.0			3.0		6.2
90.0	110.0		0.0							5.7		9.5
90.0	120.0											6.1
90.0	130.0											3.1
90.0	140.0											3.2
93.0	28.0					0.0	0.0	4.0	0.0	0.0		0.0
93.0	30.0	0.0	0.0		0.0	2.9	0.0	6.8	0.0	0.0		3.2
93.0	35.0	0.0	0.0		0.0	0.0	0.0	17.2	0.0	0.0		3.0

TABLE 4. (cont.)

Protomyctophum crockeri [cont.]

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
93.0	40.0	16.3	0.0	-	0.0	2.9	-	10.1	0.0	0.0	-	0.0
93.0	45.0	0.0	0.0	-	0.0	3.0	3.2	23.2	0.0	6.2	-	0.0
93.0	50.0	0.0	0.0	-	3.2	0.0	0.0	7.0	3.3	9.1	-	0.0
93.0	55.0	2.8	5.0	-	10.8	0.0	12.6	0.0	3.2	2.9	-	0.0
93.0	60.0	5.6	3.0	-	3.4	3.0	0.0	0.0	0.0	6.4	-	0.0
93.0	65.0	12.7	0.0	-	0.0	5.6	3.1	0.0	3.3	2.9	-	0.0
93.0	70.0	0.0	2.7	-	0.0	5.6	-	0.0	0.0	-	-	0.0
93.0	75.0	2.8	9.0	-	7.5	6.2	6.3	0.0	0.0	-	-	9.8
93.0	80.0	0.0	0.0	-	10.2	11.0	3.0	0.0	0.0	9.2	-	2.6
93.0	90.0	0.0	-	-	-	-	-	-	-	0.0	-	0.0
93.0	100.0	-	-	-	-	-	-	-	-	6.2	-	6.5
93.0	110.0	-	-	-	-	-	-	-	-	5.5	-	22.5
93.0	120.0	-	-	-	-	-	-	-	-	-	-	-
94.0	78.0	-	-	-	-	-	-	-	-	-	-	3.0
94.0	139.0	-	-	-	-	0.0	0.0	3.1	0.0	6.1	-	0.0
97.0	32.0	3.5	14.7	-	6.6	0.0	0.0	3.0	0.0	2.9	0.0	2.5
97.0	35.0	0.0	8.2	-	0.0	0.0	10.8	3.0	3.4	0.0	0.0	0.0
97.0	40.0	0.0	0.0	-	9.6	3.2	3.1	3.1	0.0	0.0	0.0	5.1
97.0	45.0	5.7	10.7	-	6.5	0.0	20.1	0.0	0.0	2.0	0.0	30.0
97.0	50.0	3.2	0.0	-	24.6	3.3	6.9	0.0	15.1	1.9	-	0.0
97.0	55.0	0.0	0.0	-	0.0	9.0	0.0	0.0	9.8	3.3	-	5.2
97.0	60.0	0.0	6.2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	65.0	8.9	2.8	-	3.6	0.0	3.1	0.0	0.0	0.0	-	5.4
97.0	70.0	6.3	12.4	-	0.0	8.7	0.0	0.0	5.9	0.0	-	2.7
97.0	80.0	8.2	42.9	-	0.0	0.0	0.0	0.0	-	-	-	-
97.0	90.0	10.8	17.5	-	0.0	0.0	0.0	0.0	-	-	-	-
100.0	29.0	0.0	-	0.0	0.0	0.0	2.0	0.0	0.0	0.0	-	0.0
100.0	30.0	0.0	-	0.0	3.0	10.0	0.0	8.6	0.0	3.4	-	0.0
100.0	35.0	9.3	-	8.1	9.5	3.1	0.0	12.7	3.2	9.5	6.0	0.0
100.0	40.0	3.1	-	5.8	9.1	3.3	6.8	5.7	3.0	3.4	-	4.9
100.0	45.0	6.9	-	11.2	0.0	12.3	14.9	0.0	6.4	0.0	0.0	2.7
100.0	50.0	0.0	-	12.4	3.9	6.5	10.2	0.0	3.3	0.0	-	8.3
100.0	55.0	3.0	-	9.3	0.0	0.0	13.8	3.1	0.0	0.0	-	11.5
100.0	60.0	0.0	-	3.5	0.0	0.0	0.0	0.0	0.0	16.1	-	2.6
100.0	65.0	7.0	-	9.2	11.5	6.6	3.5	5.8	0.0	2.9	-	0.0
100.0	70.0	0.0	-	0.0	3.7	6.4	3.6	0.0	3.2	0.0	-	3.0
100.0	80.0	12.4	-	0.0	10.6	6.4	0.0	0.0	0.0	0.0	-	0.0
100.0	90.0	0.0	-	10.4	3.4	3.4	7.0	-	-	-	-	-
103.0	29.0	0.0	-	0.0	0.0	-	6.9	1.6	0.0	0.0	-	0.0
103.0	30.0	5.1	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
103.0	35.0	25.0	-	8.2	3.3	-	4.7	3.0	0.0	3.9	9.5	2.5
103.0	40.0	38.6	-	15.3	12.4	-	0.0	0.0	3.3	0.0	0.0	0.0
103.0	45.0	22.1	-	15.3	10.0	16.9	3.2	3.2	3.1	0.0	0.0	0.0
103.0	50.0	6.6	-	14.8	6.5	6.9	14.9	0.0	9.4	3.5	-	0.0
103.0	55.0	0.0	-	5.8	3.3	3.3	9.8	0.0	0.0	3.1	-	0.0
103.0	60.0	0.0	-	0.0	9.8	6.4	5.1	0.0	6.5	3.1	-	0.0
103.0	65.0	3.0	-	0.0	12.4	6.4	-	0.0	0.0	0.0	-	0.0

TABLE 4. (cont.)

Protomyctophum crockeri (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
103.0	70.0	8.9	6.3	3.0	15.9	3.2	11.8	0.0	0.0	5.8	-	2.6
103.0	80.0	6.1	12.8	0.0	3.1	9.7	0.0	-	-	-	-	59.2
103.0	90.0	-	-	9.7	3.2	0.0	-	-	-	-	-	-
107.0	32.0	0.0	2.5	0.0	0.0	-	0.0	6.1	3.3	0.0	-	2.8
107.0	35.0	0.0	0.0	3.4	0.0	-	24.2	0.0	0.0	0.0	0.0	2.8
107.0	40.0	0.0	3.0	3.7	6.8	-	8.3	0.0	9.0	6.4	0.0	2.5
107.0	45.0	0.0	2.8	32.7	6.6	-	8.3	0.0	0.0	3.3	12.0	2.4
107.0	50.0	0.0	3.1	30.4	14.2	-	6.4	0.0	6.3	3.3	-	0.0
107.0	55.0	23.0	20.3	14.6	0.0	-	0.0	0.0	3.1	0.0	-	0.0
107.0	60.0	3.0	6.0	7.1	3.3	-	3.1	0.0	3.0	0.0	-	8.3
107.0	65.0	2.8	-	7.9	16.1	-	0.0	0.0	6.2	3.6	-	11.2
107.0	70.0	0.0	-	0.0	6.5	-	0.0	0.0	9.4	6.6	-	5.1
107.0	80.0	3.1	-	3.4	3.1	-	0.0	-	-	-	-	5.9
107.0	90.0	-	-	0.0	9.0	-	-	-	-	-	-	-
110.0	33.0	-	-	3.0	-	-	-	-	-	-	-	-
110.0	35.0	0.0	-	15.3	3.4	-	0.0	3.2	6.4	0.0	9.5	0.0
110.0	40.0	0.0	0.0	0.0	43.3	-	-	0.0	6.5	0.0	-	11.5
110.0	45.0	10.8	-	10.3	19.9	-	6.3	0.0	3.3	12.8	8.8	11.0
110.0	50.0	8.9	-	3.2	14.0	-	0.0	0.0	0.0	3.2	-	5.9
110.0	55.0	0.0	-	0.0	6.9	-	20.9	0.0	3.2	3.3	-	2.5
110.0	60.0	17.8	-	3.7	3.4	-	0.0	0.0	3.1	6.2	-	10.6
110.0	65.0	2.8	-	0.0	3.2	-	0.0	0.0	3.0	24.7	-	12.8
110.0	70.0	0.0	-	0.0	15.3	-	0.0	0.0	0.0	0.0	-	11.6
110.0	80.0	0.0	-	3.1	6.3	-	0.0	-	-	-	-	9.0
113.0	35.0	0.0	-	4.1	2.8	-	0.0	3.1	0.0	3.2	6.5	0.0
113.0	40.0	6.5	-	6.2	0.0	-	3.0	0.0	0.0	6.5	2.4	0.0
113.0	45.0	0.0	-	3.2	10.2	-	2.8	0.0	0.0	5.8	8.3	0.0
113.0	50.0	0.0	-	3.5	3.3	-	0.0	0.0	0.0	3.2	-	0.0
113.0	55.0	2.9	-	0.0	18.7	-	0.0	0.0	0.0	0.0	-	0.0
113.0	60.0	0.0	-	0.0	-	-	0.0	0.0	5.6	0.0	-	0.0
113.0	65.0	0.0	-	6.3	6.8	-	0.0	0.0	3.2	0.0	-	0.0
113.0	70.0	6.0	-	0.0	0.0	-	0.0	3.7	3.2	0.0	-	2.8
113.0	80.0	6.1	-	0.0	3.4	-	0.0	-	0.0	0.0	-	2.9
117.0	30.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0
117.0	35.0	0.0	-	0.0	6.0	-	0.0	0.0	0.0	3.1	0.0	0.0
117.0	40.0	5.3	-	3.6	3.2	-	3.3	0.0	0.0	0.0	0.0	2.5
117.0	45.0	0.0	-	3.3	0.0	-	3.1	0.0	0.0	0.0	0.0	0.0
117.0	50.0	2.9	-	3.1	0.0	-	6.2	0.0	0.0	0.0	-	0.0
117.0	55.0	3.2	-	0.0	0.0	-	3.2	3.0	0.0	0.0	-	0.0
117.0	60.0	0.0	-	23.3	0.0	-	3.1	9.9	0.0	3.2	-	17.5
117.0	65.0	0.0	-	0.0	6.4	-	0.0	2.8	0.0	0.0	-	16.7
117.0	70.0	3.0	-	0.0	0.0	-	0.0	3.0	0.0	0.0	-	7.9
117.0	80.0	0.0	-	0.0	0.0	-	0.0	-	-	-	-	5.6
118.0	39.0	-	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	7.8
120.0	45.0	0.0	-	0.0	3.7	-	10.0	0.0	-	0.0	0.0	0.0
120.0	50.0	0.0	-	2.1	0.0	-	15.8	8.6	-	0.0	-	2.8

Protomyctophum crockeri (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
120.0	55.0	8.6	3.1	6.2	0.0	—	0.0	9.6	—	0.0	—	2.6
120.0	65.0	0.0	—	22.0	0.0	—	0.0	0.0	—	9.5	—	2.7
120.0	70.0	3.0	—	0.0	0.0	—	0.0	0.0	—	3.3	—	0.0
120.0	80.0	0.0	—	0.0	0.0	—	0.0	—	—	—	—	11.3
123.0	40.0	0.0	—	—	0.0	—	—	16.0	—	—	0.0	—
123.0	42.0	—	—	0.0	—	—	0.0	—	—	3.1	—	7.6
123.0	45.0	0.0	—	0.0	0.0	—	0.0	0.0	—	8.2	—	6.1
123.0	50.0	0.0	—	3.4	0.0	—	0.0	0.0	—	0.0	6.1	8.9
123.0	55.0	2.9	—	0.0	0.0	—	0.0	0.0	—	3.1	—	6.2
123.0	60.0	0.0	—	0.0	0.0	—	0.0	0.0	—	0.0	0.0	5.4
123.0	80.0	—	—	—	—	—	4.9	—	—	—	—	—
127.0	45.0	—	—	0.0	0.0	—	0.0	2.6	—	3.0	—	0.0
127.0	50.0	0.0	—	0.0	3.3	—	0.0	0.0	—	5.4	1.4	0.0
127.0	55.0	—	—	0.0	0.0	—	0.0	0.0	—	0.0	—	0.0
127.0	60.0	5.9	—	0.0	0.0	—	0.0	0.0	—	0.0	0.0	0.0
127.0	65.0	2.6	—	—	0.0	—	0.0	—	—	—	—	—
127.0	75.0	3.4	—	—	—	—	—	—	—	—	—	—
130.0	40.0	0.0	—	0.0	26.7	—	0.0	0.0	—	0.0	0.0	0.0
130.0	45.0	0.0	—	0.0	0.0	—	0.0	3.2	—	0.0	—	0.0
130.0	50.0	3.2	—	0.0	0.0	—	0.0	0.0	—	0.0	0.0	6.2
130.0	55.0	3.2	—	0.0	0.0	—	0.0	0.0	—	0.0	—	0.0
130.0	80.0	3.1	—	0.0	—	—	0.0	0.0	—	—	—	—
133.0	35.0	0.0	—	0.0	3.3	—	0.0	0.0	—	0.0	—	0.0
133.0	45.0	0.0	—	0.0	3.4	—	0.0	0.0	—	0.0	—	—
133.0	50.0	0.0	—	0.0	0.0	—	0.0	0.0	—	2.7	—	—
133.0	50.0	0.0	—	0.0	—	—	0.0	0.0	—	—	0.0	—
147.0	60.0	—	—	—	—	—	—	—	—	3.0	3.0	—

Symbolophorus californiensis

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
63.0	70.0	-	-	0.0	-	0.0	3.2	-	-	-	-	0.0
63.0	80.0	-	-	-	-	0.0	3.4	-	-	3.0	-	-
63.0	90.0	-	-	-	-	0.0	6.4	-	-	0.0	-	-
67.0	80.0	-	-	0.0	-	0.0	16.7	-	-	0.0	-	-
70.0	70.0	-	-	0.0	-	0.0	3.1	-	-	0.0	-	0.0
70.0	90.0	-	-	-	-	3.0	0.0	-	-	0.0	-	0.0
70.0	100.0	-	-	-	-	-	-	-	-	-	-	-
73.0	60.0	0.0	-	0.0	-	3.2	0.0	-	-	0.0	-	0.0
73.0	70.0	-	-	2.9	-	0.0	0.0	-	-	-	-	-
74.0	91.0	-	-	-	-	-	-	-	-	3.3	-	-
77.0	80.0	-	-	0.0	-	0.0	3.4	-	-	0.0	-	-
77.0	90.0	-	-	0.0	-	0.0	0.0	-	-	3.2	-	-
80.0	70.0	0.0	-	0.0	0.0	0.0	3.6	13.8	0.0	0.0	-	0.0
80.0	80.0	0.0	-	0.0	0.0	0.0	3.3	0.0	0.0	6.4	-	0.0
80.0	90.0	4.9	-	0.0	0.0	0.0	3.2	0.0	0.0	0.0	-	3.0

TABLE 4. (cont.)

Symbolophorus californiensis (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
83.0 65.0	-	0.0	-	0.0	0.0	0.0	0.0	6.3	0.0	0.0	-	0.0
83.0 70.0	-	0.0	-	0.0	0.0	0.0	16.8	0.0	0.0	3.7	-	2.9
83.0 80.0	-	0.0	-	0.0	0.0	3.0	0.0	0.0	0.0	3.5	-	0.0
83.0 90.0	-	0.0	-	2.9	6.9	0.0	0.0	0.0	0.0	3.3	-	-
87.0 60.0	-	0.0	-	4.0	0.0	0.0	3.2	0.0	3.3	0.0	-	0.0
87.0 65.0	-	0.0	-	0.0	0.0	2.9	0.0	3.0	0.0	0.0	-	0.0
87.0 70.0	-	0.0	0.0	0.0	0.0	0.0	6.1	0.0	3.3	0.0	-	0.0
87.0 80.0	-	3.0	0.0	-	0.0	0.0	2.9	0.0	0.0	0.0	-	0.0
87.0 90.0	-	0.0	0.0	-	10.6	0.0	5.8	0.0	0.0	3.2	-	0.0
90.0 32.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	2.9	3.4	-	0.0
90.0 55.0	-	0.0	-	-	6.6	0.0	-	0.0	0.0	-	-	-
90.0 60.0	-	3.4	3.1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0 65.0	-	12.8	0.0	-	0.0	2.7	0.0	7.1	0.0	3.3	-	0.0
90.0 70.0	-	6.6	3.5	-	3.5	0.0	3.1	0.0	0.0	-	-	3.3
90.0 80.0	-	6.0	0.0	-	14.0	0.0	2.8	0.0	0.0	6.4	-	0.0
90.0 90.0	-	0.0	41.8	-	0.0	0.0	3.0	6.7	3.1	0.0	-	3.2
90.0 97.0	-	-	-	-	-	-	-	-	-	-	-	2.5
90.0 110.0	-	-	-	-	-	-	-	-	-	0.0	-	12.3
90.0 120.0	-	-	-	-	-	-	-	-	-	0.0	-	6.3
90.0 130.0	-	-	-	-	-	-	-	-	-	6.4	-	0.0
93.0 40.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	6.3	6.2	-	0.0
93.0 45.0	2.8	8.9	0.0	-	0.0	0.0	0.0	0.0	0.0	3.0	-	0.0
93.0 50.0	0.0	5.6	0.0	-	3.5	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0 55.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0 60.0	3.0	0.0	3.0	-	1.7	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0 65.0	2.9	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0 70.0	3.0	0.0	5.4	-	0.0	0.0	0.0	0.0	0.0	-	-	9.8
93.0 80.0	0.0	2.8	0.0	-	19.4	0.0	3.0	3.0	0.0	9.2	-	0.0
93.0 90.0	23.1	3.3	6.0	-	3.6	13.8	-	-	-	3.1	-	0.0
93.0 100.0	-	-	-	-	13.5	-	-	-	-	0.0	-	0.0
93.0 110.0	-	-	-	-	-	-	-	-	-	0.0	-	12.9
93.0 120.0	-	-	-	-	-	-	-	-	-	0.0	-	0.0
97.0 40.0	0.0	0.0	11.0	-	0.0	0.0	0.0	6.0	3.4	7.1	0.0	0.0
97.0 45.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.2	0.0	-	0.0
97.0 50.0	2.9	14.5	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	2.7
97.0 55.0	3.0	0.0	3.1	-	0.0	0.0	0.0	0.0	3.0	3.3	-	0.0
97.0 60.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	2.0	2.0	-	0.0
97.0 65.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	2.3	-	0.0
97.0 70.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	2.2	-	0.0
97.0 75.0	0.0	0.0	16.5	-	13.7	5.8	0.0	2.8	0.0	-	-	0.0
97.0 80.0	0.0	8.2	11.6	-	3.4	3.0	6.2	-	0.0	-	-	0.0
97.0 90.0	2.6	19.0	11.6	-	3.7	0.0	3.0	3.2	0.0	0.0	0.0	0.0
100.0 35.0	0.0	3.1	-	0.0	0.0	0.0	0.0	0.0	6.4	0.0	0.0	0.0
100.0 45.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	12.0	0.0	-	0.0
100.0 55.0	0.0	0.0	-	0.0	0.0	3.3	0.0	0.0	3.0	0.0	-	0.0
100.0 60.0	3.1	2.9	-	3.5	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0 65.0	8.7	21.1	-	6.1	0.0	0.0	3.5	0.0	0.0	0.0	-	0.0

TABLE 4. (cont.)

Symbolophorus californiensis (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
100.0	70.0	13.2	0.0	6.6	7.4	6.4	0.0	5.5	0.0	0.0	-	0.0
100.0	80.0	3.7	21.8	14.4	7.1	6.5	0.0	-	0.0	0.0	-	0.0
100.0	90.0	11.7	-	31.3	6.8	0.0	0.0	-	-	-	-	-
103.0	29.0	0.0	0.0	0.0	0.0	-	0.0	3.1	0.0	0.0	-	0.0
103.0	30.0	0.0	0.0	0.0	0.0	-	1.5	5.9	0.0	0.0	-	0.0
103.0	35.0	0.0	0.0	4.1	3.3	-	0.0	6.5	0.0	0.0	0.0	0.0
103.0	40.0	0.0	0.0	7.0	0.0	-	0.0	0.0	0.0	3.9	0.0	0.0
103.0	45.0	3.1	3.2	6.1	0.0	-	0.0	0.0	3.1	0.0	-	0.0
103.0	50.0	3.3	3.3	0.0	0.0	3.4	0.0	6.4	0.0	0.0	-	0.0
103.0	55.0	6.0	6.4	2.9	3.4	3.5	3.0	3.2	0.0	0.0	-	0.0
103.0	60.0	0.0	0.0	6.1	0.0	0.0	0.0	6.4	6.5	0.0	-	2.5
103.0	65.0	0.0	0.0	8.3	15.5	0.0	0.0	0.0	3.5	0.0	-	0.0
103.0	70.0	8.9	9.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	80.0	38.4	-	7.2	0.0	0.0	0.0	-	-	-	-	0.0
103.0	90.0	-	-	3.2	0.0	0.0	-	-	3.3	3.3	-	0.0
107.0	32.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
107.0	35.0	0.0	0.0	0.0	0.0	-	3.2	3.3	0.0	0.0	0.0	0.0
107.0	40.0	0.0	0.0	7.3	0.0	-	5.5	0.0	0.0	0.0	0.0	0.0
107.0	45.0	3.1	2.8	0.0	0.0	-	0.0	0.0	0.0	3.3	-	1.9
107.0	50.0	0.0	0.0	6.8	7.1	-	0.0	0.0	0.0	0.0	-	0.0
107.0	55.0	9.8	5.8	0.0	3.4	-	0.0	0.0	6.2	0.0	-	0.0
107.0	60.0	3.0	12.0	14.1	3.3	-	0.0	0.0	3.0	0.0	-	2.8
107.0	65.0	0.0	-	31.4	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	70.0	0.0	6.2	0.0	0.0	-	0.0	-	-	-	-	0.0
107.0	80.0	3.1	-	0.0	0.0	-	-	0.0	0.0	3.4	0.0	0.0
107.0	90.0	-	-	5.7	0.0	-	-	0.0	0.0	0.0	-	0.0
110.0	35.0	0.0	0.0	3.1	3.4	-	-	0.0	0.0	-	-	0.0
110.0	40.0	0.0	0.0	0.0	6.7	-	-	-	-	-	-	0.0
110.0	41.0	-	-	-	-	-	2.6	0.0	3.3	0.0	0.0	0.0
110.0	45.0	0.0	2.9	24.1	3.3	-	0.0	0.0	3.2	0.0	-	0.0
110.0	50.0	3.0	13.7	9.5	0.0	-	5.2	0.0	3.2	0.0	-	0.0
110.0	55.0	2.8	9.8	0.0	0.0	-	3.2	0.0	0.0	3.3	-	0.0
110.0	60.0	0.0	0.0	0.0	0.0	-	6.0	0.0	0.0	0.0	-	0.0
110.0	65.0	0.0	0.0	0.0	0.0	-	2.9	0.0	0.0	0.0	-	0.0
110.0	70.0	0.0	0.0	0.0	3.1	-	0.0	0.0	0.0	0.0	-	0.0
110.0	80.0	0.0	0.0	0.0	0.0	-	0.0	-	-	-	-	0.0
113.0	35.0	-	0.0	0.0	0.0	-	0.0	6.1	0.0	0.0	0.0	0.0
113.0	40.0	-	0.0	0.0	0.0	-	0.0	9.5	0.0	0.0	0.0	0.0
113.0	45.0	-	11.6	3.2	3.4	-	0.0	0.0	0.0	0.0	0.0	0.0
113.0	50.0	-	2.8	3.5	0.0	-	9.4	2.7	0.0	0.0	-	0.0
113.0	55.0	-	0.0	0.0	0.0	-	3.3	3.0	2.8	0.0	-	0.0
113.0	60.0	0.0	3.3	0.0	-	-	0.0	0.0	0.0	0.0	-	0.0
113.0	65.0	0.0	0.0	3.1	0.0	-	0.0	0.0	0.0	0.0	-	0.0
113.0	70.0	0.0	0.0	9.5	0.0	-	0.0	0.0	0.0	0.0	-	0.0
113.0	75.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
117.0	35.0	0.0	0.0	0.0	0.0	-	3.3	3.1	0.0	0.0	-	0.0
117.0	40.0	-	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0

TABLE 4. (cont.)

Symbolophorus californiensis (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
117.0	45.0	0.0	0.0	3.3	0.0	—	0.0	0.0	3.2	0.0	0.0	0.0
60.0	60.0	0.0	0.0	3.9	0.0	—	0.0	16.5	0.0	0.0	—	0.0
117.0	65.0	0.0	0.0	0.0	0.0	—	0.0	2.8	0.0	0.0	—	0.0
117.0	70.0	0.0	0.0	0.0	0.0	—	0.0	3.3	0.0	0.0	—	0.0
120.0	45.0	0.0	0.0	6.4	0.0	—	3.3	0.0	—	0.0	0.0	0.0
120.0	50.0	0.0	0.0	4.3	0.0	—	3.2	0.0	—	0.0	—	0.0
120.0	55.0	0.0	0.0	3.1	0.0	—	2.6	0.0	—	0.0	—	0.0
123.0	40.0	0.0	—	—	0.0	—	—	3.2	—	—	0.0	—
123.0	55.0	0.0	—	0.0	0.0	—	0.0	3.1	—	0.0	—	—
133.0	45.0	—	—	0.0	3.4	—	0.0	0.0	—	0.0	—	—

Tarletonbeania crenularis

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	52.0	—	—	0.0	—	0.0	3.0	—	—	0.0	—	0.0
60.0	55.0	2.6	—	2.4	—	25.5	6.3	—	—	3.0	—	7.9
60.0	60.0	0.0	—	0.0	—	11.3	19.1	—	—	25.0	—	16.4
60.0	65.0	0.0	—	20.7	—	58.1	—	—	—	—	—	—
60.0	70.0	0.0	—	3.0	—	33.0	51.2	—	—	0.0	—	0.0
60.0	80.0	0.0	—	—	—	68.8	48.5	—	—	5.0	—	9.0
60.0	90.0	0.0	—	—	—	48.0	10.8	—	—	2.9	—	2.4
63.0	50.0	0.0	—	—	—	3.6	0.0	—	—	0.0	—	0.0
63.0	52.0	0.0	—	0.0	—	—	0.0	—	—	—	—	—
63.0	55.0	0.0	—	3.0	—	6.5	37.6	—	—	5.8	—	7.3
63.0	60.0	0.0	—	6.4	—	35.5	3.3	—	—	0.0	—	2.5
63.0	65.0	0.0	—	23.4	—	34.1	—	—	—	5.7	—	27.6
63.0	70.0	—	—	5.5	—	20.2	38.3	—	—	—	—	—
63.0	80.0	—	—	—	—	0.0	51.5	—	—	11.9	—	3.1
63.0	90.0	—	—	—	—	17.5	0.0	—	—	0.0	—	—
67.0	50.0	0.0	—	8.7	—	0.0	0.0	—	—	8.8	—	2.9
67.0	55.0	0.0	—	3.0	—	39.6	7.0	—	—	9.4	—	20.4
67.0	58.0	—	—	—	—	—	—	—	—	3.2	—	—
67.0	60.0	0.0	—	23.8	—	24.6	25.2	—	—	—	—	18.3
67.0	65.0	—	—	6.0	—	9.6	—	—	—	—	—	—
67.0	70.0	—	—	3.0	—	42.5	24.3	—	—	27.3	—	55.1
67.0	80.0	—	—	5.6	—	0.0	—	—	—	3.4	—	—
67.0	90.0	—	—	—	—	0.0	6.9	—	—	0.0	—	—
70.0	51.0	3.1	—	2.9	—	3.0	2.9	—	—	3.0	—	2.8
70.0	53.0	6.7	—	3.0	—	21.6	7.5	—	—	6.4	—	—
70.0	60.0	0.0	—	21.7	—	13.4	21.3	—	—	—	—	13.6
70.0	65.0	0.0	—	0.0	—	12.7	—	—	—	—	—	—
70.0	70.0	0.0	—	5.0	—	67.4	78.0	—	—	6.7	—	0.0
70.0	80.0	0.0	—	0.0	—	6.6	3.3	—	—	13.2	—	2.9
70.0	90.0	0.0	—	—	—	12.1	0.0	—	—	0.0	—	3.1
73.0	50.0	—	—	5.4	—	8.1	2.9	—	—	0.0	—	0.0

TABLE 4. (cont.)

Tarletonbeania crenularis (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
73-0	53.0	3.6	-	14.9	-	59.9	0.0	-	-	8.0	-	0.0
73-0	60.0	0.0	-	11.4	-	19.0	16.8	-	-	3.0	-	0.0
73-0	65.0	-	-	-	-	6.5	-	-	-	-	-	-
73-0	70.0	-	-	2.8	-	35.1	14.5	-	-	3.0	-	3.1
73-0	80.0	-	-	0.0	-	3.1	6.6	-	-	24.2	-	-
73-0	90.0	-	-	2.9	-	16.5	0.0	-	-	-	-	-
77-0	48.0	-	-	4.1	-	0.0	0.0	-	-	0.0	-	0.0
77-0	51.0	-	-	8.7	-	13.5	0.0	-	-	6.7	-	14.6
77-0	55.0	3.0	-	5.0	-	3.5	0.0	-	-	3.1	-	0.0
77-0	60.0	0.0	-	2.7	-	0.0	0.0	-	-	0.0	-	2.9
77-0	65.0	-	-	10.7	-	6.1	-	-	-	-	-	-
77-0	70.0	-	-	8.2	-	3.0	20.3	-	-	9.6	-	3.0
77-0	80.0	0.0	-	8.5	-	16.8	23.7	-	-	11.9	-	-
77-0	90.0	0.0	-	0.0	-	3.1	0.0	-	-	3.2	-	-
80-0	52.0	0.0	-	0.0	12.6	0.0	0.0	0.0	0.0	0.0	-	0.0
80-0	55.0	0.0	-	3.3	0.0	0.0	5.4	0.0	0.0	7.5	-	0.0
80-0	60.0	0.0	-	3.1	0.0	2.8	0.0	3.3	0.0	0.0	-	3.0
80-0	65.0	0.0	-	2.4	0.0	3.0	9.4	0.0	0.0	3.4	-	0.0
80-0	70.0	0.0	-	0.0	5.6	0.0	0.0	6.9	3.2	0.0	-	9.8
80-0	80.0	0.0	-	0.0	3.4	0.0	0.0	0.0	0.0	0.0	-	0.0
80-0	90.0	3.5	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	3.0
82-0	47.0	0.0	-	0.0	5.5	0.0	0.0	0.0	0.0	0.0	-	0.0
83-0	43.0	0.0	-	0.0	5.9	0.0	0.0	0.0	0.0	0.0	-	0.0
83-0	55.0	1.6	-	0.0	3.6	0.0	0.0	0.0	0.0	0.0	-	0.0
83-0	60.0	0.0	-	0.0	7.4	0.0	3.3	0.0	0.0	0.0	-	0.0
83-0	65.0	0.0	-	6.0	3.4	0.0	6.7	3.1	0.0	3.5	-	0.0
83-0	70.0	0.0	-	0.0	0.0	2.8	0.0	15.8	51.8	7.4	-	0.0
83-0	80.0	1.6	-	6.5	3.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87-0	45.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.3	0.0	-	0.0
87-0	55.0	1.6	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87-0	60.0	0.0	-	0.0	0.0	5.8	0.0	3.1	3.3	0.0	-	0.0
87-0	65.0	0.0	-	0.0	3.1	0.0	0.0	9.0	0.0	0.0	-	0.0
87-0	70.0	0.0	0.0	0.0	0.0	0.0	0.0	6.8	0.0	0.0	-	0.0
87-0	80.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	5.6	0.0	-	0.0
87-0	90.0	0.0	0.0	21.2	0.0	0.0	0.0	0.0	0.0	0.0	-	-
90-0	50.0	0.0	-	10.2	-	-	-	0.0	0.0	-	-	-
90-0	60.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	-	0.0
90-0	65.0	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	0.0	-	3.3
90-0	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	-	-	0.0
93-0	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93-0	55.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	-	0.0
93-0	60.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	-	0.0
93-0	65.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	0.0	-	0.0
93-0	80.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	-	-	0.0
93-0	90.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	0.0	0.0	-	0.0
93-0	100.0	-	-	-	-	-	-	-	-	-	-	-

TABLE 4. (cont.)

Tarletonbeania crenularis (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
97.0 45.0	0.0	0.0	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5
97.0 50.0	0.0	2.9	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
97.0 55.0	0.0	3.2	0.0	—	0.0	0.0	0.0	3.0	0.0	0.0	—	0.0
103.0 60.0	0.0	0.0	—	0.0	0.0	0.0	3.3	0.0	0.0	0.0	—	0.0

Synodus spp.

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
93.0 35.0	0.0	0.0	0.0	—	0.0	0.0	0.0	0.0	0.0	3.2	—	0.0
107.0 35.0	0.0	0.0	—	0.0	0.0	—	0.0	0.0	0.0	0.0	2.9	0.0
107.0 55.0	0.0	0.0	—	0.0	0.0	—	0.0	0.0	0.0	0.0	—	2.1
110.0 32.0	0.0	—	0.0	0.0	0.0	—	0.0	0.0	2.2	0.0	—	6.0
110.0 35.0	3.0	—	0.0	0.0	0.0	—	—	0.0	9.6	0.0	0.0	2.9
110.0 40.0	0.0	—	0.0	0.0	0.0	—	0.0	0.0	0.0	0.0	—	0.0
110.0 50.0	0.0	—	0.0	0.0	0.0	—	0.0	0.0	25.8	0.0	—	0.0
110.0 60.0	0.0	—	0.0	0.0	0.0	—	0.0	0.0	19.1	8.7	—	0.0
113.0 29.0	0.0	—	0.0	0.0	0.0	—	0.0	0.0	5.1	58.5	19.3	23.7
113.0 30.0	0.0	—	0.0	0.0	0.0	—	0.0	0.0	0.0	12.8	0.0	0.0
113.0 35.0	0.0	—	0.0	0.0	0.0	—	0.0	0.0	0.0	0.0	—	2.4
113.0 40.0	0.0	—	0.0	0.0	0.0	—	0.0	0.0	0.0	0.0	—	2.8
113.0 55.0	0.0	—	0.0	0.0	0.0	—	0.0	0.0	0.0	0.0	—	0.0
113.0 60.0	0.0	—	0.0	0.0	0.0	—	0.0	0.0	0.0	0.0	—	0.0
113.0 65.0	0.0	—	0.0	0.0	0.0	—	0.0	0.0	0.0	0.0	—	0.0
117.0 25.0	0.0	—	0.0	0.0	0.0	—	0.0	0.0	0.0	1.8	35.1	9.4
117.0 26.0	2.1	—	0.0	0.0	0.0	—	0.0	5.1	43.0	10.7	24.7	5.9
117.0 30.0	5.6	—	0.0	0.0	0.0	—	0.0	9.2	6.0	3.1	0.0	0.0
117.0 35.0	2.8	—	0.0	0.0	0.0	—	0.0	0.0	0.0	105.3	0.0	2.5
117.0 45.0	0.0	—	0.0	0.0	0.0	—	0.0	0.0	0.0	0.0	—	5.5
117.0 55.0	0.0	—	0.0	0.0	0.0	—	0.0	0.0	0.0	0.0	—	10.4
118.0 39.0	0.0	—	0.0	0.0	0.0	—	0.0	0.0	0.0	16.0	100.4	21.9
119.0 33.0	2.9	—	0.0	0.0	0.0	—	0.0	23.3	40.2	9.1	—	94.9
120.0 24.0	12.5	—	0.0	0.0	0.0	—	0.0	0.0	58.7	219.0	—	127.0
120.0 25.0	13.8	—	0.0	0.0	0.0	—	0.0	0.0	84.3	176.9	1053.2	36.0
120.0 30.0	2.7	—	0.0	0.0	0.0	—	0.0	0.0	222.6	59.2	26.2	15.2
120.0 35.0	14.2	—	0.0	0.0	0.0	—	0.0	80.0	1752.5	624.2	63.7	18.7
120.0 40.0	11.7	—	0.0	0.0	0.0	—	0.0	2.1	82.9	131.3	0.0	0.0
120.0 45.0	0.0	—	0.0	0.0	0.0	—	0.0	0.0	—	33.0	—	0.0
120.0 55.0	0.0	—	0.0	0.0	0.0	—	0.0	9.6	—	0.0	—	0.0
120.0 65.0	0.0	—	0.0	0.0	0.0	—	0.0	0.0	—	3.2	—	0.0
123.0 36.0	0.0	—	—	0.0	0.0	—	0.0	0.0	—	48.0	11.9	0.0
123.0 37.0	—	0.0	—	0.0	0.0	—	0.0	0.0	—	0.0	2.8	—
123.0 40.0	3.1	—	—	—	0.0	—	0.0	0.0	—	18.5	3.2	0.0
123.0 42.0	—	—	—	0.0	0.0	—	0.0	0.0	—	8.8	—	—
123.0 60.0	0.0	—	—	—	0.0	—	—	0.0	—	—	2.8	—
125.0 35.5	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 4. (cont.)

Synodus spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
127.0 33.0	-	0.0	-	0.0	0.0	-	0.0	0.0	-	24.0	-	2.6
127.0 34.0	-	2.8	-	0.0	0.0	-	0.0	0.0	-	13.8	0.0	0.0
127.0 40.0	-	22.9	-	0.0	0.0	-	0.0	0.0	-	12.5	0.0	0.0
127.0 45.0	-	3.3	-	0.0	0.0	-	0.0	0.0	-	6.0	-	0.0
127.0 50.0	-	0.0	-	0.0	0.0	-	0.0	0.0	-	10.8	0.0	0.0
130.0 28.0	-	0.0	-	0.0	0.0	-	0.0	0.0	-	11.6	-	0.0
130.0 30.0	-	0.0	-	0.0	0.0	-	0.0	0.0	-	16.1	0.0	4.9
130.0 35.0	-	0.0	-	0.0	0.0	-	0.0	0.0	-	15.4	13.0	0.0
130.0 60.0	-	0.0	-	0.0	0.0	-	0.0	0.0	-	22.3	0.0	0.0
131.5 37.5	-	-	-	-	-	-	-	-	-	-	5.4	-
133.0 23.0	-	0.0	-	0.0	0.0	-	0.0	0.0	-	18.6	9.2	-
133.0 25.0	-	3.0	-	0.0	0.0	-	0.0	0.0	-	30.2	0.0	18.7
133.0 30.0	-	3.3	-	0.0	0.0	-	0.0	0.0	-	28.2	0.0	0.0
137.0 22.0	-	1.5	-	0.0	0.0	-	0.0	0.0	-	6.8	-	2.0
137.0 23.0	-	0.0	-	0.0	0.0	-	0.0	24.5	-	2.1	0.0	4.3
137.0 30.0	-	0.0	-	0.0	0.0	-	0.0	0.0	-	7.9	0.0	13.4
137.0 35.0	-	2.8	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
137.0 60.0	-	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	3.0	-
140.0 30.0	-	-	-	-	-	-	-	-	-	-	5.6	-
143.0 26.0	-	-	-	-	-	-	-	-	-	-	12.6	-
150.0 19.0	-	-	-	-	-	-	-	-	-	-	25.4	-

Bregmaceros spp.

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
150.0 50.0	-	-	-	-	-	-	-	-	-	-	3.0	-
153.0 60.0	-	-	-	-	-	-	-	-	-	-	3.0	-

Microgadus proximus

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0 50.0	0.0	-	-	0.0	-	5.4	3.0	-	-	0.0	-	0.0

Merluccius productus

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0 65.0	0.0	-	-	3.0	-	3.2	-	-	-	-	-	0.0
60.0 70.0	0.0	-	-	35.9	-	0.0	0.0	-	-	0.0	-	0.0
60.0 80.0	0.0	-	-	-	-	6.0	0.0	-	-	0.0	-	0.0
60.0 90.0	0.0	-	-	-	-	3.7	0.0	-	-	0.0	-	0.0
63.0 55.0	0.0	-	-	23.7	-	0.0	0.0	-	-	0.0	-	0.0
63.0 60.0	0.0	-	-	22.3	-	0.0	0.0	-	-	0.0	-	0.0
63.0 65.0	-	-	-	201.5	-	0.0	-	-	-	-	-	-

TABLE 4. (cont.)

Merluccius productus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
63.0	70.0	-	-	19.4	-	0.0	0.0	-	-	-	-	0.0
63.0	90.0	-	-	-	-	3.5	0.0	-	-	0.0	-	-
67.0	48.0	-	-	3.1	-	0.0	-	-	-	0.0	-	0.0
67.0	50.0	0.0	-	274.6	-	0.0	0.0	-	-	2.9	-	0.0
67.0	55.0	0.0	-	115.5	-	0.0	0.0	-	-	0.0	-	0.0
67.0	60.0	0.0	-	104.5	-	0.0	0.0	-	-	-	-	0.0
67.0	65.0	-	-	214.6	-	0.0	-	-	-	-	-	-
67.0	70.0	-	-	53.1	-	3.2	-	-	-	-	-	0.0
70.0	51.0	-	-	1277.5	-	0.0	0.0	-	-	0.0	-	0.0
70.0	53.0	-	-	291.0	-	0.0	3.8	-	-	0.0	-	0.0
70.0	60.0	-	-	151.9	-	0.0	0.0	-	-	0.0	-	0.0
70.0	65.0	-	-	37.6	-	0.0	-	-	-	-	-	0.0
70.0	70.0	-	-	32.2	-	0.0	-	-	-	-	-	-
70.0	80.0	-	-	3.0	-	0.0	0.0	-	-	0.0	-	0.0
73.0	50.0	-	-	769.2	-	0.0	0.0	-	-	0.0	-	0.0
73.0	53.0	-	-	184.1	-	0.0	0.0	-	-	0.0	-	0.0
73.0	60.0	-	-	91.2	-	0.0	0.0	-	-	0.0	-	0.0
73.0	70.0	-	-	64.4	-	0.0	0.0	-	-	0.0	-	0.0
73.0	80.0	-	-	171.7	-	0.0	0.0	-	-	0.0	-	-
73.0	90.0	-	-	306.0	-	0.0	0.0	-	-	-	-	-
77.0	48.0	-	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
77.0	51.0	-	-	251.4	-	0.0	0.0	-	-	0.0	-	5.8
77.0	55.0	-	-	90.7	-	3.5	0.0	-	-	0.0	-	0.0
77.0	60.0	-	-	253.8	-	0.0	0.0	-	-	0.0	-	0.0
77.0	65.0	-	-	272.3	-	3.0	-	-	-	-	-	-
77.0	70.0	-	-	219.2	-	0.0	0.0	-	-	0.0	-	0.0
77.0	80.0	-	-	22.7	-	0.0	0.0	-	-	0.0	-	-
77.0	90.0	-	-	34.1	-	0.0	0.0	-	-	0.0	-	-
80.0	51.0	-	-	360.5	8.4	0.0	0.0	1.8	0.0	3.5	-	45.2
80.0	52.0	-	-	286.4	6.3	0.0	0.0	0.0	0.0	3.7	-	27.7
80.0	55.0	-	-	878.0	2.7	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	60.0	-	-	378.8	6.9	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	65.0	-	-	161.8	0.0	3.0	0.0	0.0	0.0	0.0	-	0.0
80.0	70.0	-	-	96.5	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	80.0	-	-	88.4	18.2	6.9	0.0	0.0	0.0	0.0	-	0.0
80.0	90.0	-	-	5.5	5.5	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	100.0	-	-	-	-	-	-	-	-	-	-	-
82.0	47.0	-	-	98.2	16.6	0.0	0.0	0.0	0.0	0.0	-	20.8
83.0	40.0	-	-	0.0	0.0	0.0	-	0.0	0.0	0.0	-	0.0
83.0	43.0	-	-	39.9	20.6	2.7	0.0	0.0	0.0	0.0	-	9.5
83.0	51.0	-	-	2.9	24.9	0.0	0.0	0.0	0.0	0.0	-	2.9
83.0	55.0	-	-	29.3	0.0	3.0	0.0	0.0	0.0	0.0	-	0.0
83.0	60.0	-	-	144.5	7.4	2.8	0.0	0.0	0.0	0.0	-	0.0
83.0	65.0	-	-	141.5	10.2	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	70.0	-	-	78.5	0.0	2.8	0.0	0.0	0.0	0.0	-	0.0
83.0	80.0	-	-	260.8	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	80.0	-	-	109.7	-	-	-	-	-	-	-	-

TABLE 4. (cont.)

Merluccius productus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
83.0	90.0	9.8	—	226.4	0.0	0.0	0.0	0.0	0.0	0.0	—	—
87.0	33.0	15.4	—	—	0.0	1.6	0.0	0.0	0.0	0.0	—	3.0
87.0	35.0	107.5	—	20.7	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
87.0	40.0	147.8	—	41.6	13.2	0.0	0.0	0.0	0.0	0.0	—	3.7
87.0	45.0	251.3	—	41.3	0.0	0.0	0.0	0.0	0.0	3.9	—	11.8
87.0	50.0	36.1	—	10.8	0.0	2.8	0.0	0.0	0.0	0.0	—	2.1
87.0	55.0	202.7	—	147.6	9.9	0.0	0.0	0.0	0.0	0.0	—	0.0
87.0	60.0	87.0	—	750.3	10.4	0.0	0.0	0.0	0.0	0.0	—	0.0
87.0	65.0	1159.4	—	121.1	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
87.0	70.0	0.0	206.2	—	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
87.0	80.0	0.0	60.1	—	3.7	0.0	0.0	0.0	0.0	0.0	—	0.0
87.0	90.0	9.0	1293.6	—	10.6	0.0	0.0	0.0	0.0	0.0	—	0.0
90.0	28.0	128.3	2.6	—	3.3	0.0	0.0	0.0	0.0	0.0	—	—
90.0	32.0	9.5	20.6	—	10.3	0.0	0.0	0.0	0.0	0.0	—	6.4
90.0	37.0	16.2	82.9	—	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
90.0	45.0	93.4	18.9	—	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
90.0	50.0	72.4	—	—	10.2	—	—	0.0	0.0	—	—	—
90.0	53.0	—	178.1	—	—	0.0	0.0	—	0.0	0.0	—	0.0
90.0	55.0	147.6	—	—	6.6	—	—	0.0	0.0	—	—	—
90.0	60.0	4408.0	59.3	—	14.7	0.0	0.0	0.0	0.0	0.0	—	0.0
90.0	65.0	7507.2	63.3	—	3.4	0.0	0.0	0.0	0.0	0.0	—	0.0
90.0	70.0	—	97.2	—	10.5	0.0	0.0	0.0	0.0	—	—	0.0
90.0	80.0	0.0	617.5	—	10.0	0.0	0.0	0.0	0.0	0.0	—	0.0
90.0	90.0	—	49.2	—	16.7	0.0	0.0	0.0	0.0	0.0	—	0.0
90.0	100.0	6.7	—	—	—	—	0.0	—	—	0.0	—	—
90.0	27.0	133.9	—	—	6.5	0.0	0.0	0.0	0.0	0.0	—	0.0
93.0	28.0	80.0	7.2	—	1.5	0.0	0.0	0.0	0.0	0.0	—	0.0
93.0	30.0	22.9	16.0	—	1.7	0.0	0.0	0.0	0.0	0.0	—	0.0
93.0	35.0	15.1	10.8	—	0.0	0.0	0.0	0.0	0.0	0.0	—	3.0
93.0	40.0	3.1	35.9	—	1.7	0.0	—	0.0	0.0	0.0	—	0.0
93.0	45.0	3.0	333.6	—	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
93.0	50.0	0.0	568.3	—	4.6	0.0	0.0	0.0	0.0	0.0	—	0.0
93.0	55.0	15.1	580.9	—	7.2	0.0	0.0	0.0	0.0	0.0	—	0.0
93.0	60.0	0.0	353.1	—	3.4	0.0	0.0	0.0	0.0	0.0	—	0.0
93.0	65.0	0.0	658.3	—	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
93.0	70.0	0.0	1997.0	—	0.0	0.0	—	0.0	0.0	—	—	0.0
93.0	80.0	0.0	140.5	—	1.9	0.0	0.0	0.0	0.0	—	—	0.0
93.0	90.0	0.0	186.6	—	0.0	0.0	0.0	—	0.0	0.0	—	0.0
97.0	29.0	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
97.0	30.0	7.1	11.9	0.0	2.7	0.0	0.0	0.0	0.0	0.0	—	0.0
97.0	32.0	—	92.4	—	—	0.0	0.0	—	—	—	—	7.4
97.0	35.0	5.9	24.6	—	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0
97.0	40.0	0.0	55.2	—	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
97.0	45.0	0.0	95.4	—	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
97.0	50.0	25.8	971.5	—	3.2	0.0	0.0	0.0	0.0	0.0	—	0.0
97.0	55.0	0.0	1119.4	—	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0

TABLE 4. (cont.)

Merluccius productus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
97-0	60.0	11.6	480.5	9.3	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97-0	65.0	0.0	151.5	14.3	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97-0	70.0	0.0	9.5	12.4	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97-0	80.0	0.0	11.0	33.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100-0	29.0	2.3	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100-0	30.0	70.0	66.9	8.6	3.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100-0	35.0	16.0	120.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
100-0	40.0	46.0	24.9	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
100-0	45.0	0.0	161.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
100-0	50.0	0.0	74.5	3.1	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100-0	55.0	128.2	1887.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100-0	60.0	3.1	11.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100-0	65.0	5.8	0.0	0.0	7.7	0.0	0.0	0.0	0.0	0.0	-	0.0
100-0	70.0	0.0	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103-0	29.0	0.0	1.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
103-0	30.0	1.2	15.2	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
103-0	35.0	14.5	134.6	4.1	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
103-0	40.0	0.0	62.8	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
103-0	45.0	0.0	56.9	6.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
103-0	50.0	0.0	19.9	3.7	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103-0	55.0	0.0	676.3	2.9	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103-0	60.0	0.0	116.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103-0	65.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
107-0	31.0	0.0	2.8	0.0	6.2	-	0.0	0.0	0.0	0.0	-	0.0
107-0	32.0	177.7	609.7	0.0	16.5	-	0.0	0.0	3.3	0.0	-	0.0
107-0	35.0	32.4	125.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
107-0	40.0	0.0	29.9	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
107-0	45.0	0.0	30.8	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
107-0	50.0	0.0	3.1	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107-0	55.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107-0	60.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110-0	32.0	0.0	51.1	3.3	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110-0	33.0	0.0	-	3.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110-0	35.0	14.8	106.2	15.3	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
110-0	40.0	0.0	75.6	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
110-0	45.0	0.0	49.8	13.8	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
110-0	50.0	0.0	23.9	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
113-0	30.0	0.0	2.8	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
113-0	35.0	0.0	0.0	20.3	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
113-0	40.0	0.0	53.1	3.1	0.0	-	0.0	0.0	0.0	0.0	-	0.0
113-0	45.0	0.0	40.5	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
113-0	50.0	0.0	2.8	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
113-0	55.0	0.0	9.8	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
113-0	60.0	0.0	0.0	3.2	-	-	0.0	0.0	0.0	0.0	-	0.0
117-0	25.0	0.0	1.5	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
117-0	26.0	0.0	33.2	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0

TABLE 4. (cont.)

Merluccius productus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
117.0	30.0	0.0	48.2	0.0	27.0	-	5.2	0.0	0.0	0.0	0.0	0.0
117.0	35.0	5.7	40.3	4.2	0.0	-	15.4	3.1	0.0	0.0	0.0	0.0
117.0	40.0	0.0	17.3	10.8	0.0	-	0.0	5.6	0.0	0.0	-	0.0
117.0	55.0	3.2	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
117.0	65.0	0.0	3.1	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
118.0	39.0	-	-	0.0	3.3	-	3.1	0.0	0.0	0.0	-	0.0
120.0	25.0	0.0	0.0	0.0	0.0	-	1.9	0.0	0.0	0.0	0.0	0.0
120.0	35.0	0.0	6.7	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
120.0	45.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
120.0	50.0	-	0.0	0.0	0.0	-	2.6	0.0	0.0	0.0	-	0.0
120.0	55.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
123.0	36.0	-	-	0.0	1.6	-	-	0.0	-	-	0.0	-
123.0	40.0	-	-	-	0.0	-	-	0.0	-	-	0.0	-
123.0	45.0	-	-	0.0	3.4	-	0.0	0.0	0.0	0.0	0.0	0.0
123.0	50.0	-	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
127.0	34.0	13.9	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
127.0	40.0	1788.2	-	7.3	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
127.0	45.0	104.6	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
127.0	50.0	5.3	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
127.0	55.0	12.3	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
127.0	60.0	11.8	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
127.0	70.0	3.3	-	-	0.0	-	-	-	-	-	-	-
127.0	75.0	3.4	-	-	0.0	-	-	-	-	-	-	-
130.0	30.0	38.4	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
130.0	35.0	559.6	-	6.7	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
130.0	40.0	24.7	-	10.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
130.0	45.0	93.1	-	7.1	0.0	-	0.0	0.0	0.0	0.0	-	0.0
130.0	50.0	22.1	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
130.0	55.0	3.2	-	29.6	0.0	-	0.0	0.0	0.0	0.0	-	0.0
133.0	23.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	11.2
133.0	25.0	32.9	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
133.0	30.0	383.5	-	2.9	0.0	-	0.0	0.0	0.0	0.0	-	0.0
133.0	35.0	58.5	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
133.0	40.0	39.8	-	2.9	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
133.0	45.0	30.7	-	2.9	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
133.0	50.0	8.4	-	3.9	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
133.0	55.0	3.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
137.0	22.0	1.5	-	13.6	0.0	-	0.0	0.0	0.0	0.0	-	0.0
137.0	23.0	0.0	-	17.0	0.0	-	0.0	0.0	0.0	0.0	0.0	4.3
137.0	30.0	118.8	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
137.0	35.0	143.5	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	23.7
137.0	40.0	59.6	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
137.0	45.0	2.9	-	0.0	0.0	-	-	0.0	-	-	-	0.0
140.0	30.0	-	-	-	-	-	-	-	-	-	11.2	-
144.5	23.0	-	-	-	-	-	-	-	-	-	8.8	-
147.0	20.0	-	-	-	-	-	-	-	-	-	6.3	-

TABLE 4. (cont.)

Physiculus spp.

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
117.0	70.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.0	0.0	-	0.0
127.0	40.0	2.5	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0

Macrouridae

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
67.0	55.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	2.9
82.0	47.0	0.0	-	0.0	0.0	2.8	0.0	0.0	0.0	0.0	-	0.0
100.0	55.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	100.0	3.0	-	-	-	-	0.0	-	-	-	-	-
113.0	65.0	0.0	0.0	0.0	0.0	-	3.3	0.0	0.0	0.0	-	0.0

Ophidiiformes

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	50.0	-	-	8.4	-	0.0	0.0	-	-	0.0	-	0.0
70.0	51.0	-	-	0.0	-	57.4	0.0	-	-	0.0	-	0.0
70.0	53.0	-	-	0.0	-	0.0	26.3	-	-	0.0	-	0.0
70.0	60.0	-	-	0.0	-	0.0	10.6	-	-	-	-	0.0
73.0	50.0	0.0	-	0.0	-	0.0	2.9	-	-	0.0	-	0.0
73.0	53.0	0.0	-	0.0	-	6.7	3.3	-	-	0.0	-	0.0
77.0	55.0	-	-	0.0	-	0.0	3.3	-	-	0.0	-	0.0
80.0	51.0	-	-	0.0	-	6.5	0.0	0.0	0.0	0.0	-	0.0
80.0	52.0	-	-	0.0	0.0	3.1	0.0	0.0	0.0	0.0	-	0.0
80.0	55.0	-	-	0.0	0.0	5.8	0.0	0.0	0.0	0.0	-	0.0
82.0	47.0	-	-	0.0	2.8	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	51.0	-	-	0.0	0.0	2.7	0.0	0.0	0.0	0.0	-	0.0
83.0	55.0	-	-	0.0	3.6	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	33.0	-	-	-	0.0	1.6	0.0	0.0	0.0	0.0	-	0.0
87.0	35.0	-	-	8.9	-	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	32.0	-	-	-	10.3	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	40.0	0.0	0.0	-	3.2	0.0	-	0.0	0.0	0.0	-	0.0
97.0	30.0	-	-	2.2	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	40.0	0.0	0.0	-	0.0	3.0	0.0	0.0	0.0	0.0	-	0.0
97.0	45.0	0.0	0.0	-	0.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0
97.0	55.0	0.0	0.0	-	3.9	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	29.0	0.0	-	0.0	0.0	0.0	2.4	0.0	0.0	3.0	-	0.0
100.0	30.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	-	0.0
110.0	35.0	-	-	0.0	0.0	-	0.0	0.0	19.2	0.0	0.0	0.0
113.0	29.0	-	-	0.0	0.0	-	0.0	0.0	4.4	0.0	-	0.0
113.0	30.0	-	-	0.0	0.0	-	0.0	0.0	5.1	0.0	2.8	0.0
113.0	65.0	-	-	0.0	0.0	-	0.0	0.0	0.0	3.0	-	0.0
117.0	25.0	-	-	0.0	0.0	-	0.0	2.7	0.0	0.0	-	0.0
117.0	26.0	-	-	0.0	0.0	-	0.0	0.0	3.1	0.0	0.0	0.0

TABLE 4. (cont.)

Ophidiiformes (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
117.0	35.0	0.0	0.0	0.0	0.0	-	0.0	9.2	0.0	2.5	0.0	0.0
117.0	40.0	0.0	0.0	0.0	0.0	-	3.3	5.6	0.0	0.0	-	0.0
118.0	39.0	-	0.0	0.0	0.0	-	0.0	2.8	3.1	0.0	-	0.0
119.0	33.0	-	0.0	0.0	0.0	-	0.0	14.6	12.4	3.0	0.0	0.0
120.0	24.0	-	0.0	0.0	0.0	-	0.0	2.3	0.0	11.0	-	0.0
120.0	25.0	-	0.0	0.0	0.0	-	0.0	0.0	2.8	0.0	31.4	0.0
120.0	30.0	0.0	0.0	0.0	0.0	-	2.1	0.0	6.4	5.6	0.0	0.0
120.0	35.0	0.0	0.0	0.0	0.0	-	0.0	12.5	3.1	12.9	11.1	0.0
120.0	40.0	0.0	0.0	0.0	0.0	-	0.0	4.1	8.6	4.0	-	0.0
120.0	45.0	0.0	0.0	0.0	0.0	-	0.0	0.0	-	9.9	0.0	0.0
127.0	40.0	5.1	0.0	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
137.0	22.0	0.0	-	0.0	0.0	-	4.2	8.4	-	2.3	-	0.0
137.0	23.0	0.0	-	0.0	0.0	-	27.2	8.2	-	0.0	0.0	0.0
137.0	40.0	0.0	-	0.0	0.0	-	0.0	3.0	-	0.0	0.0	0.0
137.0	60.0	0.0	-	0.0	0.0	-	2.6	0.0	-	0.0	2.9	-
143.0	30.0	-	-	-	-	-	-	-	-	-	11.6	-
150.0	19.0	-	-	-	-	-	-	-	-	-	3.1	-
150.0	30.0	-	-	-	-	-	-	-	-	-	-	-

Brosomphycis marginata

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
63.0	60.0	0.0	-	0.0	-	6.5	0.0	-	-	0.0	-	0.0
67.0	50.0	0.0	-	2.9	-	0.0	0.0	-	-	0.0	-	0.0
70.0	51.0	0.0	-	0.0	-	3.3	0.0	-	-	0.0	-	0.0
70.0	60.0	0.0	-	0.0	-	0.0	2.9	-	-	0.0	-	0.0
73.0	50.0	0.0	-	0.0	-	0.0	3.3	0.0	0.0	0.0	-	0.0
80.0	60.0	0.0	-	0.0	2.9	0.0	0.0	-	0.0	0.0	-	0.0
83.0	43.0	0.0	-	0.0	3.7	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	60.0	0.0	-	0.0	0.0	0.0	0.0	0.0	2.8	0.0	-	0.0
100.0	29.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
103.0	29.0	0.0	-	0.0	5.1	-	1.4	0.0	0.0	0.0	-	0.0
103.0	30.0	0.0	-	3.2	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	32.0	0.0	-	0.0	0.0	-	0.0	3.3	0.0	0.0	0.0	0.0
107.0	35.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
117.0	40.0	0.0	0.0	7.2	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
117.0	45.0	-	0.0	3.3	0.0	-	0.0	0.0	0.0	0.0	-	0.0
117.0	45.0	-	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
118.0	39.0	-	-	0.0	0.0	-	0.0	0.0	3.1	0.0	-	0.0

Chilara taylori

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	70.0	0.0	-	0.0	-	0.0	0.0	-	-	3.3	-	0.0
63.0	52.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	2.4

TABLE 4. (cont.)

Chilara taylori (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
70.0	51.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	2.8
77.0	48.0	0.0	-	0.0	-	0.0	0.0	-	-	4.4	-	0.0
77.0	51.0	0.0	-	0.0	-	0.0	0.0	-	-	3.3	-	0.0
80.0	51.0	0.0	-	0.0	-	0.0	0.0	0.0	6.5	0.0	-	0.0
80.0	52.0	0.0	-	0.0	-	0.0	0.0	0.0	40.9	0.0	-	0.0
80.0	65.0	0.0	-	0.0	-	0.0	3.1	0.0	6.4	0.0	-	0.0
82.0	47.0	0.0	-	0.0	-	0.0	-	0.0	0.0	0.0	-	0.0
83.0	40.0	0.0	-	0.0	-	0.0	0.0	9.7	0.0	5.2	-	0.0
83.0	43.0	0.0	-	0.0	-	0.0	0.0	0.0	2.7	3.5	-	0.0
83.0	51.0	0.0	-	0.0	-	0.0	3.3	0.0	0.0	0.0	-	0.0
83.0	60.0	0.0	-	0.0	-	0.0	0.0	0.0	3.2	0.0	-	0.0
83.0	65.0	0.0	-	0.0	-	0.0	0.0	0.0	3.1	0.0	-	2.5
83.0	90.0	0.0	-	0.0	-	0.0	0.0	0.0	0.0	3.2	-	3.0
87.0	35.0	0.0	-	0.0	-	0.0	0.0	0.0	0.0	7.8	-	0.0
87.0	45.0	0.0	-	0.0	-	0.0	0.0	3.1	0.0	0.0	-	0.0
87.0	50.0	0.0	-	0.0	-	0.0	0.0	3.5	0.0	0.0	-	0.0
87.0	37.0	0.0	0.0	0.0	0.0	0.0	6.2	0.0	0.0	0.0	-	0.0
90.0	60.0	0.0	0.0	0.0	0.0	0.0	6.4	0.0	0.0	0.0	-	0.0
90.0	60.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	-	0.0
93.0	60.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	0.0	-	0.0
97.0	29.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
97.0	35.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	0.0	3.0	0.0
97.0	40.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
100.0	35.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	0.0	2.6
103.0	35.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
103.0	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	-	0.0
103.0	50.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	12.7	4.6	-	0.0
107.0	31.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
107.0	32.0	0.0	0.0	0.0	0.0	-	0.0	3.3	0.0	5.1	0.0	0.0
107.0	35.0	0.0	0.0	0.0	0.0	-	0.0	4.0	0.0	0.0	-	0.0
110.0	32.0	0.0	0.0	0.0	0.0	-	0.0	3.2	0.0	0.0	-	0.0
110.0	40.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	6.4	5.8	0.0
110.0	45.0	0.0	0.0	0.0	0.0	-	2.8	0.0	0.0	0.0	0.0	0.0
113.0	45.0	0.0	0.0	0.0	0.0	-	0.0	3.2	0.0	0.0	-	0.0
113.0	50.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.2	6.1	0.0	0.0
113.0	65.0	0.0	0.0	0.0	0.0	-	0.0	3.1	0.0	0.0	0.0	2.5
117.0	30.0	0.0	0.0	0.0	0.0	-	0.0	0.0	6.5	0.0	-	0.0
117.0	35.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
117.0	40.0	0.0	0.0	0.0	0.0	-	0.0	2.9	0.0	2.6	0.0	0.0
118.0	39.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	1.9	0.0	0.0
119.0	33.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
120.0	35.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
120.0	36.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
123.0	37.0	0.0	0.0	0.0	0.0	-	0.0	3.0	0.0	0.0	0.0	0.0
127.0	65.0	2.6	-	0.0	0.0	-	0.0	-	-	-	-	-

TABLE 4. (cont.)

Ophidion scrippsae

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
83.0	40.0			0.0	0.0	0.0	-	1.2	0.0	0.0	-	0.0
83.0	43.0	0.0	-	0.0	0.0	0.0	0.0	6.5	3.3	0.0	-	0.0
83.0	51.0	0.0	-	0.0	0.0	0.0	0.0	3.5	8.0	0.0	-	0.0
87.0	33.0	0.0	-	-	0.0	0.0	2.5	2.9	2.6	2.9	-	0.0
87.0	35.0	0.0	-	0.0	0.0	0.0	0.0	3.4	0.0	0.0	-	0.0
87.0	45.0	3.9	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	28.0	0.0	0.0	-	0.0	2.8	0.0	162.8	0.0	0.0	-	0.0
93.0	27.0	0.0	-	-	0.0	0.0	0.0	0.0	6.4	0.0	-	0.0
103.0	35.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	2.0
110.0	32.0	0.0	-	0.0	0.0	-	0.0	1.3	0.0	0.0	0.0	0.0
113.0	29.0	-	0.0	0.0	0.0	-	0.0	1.2	0.0	0.0	-	0.0
113.0	30.0	-	0.0	0.0	0.0	-	0.0	3.4	0.0	2.7	0.0	2.2
113.0	35.0	-	0.0	0.0	0.0	-	0.0	0.0	3.2	0.0	0.0	0.0
113.0	45.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	2.5
117.0	26.0	-	0.0	0.0	0.0	-	0.0	7.6	3.1	0.0	0.0	0.0
117.0	30.0	-	0.0	0.0	0.0	-	5.2	0.0	0.0	0.0	-	0.0
118.0	39.0	-	-	0.0	0.0	-	0.0	2.8	3.1	0.0	-	0.0
119.0	33.0	-	0.0	0.0	0.0	-	9.3	5.8	3.1	0.0	-	0.0
120.0	24.0	-	0.0	0.0	0.0	-	0.0	0.0	2.7	0.0	-	0.0
120.0	25.0	-	0.0	0.0	0.0	-	0.0	3.1	2.8	7.9	62.9	5.1
120.0	30.0	-	0.0	0.0	0.0	-	0.0	12.5	3.2	2.8	0.0	0.0
120.0	35.0	-	0.0	0.0	0.0	-	0.0	14.4	9.2	4.0	-	0.0
120.0	40.0	-	0.0	0.0	0.0	-	0.0	0.0	8.6	13.2	0.0	0.0
120.0	45.0	-	0.0	0.0	0.0	-	0.0	0.0	-	1.9	0.0	0.0
123.0	36.0	-	0.0	0.0	0.0	-	0.0	0.0	-	3.2	0.0	0.0
123.0	37.0	0.0	-	0.0	0.0	-	0.0	0.0	-	3.1	2.8	0.0
123.0	42.0	-	-	0.0	-	-	-	-	-	-	-	-
125.0	35.5	-	-	-	-	-	-	-	-	5.5	0.0	0.0
127.0	34.0	0.0	-	0.0	0.0	-	0.0	0.0	-	3.0	-	0.0
127.0	45.0	0.0	-	0.0	0.0	-	0.0	3.0	-	6.9	-	0.0
130.0	28.0	0.0	-	0.0	0.0	-	0.0	17.8	-	2.7	0.0	0.0
130.0	30.0	0.0	-	0.0	0.0	-	0.0	84.3	-	4.7	-	0.0
133.0	23.0	0.0	-	0.0	0.0	-	0.0	3.2	-	10.1	0.0	0.0
133.0	25.0	0.0	-	0.0	0.0	-	6.3	5.6	-	0.0	0.0	2.0
137.0	22.0	0.0	-	0.0	0.0	-	0.0	16.3	-	0.0	2.8	6.4
137.0	23.0	0.0	-	0.0	0.0	-	-	-	-	-	3.2	-
147.0	20.0	-	-	-	-	-	-	-	-	-	-	-

Porichthys spp.

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
127.0	33.0	-	-	0.0	0.0	-	0.0	0.0	-	0.0	-	2.6

TABLE 4. (cont.)

Ceratioidei

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
70.0	90.0	0.0	-	-	-	0.0	0.0	-	-	3.3	-	0.0
83.0	90.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	6.6	-	0.0
90.0	120.0	-	-	-	-	-	-	-	-	2.8	-	0.0
90.0	130.0	-	-	-	-	-	-	-	-	-	-	3.0
90.0	140.0	-	-	-	-	-	-	-	-	-	-	3.1
93.0	100.0	-	-	-	0.0	-	-	-	-	6.1	-	0.0
93.0	120.0	-	-	-	-	-	-	-	-	3.1	-	3.2
94.0	139.0	-	-	-	-	-	-	-	-	-	-	3.0
97.0	50.0	0.0	0.0	-	-	0.0	0.0	0.0	3.0	0.0	-	0.0
97.0	60.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.3	-	0.0
100.0	55.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	60.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	65.0	0.0	-	0.0	0.0	0.0	0.0	0.0	5.9	6.5	-	0.0
103.0	70.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.1	2.9	-	0.0
107.0	35.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	2.9	-	0.0
107.0	65.0	0.0	0.0	0.0	0.0	-	0.0	0.0	2.9	0.0	0.0	0.0
107.0	70.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.1	0.0	-	0.0
110.0	45.0	0.0	0.0	0.0	0.0	-	0.0	0.0	6.6	0.0	-	0.0
110.0	60.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.1	0.0	0.0	0.0
110.0	65.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0	70.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
113.0	50.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
113.0	60.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
113.0	65.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	6.5	-	0.0
113.0	70.0	0.0	0.0	0.0	0.0	-	0.0	14.7	0.0	3.0	-	0.0
117.0	50.0	0.0	0.0	0.0	0.0	-	0.0	10.0	0.0	0.0	-	0.0
117.0	65.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	2.8	-	0.0
117.0	70.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	2.8
120.0	55.0	0.0	0.0	0.0	0.0	-	0.0	3.0	0.0	0.0	-	0.0
120.0	65.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	2.6
120.0	70.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	2.7
123.0	50.0	0.0	0.0	0.0	0.0	-	0.0	2.9	0.0	0.0	-	0.0
123.0	55.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	6.2	-	3.1
127.0	50.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
130.0	50.0	0.0	0.0	0.0	0.0	-	0.0	3.1	0.0	0.0	-	0.0
133.0	45.0	0.0	0.0	0.0	0.0	-	0.0	9.6	0.0	0.0	-	0.0
137.0	40.0	0.0	0.0	0.0	0.0	-	0.0	3.3	0.0	0.0	-	0.0
137.0	55.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	2.9	-	0.0

Gobiesocidae

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
97.0	30.0	0.0	-	0.0	0.0	3.1	0.0	0.0	0.0	36.5	-	0.0
103.0	29.0	0.0	-	0.0	0.0	-	0.0	6.3	13.2	1.6	-	0.0
103.0	30.0	0.0	-	0.0	0.0	-	0.0	0.0	3.1	0.0	-	0.0

TABLE 4. (cont.)

Gobiesocidae (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
107.0	31.0	0.0	-	0.0	0.0	-	0.0	0.0	2.5	2.3	-	0.0
110.0	32.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	1.2	-	0.0
117.0	25.0	0.0	0.0	0.0	0.0	-	0.0	0.0	1.7	0.0	-	0.0
120.0	25.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	2.6	0.0
120.0	40.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	6.0	-	0.0

Exocoetidae

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
77.0	48.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	3.8
77.0	51.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	5.8
97.0	30.0	0.0	-	0.0	0.0	0.0	0.0	2.7	0.0	0.0	-	0.0
103.0	45.0	0.0	-	0.0	0.0	-	1.5	0.0	0.0	0.0	0.0	0.0
110.0	40.0	0.0	0.0	0.0	0.0	-	-	6.0	0.0	0.0	-	0.0
123.0	45.0	0.0	-	0.0	0.0	-	-	3.2	-	-	-	0.0
127.0	65.0	0.0	-	0.0	0.0	-	2.8	-	-	-	-	-
137.0	35.0	0.0	-	0.0	0.0	-	0.0	3.1	-	0.0	0.0	0.0
137.0	40.0	-	-	0.0	0.0	-	0.0	6.0	-	0.0	0.0	0.0

Cololabis saira

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	60.0	0.0	-	0.0	-	0.0	9.6	-	-	0.0	-	0.0
80.0	65.0	0.0	-	2.4	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	40.0	0.0	-	0.0	0.9	0.0	-	0.0	0.0	0.0	-	0.0
83.0	65.0	0.0	-	0.0	0.0	0.0	3.3	0.0	0.0	0.0	-	0.0
83.0	70.0	0.0	-	0.0	0.0	2.8	3.3	0.0	0.0	0.0	-	0.0
87.0	60.0	-	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	65.0	-	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	-	0.0
87.0	90.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0	-	0.0
90.0	32.0	0.0	0.0	-	0.0	0.0	5.6	0.0	0.0	0.0	-	0.0
93.0	80.0	0.0	0.0	-	0.0	14.2	0.0	0.0	0.0	0.0	-	0.0
93.0	50.0	0.0	0.0	-	1.8	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	80.0	0.0	0.0	-	1.9	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	90.0	0.0	0.0	-	0.0	0.0	3.0	-	-	0.0	-	0.0
97.0	55.0	0.0	0.0	-	0.0	39.5	0.0	0.0	0.0	0.0	-	0.0
97.0	60.0	0.0	3.1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	80.0	0.0	0.0	-	0.0	2.9	0.0	0.0	0.0	0.0	-	0.0
100.0	60.0	0.0	-	0.0	0.0	0.0	2.1	0.0	0.0	0.0	-	0.0
100.0	70.0	0.0	-	0.0	0.0	0.0	3.6	0.0	0.0	0.0	-	0.0
103.0	35.0	0.0	-	4.1	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
103.0	45.0	0.0	-	0.0	0.0	-	1.7	0.0	0.0	0.0	-	0.0
103.0	65.0	0.0	-	0.0	0.0	0.0	2.5	0.0	0.0	0.0	-	0.0

TABLE 4. (cont.)

Cololabis saira (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
110.0	55.0	0.0	0.0	0.0	3.5	-	0.0	0.0	3.2	0.0	-	0.0
110.0	60.0	0.0	0.0	0.0	0.0	-	3.0	0.0	0.0	0.0	-	0.0
113.0	35.0	0.0	0.0	0.0	2.8	-	3.3	0.0	0.0	0.0	0.0	0.0
117.0	80.0	2.4	-	0.0	0.0	-	0.0	-	-	-	0.0	0.0
120.0	45.0	0.0	0.0	0.0	0.0	-	3.3	0.0	-	0.0	0.0	0.0

Atherinidae

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
63.0	52.0	-	-	0.0	-	0.0	0.0	-	-	0.0	-	2.4
67.0	50.0	-	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
70.0	51.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	2.8
77.0	48.0	-	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
82.0	47.0	0.0	-	3.1	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	40.0	0.0	-	0.0	0.9	0.0	-	0.0	0.0	0.0	-	0.0
110.0	32.0	0.0	2.1	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
113.0	29.0	0.0	1.7	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
120.0	24.0	-	1.3	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
120.0	30.0	0.0	2.9	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0

Trachipteridae

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	60.0	0.0	-	0.0	-	0.0	0.0	-	-	3.1	-	0.0
60.0	70.0	0.0	-	0.0	-	0.0	0.0	-	-	3.3	-	0.0
60.0	80.0	2.8	-	-	-	0.0	0.0	-	-	0.0	-	0.0
63.0	52.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	2.4
63.0	55.0	-	-	0.0	-	0.0	3.8	-	-	0.0	-	0.0
63.0	70.0	-	-	0.0	-	0.0	0.0	-	-	-	-	6.1
67.0	50.0	0.0	-	0.0	-	0.0	0.0	-	-	2.9	-	0.0
67.0	65.0	-	-	0.0	-	3.2	-	-	-	-	-	-
67.0	70.0	-	-	0.0	-	0.0	3.0	-	-	0.0	-	0.0
70.0	65.0	0.0	-	2.9	-	0.0	0.0	-	-	0.0	-	0.0
70.0	70.0	0.0	-	2.5	-	0.0	0.0	-	-	0.0	-	0.0
70.0	90.0	0.0	-	-	-	3.0	0.0	-	-	0.0	-	3.1
73.0	53.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	3.0
73.0	70.0	-	-	0.0	-	0.0	0.0	-	-	0.0	-	3.1
73.0	80.0	-	-	2.8	-	0.0	10.9	-	-	0.0	-	-
77.0	65.0	-	-	0.0	-	3.1	0.0	-	-	-	-	-
77.0	70.0	-	-	0.0	-	3.0	-	-	-	0.0	-	5.9
77.0	80.0	-	-	0.0	-	0.0	3.4	-	-	0.0	-	-
77.0	90.0	0.0	-	5.7	-	0.0	0.0	-	-	0.0	-	-
80.0	60.0	-	-	2.8	-	3.1	0.0	-	-	0.0	-	0.0
80.0	60.0	-	-	0.0	0.0	0.0	0.0	0.0	3.2	0.0	-	0.0
80.0	65.0	-	-	0.0	0.0	0.0	0.0	0.0	3.1	0.0	-	0.0

TABLE 4. (cont.)

Trachipteridae (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
80.0	80.0	0.0	-	3.0	0.0	2.8	0.0	0.0	3.2	0.0	-	0.0
80.0	90.0	1.8	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	3.0
83.0	60.0	1.5	-	0.0	0.0	2.8	0.0	0.0	0.0	0.0	-	0.0
83.0	65.0	0.0	-	3.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	70.0	0.0	-	0.0	0.0	0.0	3.3	0.0	0.0	0.0	-	0.0
83.0	80.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.2	0.0	-	0.0
83.0	90.0	0.0	-	0.0	0.0	2.7	0.0	0.0	3.1	0.0	-	0.0
83.0	90.0	0.0	-	4.0	0.0	2.9	0.0	0.0	0.0	0.0	-	0.0
87.0	60.0	0.0	-	0.0	0.0	0.0	0.0	3.0	0.0	0.0	-	0.0
87.0	65.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.3	0.0	-	0.0
87.0	70.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	5.9
87.0	80.0	0.0	0.0	-	0.0	2.6	0.0	0.0	0.0	0.0	-	0.0
87.0	90.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.2	0.0	-	0.0
90.0	45.0	0.0	-	-	0.0	0.0	0.0	0.0	-	0.0	-	0.0
90.0	53.0	-	0.0	-	-	2.9	0.0	-	-	0.0	-	0.0
90.0	70.0	0.0	3.5	-	0.0	3.3	0.0	3.1	0.0	-	-	0.0
90.0	80.0	3.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	90.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.1	0.0	-	0.0
93.0	50.0	3.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	55.0	0.0	2.5	-	0.0	0.0	0.0	0.0	0.0	2.9	-	3.2
93.0	60.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	3.3
93.0	65.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	80.0	0.0	0.0	-	0.0	3.1	0.0	3.0	3.3	0.0	-	0.0
93.0	90.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	-	-	0.0
94.0	139.0	-	-	-	1.8	0.0	0.0	-	-	0.0	-	3.0
97.0	45.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0
97.0	70.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	2.3	-	0.0
97.0	80.0	0.0	0.0	-	0.0	2.9	0.0	0.0	0.0	0.0	-	0.0
100.0	60.0	0.0	0.0	0.0	3.9	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	80.0	0.0	-	0.0	0.0	0.0	0.0	-	-	0.0	0.0	0.0
103.0	35.0	3.1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	2.8
107.0	60.0	0.0	-	0.0	3.3	-	0.0	0.0	0.0	0.0	-	0.0
107.0	60.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0	40.0	0.0	0.0	0.0	0.0	-	-	3.2	0.0	0.0	-	-
110.0	41.0	-	-	-	-	-	2.6	-	-	-	-	-
110.0	50.0	0.0	0.0	3.2	0.0	-	0.0	0.0	0.0	0.0	-	3.0
110.0	55.0	2.8	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
117.0	60.0	0.0	0.0	3.9	0.0	-	0.0	0.0	0.0	0.0	-	0.0
120.0	70.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	-	3.0

Melamphaes spp.

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	65.0	0.0	-	11.8	-	0.0	-	-	-	-	-	-
60.0	70.0	-	-	0.0	-	0.0	0.0	-	0.0	3.3	-	0.0
60.0	80.0	2.8	-	-	-	3.0	0.0	-	-	0.0	-	0.0
60.0	90.0	0.0	-	-	-	7.4	0.0	-	-	0.0	-	0.0

TABLE 4. (cont.)

Melamphaes spp. (cont.)												
STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
63.0	60.0	0.0	-	3.2	-	0.0	0.0	-	-	0.0	-	0.0
63.0	65.0	-	-	8.8	-	0.0	0.0	-	-	-	-	0.0
63.0	70.0	-	-	11.1	-	0.0	6.4	-	-	-	-	3.1
67.0	55.0	0.0	-	0.0	-	15.3	0.0	-	-	0.0	-	0.0
67.0	65.0	-	-	0.0	-	3.2	-	-	-	-	-	-
67.0	70.0	-	-	5.9	-	0.0	3.0	-	-	0.0	-	0.0
67.0	80.0	-	-	13.9	-	3.3	3.3	-	-	0.0	-	-
67.0	90.0	-	-	-	-	3.2	0.0	-	-	0.0	-	-
70.0	60.0	0.0	-	3.1	-	0.0	0.0	-	-	-	-	0.0
70.0	65.0	-	-	0.0	-	3.2	3.1	-	-	0.0	-	0.0
70.0	70.0	0.0	-	2.5	-	0.0	0.0	-	-	0.0	-	0.0
70.0	80.0	3.6	-	9.0	-	3.0	3.4	-	-	0.0	-	3.1
70.0	90.0	0.0	-	-	-	-	-	-	-	0.0	-	-
70.0	100.0	5.1	-	-	-	0.0	0.0	-	-	0.0	-	0.0
73.0	50.0	-	-	10.7	-	3.2	0.0	-	-	0.0	-	0.0
73.0	70.0	-	-	19.6	-	0.0	0.0	-	-	0.0	-	-
73.0	80.0	-	-	13.9	-	6.6	0.0	-	-	-	-	-
73.0	90.0	-	-	5.7	-	3.5	0.0	-	-	0.0	-	0.0
77.0	55.0	0.0	-	2.5	-	3.2	0.0	-	-	0.0	-	0.0
77.0	60.0	0.0	-	0.0	-	0.0	-	-	-	0.0	-	-
77.0	65.0	-	-	8.0	-	0.0	0.0	-	-	0.0	-	0.0
77.0	70.0	-	-	8.2	-	0.0	6.8	-	-	0.0	-	-
77.0	80.0	0.0	-	14.2	-	0.0	0.0	-	-	0.0	-	0.0
77.0	90.0	3.4	-	2.8	-	0.0	0.0	-	-	0.0	-	-
80.0	51.0	-	-	2.7	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	55.0	-	-	3.3	5.3	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	60.0	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	65.0	-	-	7.1	0.0	0.0	3.1	0.0	0.0	0.0	-	0.0
80.0	70.0	-	-	5.4	0.0	0.0	0.0	3.5	3.2	0.0	-	0.0
80.0	80.0	-	-	9.1	6.9	5.5	0.0	0.0	3.2	0.0	-	0.0
80.0	90.0	-	-	0.0	3.1	6.0	3.2	0.0	3.2	4.4	-	0.0
80.0	100.0	-	-	-	-	-	-	-	-	-	-	-
83.0	60.0	-	-	6.0	3.7	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	65.0	-	-	0.0	3.4	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	70.0	-	-	3.1	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	80.0	-	-	13.0	0.0	3.0	3.2	3.0	0.0	0.0	-	-
83.0	90.0	-	-	2.9	3.4	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	55.0	-	-	0.0	3.3	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	60.0	-	-	11.9	0.0	0.0	0.0	3.1	0.0	0.0	-	0.0
87.0	65.0	-	-	3.5	9.4	5.7	0.0	0.0	0.0	0.0	-	0.0
87.0	70.0	-	-	-	0.0	6.0	9.1	0.0	0.0	0.0	-	0.0
87.0	80.0	-	-	-	0.0	2.5	5.9	0.0	0.0	0.0	-	0.0
87.0	90.0	-	-	13.4	7.1	2.6	0.0	0.0	0.0	0.0	-	0.0
87.0	95.0	-	-	12.8	0.0	0.0	0.0	0.0	0.0	3.3	-	0.0
90.0	37.0	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	45.0	-	-	0.0	0.0	-	3.3	3.2	0.0	-	-	-
90.0	50.0	-	-	-	0.0	-	-	0.0	0.0	-	-	-

TABLE 4. (cont.)

Melamphaes spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
90.0	53.0	—	5.8	—	—	0.0	0.0	—	—	0.0	—	0.0
90.0	55.0	—	—	—	3.3	—	—	0.0	0.0	—	—	—
90.0	60.0	—	6.2	—	—	2.9	—	0.0	0.0	0.0	—	0.0
90.0	65.0	—	3.3	—	0.0	8.0	0.0	0.0	3.3	0.0	—	0.0
90.0	70.0	—	0.0	—	3.5	0.0	0.0	0.0	0.0	—	—	0.0
90.0	80.0	—	13.3	—	14.0	2.8	0.0	0.0	0.0	0.0	—	3.0
90.0	90.0	—	2.5	—	6.7	11.6	6.0	0.0	0.0	2.9	—	0.0
90.0	97.0	—	—	—	—	—	—	—	—	—	—	2.5
90.0	100.0	—	—	—	—	—	2.9	—	—	0.0	—	—
90.0	120.0	—	—	—	—	—	—	4.0	0.0	5.7	—	0.0
93.0	28.0	—	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
93.0	45.0	—	0.0	—	0.0	3.0	0.0	0.0	3.0	0.0	—	0.0
93.0	60.0	—	0.0	—	1.7	0.0	0.0	0.0	0.0	0.0	—	0.0
93.0	65.0	—	6.3	—	3.3	0.0	0.0	0.0	0.0	0.0	—	0.0
93.0	70.0	—	2.7	—	0.0	2.8	0.0	0.0	0.0	—	—	0.0
93.0	80.0	—	9.0	—	7.1	3.1	3.2	0.0	3.2	—	—	3.3
93.0	90.0	—	3.0	—	7.7	2.8	3.0	—	—	6.1	—	2.6
93.0	100.0	—	—	—	6.8	—	—	—	—	0.0	—	0.0
94.0	78.0	—	—	—	—	—	—	—	—	2.8	—	—
97.0	32.0	—	0.0	—	—	0.0	6.8	—	—	0.0	—	0.0
97.0	35.0	—	2.9	—	0.0	—	0.0	3.1	0.0	0.0	0.0	0.0
97.0	40.0	—	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8
97.0	45.0	—	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
97.0	50.0	—	2.1	—	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
97.0	55.0	—	0.0	—	7.8	0.0	0.0	0.0	6.0	0.0	—	0.0
97.0	60.0	—	6.2	—	0.0	0.0	0.0	0.0	3.3	3.3	—	0.0
97.0	65.0	—	0.0	—	0.0	0.0	0.0	2.9	0.0	0.0	—	0.0
97.0	70.0	—	5.7	—	3.6	0.0	0.0	0.0	0.0	0.0	—	0.0
97.0	80.0	—	6.2	—	—	0.0	0.0	0.0	0.0	0.0	—	0.0
97.0	90.0	—	9.9	—	0.0	0.0	0.0	0.0	2.9	2.2	—	2.7
97.0	95.0	—	11.6	—	6.8	0.0	0.0	0.0	—	—	—	—
100.0	35.0	—	—	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
100.0	40.0	—	—	0.0	0.0	0.0	0.0	8.6	3.0	0.0	0.0	0.0
100.0	50.0	—	—	0.0	0.0	3.3	6.8	0.0	0.0	0.0	—	0.0
100.0	55.0	—	—	0.0	0.0	3.3	0.0	3.1	0.0	0.0	—	0.0
100.0	60.0	—	—	0.0	0.0	3.3	0.0	0.0	0.0	0.0	—	0.0
100.0	65.0	—	—	0.0	0.0	3.3	0.0	0.0	0.0	0.0	—	0.0
100.0	70.0	—	—	0.0	0.0	3.3	0.0	0.0	0.0	2.9	—	0.0
100.0	80.0	—	—	3.3	7.4	0.0	3.6	0.0	0.0	3.5	—	0.0
100.0	90.0	—	—	3.6	3.5	3.2	0.0	0.0	0.0	0.0	—	2.8
100.0	95.0	—	—	17.4	6.8	0.0	0.0	—	—	—	—	—
103.0	35.0	—	—	7.0	6.6	—	0.0	0.0	0.0	0.0	0.0	0.0
103.0	40.0	—	—	7.0	3.1	—	0.0	0.0	6.5	0.0	0.0	0.0
103.0	45.0	—	—	6.1	3.7	—	0.0	0.0	0.0	0.0	0.0	0.0
103.0	50.0	—	—	0.0	3.2	3.4	0.0	0.0	0.0	0.0	0.0	0.0
103.0	55.0	—	—	0.0	0.0	0.0	0.0	0.0	3.1	—	—	0.0
103.0	60.0	—	—	0.0	9.8	0.0	0.0	0.0	0.0	0.0	—	0.0
103.0	65.0	—	—	0.0	6.2	0.0	0.0	0.0	0.0	0.0	—	5.1

TABLE 4. (cont.)

Melamphaes spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
103-0	70.0	0.0	-	3.0	0.0	3.2	3.0	0.0	3.1	0.0	-	0.0
103-0	80.0	0.0	-	3.6	0.0	0.0	0.0	-	-	-	-	2.7
103-0	90.0	0.0	-	6.5	0.0	0.0	-	-	-	-	-	-
107-0	32.0	0.0	-	0.0	0.0	-	0.0	0.0	3.3	0.0	-	0.0
107-0	35.0	0.0	-	0.0	0.0	-	0.0	0.0	2.9	0.0	0.0	0.0
107-0	45.0	0.0	-	7.3	6.6	-	2.8	0.0	0.0	0.0	3.0	0.0
107-0	50.0	0.0	-	10.1	3.6	-	6.0	0.0	0.0	0.0	-	0.0
107-0	55.0	0.0	-	11.0	10.2	-	0.0	5.4	0.0	0.0	-	0.0
107-0	60.0	0.0	-	0.0	6.6	-	0.0	0.0	0.0	0.0	-	2.8
107-0	65.0	0.0	0.0	0.0	3.2	-	0.0	0.0	0.0	0.0	-	0.0
107-0	70.0	0.0	0.0	0.0	0.0	-	0.0	11.6	0.0	6.6	-	0.0
107-0	80.0	0.0	0.0	0.0	0.0	-	3.2	-	-	-	-	0.0
110-0	35.0	0.0	0.0	0.0	3.4	-	0.0	0.0	0.0	0.0	0.0	0.0
110-0	40.0	0.0	0.0	3.8	0.0	-	-	0.0	0.0	6.8	-	0.0
110-0	45.0	2.7	0.0	3.4	0.0	-	3.2	0.0	0.0	3.2	0.0	0.0
110-0	50.0	5.9	0.0	3.2	3.5	-	2.6	2.8	0.0	0.0	-	0.0
110-0	55.0	0.0	6.5	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110-0	60.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.1	0.0	-	0.0
110-0	65.0	2.8	0.0	0.0	3.2	-	0.0	3.2	0.0	0.0	-	2.8
110-0	70.0	0.0	0.0	3.6	3.1	-	0.0	9.0	3.1	6.8	-	0.0
110-0	80.0	2.8	-	3.9	3.2	-	-	-	-	-	-	-
113-0	35.0	0.0	0.0	4.1	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
113-0	45.0	0.0	0.0	6.3	0.0	-	0.0	0.0	0.0	8.7	0.0	2.5
113-0	50.0	0.0	0.0	0.0	3.3	-	3.2	3.2	0.0	0.0	-	0.0
113-0	55.0	0.0	0.0	0.0	0.0	-	3.1	2.7	0.0	0.0	-	0.0
113-0	65.0	0.0	0.0	3.1	0.0	-	0.0	3.7	0.0	3.0	-	0.0
113-0	70.0	3.0	0.0	3.2	0.0	-	0.0	0.0	0.0	8.4	-	0.0
113-0	80.0	0.0	-	0.0	0.0	-	0.0	-	-	-	-	2.8
117-0	40.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	2.9	2.7	0.0
117-0	45.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
117-0	50.0	2.9	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
117-0	55.0	0.0	0.0	0.0	0.0	-	9.7	0.0	0.0	3.2	-	8.8
117-0	60.0	0.0	0.0	0.0	0.0	-	3.3	0.0	0.0	0.0	-	0.0
117-0	65.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	5.2
117-0	70.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	2.8
117-0	80.0	0.0	-	0.0	0.0	-	0.0	-	-	-	-	2.8
120-0	45.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
120-0	50.0	0.0	0.0	0.0	3.0	-	0.0	0.0	0.0	0.0	-	0.0
120-0	55.0	0.0	0.0	0.0	3.5	-	5.2	0.0	-	0.0	-	3.1
120-0	60.0	2.6	0.0	3.9	0.0	-	0.0	6.5	-	-	-	2.7
120-0	65.0	0.0	-	3.7	0.0	-	0.0	0.0	-	0.0	-	3.0
120-0	70.0	0.0	-	2.8	0.0	-	0.0	0.0	-	-	-	5.7
120-0	80.0	0.0	-	0.0	0.0	-	0.0	-	-	-	-	0.0
123-0	40.0	0.0	-	-	0.0	-	-	3.2	-	2.7	0.0	0.0
123-0	45.0	0.0	-	0.0	0.0	-	3.0	0.0	-	0.0	-	6.2
123-0	55.0	0.0	-	0.0	0.0	-	0.0	0.0	-	-	-	-

TABLE 4. (cont.)

Melamphaes spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
123.0	60.0	0.0	-	0.0	0.0	-	0.0	3.2	-	0.0	0.0	2.7
127.0	40.0	0.0	-	0.0	0.0	-	0.0	3.0	-	0.0	0.0	0.0
127.0	45.0	0.0	-	0.0	0.0	-	0.0	5.2	-	0.0	-	0.0
127.0	55.0	0.0	-	0.0	0.0	-	0.0	0.0	-	9.4	-	0.0
127.0	70.0	0.0	-	-	0.0	-	3.0	-	-	-	-	-
127.0	80.0	0.0	-	-	-	-	2.7	-	-	-	-	-
130.0	35.0	0.0	-	0.0	0.0	-	0.0	3.1	-	0.0	0.0	0.0
130.0	50.0	0.0	-	0.0	0.0	-	2.9	3.2	-	0.0	0.0	0.0
130.0	55.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
130.0	60.0	0.0	-	0.0	0.0	-	0.0	0.0	-	5.6	0.0	0.0
130.0	65.0	-	-	-	3.6	-	0.0	-	-	-	-	-
130.0	70.0	3.2	-	-	3.3	-	2.7	-	-	-	-	-
130.0	80.0	0.0	-	-	-	-	2.7	-	-	-	-	-
133.0	30.0	0.0	-	0.0	0.0	-	0.0	3.1	-	0.0	0.0	0.0
133.0	35.0	0.0	-	3.5	0.0	-	0.0	0.0	-	3.0	-	0.0
133.0	45.0	0.0	-	0.0	0.0	-	0.0	3.3	-	0.0	-	-
133.0	50.0	0.0	-	0.0	0.0	-	0.0	0.0	-	2.7	0.0	-
133.0	55.0	0.0	-	0.0	3.4	-	0.0	0.0	-	0.0	-	-
133.0	60.0	0.0	-	2.9	7.0	-	0.0	2.8	-	0.0	0.0	-
137.0	35.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	2.6
137.0	40.0	0.0	-	0.0	0.0	-	0.0	0.0	-	5.2	3.2	0.0
137.0	50.0	0.0	-	3.6	0.0	-	2.9	0.0	-	0.0	0.0	-
137.0	55.0	0.0	-	3.8	0.0	-	0.0	3.1	-	0.0	-	-
137.0	60.0	3.0	-	0.0	0.0	-	0.0	3.1	-	0.0	-	-
153.0	30.0	-	-	-	-	-	-	-	-	-	3.0	-

Poromitra spp.

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
63.0	70.0	-	-	0.0	-	2.9	0.0	-	-	-	-	0.0
63.0	90.0	-	-	0.0	-	0.0	6.4	-	-	0.0	-	0.0
67.0	80.0	-	-	0.0	-	0.0	3.3	-	-	0.0	-	0.0
70.0	70.0	0.0	-	0.0	-	0.0	6.2	-	-	0.0	-	0.0
80.0	70.0	0.0	-	0.0	0.0	0.0	3.6	0.0	0.0	0.0	-	0.0
80.0	80.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.2	0.0	-	0.0
83.0	80.0	0.0	-	0.0	3.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	90.0	0.0	-	0.0	0.0	0.0	0.0	3.1	0.0	3.3	-	-
90.0	60.0	0.0	0.0	0.0	0.0	2.9	3.1	0.0	0.0	0.0	-	0.0
90.0	90.0	0.0	2.5	-	3.3	0.0	0.0	0.0	0.0	2.8	-	0.0
90.0	120.0	-	-	-	-	-	-	-	-	0.0	-	0.0
93.0	40.0	3.3	0.0	-	0.0	0.0	-	0.0	0.0	0.0	-	0.0
93.0	80.0	0.0	3.0	-	0.0	0.0	0.0	0.0	0.0	-	-	0.0
94.0	139.0	-	-	-	-	-	-	-	-	-	-	3.0
97.0	60.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.3	0.0	-	0.0
97.0	80.0	0.0	0.0	-	6.8	2.9	0.0	0.0	0.0	0.0	-	0.0

TABLE 4. (cont.)

Poromitra spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
97.0	90.0	2.6	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0
100.0	60.0	0.0	0.0	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
100.0	70.0	0.0	0.0	3.3	0.0	0.0	3.6	0.0	0.0	0.0	0.0	0.0
100.0	80.0	0.0	0.0	0.0	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
103.0	35.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0
103.0	50.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	0.0	0.0	0.0
103.0	65.0	0.0	0.0	0.0	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
103.0	70.0	5.9	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
103.0	80.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
107.0	60.0	0.0	3.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
107.0	65.0	0.0	0.0	7.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
110.0	40.0	0.0	0.0	0.0	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0
110.0	45.0	0.0	0.0	6.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
110.0	50.0	0.0	0.0	0.0	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
110.0	55.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
110.0	65.0	0.0	0.0	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
113.0	35.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0
113.0	40.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
113.0	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0
113.0	65.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0
117.0	65.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
117.0	70.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
123.0	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1
123.0	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0
127.0	45.0	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
130.0	90.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0
137.0	55.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0

Scopelogadus bispinosus

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
63.0	55.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0
87.0	60.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0
87.0	70.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0
90.0	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3
90.0	60.0	0.0	0.0	0.0	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0
93.0	40.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0
93.0	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0
93.0	80.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5
93.0	90.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.3
93.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.3	0.0	0.0
93.0	120.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	3.2
94.0	139.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0
97.0	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0
97.0	80.0	0.0	0.0	0.0	0.0	8.7	8.6	0.0	0.0	0.0	0.0	0.0

TABLE 4. (cont.)

Scopelogadus bispinosus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
100.0	40.0	0.0	—	0.0	0.0	0.0	0.0	5.7	0.0	0.0	—	0.0
100.0	45.0	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0	2.8	—	0.0
100.0	55.0	0.0	—	0.0	0.0	0.0	0.0	0.0	3.0	3.1	0.0	0.0
100.0	65.0	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0	2.9	—	0.0
100.0	70.0	3.3	—	0.0	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
100.0	80.0	0.0	—	3.6	0.0	6.5	0.0	—	—	0.0	—	0.0
100.0	90.0	0.0	—	3.5	0.0	0.0	0.0	—	—	—	—	—
103.0	40.0	0.0	—	0.0	0.0	—	—	0.0	0.0	0.0	—	0.0
103.0	50.0	0.0	—	0.0	0.0	0.0	3.2	0.0	0.0	0.0	—	0.0
103.0	55.0	0.0	—	0.0	0.0	3.5	—	0.0	0.0	—	—	0.0
103.0	65.0	0.0	—	0.0	0.0	3.2	2.5	0.0	0.0	0.0	—	0.0
103.0	70.0	0.0	—	0.0	0.0	0.0	5.9	0.0	0.0	0.0	—	0.0
107.0	45.0	0.0	—	0.0	3.3	—	11.0	0.0	0.0	0.0	0.0	0.0
107.0	50.0	0.0	—	0.0	0.0	—	3.2	0.0	0.0	0.0	—	1.9
107.0	55.0	0.0	—	0.0	0.0	—	3.0	0.0	0.0	0.0	—	0.0
107.0	60.0	0.0	—	0.0	0.0	—	0.0	0.0	9.1	0.0	—	0.0
107.0	70.0	3.0	0.0	0.0	0.0	—	0.0	2.9	6.2	0.0	0.0	0.0
110.0	45.0	—	0.0	0.0	0.0	—	0.0	0.0	0.0	0.0	—	0.0
110.0	50.0	—	0.0	0.0	0.0	—	2.6	0.0	0.0	0.0	—	0.0
110.0	55.0	—	0.0	0.0	0.0	—	0.0	0.0	6.5	0.0	—	0.0
110.0	60.0	—	0.0	3.7	0.0	—	0.0	0.0	0.0	0.0	—	0.0
110.0	65.0	—	0.0	0.0	0.0	—	0.0	0.0	0.0	7.1	—	0.0
113.0	50.0	—	0.0	0.0	0.0	—	3.2	0.0	0.0	0.0	—	0.0
113.0	60.0	—	0.0	0.0	—	—	3.3	0.0	0.0	0.0	—	0.0
113.0	65.0	—	0.0	0.0	0.0	—	0.0	0.0	0.0	3.0	—	0.0
113.0	70.0	—	0.0	0.0	0.0	—	0.0	0.0	0.0	5.6	—	0.0
117.0	40.0	—	0.0	0.0	0.0	—	0.0	0.0	6.0	2.9	—	0.0
120.0	50.0	—	0.0	0.0	0.0	—	0.0	0.0	—	0.0	—	2.8
120.0	60.0	—	0.0	0.0	0.0	—	0.0	3.2	—	—	—	0.0
120.0	70.0	—	0.0	0.0	0.0	—	0.0	5.8	—	0.0	—	0.0
123.0	45.0	—	—	0.0	0.0	—	0.0	0.0	—	2.7	—	0.0
123.0	50.0	—	—	0.0	0.0	—	0.0	0.0	—	9.0	0.0	0.0
123.0	55.0	—	—	0.0	0.0	—	0.0	0.0	—	3.1	—	0.0
123.0	60.0	—	—	0.0	0.0	—	0.0	0.0	—	2.9	3.2	0.0
130.0	35.0	—	—	0.0	0.0	—	0.0	3.1	—	0.0	0.0	0.0
147.0	60.0	—	—	—	—	—	—	—	—	—	6.1	—

Macroramphosus gracilis

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
110.0	70.0	—	—	0.0	0.0	—	0.0	0.0	9.2	0.0	—	0.0
113.0	45.0	—	0.0	0.0	0.0	—	0.0	0.0	0.0	5.8	0.0	0.0
113.0	60.0	—	0.0	0.0	—	—	0.0	0.0	0.0	3.2	—	0.0
117.0	45.0	—	0.0	0.0	—	—	0.0	0.0	0.0	2.8	0.0	0.0
123.0	60.0	—	—	0.0	0.0	—	0.0	0.0	—	0.0	0.0	2.7

TABLE 4. (cont.)

Macroramphosus gracilis (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
127.0	50.0	2.6	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0

Syngnathus spp.

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
67.0	58.0	-	-	-	-	-	-	-	-	3.2	-	-
77.0	51.0	3.2	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
80.0	51.0	-	-	0.0	2.1	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	52.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	3.1
80.0	55.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	3.7	-	0.0
80.0	60.0	-	-	0.0	0.0	0.0	0.0	0.0	3.2	0.0	-	0.0
82.0	47.0	-	-	0.0	0.0	0.0	0.0	2.9	0.0	0.0	-	0.0
83.0	43.0	0.0	-	0.0	0.0	0.0	3.4	0.0	0.0	0.0	-	0.0
87.0	33.0	1.7	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	28.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	6.6
90.0	45.0	-	0.0	-	3.4	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	30.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	1.9
110.0	32.0	-	0.0	0.0	0.0	-	0.0	0.0	2.2	0.0	-	0.0
113.0	30.0	2.1	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
119.0	33.0	0.0	0.0	0.0	0.0	-	3.1	0.0	0.0	0.0	0.0	0.0

Agonidae

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	55.0	-	-	2.4	-	0.0	0.0	-	-	0.0	-	0.0
63.0	60.0	-	-	3.2	-	0.0	0.0	-	-	0.0	-	0.0
67.0	48.0	-	-	0.0	-	0.0	-	-	-	0.0	-	2.5
70.0	51.0	3.1	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
70.0	53.0	-	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
73.0	50.0	2.3	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
80.0	51.0	0.0	-	0.0	0.0	3.2	0.0	0.0	0.0	0.0	-	0.0
82.0	47.0	0.0	-	0.0	0.0	2.8	3.1	0.0	0.0	0.0	-	0.0
83.0	51.0	4.8	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	55.0	0.0	-	2.9	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	40.0	-	-	3.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	32.0	0.0	2.9	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	29.0	0.0	-	9.6	1.6	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	30.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	30.0	0.0	-	0.0	5.1	-	0.0	0.0	0.0	0.0	-	0.0
107.0	31.0	0.0	-	14.3	0.0	-	7.3	0.0	0.0	0.0	-	0.0
107.0	32.0	0.0	-	0.0	0.0	-	0.0	3.0	0.0	0.0	-	0.0

TABLE 4. (cont.)

Cottidae

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	52.0	7.9	-	2.5	-	3.2	0.0	-	-	0.0	-	0.0
60.0	55.0	42.3	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
60.0	60.0	5.9	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
63.0	50.0	0.0	-	0.0	-	4.8	0.0	-	-	0.0	-	0.0
63.0	52.0	0.0	-	4.8	-	0.0	0.0	-	-	0.0	-	2.4
67.0	48.0	0.0	-	0.0	-	2.9	-	-	-	0.0	-	0.0
67.0	50.0	0.0	-	8.7	-	7.0	0.0	-	-	0.0	-	0.0
70.0	51.0	0.0	-	0.0	-	9.1	0.0	-	-	0.0	-	0.0
73.0	50.0	0.0	-	0.0	-	2.7	0.0	-	-	0.0	-	0.0
77.0	48.0	25.5	-	0.0	-	0.0	4.4	-	-	0.0	-	0.0
80.0	51.0	-	-	0.0	-	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	52.0	1.6	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	43.0	0.0	-	0.0	5.9	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	51.0	14.4	-	0.0	6.2	2.7	0.0	0.0	2.7	7.1	-	0.0
87.0	33.0	0.0	-	-	0.0	0.0	0.0	2.9	0.0	0.0	-	0.0
87.0	50.0	2.3	-	0.0	0.0	0.0	0.0	0.0	0.0	3.5	-	0.0
97.0	30.0	0.0	-	15.1	5.3	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	30.0	0.0	-	0.0	0.0	3.3	0.0	0.0	0.0	0.0	-	0.0
103.0	29.0	0.0	-	0.0	0.0	-	1.6	1.6	5.7	0.0	-	0.0
107.0	31.0	0.0	-	0.0	4.1	-	0.0	0.0	0.0	0.0	-	0.0
110.0	32.0	0.0	-	5.2	1.4	-	3.6	0.0	0.0	0.0	-	0.0
110.0	33.0	-	-	3.0	-	-	-	-	-	-	-	-
113.0	30.0	0.0	-	0.0	2.3	-	2.2	0.0	0.0	0.0	0.0	0.0
117.0	25.0	0.0	-	0.0	0.0	-	1.4	0.0	0.0	0.0	-	0.0
119.0	33.0	0.0	-	0.0	0.0	-	0.0	2.9	0.0	0.0	0.0	0.0
120.0	40.0	0.0	-	2.2	0.0	-	0.0	0.0	0.0	0.0	-	0.0

Scorpaenichthys marmoratus

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	55.0	5.6	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
63.0	52.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	4.9
67.0	55.0	5.7	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
67.0	60.0	0.0	-	3.0	-	0.0	0.0	-	-	-	-	0.0
73.0	50.0	0.0	-	2.7	-	0.0	0.0	-	-	26.7	-	0.0
77.0	48.0	0.0	-	1.0	-	0.0	0.0	-	-	0.0	-	0.0
80.0	51.0	0.0	-	5.4	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	52.0	0.0	-	6.1	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	60.0	0.0	-	3.1	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	29.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	31.0	2.6	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
113.0	30.0	2.1	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
113.0	40.0	0.0	-	3.3	0.0	-	0.0	0.0	0.0	0.0	-	0.0
117.0	35.0	0.0	-	0.0	0.0	-	5.1	0.0	0.0	0.0	0.0	0.0

TABLE 4. (cont.)

Cyclopteridae

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0 52.0	0.0	-	-	2.5	-	0.0	3.0	-	-	0.0	-	0.0
60.0 90.0	0.0	-	-	-	-	3.7	0.0	-	-	0.0	-	0.0
67.0 48.0	0.0	-	-	0.0	-	2.9	-	-	-	0.0	-	0.0
70.0 51.0	0.0	-	-	0.0	-	3.0	0.0	-	-	0.0	-	0.0
77.0 48.0	0.0	-	-	0.0	-	0.0	0.0	-	-	4.4	-	0.0
93.0 27.0	0.0	0.0	-	-	0.0	0.0	0.0	3.6	0.0	0.0	-	0.0
97.0 29.0	0.0	1.9	-	0.0	3.1	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0 29.0	0.0	0.0	-	0.0	0.0	-	0.0	0.0	1.9	0.0	-	0.0
107.0 31.0	0.0	0.0	-	0.0	2.0	-	1.5	2.0	0.0	0.0	-	0.0
110.0 32.0	0.0	-	0.0	0.0	1.4	-	0.0	0.0	0.0	0.0	-	0.0

Hexagrammidae

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
77.0 48.0	9.1	-	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0

Ophiodon elongatus

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0 55.0	2.8	-	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0

Oxylebius pictus

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
80.0 51.0	-	0.0	-	2.7	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0 52.0	-	0.0	-	6.1	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0 51.0	-	0.0	-	0.0	3.1	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0 30.0	2.8	3.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0 29.0	1.1	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
103.0 30.0	0.0	0.0	-	0.0	0.0	-	1.4	0.0	0.0	0.0	-	0.0

Zaniolepis spp.

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0 50.0	0.0	-	-	0.0	-	0.0	0.0	-	-	2.3	-	0.0
70.0 51.0	3.1	-	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
83.0 40.0	-	0.0	-	0.0	0.9	0.0	-	0.0	0.0	0.0	-	0.0
83.0 43.0	-	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	6.4
83.0 51.0	-	9.5	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	2.9
87.0 33.0	-	0.0	-	-	0.0	0.0	2.5	0.0	0.0	2.9	-	0.0
87.0 37.0	-	1.7	-	3.0	0.0	0.0	0.0	0.0	0.0	0.0	-	3.7
87.0 40.0	-	1.2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	4.1

TABLE 4. (cont.)

Zaniolepis spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
90.0	28.0	—	5.2	—	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
90.0	37.0	0.0	3.0	—	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
97.0	35.0	0.0	2.9	—	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0
100.0	30.0	2.8	—	2.9	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
107.0	31.0	1.4	—	2.9	0.0	—	0.0	0.0	0.0	0.0	—	0.0
117.0	25.0	—	0.0	0.0	1.8	—	0.0	0.0	0.0	0.0	—	0.0
117.0	35.0	—	0.0	0.0	3.0	—	0.0	0.0	0.0	0.0	0.0	0.0
120.0	24.0	—	0.0	0.0	0.0	—	0.0	0.0	0.0	0.0	—	0.0
120.0	30.0	—	2.9	0.0	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0
127.0	34.0	0.0	—	3.1	0.0	—	0.0	0.0	—	0.0	0.0	0.0

Scorpaenidae

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
117.0	55.0	—	0.0	0.0	0.0	—	0.0	0.0	0.0	3.2	—	0.0

Scorpaena spp.

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
97.0	30.0	0.0	—	0.0	0.0	0.0	0.0	2.7	0.0	0.0	—	0.0
100.0	35.0	0.0	—	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0
100.0	40.0	0.0	—	0.0	0.0	0.0	0.0	0.0	3.0	0.0	—	0.0
100.0	65.0	0.0	—	0.0	0.0	0.0	0.0	2.9	0.0	0.0	—	0.0
103.0	30.0	0.0	—	0.0	0.0	—	1.4	0.0	12.4	0.0	0.0	0.0
103.0	35.0	0.0	—	0.0	0.0	—	0.8	0.0	0.0	0.0	0.0	0.0
107.0	31.0	0.0	—	0.0	0.0	—	0.0	2.0	2.5	0.0	—	0.0
107.0	32.0	0.0	—	0.0	0.0	—	0.0	3.0	0.0	0.0	—	0.0
107.0	55.0	0.0	—	0.0	0.0	—	0.0	0.0	3.1	0.0	—	0.0
110.0	32.0	0.0	—	0.0	0.0	—	0.0	2.6	0.0	0.0	—	0.0
110.0	65.0	—	0.0	0.0	0.0	—	0.0	6.4	0.0	0.0	—	0.0
113.0	45.0	0.0	0.0	0.0	0.0	—	2.8	0.0	0.0	0.0	0.0	0.0
113.0	50.0	0.0	0.0	0.0	0.0	—	0.0	3.2	0.0	0.0	—	0.0
113.0	55.0	0.0	0.0	0.0	0.0	—	0.0	0.0	2.9	0.0	—	0.0
113.0	60.0	0.0	0.0	0.0	—	—	0.0	0.0	5.6	0.0	—	0.0
113.0	65.0	0.0	0.0	0.0	0.0	—	0.0	0.0	19.1	0.0	—	0.0
117.0	26.0	0.0	0.0	0.0	0.0	—	0.0	2.5	0.0	0.0	0.0	0.0
117.0	30.0	0.0	0.0	0.0	0.0	—	0.0	19.7	0.0	0.0	0.0	0.0
117.0	35.0	0.0	0.0	0.0	0.0	—	0.0	18.4	0.0	0.0	0.0	0.0
117.0	40.0	0.0	0.0	0.0	0.0	—	0.0	2.8	0.0	0.0	0.0	0.0
117.0	45.0	0.0	0.0	0.0	0.0	—	6.2	0.0	0.0	0.0	0.0	0.0
117.0	50.0	0.0	0.0	0.0	0.0	—	9.7	0.0	0.0	0.0	0.0	0.0
117.0	55.0	0.0	0.0	0.0	0.0	—	51.3	0.0	2.9	0.0	—	0.0
117.0	65.0	0.0	0.0	0.0	0.0	—	3.3	0.0	0.0	0.0	—	0.0
117.0	70.0	0.0	0.0	0.0	0.0	—	0.0	0.0	12.0	6.3	—	0.0

TABLE 4. (cont.)

Scorpaena spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
118.0	39.0	-	-	0.0	0.0	-	0.0	2.8	9.3	0.0	-	0.0
119.0	33.0	0.0	0.0	0.0	0.0	-	0.0	2.9	0.0	0.0	0.0	0.0
120.0	40.0	0.0	0.0	0.0	0.0	-	0.0	2.1	0.0	0.0	-	0.0
120.0	45.0	0.0	0.0	0.0	0.0	-	3.3	20.0	-	0.0	0.0	0.0
120.0	50.0	0.0	0.0	0.0	0.0	-	3.2	8.6	-	0.0	-	0.0
120.0	55.0	0.0	0.0	0.0	0.0	-	0.0	35.2	-	0.0	-	0.0
120.0	60.0	0.0	0.0	0.0	0.0	-	3.1	0.0	-	-	-	0.0
120.0	80.0	0.0	-	0.0	0.0	-	2.9	0.0	-	-	-	0.0
123.0	37.0	0.0	-	0.0	0.0	-	1.8	0.0	-	0.0	0.0	0.0
123.0	40.0	0.0	-	0.0	0.0	-	-	12.8	-	-	0.0	-
123.0	42.0	-	-	0.0	0.0	-	0.0	16.0	-	3.1	-	0.0
123.0	45.0	0.0	-	0.0	0.0	-	0.0	62.0	-	0.0	-	0.0
127.0	40.0	0.0	-	0.0	0.0	-	3.0	0.0	-	0.0	0.0	0.0
127.0	50.0	0.0	-	0.0	0.0	-	3.2	0.0	-	0.0	0.0	0.0
127.0	60.0	0.0	-	0.0	0.0	-	2.7	0.0	-	0.0	0.0	0.0
127.0	65.0	0.0	-	0.0	0.0	-	2.8	-	-	-	-	-
130.0	30.0	0.0	-	0.0	0.0	-	0.0	5.1	-	0.0	0.0	0.0
130.0	35.0	0.0	-	0.0	0.0	-	0.0	9.2	-	0.0	0.0	0.0
130.0	40.0	0.0	-	0.0	0.0	-	2.3	0.0	-	0.0	0.0	0.0
133.0	25.0	0.0	-	0.0	0.0	-	0.0	6.3	-	0.0	2.9	0.0
133.0	30.0	0.0	-	0.0	0.0	-	0.0	6.2	-	0.0	0.0	0.0
133.0	35.0	0.0	-	0.0	0.0	-	0.0	7.0	-	0.0	-	0.0
133.0	50.0	0.0	-	0.0	0.0	-	2.9	0.0	-	0.0	0.0	-
137.0	23.0	0.0	-	0.0	0.0	-	0.0	0.0	-	2.1	8.4	0.0
137.0	55.0	0.0	-	0.0	0.0	-	2.8	0.0	-	0.0	0.0	-
137.0	60.0	0.0	-	0.0	0.0	-	2.6	0.0	-	0.0	0.0	-

Sebastes spp.

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	50.0	-	-	8.4	-	2.7	0.0	-	-	0.0	-	0.0
60.0	52.0	-	-	15.3	-	0.0	3.0	-	-	0.0	-	0.0
60.0	55.0	-	-	4.7	-	47.9	59.7	-	-	71.5	-	150.5
60.0	60.0	-	-	0.0	-	8.5	118.0	-	-	34.4	-	2.7
60.0	65.0	-	-	23.7	-	32.3	-	-	-	-	-	-
60.0	70.0	-	-	12.0	-	16.5	60.8	-	-	0.0	-	47.5
60.0	80.0	2.8	-	-	-	23.9	3.2	-	-	0.0	-	0.0
60.0	90.0	13.9	-	-	-	3.7	72.0	-	-	0.0	-	0.0
60.0	100.0	0.0	-	-	-	-	-	-	-	-	-	-
63.0	50.0	3.3	-	2.2	-	3.6	0.0	-	-	0.0	-	0.0
63.0	52.0	44.4	-	66.9	-	2.8	28.3	-	-	2.9	-	104.5
63.0	55.0	378.4	-	470.6	-	1147.8	496.3	-	-	22.3	-	17.6
63.0	60.0	7.4	-	67.0	-	100.1	246.8	-	-	54.5	-	6.1
63.0	65.0	8.7	-	248.2	-	2.8	-	-	-	-	-	-
63.0	70.0	-	-	58.2	-	2.9	0.0	-	-	-	-	3.1

TABLE 4. (cont.)

Sebastes spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
63.0	80.0	-	-	-	-	0.0	17.1	-	-	0.0	-	-
67.0	48.0	14.9	-	1.5	-	0.0	-	-	-	0.0	-	5.0
67.0	50.0	1389.4	-	317.9	-	59.7	6.2	-	-	164.1	-	74.6
67.0	55.0	1049.6	-	88.2	-	6.1	143.5	-	-	3.1	-	2.9
67.0	60.0	157.5	-	116.2	-	46.0	190.8	-	-	-	-	3.0
67.0	65.0	-	-	125.2	-	6.4	-	-	-	-	-	-
67.0	70.0	-	-	103.3	-	134.1	21.3	-	-	40.9	-	0.0
67.0	80.0	-	-	8.3	-	0.0	0.0	-	-	0.0	-	-
67.0	81.0	1466.1	-	114.3	-	90.6	0.0	-	-	15.2	-	91.4
70.0	53.0	377.4	-	120.0	-	6.2	79.0	-	-	6.0	-	6.0
70.0	60.0	4.0	-	257.3	-	40.1	78.1	-	-	12.7	-	3.4
70.0	65.0	3.5	-	20.2	-	3.2	-	-	-	-	-	-
70.0	70.0	8.9	-	17.4	-	2.2	15.6	-	-	6.7	-	0.0
70.0	80.0	21.4	-	3.0	-	6.6	0.0	-	-	6.6	-	0.0
70.0	90.0	0.0	-	-	-	9.1	0.0	-	-	0.0	-	3.1
73.0	50.0	-	-	166.2	-	5.4	26.4	-	-	17.8	-	115.4
73.0	53.0	52.7	-	65.3	-	6.7	16.6	-	-	5.3	-	0.0
73.0	60.0	82.3	-	34.2	-	12.7	16.8	-	-	3.0	-	0.0
73.0	65.0	15.6	-	-	-	6.5	-	-	-	-	-	-
73.0	70.0	-	-	103.6	-	60.6	61.7	-	-	0.0	-	0.0
73.0	80.0	-	-	11.1	-	3.1	13.2	-	-	0.0	-	-
73.0	90.0	-	-	22.9	-	3.3	0.0	-	-	-	-	-
77.0	48.0	-	-	8.2	-	2.5	0.0	-	-	0.0	-	3.8
77.0	51.0	27.3	-	31.8	-	0.0	0.0	-	-	3.3	-	96.4
77.0	55.0	651.2	-	322.6	-	63.0	6.6	-	-	0.0	-	24.1
77.0	60.0	234.8	-	206.7	-	0.0	15.0	-	-	0.0	-	0.0
77.0	65.0	68.4	-	112.1	-	0.0	-	-	-	-	-	-
77.0	70.0	-	-	71.2	-	0.0	0.0	-	-	3.2	-	3.0
77.0	70.0	-	-	39.8	-	23.4	3.4	-	-	6.0	-	-
77.0	80.0	3.2	-	0.0	-	0.0	0.0	-	-	0.0	-	-
77.0	90.0	3.4	-	0.0	-	0.0	0.0	-	-	0.0	-	-
80.0	51.0	-	-	893.1	-	32.3	0.0	-	-	0.0	-	18.1
80.0	52.0	180.2	-	225.0	-	21.6	0.0	-	-	0.0	-	21.6
80.0	55.0	175.7	-	113.9	-	8.8	10.8	-	-	7.3	-	25.8
80.0	60.0	47.9	-	141.7	-	133.5	6.6	-	-	11.2	-	9.1
80.0	65.0	15.1	-	2.4	-	9.1	12.5	-	-	0.0	-	0.0
80.0	70.0	18.0	-	0.0	-	14.5	0.0	-	-	0.0	-	0.0
80.0	80.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
80.0	90.0	1.8	-	22.0	-	0.0	0.0	-	-	0.0	-	0.0
82.0	47.0	89.4	-	337.7	-	14.3	0.0	-	-	0.0	-	17.8
83.0	40.0	12.2	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
83.0	43.0	293.9	-	190.3	-	10.7	6.8	-	-	6.2	-	70.0
83.0	51.0	389.0	-	200.8	-	98.3	13.6	-	-	21.2	-	134.4
83.0	55.0	121.2	-	70.3	-	27.2	0.0	-	-	11.4	-	93.3
83.0	60.0	1.6	-	6.0	-	24.8	13.4	-	-	7.0	-	0.0
83.0	65.0	1.6	-	0.0	-	12.2	0.0	-	-	17.7	-	0.0
83.0	70.0	0.0	-	0.0	-	14.1	0.0	-	-	3.7	-	0.0

TABLE 4. (cont.)

Sebastes spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
83.0	80.0	1.5	-	0.0	0.0	0.0	9.0	3.0	0.0	0.0	-	0.0
87.0	33.0	13.8	-	-	3.3	8.1	0.0	0.0	0.0	23.4	-	3.0
87.0	35.0	95.3	-	88.8	44.9	10.8	3.1	6.8	24.2	34.8	-	22.5
87.0	40.0	465.7	-	50.5	29.6	50.7	0.0	2.9	13.2	3.5	-	14.6
87.0	45.0	93.3	-	13.8	35.0	50.7	0.0	0.0	9.9	7.8	-	35.5
87.0	50.0	525.1	-	436.3	344.2	59.0	8.1	18.5	18.2	10.5	-	35.0
87.0	55.0	59.8	-	6.3	36.4	2.7	0.0	0.0	3.3	6.7	-	9.8
87.0	60.0	31.0	-	0.0	10.4	0.0	0.0	3.1	0.0	0.0	-	0.0
87.0	65.0	6.8	-	0.0	0.0	0.0	3.2	0.0	0.0	0.0	-	0.0
87.0	70.0	92.3	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	78.0	92.3	7.8	-	9.9	5.5	16.8	38.9	81.4	3.1	-	39.5
90.0	32.0	3.2	0.0	-	10.3	0.0	3.3	3.8	0.0	0.0	-	6.4
90.0	37.0	13.0	26.6	-	17.0	0.0	6.6	9.8	9.8	3.3	-	3.1
90.0	45.0	24.2	0.0	-	10.1	8.4	0.0	5.9	12.9	0.0	-	6.5
90.0	50.0	108.6	-	-	208.0	-	-	0.0	3.2	-	-	-
90.0	53.0	-	29.2	-	-	11.6	3.6	-	-	0.0	-	3.2
90.0	55.0	75.4	-	-	62.9	-	-	0.0	0.0	-	-	-
90.0	60.0	3.4	3.1	-	14.7	0.0	3.1	3.5	0.0	0.0	-	0.0
90.0	65.0	3.2	3.3	-	13.5	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	70.0	0.0	0.0	-	3.5	6.5	0.0	3.1	0.0	-	-	0.0
93.0	27.0	52.1	-	-	13.0	27.3	0.0	7.2	12.8	3.3	-	3.1
93.0	28.0	46.3	12.1	-	27.6	8.8	9.3	0.0	12.5	3.3	-	0.0
93.0	30.0	55.7	115.2	-	3.2	11.6	0.0	0.0	6.0	0.0	-	3.2
93.0	35.0	0.0	29.6	-	0.0	2.8	3.3	0.0	0.0	0.0	-	9.1
93.0	40.0	112.0	121.7	-	1.7	5.8	0.0	3.4	0.0	0.0	-	6.8
93.0	45.0	21.1	6.7	0.0	33.4	3.0	0.0	3.5	0.0	0.0	-	0.0
93.0	50.0	5.6	0.0	35.4	33.5	6.2	0.0	3.5	0.0	0.0	-	0.0
93.0	55.0	18.1	2.8	35.1	143.6	34.3	3.2	0.0	0.0	0.0	-	0.0
93.0	60.0	12.0	0.0	-	51.3	2.7	0.0	0.0	0.0	0.0	-	0.0
93.0	65.0	0.0	3.2	-	3.3	2.7	0.0	0.0	0.0	0.0	-	0.0
93.0	70.0	6.6	0.0	-	0.0	8.4	-	0.0	0.0	0.0	-	0.0
93.0	80.0	0.0	0.0	-	1.7	0.0	0.0	0.0	0.0	-	-	0.0
97.0	29.0	9.9	-	0.0	0.0	2.8	3.1	0.0	0.0	0.0	-	23.8
97.0	30.0	61.5	-	116.6	13.4	0.0	0.0	0.0	5.4	0.0	-	7.9
97.0	32.0	46.1	117.6	-	-	0.0	0.0	-	-	3.0	-	7.4
97.0	35.0	-	35.2	-	36.2	-	0.0	0.0	0.0	0.0	0.0	0.0
97.0	40.0	0.0	11.0	-	10.8	17.8	10.8	0.0	0.0	0.0	0.0	0.0
97.0	45.0	0.0	17.8	-	10.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0
97.0	50.0	60.3	25.7	-	19.4	17.5	0.0	0.0	0.0	0.0	0.0	0.0
97.0	55.0	12.0	28.6	-	15.7	3.3	0.0	0.0	0.0	0.0	-	0.0
97.0	60.0	5.8	27.7	-	3.5	0.0	0.0	3.0	0.0	0.0	-	0.0
97.0	65.0	0.0	200.8	-	0.0	3.0	0.0	0.0	0.0	0.0	-	0.0
97.0	70.0	0.0	0.0	-	18.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	29.0	201.5	-	56.8	49.1	0.0	4.1	0.0	2.8	6.0	-	2.9
100.0	30.0	445.2	-	217.4	54.9	6.6	4.7	5.7	11.9	3.4	-	84.6
100.0	35.0	71.3	-	8.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

TABLE 4. (cont.)

Sebastes spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
100.0	40.0	0.0	18.7	11.6	15.3	0.0	13.7	0.0	0.0	0.0	-	0.0
100.0	45.0	0.0	3.4	33.7	0.0	6.1	3.0	0.0	0.0	0.0	0.0	0.0
100.0	50.0	0.0	5.3	0.0	0.0	0.0	3.4	0.0	0.0	0.0	0.0	0.0
100.0	55.0	32.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	-	0.0
100.0	60.0	3.1	0.0	0.0	0.0	0.0	2.1	0.0	0.0	0.0	-	0.0
100.0	65.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	70.0	0.0	0.0	0.0	3.7	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	29.0	87.7	35.6	186.0	46.6	-	4.0	4.7	0.0	0.0	-	0.0
103.0	30.0	93.6	25.4	94.2	35.6	-	0.0	0.0	0.0	6.2	-	5.8
103.0	35.0	11.6	12.5	12.2	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
103.0	40.0	0.0	0.0	0.0	0.0	-	1.7	0.0	0.0	0.0	-	0.0
103.0	45.0	0.0	0.0	0.0	11.1	-	0.0	3.2	0.0	0.0	3.0	0.0
103.0	60.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
107.0	31.0	41.8	22.6	51.7	10.3	0.0	1.5	0.0	0.0	0.0	-	0.0
107.0	32.0	19.7	192.3	66.6	88.8	-	6.0	3.0	0.0	0.0	-	28.2
107.0	35.0	0.0	39.6	6.8	0.0	-	0.0	10.0	0.0	5.1	0.0	5.5
107.0	40.0	0.0	3.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	45.0	0.0	2.8	3.6	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
107.0	50.0	0.0	6.3	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	60.0	0.0	12.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	65.0	0.0	-	3.9	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0	32.0	0.0	27.7	141.0	27.4	-	0.0	0.0	0.0	0.0	-	8.8
110.0	33.0	-	-	163.4	-	-	-	-	-	-	-	-
110.0	35.0	0.0	74.1	79.6	3.4	-	0.0	0.0	0.0	3.4	0.0	18.1
110.0	40.0	0.0	35.1	18.9	0.0	-	-	0.0	0.0	0.0	-	8.6
110.0	41.0	-	-	-	-	-	26.2	-	-	-	-	-
110.0	45.0	0.0	17.6	44.7	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
110.0	50.0	0.0	0.0	3.2	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0	60.0	0.0	2.9	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0	65.0	33.4	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
113.0	29.0	1.7	0.0	51.8	0.0	-	1.3	0.0	0.0	0.0	-	1.7
113.0	30.0	14.7	61.6	20.0	7.0	-	2.2	0.0	0.0	8.0	0.0	60.2
113.0	35.0	18.6	0.0	0.0	25.0	-	3.3	0.0	0.0	0.0	0.0	16.2
113.0	40.0	0.0	73.0	3.1	3.1	-	0.0	0.0	0.0	0.0	0.0	7.1
113.0	45.0	0.0	2.9	0.0	51.2	-	5.7	0.0	0.0	0.0	0.0	9.8
113.0	50.0	0.0	2.8	0.0	0.0	-	0.0	0.0	0.0	0.0	-	2.6
113.0	55.0	0.0	0.0	36.1	0.0	-	0.0	0.0	0.0	0.0	-	0.0
113.0	60.0	0.0	0.0	19.3	-	-	0.0	0.0	0.0	0.0	-	0.0
113.0	65.0	0.0	0.0	3.1	0.0	-	0.0	0.0	0.0	0.0	-	0.0
117.0	25.0	0.0	0.0	14.4	0.0	-	0.0	0.0	0.0	0.0	-	0.0
117.0	26.0	2.1	19.4	6.4	15.4	-	3.0	0.0	0.0	0.0	5.4	0.0
117.0	30.0	5.6	2.7	67.5	9.0	-	2.6	2.8	0.0	0.0	0.0	0.0
117.0	35.0	2.8	20.2	8.3	39.1	-	3.3	0.0	0.0	0.0	0.0	2.1
117.0	40.0	0.0	145.3	125.6	3.2	-	12.5	0.0	0.0	0.0	-	0.0
117.0	45.0	0.0	0.0	180.4	0.0	-	12.5	0.0	0.0	0.0	0.0	0.0
117.0	55.0	0.0	0.0	3.7	0.0	-	0.0	0.0	0.0	0.0	-	0.0

TABLE 4. (cont.)

Sebastes spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
118.0	39.0	-	-	17.4	20.0	-	6.2	0.0	0.0	0.0	-	0.0
119.0	33.0	-	21.1	0.0	5.9	-	0.0	0.0	0.0	0.0	-	0.0
120.0	24.0	-	2.5	0.0	3.3	-	0.0	0.0	0.0	0.0	-	0.0
120.0	25.0	-	11.4	0.0	3.8	-	0.0	0.0	0.0	0.0	-	0.0
120.0	30.0	-	11.6	3.2	3.2	-	2.1	0.0	0.0	0.0	-	0.0
120.0	35.0	-	16.6	3.2	0.0	-	0.0	0.0	0.0	2.6	-	0.0
120.0	40.0	-	0.0	2.2	0.0	-	1.6	0.0	0.0	0.0	-	0.0
120.0	45.0	-	0.0	0.0	33.2	-	0.0	0.0	0.0	0.0	-	0.0
120.0	50.0	-	0.0	2.1	0.0	-	6.3	0.0	0.0	0.0	-	0.0
123.0	36.0	-	-	41.0	12.9	-	3.5	0.0	0.0	0.0	-	0.0
123.0	37.0	2.9	-	244.0	95.2	-	-	0.0	0.0	0.0	-	0.0
123.0	40.0	-	-	-	40.2	-	-	3.2	-	-	-	-
123.0	42.0	-	-	141.9	-	-	0.0	-	-	0.0	-	0.0
123.0	45.0	-	-	0.0	6.8	-	0.0	0.0	-	0.0	-	0.0
127.0	33.0	2.2	-	4.5	16.4	-	4.8	0.0	-	0.0	-	0.0
127.0	34.0	5.6	-	15.4	0.0	-	3.3	0.0	-	0.0	-	0.0
127.0	40.0	0.0	-	25.6	3.3	-	0.0	0.0	-	0.0	-	0.0
127.0	45.0	0.0	-	0.0	23.5	-	0.0	0.0	-	0.0	-	0.0
127.0	50.0	0.0	-	0.0	0.0	-	5.4	0.0	-	0.0	-	0.0
127.0	55.0	0.0	-	0.0	0.0	-	13.6	0.0	-	0.0	-	0.0
127.0	65.0	0.0	-	-	0.0	-	2.8	-	-	-	-	-
130.0	30.0	3.0	-	2.8	5.6	-	0.0	0.0	-	0.0	-	0.0
130.0	40.0	0.0	-	7.1	0.0	-	4.6	0.0	-	0.0	-	0.0
130.0	50.0	3.3	-	0.0	0.0	-	0.0	0.0	-	0.0	-	0.0
133.0	30.0	0.0	-	3.5	13.1	-	0.0	0.0	-	0.0	-	0.0
133.0	35.0	0.0	-	2.9	0.0	-	0.0	0.0	-	0.0	-	0.0
133.0	40.0	0.0	-	2.9	0.0	-	0.0	0.0	-	0.0	-	0.0
133.0	45.0	0.0	-	3.8	0.0	-	0.0	0.0	-	0.0	-	0.0
133.0	55.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	-	0.0
137.0	30.0	9.6	-	0.0	3.4	-	0.0	0.0	-	0.0	-	0.0
137.0	35.0	0.0	-	3.3	9.5	-	0.0	0.0	-	0.0	-	0.0

Sebastes spp.

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	65.0	-	-	17.8	-	3.2	-	-	-	-	-	-
60.0	70.0	-	-	0.0	-	4.1	0.0	-	-	0.0	-	0.0
60.0	90.0	-	-	-	-	0.0	10.8	-	-	0.0	-	0.0
63.0	65.0	-	-	20.4	-	0.0	-	-	-	-	-	-
63.0	70.0	-	-	11.1	-	0.0	0.0	-	-	-	-	0.0
63.0	80.0	-	-	-	-	0.0	10.3	-	-	0.0	-	-
63.0	90.0	-	-	-	-	14.0	0.0	-	-	0.0	-	-
67.0	55.0	-	-	3.0	-	9.1	0.0	-	-	0.0	-	0.0
67.0	60.0	-	-	0.0	-	3.1	0.0	-	-	0.0	-	0.0
67.0	65.0	-	-	3.0	-	3.2	-	-	-	-	-	-
67.0	70.0	-	-	0.0	-	0.0	3.0	-	-	0.0	-	0.0

TABLE 4. (cont.)

Sebasteslobus spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
67.0	80.0	-	-	5.6	-	0.0	3.3	-	-	3.4	-	-
67.0	90.0	-	-	-	-	16.0	6.9	-	-	3.3	-	-
70.0	60.0	0.0	-	18.6	-	0.0	0.0	-	-	-	-	0.0
70.0	65.0	0.0	-	5.8	-	0.0	-	-	-	0.0	-	0.0
70.0	70.0	0.0	-	22.3	-	0.0	0.0	-	-	0.0	-	0.0
70.0	80.0	0.0	-	6.0	-	10.0	3.3	-	-	0.0	-	0.0
70.0	90.0	0.0	-	-	-	0.0	13.5	-	-	0.0	-	0.0
73.0	50.0	0.0	-	10.7	-	0.0	0.0	-	-	0.0	-	0.0
73.0	53.0	0.0	-	18.9	-	0.0	0.0	-	-	0.0	-	0.0
73.0	60.0	0.0	-	14.3	-	3.2	0.0	-	-	0.0	-	0.0
73.0	70.0	-	-	5.6	-	6.4	3.6	-	-	0.0	-	0.0
73.0	80.0	-	-	13.9	-	3.1	13.2	-	-	0.0	-	-
73.0	90.0	-	-	20.0	-	6.6	0.0	-	-	-	-	0.0
77.0	48.0	0.0	-	1.0	-	0.0	0.0	-	-	0.0	-	0.0
77.0	55.0	0.0	-	0.0	-	3.5	0.0	-	-	0.0	-	0.0
77.0	60.0	0.0	-	16.3	-	0.0	0.0	-	-	0.0	-	0.0
77.0	65.0	-	-	13.4	-	0.0	-	-	-	-	-	0.0
77.0	70.0	-	-	18.2	-	0.0	0.0	-	-	0.0	-	-
77.0	80.0	-	-	11.4	-	3.3	6.8	-	-	0.0	-	-
77.0	90.0	0.0	-	0.0	-	0.0	3.3	-	-	6.4	-	-
80.0	55.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.1	7.5	-	0.0
80.0	65.0	0.0	-	2.4	3.3	0.0	3.1	19.9	24.9	0.0	-	0.0
80.0	70.0	0.0	-	13.4	0.0	0.0	0.0	6.9	0.0	0.0	-	0.0
80.0	80.0	0.0	-	0.0	6.9	0.0	0.0	0.0	6.4	0.0	-	0.0
80.0	90.0	0.0	-	5.5	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	60.0	0.0	-	6.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	65.0	0.0	-	6.0	0.0	0.0	0.0	3.1	0.0	3.5	-	0.0
83.0	70.0	0.0	-	0.0	0.0	0.0	3.3	0.0	3.0	0.0	-	0.0
83.0	80.0	0.0	-	0.0	3.0	3.0	0.0	0.0	0.0	0.0	-	0.0
83.0	80.0	0.0	-	3.3	3.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	55.0	0.0	-	6.3	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	60.0	0.0	-	0.0	0.0	0.0	3.2	0.0	3.3	6.3	-	0.0
87.0	65.0	0.0	-	0.0	0.0	0.0	0.0	6.8	3.3	0.0	-	0.0
87.0	70.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-
87.0	90.0	0.0	9.6	-	3.5	0.0	-	0.0	0.0	0.0	-	-
90.0	55.0	0.0	-	-	9.9	-	-	0.0	6.8	0.0	-	-
90.0	60.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.3	0.0	-	0.0
90.0	80.0	0.0	0.0	-	2.5	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	70.0	0.0	0.0	-	2.0	0.0	-	0.0	0.0	0.0	-	0.0
93.0	80.0	0.0	0.0	-	3.8	0.0	0.0	0.0	9.5	-	-	0.0
93.0	90.0	0.0	0.0	-	1.9	0.0	0.0	0.0	-	0.0	-	0.0
103.0	40.0	0.0	-	0.0	0.0	-	3.2	0.0	0.0	0.0	-	0.0

TABLE 4. (cont.)

Prionotus spp.

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
117.0	25.0	0.0	0.0	0.0	0.0	-	0.0	0.0	1.7	0.0	-	0.0
117.0	26.0	0.0	0.0	0.0	0.0	-	0.0	2.5	0.0	0.0	0.0	0.0
120.0	25.0	0.0	0.0	0.0	0.0	-	0.0	5.3	0.0	0.0	2.6	0.0
120.0	35.0	0.0	0.0	0.0	0.0	-	2.8	5.0	0.0	0.0	0.0	0.0
120.0	40.0	0.0	0.0	0.0	0.0	-	0.0	2.1	0.0	4.0	-	0.0
125.0	35.5	-	0.0	-	-	-	-	-	-	-	2.8	-
127.0	33.0	0.0	0.0	0.0	0.0	-	0.0	0.0	-	2.7	-	0.0
130.0	28.0	0.0	0.0	0.0	0.0	-	0.0	3.0	-	2.3	-	0.0
130.0	30.0	0.0	0.0	0.0	0.0	-	0.0	2.5	-	2.7	0.0	0.0
133.0	23.0	0.0	0.0	0.0	0.0	-	0.0	45.0	-	9.3	-	0.0
133.0	25.0	0.0	0.0	0.0	0.0	-	0.0	6.3	-	2.5	0.0	0.0
137.0	22.0	0.0	0.0	0.0	0.0	-	61.2	114.4	-	0.0	-	0.0
137.0	23.0	0.0	0.0	0.0	0.0	-	10.9	416.2	-	0.0	0.0	0.0
143.0	26.0	-	-	-	-	-	-	-	-	-	5.0	-
147.0	20.0	-	-	-	-	-	-	-	-	-	6.3	-
150.0	19.0	-	-	-	-	-	-	-	-	-	67.0	-

Hypsobienius spp.

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
83.0	40.0	-	-	0.0	0.0	8.1	-	8.1	0.0	0.0	-	0.0
87.0	33.0	0.0	-	0.0	0.0	3.3	4.9	17.2	0.0	0.0	-	0.0
87.0	35.0	0.0	-	0.0	0.0	-	0.0	0.0	6.0	0.0	-	0.0
90.0	40.0	0.0	-	0.0	0.0	2.9	0.0	0.0	0.0	0.0	-	0.0
90.0	28.0	0.0	0.0	0.0	0.0	0.0	33.6	77.9	0.0	9.3	-	0.0
90.0	53.0	-	0.0	-	-	0.0	7.3	-	-	0.0	-	0.0
93.0	27.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.2	0.0	-	0.0
93.0	28.0	0.0	0.0	-	0.0	2.9	0.0	0.0	0.0	0.0	-	0.0
93.0	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	30.0	0.0	-	0.0	0.0	0.0	0.0	5.4	0.0	0.0	-	0.0
97.0	35.0	0.0	0.0	-	0.0	-	0.0	0.0	3.3	0.0	0.0	0.0
100.0	29.0	0.0	0.0	0.0	0.0	0.0	4.1	0.0	0.0	0.0	0.0	0.0
100.0	30.0	0.0	-	0.0	0.0	3.3	0.0	0.0	0.0	0.0	-	0.0
103.0	29.0	0.0	-	0.0	0.0	-	0.0	7.9	3.8	0.0	-	0.0
103.0	30.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	1.9
107.0	31.0	0.0	-	0.0	0.0	-	5.8	0.0	2.5	0.0	-	2.5
107.0	32.0	0.0	-	0.0	0.0	-	0.0	6.1	0.0	0.0	-	0.0
107.0	45.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	3.3	0.0	0.0
110.0	32.0	0.0	-	0.0	0.0	-	0.0	0.0	23.9	0.0	-	0.0
110.0	35.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.2	0.0	0.0	0.0
113.0	29.0	0.0	0.0	0.0	0.0	-	0.0	2.3	0.0	24.4	0.0	0.0
113.0	30.0	0.0	0.0	0.0	0.0	-	0.0	20.9	0.0	0.0	0.0	0.0
113.0	35.0	0.0	0.0	0.0	0.0	-	0.0	6.5	0.0	0.0	0.0	0.0
117.0	25.0	0.0	0.0	0.0	0.0	-	0.0	2.7	0.0	0.0	-	0.0
117.0	26.0	0.0	0.0	0.0	0.0	-	3.0	0.0	0.0	0.0	0.0	0.0

TABLE 4. (cont.)

Hypsoleblennius spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
117.0	30.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.0	0.0	2.7	0.0
118.0	39.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	2.7	0.0	0.0
119.0	33.0	0.0	0.0	0.0	0.0	-	0.0	5.8	3.1	0.0	0.0	0.0
120.0	24.0	0.0	0.0	0.0	0.0	-	1.3	2.3	0.0	2.2	0.0	0.0
120.0	25.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	7.9	2.6	0.0
120.0	30.0	0.0	0.0	0.0	0.0	-	2.1	0.0	0.0	0.0	0.0	0.0
120.0	40.0	0.0	1.4	0.0	0.0	-	3.2	2.1	0.0	8.0	0.0	0.0
120.0	45.0	0.0	0.0	0.0	0.0	-	0.0	2.9	-	0.0	0.0	0.0
123.0	36.0	0.0	0.0	1.7	0.0	-	7.0	5.7	-	0.0	0.0	0.0
125.0	35.5	-	-	-	-	-	-	-	-	-	2.8	-
127.0	33.0	0.0	0.0	0.0	0.0	-	0.0	10.2	-	10.7	0.0	0.0
127.0	34.0	0.0	0.0	0.0	0.0	-	0.0	5.3	-	2.8	0.0	0.0
127.0	40.0	0.0	0.0	0.0	0.0	-	0.0	0.0	-	0.0	6.6	0.0
130.0	28.0	0.0	0.0	0.0	0.0	-	0.0	11.8	-	2.3	0.0	4.1
130.0	30.0	0.0	0.0	0.0	0.0	-	0.0	0.0	-	0.0	0.0	2.5
130.0	35.0	0.0	0.0	0.0	0.0	-	9.3	0.0	-	0.0	0.0	0.0
131.5	37.5	-	-	-	-	-	-	-	-	-	2.7	-
133.0	23.0	0.0	0.0	0.0	0.0	-	8.1	5.6	-	14.0	0.0	0.0
133.0	25.0	0.0	0.0	0.0	0.0	-	2.8	0.0	-	0.0	0.0	0.0
133.0	30.0	0.0	0.0	0.0	0.0	-	0.0	12.5	-	0.0	0.0	5.7
133.0	35.0	0.0	0.0	0.0	0.0	-	0.0	0.0	-	0.0	0.0	2.6
137.0	22.0	0.0	0.0	0.0	2.1	-	2.1	0.0	-	0.0	-	0.0
143.0	30.0	-	-	-	-	-	-	-	-	-	2.9	-

Clinidae

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
63.0	50.0	10.4	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
63.0	52.0	0.0	-	19.1	-	0.0	3.1	-	-	0.0	-	0.0
77.0	48.0	0.0	-	1.0	-	0.0	2.2	-	-	0.0	-	0.0
83.0	40.0	0.0	-	0.0	0.0	1.4	-	0.0	0.0	0.0	-	0.0
83.0	43.0	-	-	3.1	0.0	2.7	0.0	0.0	0.0	0.0	-	3.2
83.0	51.0	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	50.0	-	-	0.0	0.0	0.0	0.0	0.0	0.0	14.0	-	6.2
93.0	27.0	2.5	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	29.0	3.8	-	0.0	0.0	2.8	0.0	0.0	0.0	0.0	-	0.0
97.0	30.0	0.0	-	67.0	5.3	3.1	0.0	5.4	0.0	12.2	-	0.0
100.0	29.0	0.0	-	26.9	0.0	0.0	2.0	0.0	0.0	0.0	-	0.0
100.0	30.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	2.7
100.0	55.0	3.6	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	29.0	0.0	-	1.5	1.3	-	28.8	47.1	9.4	1.6	-	0.0
103.0	30.0	0.0	-	0.0	2.5	-	0.0	0.0	0.0	0.0	-	0.0
107.0	31.0	0.0	-	2.9	0.0	-	10.2	0.0	0.0	0.0	-	0.0
110.0	32.0	0.0	2.1	8.6	0.0	-	1.2	2.6	0.0	1.2	-	0.0
113.0	29.0	0.0	5.0	1.6	0.0	-	1.3	0.0	1.5	0.0	-	0.0

TABLE 4. (cont.)

Clinidae (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
117.0	25.0	0.0	0.0	2.4	0.0	-	0.0	0.0	0.0	0.0	-	0.0
120.0	40.0	0.0	0.0	2.2	0.0	-	0.0	0.0	2.9	0.0	-	1.4
120.0	45.0	0.0	0.0	3.2	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
127.0	55.0	0.0	0.0	0.0	0.0	-	2.7	0.0	-	0.0	-	0.0
130.0	28.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	-	2.1
143.0	26.0	-	-	-	-	-	-	-	-	-	2.5	-

Gobiidae

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	50.0	0.0	-	2.8	-	0.0	0.0	-	-	6.8	-	4.9
60.0	55.0	-	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
63.0	50.0	10.4	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
63.0	52.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	2.4
63.0	55.0	0.0	-	0.0	-	0.0	0.0	-	-	3.2	-	0.0
67.0	50.0	5.6	-	0.0	-	0.0	0.0	-	-	0.0	-	2.9
67.0	58.0	-	-	-	-	-	-	-	-	-	-	0.0
67.0	60.0	2.5	-	3.0	-	0.0	0.0	-	-	3.2	-	0.0
67.0	65.0	-	-	3.0	-	0.0	-	-	-	-	-	-
67.0	70.0	-	-	0.0	-	0.0	0.0	-	-	6.8	-	0.0
70.0	51.0	3.1	-	0.0	-	3.0	0.0	-	-	0.0	-	0.0
70.0	53.0	3.4	-	3.0	-	0.0	0.0	-	-	3.2	-	0.0
70.0	60.0	0.0	-	3.1	-	0.0	0.0	-	-	-	-	0.0
73.0	50.0	0.0	-	0.0	-	0.0	0.0	-	-	3.0	-	0.0
73.0	53.0	3.6	-	0.0	-	3.3	0.0	-	-	2.7	-	0.0
73.0	60.0	0.0	-	0.0	-	0.0	3.4	-	-	0.0	-	0.0
73.0	70.0	-	-	2.8	-	0.0	3.6	-	-	0.0	-	0.0
77.0	48.0	0.0	-	2.1	-	0.0	0.0	-	-	0.0	-	0.0
77.0	51.0	3.2	-	12.6	-	0.0	0.0	-	-	0.0	-	0.0
77.0	55.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	6.0
77.0	60.0	3.4	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
77.0	80.0	-	-	2.8	-	0.0	0.0	-	-	0.0	-	-
80.0	51.0	0.0	-	16.1	-	0.0	0.0	1.8	6.5	0.0	-	0.0
80.0	52.0	0.0	-	3.0	-	0.0	0.0	0.0	20.5	0.0	-	0.0
80.0	55.0	3.1	-	10.1	-	3.1	0.0	0.0	0.0	11.2	-	0.0
80.0	60.0	-	-	12.3	-	0.0	0.0	0.0	3.2	0.0	-	0.0
80.0	70.0	0.0	-	0.0	-	2.9	0.0	0.0	0.0	0.0	-	0.0
82.0	47.0	0.0	-	0.0	-	0.0	0.0	0.0	3.2	3.2	-	0.0
83.0	43.0	1.6	-	6.1	-	5.4	3.4	9.7	0.0	0.0	-	0.0
83.0	51.0	0.0	-	0.0	-	0.0	0.0	0.0	0.0	0.0	-	2.9
83.0	55.0	0.0	-	0.0	-	6.0	0.0	0.0	0.0	0.0	-	0.0
83.0	65.0	0.0	-	0.0	-	3.6	0.0	0.0	0.0	0.0	-	0.0
83.0	70.0	0.0	-	0.0	-	0.0	6.7	0.0	3.2	0.0	-	0.0
87.0	33.0	0.0	-	0.0	-	2.8	0.0	0.0	0.0	0.0	-	0.0
87.0	35.0	1.7	-	-	-	5.4	0.0	0.0	0.0	0.0	-	2.5

TABLE 4. (cont.)

Gobiidae (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
87.0	40.0	0.0	-	0.0	0.0	2.9	0.0	0.0	0.0	0.0	-	0.0
87.0	45.0	0.0	-	0.0	0.0	3.0	0.0	0.0	0.0	0.0	-	0.0
87.0	50.0	6.7	-	0.0	5.4	0.0	2.7	0.0	0.0	0.0	-	0.0
87.0	55.0	0.0	-	0.0	3.3	2.7	3.5	0.0	0.0	0.0	-	0.0
87.0	60.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	3.4
90.0	28.0	0.0	0.0	-	0.0	0.0	3.4	0.0	0.0	6.2	-	3.3
90.0	32.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	3.2
90.0	37.0	0.0	0.0	-	3.5	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	45.0	0.0	0.0	-	0.0	2.8	0.0	3.0	0.0	0.0	-	0.0
90.0	50.0	3.3	-	-	0.0	-	-	0.0	0.0	-	-	-
93.0	27.0	0.0	-	-	6.5	0.0	6.1	0.0	0.0	0.0	-	0.0
93.0	28.0	2.6	0.0	-	4.1	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	30.0	0.0	0.0	-	0.0	0.0	3.1	0.0	0.0	0.0	-	0.0
93.0	45.0	0.0	0.0	-	0.0	0.0	3.2	13.3	0.0	0.0	-	0.0
93.0	60.0	0.0	0.0	-	1.7	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	60.0	0.0	-	0.0	8.3	0.0	0.0	0.0	0.0	2.1	-	0.0
97.0	29.0	0.0	-	0.0	8.0	0.0	0.0	5.4	0.0	0.0	-	0.0
97.0	30.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	50.0	2.9	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	70.0	0.0	0.0	-	3.6	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	29.0	0.0	0.0	0.0	20.2	0.0	0.0	0.0	8.5	3.0	-	0.0
100.0	30.0	3.0	-	0.0	3.3	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	40.0	0.0	-	8.7	3.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	45.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0
103.0	29.0	0.0	-	3.1	0.0	-	0.0	1.6	0.0	0.0	-	1.1
103.0	30.0	2.4	-	6.1	0.0	-	5.5	2.9	0.0	0.0	-	0.0
103.0	45.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	2.6
103.0	55.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.1	-	0.0	0.0
107.0	31.0	0.0	-	5.7	6.2	0.0	1.5	0.0	15.2	32.5	-	0.0
107.0	32.0	0.0	-	0.0	6.6	-	0.0	0.0	3.3	16.4	-	0.0
107.0	35.0	3.0	-	0.0	0.0	-	0.0	6.7	0.0	15.2	0.0	0.0
107.0	45.0	0.0	-	0.0	0.0	-	0.0	3.2	0.0	0.0	0.0	0.0
107.0	65.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	2.8
110.0	32.0	-	0.0	1.7	0.0	-	0.0	2.6	0.0	1.2	0.0	0.0
110.0	35.0	-	0.0	3.1	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
110.0	40.0	-	0.0	0.0	0.0	-	-	3.2	0.0	0.0	-	0.0
110.0	50.0	-	0.0	0.0	0.0	-	0.0	0.0	6.5	0.0	-	0.0
110.0	60.0	-	0.0	0.0	0.0	-	0.0	0.0	3.1	0.0	-	0.0
110.0	65.0	-	0.0	0.0	0.0	-	0.0	0.0	6.0	3.5	-	0.0
113.0	29.0	-	0.0	1.6	1.4	-	0.0	0.0	0.0	0.0	0.0	3.3
113.0	30.0	-	0.0	3.3	2.3	-	3.3	0.0	0.0	0.0	0.0	4.3
113.0	35.0	-	0.0	0.0	0.0	-	0.0	0.0	3.2	0.0	0.0	0.0
113.0	45.0	-	0.0	0.0	3.4	-	0.0	0.0	0.0	0.0	0.0	0.0
113.0	50.0	-	0.0	0.0	0.0	-	0.0	3.2	0.0	3.2	0.0	0.0
113.0	55.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	2.8
113.0	65.0	-	0.0	0.0	0.0	-	0.0	0.0	3.2	0.0	-	0.0
117.0	25.0	-	0.0	7.2	0.0	-	0.0	5.3	0.0	0.0	-	0.0

TABLE 4. (cont.)

Gobiidae (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
117.0	30.0	0.0	0.0	0.0	0.0	-	0.0	2.8	0.0	3.1	2.7	0.0
117.0	35.0	0.0	0.0	0.0	0.0	-	5.1	3.1	3.3	0.0	0.0	0.0
117.0	40.0	0.0	0.0	3.6	3.2	-	0.0	0.0	0.0	0.0	0.0	0.0
117.0	50.0	0.0	0.0	0.0	0.0	-	3.1	0.0	0.0	0.0	-	0.0
118.0	39.0	-	-	0.0	3.3	-	0.0	2.8	0.0	0.0	-	0.0
119.0	33.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.1	0.0	0.0	0.0
120.0	24.0	0.0	1.3	0.0	1.6	-	0.0	0.0	5.3	2.2	0.0	0.0
120.0	25.0	0.0	3.0	0.0	0.0	-	0.0	0.0	0.0	5.3	0.0	2.5
120.0	35.0	0.0	3.3	3.2	0.0	-	0.0	0.0	15.4	10.4	0.0	0.0
120.0	40.0	3.9	0.0	0.0	2.8	-	0.0	10.3	0.0	6.0	-	0.0
120.0	45.0	0.0	0.0	0.0	3.7	-	0.0	0.0	-	0.0	0.0	0.0
123.0	37.0	0.0	0.0	0.0	0.0	-	0.0	0.0	-	0.0	5.9	0.0
123.0	40.0	0.0	-	-	0.0	-	-	3.2	-	2.8	0.0	-
127.0	34.0	0.0	0.0	0.0	0.0	-	3.3	0.0	-	3.1	0.0	0.0
127.0	40.0	-	0.0	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
133.0	23.0	-	5.0	0.0	0.0	-	0.0	0.0	-	0.0	2.9	0.0
133.0	25.0	-	0.0	0.0	2.8	-	0.0	0.0	-	0.0	0.0	0.0
133.0	40.0	0.0	0.0	8.6	0.0	-	0.0	0.0	-	0.0	0.0	0.0
137.0	22.0	-	1.5	0.0	0.0	-	0.0	0.0	-	0.0	5.6	0.0
137.0	23.0	-	0.0	0.0	0.0	-	0.0	2.7	-	2.1	3.2	-
147.0	20.0	-	0.0	0.0	-	-	-	-	-	-	2.3	-
150.0	19.0	-	-	-	-	-	-	-	-	-	-	-

Icosteus aenigmaticus

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
63.0	65.0	-	-	2.9	-	0.0	-	-	-	-	-	-
73.0	70.0	-	-	5.6	-	0.0	0.0	-	-	0.0	-	0.0
77.0	90.0	0.0	-	11.4	-	0.0	0.0	-	-	0.0	-	-

Halichoeres spp.

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
80.0	52.0	-	-	0.0	0.0	0.0	0.0	0.0	3.4	3.7	-	0.0
90.0	37.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.3	0.0	-	0.0
97.0	29.0	0.0	-	0.0	0.0	0.0	0.0	2.2	0.0	0.0	-	0.0
100.0	29.0	0.0	-	0.0	0.0	2.9	0.0	0.0	0.0	0.0	-	0.0
103.0	30.0	0.0	-	0.0	0.0	-	2.7	0.0	0.0	0.0	-	0.0
113.0	29.0	0.0	0.0	0.0	0.0	-	0.0	8.2	0.0	0.0	-	0.0
113.0	30.0	0.0	0.0	0.0	0.0	-	0.0	5.2	0.0	0.0	0.0	0.0
117.0	25.0	-	0.0	0.0	0.0	-	1.4	0.0	1.7	0.0	-	0.0
117.0	26.0	0.0	0.0	0.0	0.0	-	26.6	7.6	0.0	0.0	0.0	0.0
117.0	30.0	0.0	0.0	0.0	0.0	-	2.6	0.0	0.0	0.0	0.0	0.0
117.0	45.0	0.0	0.0	0.0	0.0	-	6.2	0.0	0.0	0.0	0.0	0.0

TABLE 4. (cont.)

Halichoeres spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
117.0	50.0	0.0	0.0	0.0	0.0	—	0.0	3.2	0.0	0.0	—	0.0
118.0	39.0	—	—	0.0	0.0	—	24.7	0.0	0.0	0.0	—	0.0
120.0	24.0	0.0	0.0	0.0	0.0	—	1.3	0.0	0.0	0.0	—	0.0
120.0	25.0	0.0	0.0	0.0	0.0	—	0.0	0.0	2.8	0.0	5.2	0.0
120.0	30.0	0.0	0.0	0.0	0.0	—	6.2	0.0	0.0	0.0	0.0	0.0
120.0	35.0	0.0	0.0	0.0	0.0	—	2.8	0.0	0.0	0.0	0.0	0.0
120.0	40.0	0.0	0.0	0.0	0.0	—	1.6	72.1	2.9	4.0	—	0.0
120.0	45.0	0.0	0.0	0.0	0.0	—	0.0	11.5	—	0.0	0.0	0.0
120.0	50.0	0.0	0.0	0.0	0.0	—	0.0	41.6	—	0.0	—	0.0
120.0	55.0	0.0	0.0	0.0	0.0	—	0.0	6.4	—	0.0	3.0	0.0
123.0	37.0	0.0	—	—	0.0	—	—	5.3	—	0.0	0.0	—
123.0	40.0	0.0	—	0.0	0.0	—	0.0	11.8	—	0.0	0.0	2.6
127.0	34.0	0.0	—	0.0	0.0	—	0.0	3.1	—	0.0	0.0	0.0
127.0	40.0	0.0	—	0.0	0.0	—	0.0	—	—	—	—	—
127.0	50.0	0.0	—	0.0	0.0	—	2.8	—	—	—	—	—
127.0	65.0	0.0	—	0.0	0.0	—	0.0	0.0	—	2.3	—	0.0
130.0	28.0	0.0	—	0.0	0.0	—	0.0	0.0	—	5.4	0.0	0.0
130.0	30.0	0.0	—	0.0	0.0	—	0.0	0.0	—	2.6	0.0	0.0
130.0	35.0	0.0	—	0.0	0.0	—	0.0	0.0	—	—	2.7	—
131.5	37.5	—	—	—	—	—	—	—	—	—	—	—
133.0	23.0	0.0	—	0.0	0.0	—	10.8	0.0	—	0.0	0.0	0.0
133.0	25.0	0.0	—	0.0	0.0	—	0.0	5.3	—	0.0	0.0	0.0
133.0	30.0	0.0	—	0.0	0.0	—	0.0	3.1	—	0.0	0.0	0.0
133.0	35.0	0.0	—	0.0	0.0	—	0.0	10.5	—	0.0	—	0.0
137.0	22.0	0.0	—	0.0	0.0	—	2.1	0.0	—	0.0	—	0.0
137.0	23.0	0.0	—	0.0	0.0	—	0.0	0.0	—	0.0	8.4	0.0
137.0	30.0	0.0	—	0.0	0.0	—	0.0	6.2	—	0.0	0.0	0.0
143.0	30.0	—	—	—	—	—	—	—	—	—	32.3	—
144.5	23.0	—	—	—	—	—	—	—	—	—	2.9	—
150.0	19.0	—	—	—	—	—	—	—	—	—	2.3	—

Oxyulis californica

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	55.0	—	—	0.0	—	0.0	0.0	—	—	0.0	—	2.6
60.0	60.0	—	—	0.0	—	0.0	0.0	—	—	0.0	—	2.7
60.0	70.0	—	—	0.0	—	0.0	0.0	—	—	0.0	—	3.0
60.0	80.0	—	—	—	—	0.0	0.0	—	—	0.0	—	3.0
63.0	55.0	—	—	0.0	—	0.0	0.0	—	—	0.0	—	2.5
63.0	60.0	—	—	0.0	—	0.0	0.0	—	—	0.0	—	6.1
80.0	51.0	0.0	—	0.0	—	0.0	0.0	—	—	0.0	—	0.0
80.0	52.0	0.0	—	0.0	—	3.2	0.0	0.0	—	0.0	—	0.0
80.0	55.0	—	—	0.0	—	0.0	0.0	—	—	0.0	—	0.0
80.0	60.0	—	—	0.0	—	0.0	0.0	—	—	0.0	—	0.0
80.0	65.0	—	—	0.0	—	0.0	0.0	—	—	0.0	—	0.0
80.0	65.0	—	—	0.0	—	0.0	3.1	0.0	—	0.0	—	0.0

TABLE 4. (cont.)

Oxyjulis californica (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
82.0	47.0	0.0	-	0.0	0.0	25.6	0.0	44.1	0.0	3.2	-	0.0
83.0	40.0	0.0	-	0.0	0.0	4.1	-	0.0	0.0	0.0	-	0.0
83.0	43.0	0.0	-	0.0	0.0	5.4	0.0	25.8	0.0	0.0	-	0.0
83.0	51.0	0.0	-	0.0	0.0	2.7	0.0	46.0	5.4	0.0	-	0.0
83.0	55.0	0.0	-	0.0	0.0	0.0	10.2	21.0	11.1	0.0	-	0.0
83.0	60.0	0.0	-	0.0	0.0	0.0	23.4	0.0	0.0	0.0	-	0.0
83.0	65.0	0.0	-	0.0	0.0	0.0	3.3	3.1	29.2	0.0	-	0.0
87.0	33.0	0.0	-	-	0.0	0.0	0.0	2.9	0.0	0.0	-	0.0
87.0	45.0	0.0	-	0.0	3.2	3.0	0.0	3.1	3.3	0.0	-	0.0
87.0	50.0	0.0	-	0.0	0.0	0.0	0.0	3.1	0.0	0.0	-	0.0
87.0	55.0	0.0	-	0.0	3.3	0.0	17.6	3.1	3.3	0.0	-	0.0
87.0	60.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.3	0.0	-	0.0
87.0	65.0	0.0	-	0.0	0.0	0.0	28.6	0.0	0.0	0.0	-	0.0
87.0	70.0	0.0	-	0.0	0.0	0.0	24.2	0.0	0.0	0.0	-	0.0
90.0	28.0	0.0	0.0	-	0.0	2.8	0.0	0.0	3.4	0.0	-	0.0
90.0	30.0	-	0.0	-	-	-	-	3.7	-	-	-	-
90.0	37.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	3.3	0.0	-	0.0
90.0	45.0	0.0	0.0	-	0.0	0.0	3.3	0.0	25.8	0.0	-	0.0
90.0	50.0	-	0.0	-	0.0	-	-	0.0	9.5	-	-	-
90.0	53.0	0.0	0.0	-	-	20.2	0.0	-	-	0.0	-	0.0
90.0	60.0	0.0	0.0	-	0.0	2.9	6.2	0.0	3.3	0.0	-	0.0
93.0	28.0	0.0	0.0	-	5.5	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	30.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.0	0.0	-	0.0
93.0	35.0	0.0	0.0	-	0.0	0.0	0.0	3.4	0.0	0.0	-	0.0
93.0	40.0	0.0	0.0	-	0.0	0.0	-	0.0	0.0	3.2	-	0.0
93.0	45.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	15.6	-	0.0
93.0	50.0	0.0	0.0	-	1.4	12.4	0.0	0.0	0.0	0.0	-	0.0
93.0	55.0	0.0	0.0	-	10.8	25.0	0.0	0.0	0.0	0.0	-	0.0
93.0	60.0	0.0	0.0	-	3.4	0.0	79.8	0.0	0.0	0.0	-	0.0
93.0	80.0	0.0	0.0	-	0.0	0.0	3.2	0.0	0.0	0.0	-	0.0
97.0	29.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	-	0.0
97.0	30.0	0.0	0.0	0.0	16.0	33.8	3.1	8.1	0.0	2.4	-	0.0
97.0	40.0	0.0	0.0	-	0.0	8.9	14.4	0.0	0.0	2.9	-	0.0
97.0	50.0	0.0	0.0	-	3.6	5.8	0.0	0.0	0.0	0.0	-	0.0
97.0	70.0	0.0	0.0	-	8.7	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	29.0	0.0	-	0.0	27.4	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	30.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	6.9	-	0.0
100.0	40.0	0.0	-	0.0	0.0	0.0	0.0	0.0	6.5	0.0	-	0.0
100.0	50.0	0.0	-	0.0	0.0	3.3	4.0	7.9	0.0	0.0	-	0.0
103.0	29.0	0.0	-	0.0	0.0	-	1.5	2.9	0.0	0.0	-	0.0
103.0	30.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
103.0	35.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
103.0	45.0	0.0	-	3.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	32.0	0.0	-	3.2	0.0	-	0.0	3.0	0.0	0.0	-	0.0
107.0	35.0	0.0	-	0.0	0.0	-	3.2	0.0	0.0	0.0	-	0.0
110.0	35.0	-	0.0	0.0	3.4	-	0.0	0.0	0.0	0.0	0.0	0.0

TABLE 4. (cont.)

Oxyulis californica (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
110.0	60.0	0.0	0.0	0.0	0.0	-	3.0	0.0	0.0	0.0	-	0.0
113.0	35.0	0.0	0.0	0.0	0.0	-	0.0	3.1	0.0	0.0	0.0	0.0
117.0	25.0	0.0	0.0	0.0	0.0	-	1.4	0.0	0.0	0.0	-	0.0
120.0	24.0	0.0	0.0	0.0	0.0	-	1.3	0.0	0.0	0.0	-	0.0
123.0	45.0	0.0	-	0.0	3.4	-	0.0	0.0	-	0.0	0.0	0.0
123.0	50.0	0.0	-	0.0	0.0	-	3.1	0.0	-	0.0	0.0	0.0
130.0	45.0	0.0	-	0.0	3.4	-	0.0	0.0	-	0.0	-	0.0

Semicossyphus pulcher

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
82.0	47.0	0.0	-	0.0	0.0	0.0	0.0	2.9	0.0	0.0	-	0.0
83.0	40.0	0.0	-	0.0	0.0	2.7	-	0.0	0.0	0.0	-	0.0
83.0	43.0	0.0	-	0.0	0.0	5.4	0.0	3.2	0.0	0.0	-	0.0
83.0	65.0	0.0	-	0.0	0.0	0.0	3.3	0.0	0.0	0.0	-	0.0
87.0	55.0	0.0	-	0.0	0.0	0.0	0.0	3.1	0.0	0.0	-	0.0
87.0	65.0	0.0	-	0.0	0.0	0.0	3.2	0.0	0.0	0.0	-	0.0
90.0	28.0	0.0	0.0	-	0.0	2.8	0.0	0.0	0.0	0.0	-	0.0
90.0	45.0	0.0	0.0	-	0.0	0.0	3.3	0.0	0.0	0.0	-	0.0
90.0	53.0	0.0	0.0	-	-	11.6	0.0	-	0.0	0.0	-	0.0
93.0	27.0	0.0	0.0	-	0.0	5.5	0.0	0.0	0.0	0.0	-	0.0
93.0	60.0	0.0	0.0	-	0.0	0.0	6.4	0.0	0.0	0.0	-	0.0
97.0	30.0	0.0	0.0	0.0	0.0	6.1	0.0	0.0	0.0	0.0	-	0.0
97.0	40.0	0.0	0.0	-	0.0	0.0	3.6	0.0	0.0	0.0	-	0.0
103.0	29.0	0.0	0.0	0.0	0.0	-	0.0	3.1	0.0	0.0	-	0.0
103.0	30.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.1	0.0	-	0.0
107.0	31.0	0.0	0.0	0.0	0.0	-	0.0	2.0	0.0	0.0	-	0.0
107.0	32.0	0.0	0.0	0.0	0.0	-	0.0	3.0	0.0	0.0	-	0.0
110.0	65.0	0.0	0.0	0.0	0.0	-	0.0	3.2	0.0	0.0	-	0.0
117.0	35.0	0.0	0.0	0.0	0.0	-	0.0	0.0	6.5	0.0	2.7	0.0
117.0	45.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.2	0.0	0.0	0.0
119.0	33.0	0.0	0.0	0.0	0.0	-	0.0	8.7	0.0	0.0	0.0	0.0
120.0	40.0	0.0	0.0	0.0	0.0	-	0.0	2.1	0.0	0.0	-	0.0
120.0	55.0	0.0	0.0	0.0	0.0	-	2.6	0.0	-	0.0	-	0.0
127.0	34.0	0.0	0.0	0.0	0.0	-	6.4	10.6	-	0.0	0.0	0.0
127.0	50.0	0.0	0.0	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
137.0	23.0	0.0	-	0.0	0.0	-	0.0	2.7	-	0.0	0.0	0.0

Pomacentridae

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
117.0	25.0	-	0.0	0.0	0.0	-	0.0	0.0	1.7	0.0	-	0.0
123.0	37.0	0.0	-	0.0	0.0	-	0.0	0.0	-	6.3	17.8	0.0
127.0	33.0	0.0	-	0.0	0.0	-	0.0	0.0	-	104.1	-	0.0

TABLE 4. (cont.)

Pomacentridae (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
150.0	19.0	-	-	-	-	-	-	-	-	-	2.3	-

Chromis punctipinnis

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
80.0	55.0	0.0	-	0.0	0.0	0.0	0.0	12.8	3.1	0.0	-	0.0
80.0	60.0	0.0	-	0.0	0.0	0.0	0.0	5.3	0.0	0.0	-	0.0
82.0	47.0	0.0	-	0.0	0.0	0.0	0.0	5.9	0.0	0.0	-	0.0
83.0	43.0	0.0	-	0.0	0.0	0.0	0.0	6.5	6.7	0.0	-	0.0
83.0	51.0	0.0	-	0.0	0.0	0.0	2.9	7.1	5.4	0.0	-	0.0
83.0	55.0	0.0	-	0.0	0.0	0.0	10.2	3.5	8.3	0.0	-	0.0
83.0	60.0	0.0	-	0.0	0.0	0.0	3.3	0.0	2.7	0.0	-	0.0
83.0	65.0	0.0	-	0.0	0.0	0.0	0.0	0.0	6.5	0.0	-	0.0
87.0	35.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.0	0.0	-	0.0
87.0	40.0	0.0	-	0.0	0.0	0.0	0.0	2.9	23.0	0.0	-	0.0
87.0	45.0	0.0	-	0.0	0.0	0.0	0.0	11.1	5.3	0.0	-	0.0
87.0	50.0	0.0	-	0.0	0.0	0.0	18.8	3.1	0.0	0.0	-	0.0
87.0	55.0	0.0	-	0.0	0.0	0.0	38.8	0.0	0.0	0.0	-	0.0
90.0	28.0	0.0	0.0	-	0.0	0.0	0.0	24.8	0.0	3.1	-	0.0
90.0	30.0	-	-	-	-	-	-	7.4	-	-	-	-
90.0	37.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	-	0.0
90.0	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.1	0.0	-	0.0
90.0	60.0	0.0	0.0	0.0	0.0	0.0	6.2	3.5	0.0	0.0	-	0.0
93.0	27.0	0.0	-	-	0.0	0.0	18.3	0.0	0.0	19.6	-	0.0
93.0	30.0	0.0	-	-	0.0	0.0	0.0	6.8	0.0	0.0	-	0.0
93.0	35.0	0.0	-	-	0.0	0.0	0.0	89.4	0.0	3.2	-	0.0
93.0	45.0	0.0	-	-	0.0	0.0	0.0	3.3	0.0	0.0	-	0.0
93.0	50.0	0.0	-	-	0.0	0.0	6.2	0.0	0.0	0.0	-	0.0
93.0	55.0	0.0	-	-	0.0	15.6	0.0	0.0	0.0	0.0	-	0.0
97.0	29.0	0.0	0.0	0.0	0.0	0.0	37.0	2.2	11.4	0.0	-	0.0
97.0	30.0	0.0	-	0.0	0.0	0.0	47.0	197.8	0.0	7.3	-	0.0
97.0	35.0	-	-	-	-	0.0	0.0	-	-	6.1	-	0.0
97.0	40.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.3	3.5	0.0	0.0
97.0	45.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	2.9	-	0.0
100.0	29.0	0.0	-	0.0	0.0	0.0	0.0	0.0	8.5	0.0	-	0.0
100.0	30.0	0.0	-	0.0	0.0	0.0	0.0	105.4	134.1	0.0	-	0.0
100.0	40.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	3.4	-	0.0
100.0	45.0	0.0	-	0.0	0.0	0.0	0.0	0.0	44.5	0.0	0.0	0.0
100.0	50.0	0.0	-	0.0	0.0	0.0	0.0	0.0	9.8	0.0	-	0.0
103.0	25.0	0.0	-	0.0	0.0	-	0.0	301.4	28.4	0.0	-	0.0
103.0	30.0	0.0	-	0.0	0.0	-	0.0	137.7	37.3	0.0	-	0.0
103.0	35.0	0.0	-	0.0	0.0	-	0.8	0.0	0.0	0.0	0.0	0.0
103.0	45.0	0.0	-	0.0	0.0	-	0.0	0.0	3.1	0.0	0.0	0.0
103.0	50.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	3.5	-	0.0
103.0	55.0	0.0	-	0.0	0.0	0.0	0.0	0.0	6.2	-	-	0.0

TABLE 4. (cont.)

Chromis punctipinnis (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
107.0	31.0	0.0	0.0	0.0	0.0	—	0.0	17.9	50.8	0.0	—	0.0
107.0	32.0	0.0	—	0.0	0.0	—	0.0	6.1	3.3	0.0	—	0.0
107.0	35.0	0.0	—	0.0	0.0	—	0.0	50.1	0.0	2.5	—	0.0
107.0	50.0	0.0	—	0.0	0.0	—	0.0	0.0	3.2	0.0	—	0.0
107.0	65.0	0.0	0.0	0.0	0.0	—	0.0	3.0	0.0	0.0	—	0.0
110.0	32.0	—	0.0	0.0	0.0	—	0.0	336.6	4.3	0.0	—	0.0
110.0	35.0	0.0	0.0	0.0	0.0	—	0.0	0.0	6.4	0.0	0.0	0.0
110.0	35.0	0.0	0.0	0.0	0.0	—	0.0	0.0	0.0	15.7	—	0.0
113.0	29.0	—	0.0	0.0	0.0	—	0.0	0.0	1.7	13.3	0.0	0.0
113.0	30.0	—	0.0	0.0	0.0	—	0.0	0.0	3.2	6.4	0.0	0.0
113.0	35.0	—	0.0	0.0	0.0	—	0.0	0.0	6.3	0.0	—	0.0
113.0	40.0	—	0.0	0.0	0.0	—	0.0	0.0	3.0	0.0	0.0	0.0
113.0	45.0	—	0.0	0.0	0.0	—	0.0	130.0	0.0	0.0	—	0.0
113.0	50.0	—	0.0	0.0	0.0	—	0.0	107.1	0.0	0.0	—	0.0
113.0	55.0	—	0.0	0.0	0.0	—	0.0	0.0	5.8	0.0	—	0.0
113.0	60.0	—	0.0	0.0	0.0	—	0.0	0.0	5.6	0.0	—	0.0
117.0	26.0	—	0.0	0.0	0.0	—	0.0	0.0	12.3	0.0	0.0	0.0
117.0	30.0	—	0.0	0.0	0.0	—	0.0	0.0	6.0	0.0	0.0	0.0
117.0	35.0	—	0.0	0.0	0.0	—	0.0	3.1	6.5	0.0	0.0	0.0
117.0	40.0	—	0.0	0.0	0.0	—	3.3	0.0	3.3	0.0	—	0.0
117.0	50.0	—	0.0	0.0	0.0	—	0.0	6.5	0.0	0.0	—	0.0
117.0	55.0	—	0.0	0.0	0.0	—	0.0	3.0	0.0	0.0	—	0.0
117.0	65.0	—	0.0	0.0	0.0	—	0.0	0.0	6.1	0.0	—	0.0
118.0	39.0	—	0.0	0.0	0.0	—	0.0	0.0	3.1	0.0	—	0.0
120.0	24.0	—	0.0	0.0	0.0	—	0.0	0.0	0.0	4.4	—	0.0
120.0	25.0	—	0.0	0.0	0.0	—	0.0	18.7	2.8	5.3	0.0	0.0
120.0	30.0	—	0.0	0.0	0.0	—	0.0	0.0	0.0	0.0	2.6	0.0
120.0	40.0	—	0.0	0.0	0.0	—	0.0	2.1	20.0	2.0	—	0.0
120.0	55.0	—	0.0	0.0	0.0	—	2.6	0.0	—	0.0	—	0.0
123.0	45.0	—	0.0	0.0	0.0	—	0.0	3.2	—	0.0	—	0.0
125.0	35.5	—	—	—	—	—	—	—	—	—	2.8	—

Hypsypops rubicundus

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
103.0	29.0	0.0	—	0.0	0.0	—	0.0	81.6	0.0	0.0	—	0.0

Mugil spp.

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
97.0	45.0	0.0	0.0	—	0.0	—	0.0	0.0	0.0	1.4	0.0	0.0
117.0	35.0	0.0	0.0	0.0	0.0	—	0.0	0.0	0.0	2.5	0.0	0.0
133.0	25.0	—	—	0.0	0.0	—	0.0	3.2	—	0.0	0.0	0.0
133.0	30.0	—	—	0.0	0.0	—	0.0	3.1	—	0.0	0.0	0.0
150.0	19.0	—	—	—	—	—	—	—	—	—	2.3	—

TABLE 4. (cont.)

Apogonidae

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
143.0 30.0	-	-	-	-	-	-	-	-	-	-	2.9	-

Howella brodiei

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
90.0 120.0	-	-	-	-	-	-	-	-	-	2.8	-	0.0
93.0 110.0	-	-	-	-	-	-	-	-	-	3.1	-	0.0
93.0 120.0	-	-	-	-	-	-	-	-	-	3.1	-	0.0

Brama spp.

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
90.0 100.0	-	0.0	-	-	-	-	0.0	-	-	3.0	-	0.0
90.0 110.0	-	-	-	-	-	-	-	-	-	3.1	-	0.0
90.0 130.0	-	-	-	-	-	-	-	-	-	-	-	3.1
90.0 140.0	-	-	-	-	-	-	-	-	-	-	-	0.0
100.0 45.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0
100.0 50.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	3.1	-	0.0
100.0 70.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	3.5	-	0.0
103.0 80.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	-	-	-	2.7
107.0 35.0	0.0	0.0	-	0.0	0.0	-	0.0	3.3	0.0	0.0	0.0	0.0
107.0 65.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	6.2	0.0	-	0.0
107.0 70.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	3.3	-	0.0
110.0 50.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	3.2	0.0	-	0.0
110.0 55.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	3.4	-	0.0
110.0 70.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	3.2	-	0.0
117.0 60.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	2.6
117.0 70.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	-	-	2.8
117.0 80.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	-	-	-	2.8
120.0 80.0	0.0	-	-	0.0	0.0	-	0.0	3.1	-	0.0	-	0.0
123.0 55.0	0.0	-	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	3.3
130.0 35.0	-	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	6.2	0.0
133.0 30.0	-	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	-	-

Carangidae

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
130.0 30.0	-	0.0	-	0.0	0.0	-	0.0	2.5	-	0.0	0.0	0.0
130.0 50.0	-	0.0	-	0.0	0.0	-	0.0	0.0	-	2.9	0.0	0.0
130.0 70.0	-	0.0	-	0.0	0.0	-	13.6	36.5	-	0.0	-	0.0
133.0 23.0	-	0.0	-	0.0	0.0	-	5.5	0.0	-	0.0	0.0	0.0
133.0 25.0	-	0.0	-	0.0	0.0	-	2.7	0.0	-	0.0	0.0	0.0
133.0 30.0	-	0.0	-	0.0	0.0	-	46.4	58.6	-	2.3	-	-
137.0 22.0	-	0.0	-	0.0	0.0	-	-	-	-	-	-	-

TABLE 4. (cont.)

Carangidae (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
137.0 23.0	-	0.0	-	0.0	0.0	-	2.7	49.0	-	0.0	0.0	0.0
137.0 30.0	-	0.0	-	0.0	0.0	-	0.0	9.3	-	2.6	0.0	0.0

<i>Seriola lalandi</i>												
STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
97.0 29.0	0.0	0.0	-	0.0	0.0	0.0	3.1	0.0	0.0	0.0	-	0.0
97.0 30.0	0.0	0.0	-	0.0	0.0	6.1	0.0	0.0	0.0	0.0	-	0.0
100.0 30.0	0.0	0.0	-	0.0	0.0	3.3	0.0	0.0	0.0	0.0	-	0.0
103.0 30.0	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0 80.0	0.0	-	0.0	0.0	0.0	-	3.2	-	-	-	-	0.0
113.0 35.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
117.0 30.0	0.0	-	0.0	0.0	0.0	-	0.0	8.4	0.0	0.0	0.0	0.0
117.0 35.0	0.0	-	0.0	0.0	0.0	-	0.0	3.1	6.5	0.0	0.0	0.0
117.0 40.0	0.0	-	0.0	0.0	0.0	-	3.3	5.6	0.0	0.0	0.0	0.0
117.0 45.0	0.0	-	0.0	0.0	0.0	-	12.5	9.7	0.0	0.0	0.0	0.0
117.0 50.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
117.0 55.0	0.0	-	0.0	0.0	0.0	-	3.2	0.0	0.0	0.0	-	0.0
117.0 70.0	0.0	-	0.0	0.0	0.0	-	0.0	2.8	0.0	0.0	-	0.0
118.0 39.0	-	-	-	0.0	0.0	-	0.0	5.7	-	0.0	0.0	0.0
120.0 45.0	0.0	-	0.0	0.0	0.0	-	3.0	0.0	-	0.0	0.0	0.0
120.0 70.0	0.0	-	0.0	0.0	0.0	-	-	28.8	-	-	0.0	0.0
123.0 40.0	0.0	-	-	-	0.0	-	-	3.0	-	0.0	0.0	0.0
127.0 40.0	-	0.0	-	0.0	0.0	-	0.0	3.0	-	0.0	0.0	0.0
127.0 50.0	-	0.0	-	0.0	0.0	-	12.9	0.0	-	0.0	0.0	0.0
127.0 55.0	-	0.0	-	0.0	0.0	-	24.5	0.0	-	0.0	0.0	0.0
127.0 65.0	-	0.0	-	0.0	0.0	-	11.4	-	-	-	-	-
127.0 70.0	-	0.0	-	0.0	0.0	-	3.0	-	-	-	-	-
130.0 35.0	-	0.0	-	0.0	0.0	-	0.0	3.1	-	0.0	0.0	0.0
130.0 40.0	-	0.0	-	0.0	0.0	-	0.0	3.1	-	0.0	0.0	0.0
133.0 23.0	-	0.0	-	0.0	0.0	-	0.0	14.1	-	0.0	-	0.0
133.0 25.0	-	0.0	-	0.0	0.0	-	5.5	0.0	-	0.0	0.0	0.0
137.0 23.0	-	0.0	-	0.0	0.0	-	0.0	35.4	-	0.0	0.0	0.0
137.0 60.0	-	0.0	-	0.0	0.0	-	2.6	0.0	-	0.0	0.0	-

Trachurus symmetricus

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0 60.0	0.0	-	-	0.0	-	0.0	9.6	-	-	0.0	-	0.0
60.0 70.0	0.0	-	-	0.0	-	0.0	217.6	-	-	0.0	-	0.0
60.0 80.0	0.0	-	-	0.0	-	0.0	455.4	-	-	0.0	-	0.0
60.0 90.0	0.0	-	-	-	-	0.0	3.6	-	-	0.0	-	0.0
63.0 52.0	0.0	-	-	0.0	-	0.0	3.1	-	-	0.0	-	0.0
63.0 55.0	0.0	-	-	0.0	-	0.0	82.7	-	-	0.0	-	0.0

TABLE 4. (cont.)

Trachurus symmetricus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
63.0	60.0	0.0	-	0.0	-	0.0	141.5	-	-	0.0	-	0.0
63.0	70.0	-	-	0.0	-	0.0	424.3	-	-	-	-	0.0
63.0	80.0	-	-	-	-	0.0	583.1	-	-	0.0	-	-
63.0	90.0	-	-	-	-	7.0	12.9	-	-	0.0	-	-
67.0	65.0	-	-	0.0	-	3.2	-	-	-	-	-	-
67.0	70.0	-	-	0.0	-	0.0	586.7	-	-	0.0	-	0.0
67.0	80.0	-	-	0.0	-	6.5	13.4	-	-	0.0	-	-
67.0	90.0	-	-	0.0	-	0.0	55.5	-	-	0.0	-	-
70.0	60.0	-	-	0.0	-	0.0	85.2	-	-	-	-	0.0
70.0	65.0	-	-	0.0	-	3.2	-	-	-	-	-	-
70.0	70.0	-	-	0.0	-	3.2	1572.5	-	-	0.0	-	0.0
70.0	80.0	-	-	0.0	-	0.0	13.2	-	-	0.0	-	0.0
70.0	90.0	-	-	0.0	-	18.2	20.3	-	-	0.0	-	0.0
73.0	60.0	0.0	-	-	-	0.0	6.7	-	-	0.0	-	0.0
73.0	65.0	-	-	0.0	-	3.3	-	-	-	-	-	-
73.0	70.0	-	-	0.0	-	0.0	36.3	-	-	0.0	-	0.0
73.0	80.0	-	-	0.0	-	0.0	122.1	-	-	0.0	-	-
73.0	90.0	-	-	0.0	-	39.7	0.0	-	-	0.0	-	0.0
77.0	55.0	0.0	-	0.0	-	196.0	0.0	-	-	0.0	-	0.0
77.0	60.0	0.0	-	0.0	-	16.1	0.0	-	-	0.0	-	0.0
77.0	65.0	-	-	0.0	-	215.8	-	-	-	-	-	0.0
77.0	70.0	-	-	0.0	-	39.5	13.5	-	-	0.0	-	-
77.0	80.0	-	-	0.0	-	53.6	149.2	-	-	0.0	-	-
77.0	90.0	0.0	-	-	-	9.4	6.7	-	-	0.0	-	-
80.0	51.0	-	-	0.0	-	3.2	0.0	0.0	0.0	0.0	-	0.0
80.0	55.0	-	-	0.0	-	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	60.0	-	-	0.0	-	31.1	0.0	0.0	0.0	0.0	-	0.0
80.0	65.0	-	-	0.0	-	26.2	9.1	0.0	0.0	0.0	-	0.0
80.0	70.0	-	-	0.0	-	19.7	59.5	17.3	0.0	0.0	-	0.0
80.0	80.0	-	-	0.0	-	265.9	7.2	0.0	3.2	0.0	-	0.0
80.0	90.0	-	-	0.0	-	2.8	0.0	0.0	9.5	0.0	-	0.0
83.0	40.0	-	-	0.0	-	6.2	6.4	0.0	1.8	0.0	-	0.0
83.0	43.0	-	-	0.0	-	0.0	-	3.2	0.0	0.0	-	0.0
83.0	55.0	-	-	0.0	-	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	60.0	-	-	0.0	-	0.0	13.4	0.0	5.5	0.0	-	0.0
83.0	65.0	-	-	0.0	-	115.9	33.5	15.7	3.2	0.0	-	0.0
83.0	70.0	-	-	0.0	-	113.2	16.8	0.0	0.0	0.0	-	0.0
83.0	80.0	-	-	0.0	-	25.5	33.0	33.0	9.7	0.0	-	0.0
83.0	90.0	-	-	0.0	-	26.6	35.5	0.0	6.2	0.0	-	0.0
87.0	33.0	-	-	0.0	-	8.2	4.9	0.0	0.0	0.0	-	0.0
87.0	35.0	-	-	0.0	-	1.6	9.4	0.0	15.1	0.0	-	0.0
87.0	40.0	-	-	0.0	-	5.4	0.0	2.9	0.0	0.0	-	0.0
87.0	55.0	-	-	0.0	-	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	60.0	-	-	0.0	-	13.2	0.0	6.3	0.0	0.0	-	0.0
87.0	65.0	3.4	-	0.0	-	156.6	9.6	20.3	0.0	0.0	-	0.0
87.0	70.0	6.2	3.4	0.0	-	25.8	28.6	0.0	0.0	0.0	-	0.0
					232.5	0.0	81.8					

TABLE 4. (cont.)

Trachurus symmetricus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
87.0	80.0	59.4	0.0	-	25.7	12.4	32.3	0.0	5.6	0.0	-	0.0
87.0	80.0	6.4	6.4	-	42.5	7.8	2.9	0.0	6.1	0.0	-	0.0
90.0	28.0	0.0	0.0	-	-	0.0	0.0	38.9	0.0	0.0	-	0.0
90.0	30.0	-	-	-	-	-	-	14.8	-	-	-	-
90.0	32.0	0.0	0.0	-	3.4	0.0	0.0	3.8	2.9	0.0	-	0.0
90.0	37.0	0.0	0.0	-	0.0	0.0	3.3	0.0	6.6	23.3	-	0.0
90.0	45.0	0.0	0.0	-	0.0	0.0	3.3	0.0	3.2	0.0	-	0.0
90.0	53.0	-	0.0	-	-	2.9	0.0	-	-	0.0	-	0.0
90.0	55.0	0.0	-	-	9.9	-	-	0.0	0.0	-	-	0.0
90.0	60.0	117.9	3.1	-	73.4	17.2	6.2	0.0	0.0	0.0	-	0.0
90.0	65.0	57.6	0.0	-	0.0	40.1	3.1	0.0	0.0	0.0	-	0.0
90.0	70.0	277.2	0.0	-	59.5	13.1	59.3	3.1	0.0	-	-	0.0
90.0	80.0	0.0	6.6	-	98.3	30.9	8.4	3.2	0.0	0.0	-	0.0
90.0	90.0	109.5	12.3	-	63.5	26.0	32.8	10.1	3.1	0.0	-	0.0
90.0	100.0	601.4	-	-	-	-	2.9	-	-	0.0	-	-
93.0	27.0	0.0	-	-	0.0	0.0	6.1	0.0	0.0	0.0	-	0.0
93.0	28.0	0.0	0.0	-	7.4	0.0	0.0	0.0	6.2	6.5	-	0.0
93.0	30.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.0	6.0	-	0.0
93.0	35.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.2	-	0.0
93.0	40.0	0.0	0.0	-	0.0	0.0	-	0.0	0.0	6.4	-	0.0
93.0	45.0	15.1	0.0	-	0.0	3.0	3.2	0.0	6.1	6.2	-	0.0
93.0	50.0	16.7	3.0	-	38.3	3.1	6.3	0.0	0.0	0.0	-	0.0
93.0	55.0	11.3	2.5	-	39.5	43.7	0.0	0.0	3.2	0.0	-	0.0
93.0	60.0	0.0	0.0	-	15.4	21.4	95.7	0.0	3.2	0.0	-	0.0
93.0	65.0	0.0	3.2	-	10.1	0.0	0.0	0.0	3.1	0.0	-	0.0
93.0	70.0	0.0	2.7	-	28.4	11.2	18.9	0.0	0.0	-	-	0.0
93.0	80.0	0.0	9.0	-	83.7	18.5	27.4	0.0	0.0	0.0	-	0.0
93.0	90.0	0.0	3.0	-	346.5	66.0	-	-	0.0	0.0	-	0.0
93.0	100.0	52.0	-	-	23.7	-	-	-	-	0.0	-	0.0
97.0	29.0	0.0	-	0.0	0.0	0.0	9.2	0.0	0.0	0.0	-	0.0
97.0	30.0	1.5	-	0.0	0.0	0.0	12.5	13.6	0.0	0.0	-	0.0
97.0	32.0	-	0.0	0.0	-	0.0	77.7	-	-	6.1	-	0.0
97.0	35.0	0.0	0.0	-	3.3	-	13.5	18.4	0.0	14.0	0.0	0.0
97.0	40.0	44.7	0.0	-	39.5	8.9	21.5	9.1	3.4	0.0	-	0.0
97.0	45.0	0.0	0.0	-	21.5	19.4	18.8	0.0	13.0	0.0	-	0.0
97.0	50.0	0.0	0.0	-	3.2	210.2	20.1	0.0	0.0	0.0	-	0.0
97.0	55.0	0.0	0.0	-	0.0	9.9	0.0	3.0	0.0	0.0	-	0.0
97.0	60.0	0.0	6.2	-	31.7	11.2	6.6	0.0	13.1	0.0	-	0.0
97.0	65.0	23.8	5.7	-	0.0	39.1	0.0	2.9	0.0	0.0	-	0.0
97.0	70.0	148.5	0.0	-	0.0	9.0	6.3	5.8	6.3	0.0	-	0.0
97.0	80.0	65.8	26.4	-	47.9	104.0	8.6	8.3	5.9	0.0	-	0.0
97.0	90.0	81.3	0.0	-	20.5	30.4	21.6	-	-	-	-	0.0
100.0	30.0	3.0	-	0.0	9.1	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	35.0	9.3	-	0.0	0.0	3.1	0.0	12.7	0.0	0.0	-	0.0
100.0	40.0	12.2	-	0.0	12.2	3.3	0.0	0.0	0.0	0.0	-	0.0
100.0	45.0	20.6	-	15.0	3.2	12.3	26.7	5.6	3.2	0.0	-	0.0

TABLE 4. (cont.)

Trachurus symmetricus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
100-0	50.0	71.8	-	12.4	74.1	45.5	47.7	16.2	3.3	0.0	-	0.0
100-0	55.0	3.6	-	3.1	4.0	13.3	0.0	3.1	0.0	0.0	-	0.0
100-0	60.0	15.2	-	31.4	27.4	6.6	6.2	0.0	0.0	0.0	-	0.0
100-0	65.0	29.4	-	15.3	7.7	29.6	7.0	14.4	0.0	0.0	-	0.0
100-0	70.0	42.1	-	6.6	22.1	51.5	67.6	0.0	0.0	0.0	-	0.0
100-0	80.0	9.3	-	158.4	56.5	42.0	49.0	-	-	0.0	-	0.0
100-0	90.0	-	-	243.6	47.7	10.2	13.9	-	-	-	-	-
100-0	100.0	-	-	-	-	-	21.6	-	-	-	-	-
103-0	29.0	2.0	-	0.0	1.3	-	0.0	0.0	0.0	0.0	-	0.0
103-0	30.0	20.3	-	6.1	0.0	-	2.8	2.9	0.0	0.0	-	0.0
103-0	35.0	37.6	-	8.2	13.2	-	2.4	3.3	0.0	0.0	0.0	0.0
103-0	40.0	107.6	-	7.0	158.7	-	29.9	6.0	0.0	0.0	0.0	0.0
103-0	45.0	161.2	-	0.0	37.1	-	41.6	0.0	0.0	0.0	0.0	0.0
103-0	50.0	132.8	-	18.5	25.9	50.5	32.0	9.7	0.0	0.0	0.0	0.0
103-0	55.0	114.8	-	37.8	20.5	114.2	47.5	9.5	0.0	0.0	0.0	0.0
103-0	60.0	43.2	-	27.3	78.0	61.9	19.6	3.2	0.0	0.0	0.0	0.0
103-0	65.0	0.0	-	139.0	21.7	28.9	12.7	0.0	3.2	10.4	-	0.0
103-0	70.0	0.0	-	42.1	111.0	29.2	11.8	0.0	0.0	0.0	-	0.0
103-0	80.0	0.0	-	119.1	3.1	38.6	0.0	-	-	-	-	-
103-0	90.0	-	-	74.5	3.2	134.8	-	-	-	-	-	-
107-0	32.0	2.5	-	6.3	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
107-0	35.0	106.8	-	3.4	3.5	-	0.0	0.0	0.0	0.0	0.0	0.0
107-0	40.0	20.9	-	0.0	44.5	-	10.4	0.0	0.0	0.0	0.0	0.0
107-0	45.0	47.6	-	83.5	86.3	-	30.3	0.0	0.0	0.0	0.0	0.0
107-0	50.0	18.8	-	40.6	21.4	-	29.9	13.4	0.0	0.0	0.0	0.0
107-0	55.0	63.8	-	43.9	20.3	-	19.3	5.4	0.0	0.0	0.0	0.0
107-0	60.0	150.0	-	98.8	36.3	-	18.1	0.0	15.3	0.0	0.0	0.0
107-0	65.0	-	29.7	51.1	74.1	-	15.6	0.0	3.1	0.0	0.0	0.0
107-0	70.0	18.5	18.5	3.7	94.0	-	5.6	0.0	0.0	0.0	0.0	0.0
107-0	80.0	0.0	0.0	88.1	52.5	-	12.7	-	-	-	-	0.0
107-0	90.0	-	-	48.8	12.0	-	-	-	-	-	-	-
110-0	35.0	-	9.9	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
110-0	40.0	-	29.7	0.0	59.9	-	-	0.0	0.0	0.0	0.0	0.0
110-0	45.0	-	58.6	10.3	26.5	-	15.8	2.9	0.0	0.0	0.0	0.0
110-0	50.0	-	13.7	9.5	31.6	-	10.4	2.8	3.2	0.0	0.0	0.0
110-0	55.0	-	101.4	3.2	38.1	-	9.5	0.0	12.9	0.0	0.0	0.0
110-0	60.0	-	5.8	40.5	16.9	-	38.9	3.2	3.1	0.0	0.0	0.0
110-0	65.0	-	9.7	56.2	16.9	-	2.9	3.2	9.1	0.0	0.0	0.0
110-0	70.0	-	5.8	10.8	21.5	-	0.0	0.0	3.1	0.0	0.0	0.0
110-0	80.0	-	0.0	12.6	25.5	-	0.0	0.0	-	-	-	0.0
110-0	90.0	-	-	19.3	22.2	-	-	-	-	-	-	-
113-0	29.0	0.0	0.0	0.0	0.0	-	3.8	0.0	0.0	0.0	0.0	0.0
113-0	35.0	-	0.0	4.1	0.0	-	0.0	6.1	0.0	0.0	0.0	0.0
113-0	40.0	-	96.3	0.0	0.0	-	12.1	0.0	0.0	0.0	0.0	0.0
113-0	45.0	-	22.9	0.0	20.5	-	0.0	0.0	0.0	0.0	0.0	0.0
113-0	50.0	-	25.6	0.0	6.6	-	9.7	0.0	0.0	0.0	-	0.0

TABLE 4. (cont.)

Trachurus symmetricus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
113.0 55.0	0.0	-	71.7	0.0	12.5	-	6.3	0.0	0.0	0.0	-	0.0
113.0 60.0	0.0	-	0.0	0.0	-	-	6.5	14.9	0.0	0.0	-	0.0
113.0 65.0	0.0	-	3.3	0.0	6.8	-	0.0	3.7	0.0	0.0	-	0.0
113.0 70.0	0.0	-	0.0	3.2	12.6	-	12.6	0.0	0.0	0.0	-	0.0
113.0 80.0	0.0	-	0.0	3.0	0.0	-	0.0	-	-	-	-	0.0
117.0 40.0	0.0	-	0.0	147.2	12.8	-	0.0	0.0	0.0	0.0	-	0.0
117.0 45.0	0.0	-	0.0	23.4	0.0	-	3.1	0.0	0.0	0.0	-	0.0
117.0 50.0	0.0	-	2.9	0.0	0.0	-	0.0	3.2	0.0	0.0	0.0	0.0
117.0 55.0	0.0	-	3.1	3.7	0.0	-	9.7	0.0	0.0	0.0	-	0.0
117.0 60.0	0.0	-	0.0	11.7	0.0	-	15.4	0.0	0.0	0.0	-	0.0
117.0 65.0	0.0	-	6.3	179.6	0.0	-	9.8	0.0	0.0	0.0	-	0.0
117.0 70.0	0.0	-	0.0	9.5	0.0	-	6.6	0.0	0.0	0.0	-	0.0
117.0 80.0	0.0	-	-	32.1	0.0	-	0.0	-	-	-	-	0.0
118.0 39.0	-	-	-	0.0	10.0	-	3.1	0.0	0.0	0.0	-	0.0
120.0 50.0	0.0	-	3.3	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
120.0 55.0	0.0	-	6.3	0.0	0.0	-	13.0	0.0	-	0.0	-	0.0
120.0 60.0	0.0	-	8.7	7.2	0.0	-	6.2	0.0	-	-	-	0.0
120.0 65.0	0.0	-	-	22.0	0.0	-	0.0	0.0	-	0.0	-	0.0
120.0 70.0	0.0	-	-	17.0	31.0	-	6.0	0.0	-	0.0	-	0.0
120.0 80.0	0.0	-	-	3.5	49.8	-	2.9	-	-	-	-	0.0
130.0 50.0	-	0.0	-	0.0	0.0	-	2.8	0.0	-	0.0	0.0	-
130.0 80.0	-	0.0	-	-	-	-	2.7	-	-	-	-	-

Caristius macropus

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
110.0 60.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	3.1	-	0.0

Coryphaena hippurus

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
117.0 60.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	2.9	0.0	-	0.0
137.0 23.0	-	0.0	-	0.0	0.0	-	0.0	2.7	-	0.0	0.0	0.0
137.0 35.0	-	0.0	-	0.0	0.0	-	0.0	3.1	-	0.0	0.0	0.0
137.0 45.0	-	0.0	-	0.0	0.0	-	-	0.0	-	2.8	-	-
150.0 60.0	-	-	-	-	-	-	-	-	-	-	3.1	-

Gerreidae

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
117.0 25.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	1.7	0.0	-	0.0
120.0 24.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	8.0	0.0	-	0.0
120.0 25.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	5.6	0.0	0.0	0.0

TABLE 4. (cont.)

Gerreidae (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
120.0	35.0	0.0	0.0	0.0	0.0	-	0.0	0.0	6.2	0.0	0.0	0.0
120.0	40.0	0.0	0.0	0.0	0.0	-	0.0	28.8	0.0	0.0	-	0.0
130.0	28.0	-	0.0	0.0	0.0	-	0.0	3.0	-	0.0	-	0.0
130.0	30.0	0.0	-	0.0	0.0	-	0.0	17.8	-	0.0	0.0	0.0
133.0	23.0	0.0	-	0.0	0.0	-	0.0	2.8	-	0.0	-	0.0
133.0	25.0	0.0	-	0.0	0.0	-	0.0	5.5	-	0.0	0.0	0.0
137.0	22.0	0.0	-	0.0	0.0	-	0.0	47.4	-	0.0	-	0.0
137.0	23.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	-	0.0
143.0	26.0	-	-	-	-	-	-	-	-	-	2.8	2.5

Haemulidae

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
97.0	30.0	0.0	-	0.0	0.0	0.0	0.0	0.0	2.7	0.0	-	0.0
117.0	30.0	0.0	0.0	0.0	0.0	-	23.5	0.0	0.0	0.0	0.0	0.0
117.0	40.0	-	0.0	0.0	0.0	-	3.3	0.0	0.0	0.0	0.0	0.0
127.0	34.0	0.0	-	0.0	0.0	-	0.0	82.5	0.0	0.0	0.0	0.0
127.0	40.0	0.0	-	0.0	0.0	-	0.0	3.0	-	0.0	0.0	0.0
130.0	28.0	0.0	-	0.0	0.0	-	0.0	94.4	-	0.0	-	0.0
130.0	30.0	0.0	-	0.0	0.0	-	0.0	30.5	-	0.0	0.0	0.0
133.0	23.0	0.0	-	0.0	0.0	-	75.9	163.0	-	0.0	-	0.0
133.0	28.0	0.0	-	0.0	0.0	-	55.0	3.2	-	0.0	0.0	0.0
133.0	30.0	0.0	-	0.0	0.0	-	5.3	0.0	-	0.0	0.0	0.0
137.0	22.0	0.0	-	0.0	0.0	-	105.5	8.4	-	0.0	-	0.0
137.0	23.0	0.0	-	0.0	0.0	-	5.4	24.5	-	0.0	0.0	0.0
143.0	26.0	-	-	-	-	-	-	-	-	-	2.5	-

Girella nigricans

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
83.0	43.0	-	-	0.0	0.0	5.4	0.0	0.0	0.0	0.0	-	0.0
90.0	28.0	-	0.0	-	0.0	2.8	0.0	0.0	0.0	0.0	-	0.0
93.0	27.0	0.0	-	-	0.0	13.7	0.0	0.0	0.0	0.0	-	0.0
97.0	30.0	0.0	-	0.0	0.0	6.1	0.0	0.0	0.0	0.0	-	0.0

Medialuna californiensis

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
67.0	70.0	-	-	0.0	-	0.0	3.0	-	-	0.0	-	0.0
77.0	70.0	-	-	0.0	-	6.1	0.0	-	-	0.0	-	0.0
80.0	70.0	-	-	0.0	0.0	2.9	0.0	0.0	0.0	0.0	-	0.0
83.0	70.0	-	-	0.0	0.0	0.0	0.0	3.2	0.0	0.0	-	0.0
87.0	33.0	-	-	-	0.0	1.6	0.0	0.0	0.0	0.0	-	0.0

TABLE 4. (cont.)

Medialuna californiensis (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
87.0	55.0	0.0	-	0.0	0.0	0.0	7.1	0.0	0.0	0.0	-	0.0
87.0	65.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	90.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	-	0.0
90.0	60.0	0.0	0.0	-	0.0	2.9	0.0	0.0	0.0	0.0	-	0.0
93.0	40.0	0.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.2	-	0.0
97.0	30.0	0.0	-	0.0	0.0	3.1	0.0	2.7	0.0	0.0	-	0.0
97.0	35.0	0.0	0.0	-	0.0	-	5.4	0.0	0.0	0.0	0.0	0.0
97.0	50.0	0.0	0.0	-	0.0	0.0	6.7	0.0	0.0	0.0	-	0.0
97.0	70.0	0.0	0.0	-	0.0	3.0	0.0	0.0	0.0	0.0	-	0.0
97.0	80.0	0.0	0.0	-	0.0	2.9	0.0	0.0	0.0	0.0	-	0.0
100.0	40.0	0.0	-	0.0	0.0	0.0	0.0	5.7	0.0	0.0	-	0.0
107.0	80.0	0.0	0.0	0.0	0.0	-	3.2	-	-	-	-	0.0
110.0	50.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.2	0.0	-	0.0
110.0	60.0	0.0	0.0	0.0	0.0	-	0.0	3.2	0.0	0.0	0.0	0.0
113.0	45.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
117.0	40.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	2.9	-	0.0

Caulolatilus princeps

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
110.0	70.0	0.0	-	0.0	0.0	-	2.9	0.0	0.0	0.0	-	0.0
113.0	40.0	0.0	0.0	0.0	0.0	-	6.0	0.0	0.0	0.0	-	0.0
120.0	45.0	0.0	0.0	0.0	0.0	-	0.0	2.9	-	0.0	0.0	0.0
127.0	65.0	0.0	0.0	-	0.0	-	2.8	-	-	-	-	-
137.0	30.0	0.0	-	0.0	0.0	-	0.0	3.1	-	0.0	0.0	0.0

Sciaenidae

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	50.0	152.6	-	0.0	-	0.0	0.0	-	-	4.5	-	122.0
60.0	55.0	81.5	-	0.0	-	0.0	0.0	-	-	0.0	-	35.7
60.0	52.0	2.8	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
63.0	50.0	75.5	-	0.0	-	0.0	0.0	-	-	9.9	-	261.4
63.0	52.0	0.0	-	0.0	-	0.0	0.0	-	-	2.9	-	36.5
67.0	48.0	46.9	-	7.7	-	0.0	-	-	-	0.0	-	67.5
67.0	50.0	2.8	-	52.0	-	0.0	0.0	-	-	2.9	-	5.7
67.0	55.0	2.9	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
67.0	60.0	2.5	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
67.0	51.0	15.4	-	2.9	-	0.0	0.0	-	-	0.0	-	0.0
70.0	53.0	3.4	-	12.0	-	0.0	0.0	-	-	0.0	-	0.0
73.0	50.0	-	-	5.4	-	0.0	0.0	-	-	0.0	-	0.0
77.0	48.0	76.4	-	9.3	-	0.0	0.0	-	-	4.4	-	11.5
77.0	51.0	0.0	-	2.9	-	0.0	0.0	-	-	0.0	-	0.0
80.0	51.0	-	-	0.0	0.0	54.9	0.0	0.0	0.0	0.0	-	3.0

TABLE 4. (cont.)

Sciaenidae (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
80.0	52.0	1.6	-	0.0	0.0	0.0	3.6	0.0	0.0	0.0	-	0.0
80.0	55.0	3.1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	60.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
82.0	47.0	0.0	-	9.2	0.0	0.0	0.0	2.9	0.0	0.0	-	0.0
83.0	40.0	20.4	-	21.5	0.0	141.8	-	1.2	1.8	0.0	-	0.0
83.0	43.0	8.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	19.1
87.0	33.0	109.5	-	0.0	0.0	4.9	0.0	11.4	0.0	0.0	-	0.0
87.0	35.0	5.1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	45.0
87.0	55.0	0.0	-	3.1	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	28.0	0.0	0.0	-	0.0	19.3	0.0	74.3	0.0	0.0	-	0.0
90.0	30.0	-	-	-	-	-	-	3.7	-	-	-	-
90.0	32.0	0.0	0.0	-	3.4	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	27.0	11.6	-	-	0.0	84.6	0.0	0.0	0.0	0.0	-	0.0
93.0	28.0	5.1	0.0	-	0.0	2.9	0.0	0.0	0.0	0.0	-	0.0
93.0	30.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	35.0	0.0	0.0	-	6.7	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	29.0	13.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	2.2
97.0	30.0	4.5	-	2.2	0.0	0.0	3.1	0.0	0.0	0.0	-	2.0
97.0	32.0	-	0.0	-	-	0.0	0.0	-	-	0.0	-	0.0
100.0	29.0	4.4	-	6.0	8.7	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	30.0	12.2	-	5.7	0.0	3.3	0.0	0.0	0.0	0.0	-	2.7
100.0	35.0	3.1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
100.0	40.0	3.1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	29.0	2.0	-	0.0	1.3	-	0.8	0.0	0.0	0.0	-	1.1
107.0	31.0	45.1	-	0.0	0.0	-	5.8	8.0	0.0	0.0	-	0.0
107.0	32.0	2.5	-	0.0	0.0	-	3.0	0.0	0.0	0.0	-	0.0
110.0	32.0	-	4.3	1.7	0.0	-	2.6	0.0	0.0	0.0	-	17.6
110.0	41.0	-	-	-	-	-	-	-	-	-	-	-
113.0	29.0	-	0.0	0.0	0.0	-	0.0	3.5	0.0	0.0	-	25.0
113.0	30.0	-	0.0	0.0	0.0	-	2.2	0.0	0.0	0.0	0.0	0.0
113.0	35.0	-	0.0	0.0	2.8	-	0.0	0.0	0.0	0.0	0.0	0.0
113.0	45.0	-	0.0	0.0	3.4	-	0.0	0.0	0.0	0.0	0.0	0.0
113.0	50.0	-	0.0	0.0	0.0	-	0.0	3.2	0.0	0.0	-	0.0
117.0	26.0	-	0.0	0.0	0.0	-	0.0	5.1	0.0	0.0	0.0	0.0
117.0	35.0	-	0.0	0.0	0.0	-	2.6	0.0	0.0	0.0	0.0	0.0
117.0	40.0	-	0.0	0.0	3.2	-	3.1	0.0	0.0	0.0	0.0	0.0
117.0	45.0	-	0.0	0.0	0.0	-	3.1	0.0	0.0	0.0	-	0.0
118.0	39.0	-	-	0.0	0.0	-	-	0.0	0.0	0.0	0.0	0.0
119.0	33.0	-	0.0	0.0	3.0	-	2.8	2.5	0.0	0.0	0.0	0.0
119.0	35.0	-	0.0	0.0	0.0	-	1.6	0.0	0.0	0.0	-	0.0
120.0	40.0	-	4.1	0.0	0.0	-	0.0	5.7	0.0	0.0	0.0	0.0
120.0	45.0	-	3.3	0.0	0.0	-	0.0	3.2	-	-	-	0.0
120.0	60.0	-	0.0	0.0	0.0	-	0.0	-	-	-	-	0.0
123.0	42.0	-	-	0.0	-	-	0.0	-	-	3.1	-	0.0
127.0	33.0	-	-	0.0	0.0	-	0.0	7.7	-	13.4	-	0.0
127.0	34.0	0.0	-	0.0	0.0	-	0.0	0.0	-	5.5	0.0	0.0

TABLE 4. (cont.)

Sciaenidae (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
127.0	50.0	0.0	-	0.0	0.0	-	3.2	0.0	-	0.0	0.0	0.0
127.0	65.0	0.0	-	-	0.0	-	5.7	-	-	-	-	8.3
130.0	28.0	0.0	-	0.0	0.0	-	0.0	20.6	-	0.0	0.0	0.0
130.0	30.0	0.0	-	0.0	0.0	-	0.0	17.8	-	0.0	0.0	0.0
133.0	23.0	0.0	-	0.0	0.0	-	70.5	8.4	-	2.3	0.0	4.6
133.0	25.0	0.0	-	0.0	0.0	-	30.3	0.0	-	17.6	0.0	0.0
133.0	30.0	0.0	-	0.0	0.0	-	2.7	0.0	-	0.0	0.0	0.0
133.0	30.0	0.0	-	13.6	0.0	-	48.5	22.3	-	29.5	11.2	2.1
137.0	22.0	0.0	-	0.0	0.0	-	57.1	40.8	-	10.4	0.0	0.0
137.0	23.0	6.4	-	0.0	0.0	-	0.0	-	-	-	15.1	-
143.0	26.0	-	-	-	-	-	-	-	-	-	2.9	-
144.5	23.0	-	-	-	-	-	-	-	-	-	3.1	-
153.0	16.0	-	-	-	-	-	-	-	-	-	2.9	-
153.0	40.0	-	-	-	-	-	-	-	-	-	2.9	-
153.0	50.0	-	-	-	-	-	-	-	-	-	-	-

Serranidae

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
80.0	55.0	-	-	0.0	0.0	0.0	0.0	16.1	0.0	0.0	-	0.0
82.0	47.0	0.0	-	0.0	0.0	28.5	0.0	2.9	0.0	0.0	-	0.0
83.0	40.0	0.0	-	0.0	0.0	6.8	-	1.2	0.0	0.0	-	0.0
83.0	43.0	0.0	-	0.0	0.0	10.7	0.0	16.1	0.0	0.0	-	0.0
83.0	51.0	0.0	-	0.0	0.0	0.0	0.0	10.6	2.7	0.0	-	0.0
83.0	55.0	0.0	-	0.0	0.0	0.0	6.8	0.0	0.0	0.0	-	0.0
87.0	33.0	0.0	-	-	0.0	11.4	0.0	0.0	0.0	0.0	-	0.0
87.0	35.0	0.0	-	0.0	0.0	2.7	0.0	0.0	0.0	0.0	-	0.0
87.0	50.0	0.0	-	0.0	0.0	0.0	0.0	0.0	6.1	0.0	-	0.0
87.0	55.0	0.0	-	0.0	0.0	0.0	7.1	0.0	0.0	0.0	-	0.0
90.0	28.0	0.0	0.0	0.0	0.0	13.8	0.0	77.9	0.0	3.1	-	0.0
90.0	30.0	-	-	-	-	-	-	14.8	-	-	-	-
90.0	37.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	-	0.0
90.0	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	-	0.0
93.0	27.0	0.0	-	-	0.0	13.7	0.0	0.0	0.0	0.0	-	0.0
93.0	30.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.0	0.0	-	0.0
93.0	35.0	0.0	0.0	-	0.0	0.0	0.0	3.4	0.0	0.0	-	0.0
97.0	30.0	0.0	0.0	0.0	0.0	30.7	0.0	0.0	0.0	0.0	-	0.0
100.0	29.0	0.0	-	0.0	0.0	5.8	4.1	2.8	0.0	0.0	-	0.0
100.0	30.0	0.0	-	0.0	0.0	10.0	0.0	0.0	0.0	0.0	-	0.0
103.0	29.0	0.0	-	0.0	0.0	-	0.0	1.6	0.0	0.0	-	0.0
103.0	30.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
103.0	31.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	31.0	0.0	-	0.0	0.0	-	0.0	0.0	2.5	0.0	-	0.0
110.0	70.0	-	0.0	0.0	0.0	-	0.0	0.0	6.2	0.0	-	0.0
113.0	29.0	-	0.0	0.0	0.0	-	0.0	4.7	0.0	3.5	-	0.0
113.0	30.0	-	0.0	0.0	0.0	-	4.5	2.6	0.0	0.0	0.0	0.0

TABLE 4. (cont.)

Serranidae (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
117.0	25.0	0.0	0.0	0.0	0.0	-	11.3	5.3	0.0	0.0	-	0.0
117.0	26.0	0.0	0.0	0.0	0.0	-	8.9	0.0	0.0	0.0	0.0	0.0
117.0	30.0	0.0	0.0	0.0	0.0	-	2.6	0.0	3.0	0.0	0.0	0.0
117.0	35.0	0.0	0.0	0.0	0.0	-	5.1	3.1	0.0	0.0	0.0	0.0
117.0	40.0	0.0	0.0	0.0	0.0	-	19.9	0.0	0.0	0.0	-	0.0
117.0	45.0	0.0	0.0	0.0	0.0	-	18.7	0.0	0.0	0.0	0.0	0.0
118.0	39.0	-	-	0.0	0.0	-	21.6	0.0	0.0	0.0	-	0.0
118.0	33.0	-	-	0.0	0.0	-	37.2	2.9	3.1	0.0	0.0	0.0
120.0	25.0	0.0	0.0	0.0	0.0	-	1.9	0.0	0.0	2.6	0.0	0.0
120.0	30.0	0.0	0.0	0.0	0.0	-	14.6	0.0	0.0	0.0	0.0	0.0
120.0	35.0	0.0	0.0	0.0	0.0	-	13.9	0.0	0.0	0.0	0.0	0.0
120.0	40.0	0.0	0.0	0.0	0.0	-	0.0	4.1	0.0	0.0	-	0.0
120.0	45.0	0.0	0.0	0.0	0.0	-	0.0	5.7	-	0.0	0.0	0.0
123.0	36.0	-	-	0.0	0.0	-	1.4	0.0	-	0.0	-	0.0
123.0	37.0	0.0	-	0.0	0.0	-	0.0	3.0	-	0.0	0.0	0.0
123.0	40.0	-	-	-	0.0	-	-	9.6	-	-	0.0	-
123.0	45.0	-	-	-	0.0	-	0.0	0.0	-	0.0	-	0.0
127.0	33.0	0.0	0.0	0.0	0.0	-	0.0	120.3	-	0.0	0.0	0.0
127.0	34.0	0.0	0.0	0.0	0.0	-	0.0	18.6	-	0.0	0.0	0.0
127.0	40.0	0.0	0.0	0.0	0.0	-	0.0	0.0	-	3.1	0.0	0.0
127.0	50.0	0.0	0.0	0.0	0.0	-	3.2	0.0	-	0.0	0.0	0.0
127.0	55.0	0.0	0.0	0.0	0.0	-	2.7	0.0	-	0.0	0.0	0.0
127.0	60.0	0.0	0.0	0.0	0.0	-	2.8	-	-	-	-	-
127.0	65.0	0.0	0.0	0.0	0.0	-	0.0	44.3	-	4.6	0.0	0.0
130.0	28.0	0.0	0.0	0.0	0.0	-	0.0	7.6	-	0.0	0.0	0.0
130.0	30.0	0.0	0.0	0.0	0.0	-	-	-	-	-	2.7	-
131.5	37.5	-	-	-	-	-	-	-	-	-	-	-
133.0	23.0	0.0	0.0	0.0	0.0	-	35.2	213.6	-	28.0	-	0.0
133.0	25.0	0.0	0.0	0.0	0.0	-	5.5	12.6	-	22.7	-	0.0
133.0	25.0	0.0	0.0	0.0	0.0	-	0.0	6.6	-	0.0	-	0.0
137.0	22.0	0.0	0.0	0.0	0.0	-	8.4	80.9	-	40.9	-	0.0
137.0	23.0	0.0	0.0	0.0	0.0	-	0.0	136.0	-	14.6	-	0.0
140.0	30.0	-	-	-	-	-	-	-	-	-	78.1	-
143.0	30.0	-	-	-	-	-	-	-	-	-	16.9	-
144.5	23.0	-	-	-	-	-	-	-	-	-	5.9	-
147.0	30.0	-	-	-	-	-	-	-	-	-	2.9	-
150.0	25.0	-	-	-	-	-	-	-	-	-	3.1	-
153.0	16.0	-	-	-	-	-	-	-	-	-	3.0	-
153.0	16.0	-	-	-	-	-	-	-	-	-	6.1	-

Polynemidae

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
133.0	23.0	-	0.0	-	0.0	-	2.7	0.0	-	0.0	-	0.0

TABLE 4. (cont.)

Gempylidae

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
130.0	50.0	-	-	0.0	0.0	-	0.0	3.2	-	0.0	0.0	0.0
143.0	40.0	-	-	-	-	-	-	-	-	-	3.1	-
147.0	50.0	-	-	-	-	-	-	-	-	-	6.0	-
147.0	60.0	-	-	-	-	-	-	-	-	-	6.1	-
153.0	40.0	-	-	-	-	-	-	-	-	-	5.8	-
153.0	50.0	-	-	-	-	-	-	-	-	-	11.6	-
153.0	60.0	-	-	-	-	-	-	-	-	-	6.1	-

Auxis spp.

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
123.0	45.0	0.0	-	0.0	0.0	-	0.0	19.1	-	0.0	-	0.0
123.0	50.0	0.0	-	0.0	0.0	-	0.0	6.1	-	0.0	0.0	0.0
133.0	23.0	0.0	-	0.0	0.0	-	0.0	171.4	-	0.0	0.0	0.0
133.0	25.0	0.0	-	0.0	0.0	-	0.0	25.2	-	0.0	0.0	0.0

Sarda chiliensis

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
90.0	28.0	0.0	0.0	-	0.0	2.8	0.0	0.0	0.0	0.0	-	0.0
93.0	27.0	0.0	-	-	0.0	8.2	0.0	0.0	0.0	0.0	-	0.0
93.0	28.0	0.0	0.0	-	0.0	11.7	0.0	0.0	0.0	0.0	-	0.0
97.0	29.0	0.0	-	0.0	0.0	2.8	0.0	0.0	0.0	0.0	-	0.0
97.0	30.0	0.0	-	0.0	0.0	6.1	0.0	0.0	0.0	0.0	-	0.0
100.0	29.0	0.0	-	0.0	0.0	14.5	0.0	0.0	0.0	0.0	-	0.0
100.0	30.0	0.0	-	0.0	0.0	0.0	2.4	0.0	0.0	0.0	-	0.0
103.0	29.0	0.0	-	0.0	0.0	-	0.8	0.0	0.0	0.0	-	0.0
113.0	35.0	0.0	0.0	0.0	25.0	-	0.0	0.0	0.0	0.0	0.0	0.0
113.0	40.0	0.0	0.0	0.0	0.0	-	3.0	0.0	0.0	0.0	0.0	0.0
113.0	45.0	0.0	0.0	0.0	3.4	-	0.0	0.0	0.0	0.0	0.0	0.0
117.0	40.0	0.0	0.0	0.0	12.8	-	3.3	0.0	0.0	0.0	0.0	0.0
117.0	45.0	0.0	0.0	0.0	0.0	-	6.2	0.0	0.0	0.0	0.0	0.0
117.0	55.0	0.0	0.0	0.0	0.0	-	0.0	3.0	0.0	0.0	-	0.0
118.0	39.0	-	-	0.0	16.6	-	3.1	0.0	0.0	0.0	-	0.0
120.0	35.0	0.0	0.0	0.0	0.0	-	5.5	0.0	0.0	0.0	0.0	0.0
120.0	45.0	0.0	0.0	0.0	3.7	-	0.0	0.0	0.0	0.0	0.0	0.0
120.0	55.0	0.0	0.0	0.0	0.0	-	2.6	0.0	-	0.0	-	0.0
123.0	42.0	-	-	5.2	-	-	0.0	-	-	0.0	-	0.0
123.0	45.0	0.0	-	0.0	23.7	-	0.0	0.0	-	0.0	-	0.0
130.0	40.0	0.0	-	3.5	0.0	-	0.0	0.0	-	0.0	0.0	0.0
130.0	45.0	0.0	-	17.7	0.0	-	0.0	0.0	-	0.0	0.0	0.0
130.0	50.0	0.0	-	10.6	0.0	-	0.0	0.0	-	0.0	0.0	0.0
133.0	35.0	3.3	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
137.0	30.0	0.0	-	12.4	0.0	-	0.0	0.0	-	0.0	0.0	0.0

TABLE 4. (cont.)

Sarda chiliensis (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
137.0	35.0	-	0.0	-	6.5	15.8	-	0.0	0.0	-	0.0	0.0

<i>Scomber japonicus</i>												
STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
82.0	47.0	-	-	0.0	0.0	37.0	0.0	2.9	0.0	0.0	-	0.0
83.0	43.0	-	-	0.0	0.0	2.7	0.0	3.2	0.0	0.0	-	0.0
87.0	33.0	-	-	-	0.0	0.0	4.9	0.0	2.6	0.0	-	0.0
87.0	35.0	-	-	0.0	0.0	0.0	6.2	0.0	12.1	0.0	-	0.0
90.0	28.0	-	0.0	-	0.0	0.0	-	0.0	3.4	0.0	-	0.0
90.0	30.0	-	-	-	-	-	-	3.7	-	-	-	-
90.0	53.0	-	0.0	-	-	31.8	0.0	0.0	-	0.0	-	0.0
93.0	27.0	-	-	-	0.0	8.2	0.0	0.0	0.0	0.0	-	0.0
93.0	28.0	0.0	0.0	-	0.0	5.8	0.0	0.0	0.0	0.0	-	0.0
97.0	29.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	0.0	-	0.0
97.0	30.0	0.0	0.0	0.0	0.0	61.4	3.1	0.0	0.0	0.0	-	0.0
97.0	32.0	-	0.0	-	-	0.0	3.4	-	-	0.0	-	0.0
97.0	40.0	0.0	0.0	-	0.0	0.0	10.8	0.0	0.0	0.0	-	0.0
97.0	50.0	0.0	0.0	-	0.0	0.0	3.3	0.0	0.0	0.0	-	0.0
100.0	30.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	80.0	0.0	-	3.6	10.6	0.0	0.0	-	-	-	-	0.0
103.0	30.0	0.0	-	0.0	2.5	-	0.0	0.0	0.0	0.0	-	0.0
103.0	35.0	0.0	-	0.0	0.0	-	11.3	0.0	0.0	0.0	0.0	0.0
103.0	40.0	0.0	-	0.0	0.0	0.0	3.3	0.0	0.0	0.0	-	0.0
103.0	65.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	70.0	0.0	-	0.0	15.9	0.0	0.0	0.0	0.0	0.0	-	0.0
107.0	31.0	0.0	-	0.0	0.0	-	0.0	2.0	0.0	0.0	-	0.0
107.0	35.0	0.0	-	0.0	3.5	-	9.6	0.0	0.0	0.0	0.0	0.0
110.0	35.0	0.0	0.0	0.0	30.5	-	0.0	0.0	0.0	0.0	0.0	0.0
110.0	50.0	0.0	0.0	0.0	14.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0	55.0	0.0	0.0	0.0	27.7	-	0.0	0.0	0.0	0.0	-	0.0
110.0	60.0	0.0	0.0	0.0	6.8	-	0.0	0.0	0.0	0.0	-	0.0
113.0	29.0	0.0	0.0	0.0	0.0	-	0.0	0.0	1.5	0.0	-	0.0
113.0	40.0	0.0	0.0	0.0	0.0	-	6.0	0.0	0.0	0.0	-	0.0
113.0	45.0	0.0	0.0	0.0	266.0	-	0.0	19.0	0.0	0.0	0.0	0.0
113.0	50.0	0.0	0.0	0.0	0.0	-	16.1	0.0	0.0	0.0	-	0.0
113.0	55.0	0.0	0.0	0.0	0.0	-	0.0	2.7	0.0	0.0	-	0.0
117.0	25.0	0.0	0.0	0.0	0.0	-	11.3	0.0	0.0	0.0	-	0.0
117.0	26.0	0.0	0.0	0.0	0.0	-	35.5	2.5	0.0	0.0	0.0	0.0
117.0	35.0	0.0	0.0	0.0	0.0	-	7.7	0.0	0.0	0.0	0.0	0.0
117.0	45.0	0.0	0.0	0.0	0.0	-	9.4	0.0	0.0	0.0	-	0.0
118.0	39.0	-	0.0	0.0	0.0	-	61.8	0.0	0.0	0.0	-	0.0
119.0	33.0	-	0.0	0.0	0.0	-	12.4	0.0	0.0	0.0	-	0.0
120.0	24.0	-	0.0	0.0	0.0	-	1.3	0.0	0.0	0.0	-	0.0
120.0	30.0	-	0.0	0.0	0.0	-	8.3	11.6	0.0	0.0	0.0	0.0

TABLE 4. (cont.)

Scomber japonicus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
120.0	35.0	0.0	0.0	0.0	0.0	-	5.5	0.0	0.0	0.0	0.0	0.0
120.0	40.0	0.0	0.0	0.0	0.0	-	3.2	2.1	0.0	0.0	-	0.0
120.0	45.0	0.0	0.0	0.0	0.0	-	0.0	5.7	0.0	0.0	0.0	0.0
120.0	55.0	0.0	0.0	0.0	0.0	-	20.8	3.2	-	0.0	-	0.0
123.0	36.0	-	0.0	0.0	0.0	-	2.8	0.0	-	0.0	-	0.0
127.0	34.0	0.0	-	0.0	0.0	-	0.0	5.3	-	0.0	0.0	0.0
127.0	33.0	0.0	-	0.0	0.0	-	19.0	87.1	-	0.0	0.0	0.0
133.0	23.0	0.0	-	0.0	0.0	-	8.3	12.6	-	27.2	0.0	8.0
137.0	22.0	6.1	-	0.0	0.0	-	0.0	2.8	-	0.0	0.0	10.7
137.0	23.0	4.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0

Scomberomorus spp.

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
137.0	22.0	0.0	-	0.0	0.0	-	2.1	8.4	-	0.0	-	0.0
137.0	23.0	0.0	-	0.0	0.0	-	0.0	57.1	-	0.0	0.0	0.0

Trichiuridae

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
97.0	30.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	32.0	0.0	0.0	-	0.0	0.0	0.0	-	-	0.0	-	2.5
97.0	30.0	0.0	0.0	-	0.0	0.0	0.0	-	-	-	-	2.5
100.0	35.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
100.0	90.0	0.0	-	0.0	0.0	0.0	0.0	3.3	0.0	0.0	-	0.0
107.0	50.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	2.1
107.0	55.0	0.0	-	0.0	0.0	-	0.0	0.0	3.2	0.0	0.0	0.0
110.0	35.0	0.0	0.0	0.0	0.0	-	2.6	-	-	-	-	-
110.0	41.0	-	3.3	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0	55.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0	70.0	0.0	0.0	0.0	3.1	-	0.0	0.0	1.7	0.0	0.0	0.0
113.0	30.0	0.0	0.0	0.0	0.0	-	6.5	0.0	0.0	0.0	0.0	0.0
113.0	35.0	0.0	0.0	0.0	0.0	-	3.0	0.0	3.2	0.0	0.0	0.0
113.0	40.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.0	0.0	0.0	0.0
113.0	45.0	0.0	0.0	0.0	3.4	-	0.0	0.0	0.0	0.0	-	0.0
113.0	50.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
113.0	60.0	0.0	0.0	0.0	-	-	0.0	0.0	0.0	0.0	-	2.8
113.0	65.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.2	0.0	0.0	0.0
117.0	35.0	0.0	0.0	0.0	0.0	-	18.0	0.0	9.8	0.0	0.0	0.0
117.0	40.0	0.0	0.0	0.0	0.0	-	6.6	0.0	0.0	0.0	-	0.0
117.0	45.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.2	11.2	0.0	0.0
117.0	50.0	0.0	0.0	0.0	0.0	-	0.0	6.5	0.0	37.0	0.0	0.0
117.0	55.0	0.0	0.0	0.0	0.0	-	0.0	0.0	2.9	6.5	-	2.9
117.0	60.0	0.0	0.0	0.0	0.0	-	0.0	0.0	8.8	0.0	-	0.0

TABLE 4. (cont.)

Trichiuridae (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
117.0	65.0	0.0	0.0	0.0	0.0	-	0.0	0.0	6.1	0.0	-	0.0
117.0	70.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	3.1	-	0.0
118.0	39.0	-	-	0.0	0.0	-	6.2	0.0	0.0	0.0	-	0.0
120.0	40.0	0.0	0.0	0.0	0.0	-	0.0	0.0	5.7	0.0	-	0.0
120.0	45.0	0.0	0.0	0.0	0.0	-	0.0	77.2	-	0.0	0.0	0.0
120.0	50.0	0.0	0.0	0.0	0.0	-	0.0	0.0	-	0.0	-	2.8
120.0	55.0	0.0	0.0	0.0	0.0	-	0.0	6.4	-	0.0	-	0.0
123.0	36.0	0.0	0.0	0.0	0.0	-	0.0	0.0	-	1.9	-	0.0
123.0	40.0	9.4	-	0.0	0.0	-	-	22.4	-	-	0.0	-
123.0	42.0	-	-	0.0	-	-	2.6	-	-	0.0	-	0.0
123.0	50.0	0.0	-	3.4	0.0	-	0.0	0.0	-	0.0	0.0	0.0
123.0	55.0	0.0	-	6.7	0.0	-	0.0	0.0	-	0.0	0.0	0.0
123.0	60.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	2.7
123.0	70.0	2.5	-	-	0.0	-	0.0	-	-	-	-	-
127.0	34.0	0.0	-	0.0	0.0	-	0.0	0.0	-	2.8	0.0	2.6
127.0	40.0	5.1	-	0.0	0.0	-	0.0	0.0	-	9.4	0.0	0.0
127.0	45.0	13.1	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
127.0	50.0	0.0	-	0.0	0.0	-	9.7	0.0	-	8.1	0.0	0.0
127.0	55.0	0.0	-	2.9	0.0	-	0.0	0.0	-	0.0	0.0	0.0
127.0	60.0	0.0	-	0.0	0.0	-	2.7	0.0	-	2.7	0.0	0.0
127.0	65.0	0.0	-	-	0.0	-	2.8	-	-	-	-	-
130.0	30.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	2.5
130.0	35.0	11.5	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
130.0	40.0	0.0	-	0.0	0.0	-	0.0	3.1	-	2.4	0.0	0.0
130.0	50.0	0.0	-	0.0	0.0	-	0.0	0.0	-	2.9	0.0	0.0
130.0	55.0	0.0	-	0.0	0.0	-	2.9	0.0	-	0.0	-	0.0
130.0	60.0	0.0	-	0.0	0.0	-	2.8	0.0	-	8.4	0.0	0.0
133.0	30.0	3.3	-	0.0	0.0	-	0.0	6.2	-	2.8	0.0	0.0
133.0	35.0	0.0	-	0.0	0.0	-	0.0	31.5	-	0.0	0.0	0.0
133.0	40.0	3.1	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
133.0	50.0	0.0	-	0.0	0.0	-	2.9	0.0	-	0.0	0.0	-
133.0	50.0	0.0	-	0.0	0.0	-	0.0	6.0	-	0.0	0.0	0.0
137.0	55.0	0.0	-	0.0	0.0	-	2.8	0.0	-	0.0	-	-

Sphyræna argentea

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
83.0	40.0	-	-	0.0	0.0	6.8	-	2.3	0.0	0.0	-	0.0
87.0	33.0	0.0	-	-	0.0	1.6	0.0	8.6	0.0	0.0	-	0.0
87.0	40.0	0.0	-	0.0	0.0	2.9	0.0	0.0	0.0	0.0	-	0.0
90.0	28.0	-	0.0	0.0	0.0	46.9	10.1	10.6	0.0	0.0	-	0.0
90.0	32.0	0.0	0.0	-	0.0	0.0	3.3	3.8	0.0	0.0	-	0.0
93.0	27.0	0.0	0.0	-	0.0	237.5	3.0	10.8	0.0	0.0	-	0.0
93.0	28.0	0.0	0.0	-	0.0	119.7	0.0	0.0	0.0	0.0	-	0.0
93.0	30.0	0.0	0.0	-	0.0	14.6	0.0	0.0	0.0	0.0	-	0.0

TABLE 4. (cont.)

Sphyaena argentea (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
97.0	30.0	0.0	—	0.0	0.0	21.5	0.0	2.7	0.0	0.0	—	0.0
100.0	30.0	0.0	—	0.0	0.0	6.6	0.0	0.0	0.0	0.0	—	0.0
103.0	30.0	0.0	—	0.0	0.0	—	4.1	0.0	0.0	0.0	—	0.0
110.0	32.0	—	0.0	0.0	0.0	—	—	1.3	0.0	0.0	—	0.0
113.0	30.0	—	0.0	0.0	0.0	—	6.7	0.0	0.0	0.0	0.0	0.0
113.0	50.0	—	0.0	0.0	0.0	—	9.7	0.0	0.0	0.0	—	0.0
120.0	40.0	0.0	0.0	0.0	0.0	—	3.2	0.0	0.0	0.0	—	0.0
127.0	33.0	—	—	0.0	0.0	—	0.0	2.6	—	0.0	—	0.0
127.0	34.0	0.0	—	0.0	0.0	—	0.0	8.0	—	0.0	0.0	0.0
127.0	55.0	—	—	0.0	0.0	—	2.7	0.0	—	0.0	—	0.0
133.0	23.0	—	—	0.0	0.0	—	0.0	45.0	—	0.0	—	0.0
137.0	23.0	—	—	0.0	0.0	—	0.0	—	—	0.0	8.4	0.0
137.0	30.0	0.0	—	0.0	0.0	—	0.0	6.2	—	0.0	0.0	0.0
137.0	45.0	0.0	—	0.0	0.0	—	—	11.3	—	0.0	—	—

Ichthyos lockingtoni

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	52.0	—	—	0.0	—	0.0	6.1	—	—	0.0	—	0.0
60.0	60.0	—	—	0.0	—	11.3	6.4	—	—	3.1	—	0.0
60.0	65.0	—	—	3.0	—	19.4	—	—	—	—	—	—
60.0	70.0	—	—	3.0	—	0.0	51.2	—	—	0.0	—	3.0
60.0	80.0	—	—	—	—	9.0	22.6	—	—	0.0	—	0.0
60.0	90.0	—	—	—	—	0.0	3.6	—	—	0.0	—	0.0
63.0	52.0	2.2	—	0.0	—	0.0	0.0	—	—	0.0	—	0.0
63.0	55.0	—	—	0.0	—	0.0	30.1	—	—	0.0	—	0.0
63.0	60.0	0.0	—	0.0	—	0.0	3.3	—	—	2.9	—	0.0
63.0	65.0	—	—	26.3	—	17.0	—	—	—	—	—	—
63.0	70.0	—	—	11.1	—	2.9	38.3	—	—	—	—	0.0
63.0	80.0	—	—	—	—	0.0	17.1	—	—	0.0	—	—
63.0	90.0	—	—	—	—	3.5	0.0	—	—	0.0	—	—
67.0	48.0	—	—	0.0	—	5.8	—	—	—	0.0	—	0.0
67.0	50.0	—	—	2.9	—	0.0	0.0	—	—	0.0	—	0.0
67.0	55.0	0.0	—	0.0	—	6.1	0.0	—	—	3.1	—	0.0
67.0	58.0	—	—	—	—	—	—	—	—	9.5	—	—
67.0	60.0	—	—	6.0	—	9.2	7.2	—	—	—	—	0.0
67.0	70.0	—	—	20.6	—	6.5	48.6	—	—	17.1	—	0.0
67.0	80.0	—	—	27.8	—	6.5	0.0	—	—	0.0	—	0.0
67.0	90.0	—	—	—	—	3.2	0.0	—	—	0.0	—	—
70.0	53.0	—	—	0.0	—	3.1	0.0	—	—	0.0	—	0.0
70.0	60.0	0.0	—	—	—	0.0	24.9	—	—	—	—	—
70.0	65.0	—	—	5.8	—	3.2	—	—	—	—	—	—
70.0	70.0	—	—	17.4	—	6.4	6.2	—	—	0.0	—	0.0
70.0	80.0	—	—	12.0	—	0.0	0.0	—	—	0.0	—	0.0
70.0	90.0	0.0	—	—	—	3.0	0.0	—	—	0.0	—	0.0

TABLE 4. (cont.)

Icichthys lockingtoni (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
73.0	50.0	0.0	-	5.4	-	0.0	0.0	-	-	0.0	-	0.0
73.0	53.0	0.0	-	8.9	-	10.0	0.0	-	-	0.0	-	0.0
73.0	60.0	6.2	-	14.3	-	19.0	10.1	-	-	0.0	-	0.0
73.0	65.0	-	-	-	-	3.3	-	-	-	-	-	-
73.0	70.0	-	-	19.6	-	16.0	3.6	-	-	0.0	-	0.0
73.0	80.0	-	-	8.3	-	9.4	3.3	-	-	0.0	-	-
73.0	90.0	-	-	8.6	-	9.9	0.0	-	-	-	-	-
73.0	95.0	-	-	0.0	-	10.1	0.0	-	-	0.0	-	0.0
77.0	51.0	0.0	-	0.0	-	10.5	0.0	-	-	0.0	-	0.0
77.0	55.0	-	-	5.3	-	0.0	-	-	-	-	-	-
77.0	65.0	-	-	2.7	-	0.0	-	-	-	0.0	-	0.0
77.0	70.0	-	-	25.6	-	10.1	0.0	-	-	0.0	-	-
77.0	80.0	6.5	-	19.9	-	0.0	0.0	-	-	3.2	-	-
77.0	90.0	6.9	-	0.0	-	0.0	0.0	6.4	-	0.0	-	-
80.0	55.0	-	-	0.0	0.0	0.0	0.0	6.6	3.2	0.0	-	0.0
80.0	60.0	3.4	-	0.0	3.5	2.8	0.0	0.0	0.0	0.0	-	0.0
80.0	65.0	3.3	-	0.0	3.3	0.0	9.4	3.5	0.0	0.0	-	0.0
80.0	70.0	3.9	-	0.0	13.7	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	80.0	1.5	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	90.0	1.6	-	2.8	0.0	0.0	3.2	0.0	0.0	0.0	-	0.0
83.0	43.0	0.0	-	0.0	5.9	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	60.0	1.6	-	6.0	0.0	8.3	0.0	0.0	0.0	0.0	-	0.0
83.0	65.0	8.0	-	0.0	3.4	6.1	16.8	3.1	0.0	0.0	-	0.0
83.0	70.0	0.0	-	3.1	0.0	0.0	3.3	0.0	3.0	0.0	-	0.0
83.0	80.0	0.0	-	16.3	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	90.0	0.0	-	0.0	3.4	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	60.0	0.0	-	4.0	0.0	8.7	0.0	0.0	0.0	0.0	-	0.0
87.0	65.0	0.0	-	0.0	0.0	0.0	9.5	0.0	0.0	0.0	-	0.0
87.0	70.0	0.0	3.4	0.0	0.0	0.0	0.0	6.8	0.0	0.0	-	0.0
87.0	80.0	0.0	0.0	-	0.0	0.0	2.9	0.0	0.0	0.0	-	0.0
87.0	90.0	0.0	0.0	-	3.5	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	45.0	0.0	3.1	-	0.0	0.0	3.3	0.0	0.0	0.0	-	0.0
90.0	60.0	0.0	0.0	-	0.0	2.9	3.1	0.0	0.0	0.0	-	0.0
90.0	65.0	6.4	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	90.0	0.0	4.9	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	45.0	0.0	0.0	-	3.3	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	50.0	0.0	3.2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	65.0	2.9	0.0	-	0.0	0.0	3.2	0.0	0.0	0.0	-	0.0
93.0	80.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	50.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	80.0	0.0	0.0	-	0.0	2.9	0.0	0.0	0.0	0.0	-	0.0
100.0	55.0	0.0	6.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	65.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0	-	0.0
103.0	60.0	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
107.0	32.0	0.0	-	0.0	0.0	-	0.0	0.0	3.3	0.0	-	0.0

TABLE 4. (cont.)

Nomeidae

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
117.0 40.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	2.9	-	0.0
130.0 45.0	-	0.0	-	0.0	0.0	-	0.0	3.2	-	0.0	-	0.0

<i>Peprilus similimus</i>												
STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
63.0 60.0	0.0	-	-	0.0	-	0.0	13.2	-	-	0.0	-	0.0
67.0 70.0	-	-	-	0.0	-	0.0	6.1	-	-	0.0	-	0.0
73.0 53.0	-	3.6	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
80.0 51.0	-	0.0	-	0.0	0.0	6.5	0.0	0.0	0.0	3.5	-	0.0
80.0 52.0	-	0.0	-	0.0	0.0	9.2	0.0	0.0	0.0	0.0	-	0.0
82.0 47.0	-	0.0	-	0.0	0.0	5.7	0.0	0.0	0.0	0.0	-	0.0
83.0 40.0	-	0.0	-	0.0	0.0	70.2	-	0.0	0.0	0.0	-	0.0
83.0 43.0	-	0.0	-	0.0	0.0	2.7	0.0	0.0	0.0	0.0	-	0.0
83.0 51.0	-	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0 65.0	-	0.0	-	0.0	0.0	0.0	0.0	3.5	0.0	0.0	-	0.0
83.0 70.0	-	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	3.5	-	0.0
87.0 33.0	-	1.7	-	0.0	0.0	2.8	0.0	0.0	0.0	0.0	-	0.0
87.0 35.0	-	0.0	-	0.0	0.0	3.3	0.0	2.9	0.0	0.0	-	0.0
87.0 40.0	-	0.0	-	0.0	0.0	2.7	0.0	0.0	0.0	3.2	-	0.0
90.0 28.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	3.7
90.0 32.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0 27.0	0.0	0.0	0.0	-	13.2	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0 28.0	0.0	0.0	0.0	-	41.2	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0 30.0	0.0	0.0	0.0	-	58.3	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0 35.0	0.0	0.0	0.0	-	27.5	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0 30.0	0.0	0.0	0.0	-	13.4	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0 40.0	0.0	0.0	0.0	-	5.3	0.0	0.0	0.0	0.0	0.0	-	0.0
113.0 29.0	0.0	6.9	0.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0	-	0.0
113.0 45.0	0.0	-	0.0	0.0	6.8	-	1.3	2.3	0.0	0.0	0.0	0.0
117.0 30.0	0.0	-	0.0	7.5	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
117.0 35.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
117.0 40.0	2.8	-	3.5	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
119.0 33.0	0.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
119.0 33.0	2.9	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
120.0 24.0	25.0	-	2.5	2.3	0.0	-	0.0	0.0	0.0	0.0	-	0.0
120.0 25.0	16.6	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
120.0 30.0	5.4	-	0.0	0.0	0.0	-	2.1	0.0	0.0	0.0	0.0	0.0
120.0 35.0	31.2	-	0.0	0.0	0.0	-	5.5	0.0	0.0	0.0	0.0	0.0
120.0 40.0	23.4	-	5.4	0.0	2.8	-	0.0	0.0	0.0	0.0	-	0.0
120.0 45.0	0.0	-	6.6	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
130.0 40.0	-	0.0	-	3.5	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
133.0 23.0	-	10.1	-	3.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
133.0 25.0	-	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	2.9	0.0
137.0 23.0	-	0.0	-	4.2	0.0	-	0.0	0.0	-	0.0	0.0	0.0
137.0 35.0	-	11.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0

TABLE 4. (cont.)

Tetragonurus cuvieri

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
63.0	70.0	-	-	0.0	-	0.0	9.6	-	-	-	-	0.0
63.0	90.0	-	-	0.0	-	0.0	3.2	-	-	0.0	-	0.0
67.0	48.0	-	-	0.0	-	2.9	-	-	-	0.0	-	0.0
67.0	80.0	-	-	0.0	-	6.5	6.7	-	-	0.0	-	-
73.0	80.0	-	-	0.0	-	0.0	3.3	-	-	0.0	-	-
77.0	90.0	-	-	0.0	-	0.0	0.0	-	-	0.0	-	-
80.0	70.0	-	-	0.0	0.0	0.0	0.0	0.0	3.2	0.0	-	0.0
80.0	90.0	-	-	0.0	0.0	0.0	0.0	0.0	0.0	2.2	-	0.0
83.0	80.0	-	-	0.0	0.0	0.0	0.0	0.0	3.2	0.0	-	0.0
83.0	90.0	-	-	0.0	0.0	0.0	0.0	0.0	3.1	0.0	-	0.0
87.0	55.0	-	-	0.0	0.0	0.0	3.5	0.0	0.0	0.0	-	0.0
87.0	90.0	-	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	-	0.0
90.0	60.0	-	0.0	0.0	0.0	0.0	3.1	0.0	0.0	0.0	-	0.0
90.0	80.0	-	0.0	0.0	0.0	2.8	0.0	0.0	0.0	0.0	-	0.0
90.0	110.0	-	-	-	-	-	-	-	-	0.0	-	3.1
90.0	120.0	-	-	-	-	-	-	-	-	5.7	-	6.3
90.0	130.0	-	-	-	-	-	-	-	-	-	-	3.0
93.0	60.0	-	-	-	0.0	0.0	0.0	0.0	0.0	6.4	-	0.0
93.0	65.0	-	-	-	0.0	0.0	0.0	0.0	9.8	0.0	-	0.0
93.0	70.0	-	-	-	0.0	0.0	0.0	0.0	3.1	-	-	9.8
93.0	90.0	-	-	-	1.9	0.0	0.0	-	-	0.0	-	0.0
93.0	120.0	-	-	-	-	-	-	-	-	3.1	-	3.2
94.0	78.0	-	-	-	-	-	-	-	-	2.8	-	-
97.0	50.0	-	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	-	2.7
97.0	55.0	-	0.0	0.0	0.0	0.0	0.0	0.0	15.1	0.0	-	2.5
97.0	70.0	-	0.0	0.0	0.0	0.0	0.0	0.0	6.3	0.0	-	0.0
100.0	40.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	-	0.0
100.0	45.0	-	-	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0
100.0	50.0	-	-	0.0	0.0	0.0	0.0	0.0	0.0	3.1	-	0.0
100.0	55.0	-	-	0.0	0.0	0.0	0.0	0.0	12.0	0.0	-	0.0
100.0	60.0	-	-	0.0	0.0	0.0	0.0	0.0	5.9	3.2	-	0.0
100.0	65.0	-	-	0.0	0.0	0.0	0.0	0.0	21.7	0.0	-	0.0
100.0	70.0	-	-	0.0	0.0	0.0	0.0	0.0	0.0	10.6	-	0.0
100.0	80.0	-	-	0.0	0.0	6.5	0.0	0.0	0.0	-	-	0.0
100.0	90.0	-	-	0.0	0.0	0.0	0.0	-	-	-	-	-
103.0	40.0	-	-	0.0	0.0	0.0	3.5	0.0	3.3	0.0	-	0.0
103.0	45.0	-	-	0.0	0.0	-	0.0	0.0	3.1	0.0	-	0.0
103.0	55.0	-	-	0.0	0.0	0.0	2.5	0.0	3.2	0.0	0.0	0.0
103.0	60.0	-	-	0.0	0.0	0.0	0.0	0.0	0.0	2.9	-	0.0
103.0	70.0	-	-	0.0	0.0	3.2	0.0	-	-	-	-	2.7
107.0	35.0	-	-	0.0	0.0	-	3.2	0.0	0.0	0.0	0.0	0.0
107.0	45.0	-	-	0.0	3.3	-	0.0	0.0	0.0	0.0	0.0	0.0
107.0	55.0	-	-	0.0	0.0	-	0.0	0.0	0.0	7.6	-	0.0
107.0	65.0	-	0.0	0.0	0.0	-	3.1	0.0	0.0	7.2	-	0.0
107.0	80.0	-	0.0	0.0	0.0	-	0.0	-	-	-	-	5.9
110.0	45.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	3.2	0.0	0.0

TABLE 4. (cont.)

Tetragonurus cuvieri (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
110.0	50.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.2	0.0	-	0.0
110.0	60.0	0.0	0.0	0.0	0.0	-	0.0	0.0	6.1	3.1	-	0.0
110.0	65.0	0.0	0.0	0.0	0.0	-	0.0	0.0	15.1	24.7	-	0.0
110.0	70.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	3.4	-	0.0
113.0	40.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	13.0	-	0.0
113.0	45.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	5.8	0.0	0.0
113.0	50.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	3.2	-	0.0
113.0	55.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	3.2	-	0.0
113.0	65.0	0.0	0.0	0.0	0.0	-	0.0	3.7	0.0	0.0	-	0.0
117.0	50.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	2.8	-	0.0
117.0	55.0	0.0	0.0	0.0	0.0	-	0.0	0.0	2.9	0.0	-	0.0
118.0	39.0	-	-	0.0	0.0	-	3.1	0.0	0.0	0.0	-	0.0
123.0	60.0	3.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0

Chiasmodontidae

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
87.0	65.0	0.0	-	0.0	0.0	0.0	3.2	0.0	0.0	0.0	-	0.0
97.0	55.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.0	0.0	-	0.0
100.0	35.0	0.0	-	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0
100.0	65.0	0.0	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
100.0	70.0	3.3	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	-	0.0
100.0	80.0	3.7	0.0	3.6	0.0	0.0	0.0	-	-	0.0	-	0.0
103.0	45.0	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
103.0	50.0	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	65.0	0.0	3.0	2.8	0.0	0.0	0.0	0.0	3.2	0.0	-	0.0
103.0	70.0	0.0	-	3.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
107.0	45.0	0.0	-	3.6	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
107.0	55.0	3.3	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
107.0	60.0	0.0	-	3.5	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	70.0	3.0	3.1	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	80.0	3.1	0.0	0.0	0.0	-	0.0	-	-	-	-	-
107.0	90.0	-	-	8.6	0.0	-	-	-	-	-	-	-
110.0	45.0	0.0	0.0	0.0	3.3	-	0.0	0.0	0.0	0.0	0.0	0.0
110.0	60.0	3.0	2.9	3.7	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0	80.0	0.0	3.1	3.1	0.0	-	0.0	-	-	-	-	0.0
113.0	45.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	2.9	0.0	0.0
113.0	50.0	0.0	0.0	0.0	0.0	-	3.2	0.0	0.0	0.0	-	0.0
113.0	65.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	3.0	-	0.0
117.0	55.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
117.0	70.0	0.0	0.0	3.2	0.0	-	0.0	0.0	0.0	0.0	-	0.0
120.0	50.0	0.0	3.3	0.0	0.0	-	0.0	0.0	-	0.0	-	0.0
120.0	60.0	0.0	3.6	0.0	0.0	-	0.0	0.0	-	-	-	0.0
120.0	80.0	2.9	0.0	0.0	0.0	-	0.0	0.0	-	-	-	0.0
123.0	50.0	0.0	-	0.0	6.7	-	0.0	0.0	-	0.0	0.0	0.0

TABLE 4. (cont.)

Chiasmodontidae (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
123.0	55.0	0.0	-	0.0	3.3	-	0.0	0.0	-	0.0	-	0.0
123.0	60.0	0.0	-	0.0	6.6	-	0.0	0.0	-	0.0	-	0.0
123.0	80.0	2.9	-	-	-	-	0.0	-	-	-	-	-
127.0	45.0	-	-	0.0	0.0	-	0.0	2.6	-	0.0	-	0.0
127.0	50.0	0.0	-	0.0	13.1	-	0.0	0.0	-	0.0	0.0	0.0
127.0	60.0	0.0	-	3.0	18.2	-	0.0	0.0	-	0.0	0.0	0.0
127.0	70.0	0.0	-	-	10.0	-	0.0	-	-	-	-	-
130.0	40.0	0.0	-	0.0	3.3	-	0.0	0.0	-	0.0	0.0	0.0
130.0	45.0	0.0	-	0.0	6.8	-	0.0	0.0	-	0.0	0.0	0.0
130.0	50.0	0.0	-	0.0	7.1	-	0.0	0.0	-	0.0	0.0	0.0
130.0	55.0	0.0	-	0.0	7.0	-	0.0	0.0	-	0.0	0.0	0.0
130.0	60.0	0.0	-	0.0	3.5	-	0.0	0.0	-	0.0	0.0	0.0
130.0	80.0	0.0	-	-	-	-	5.4	-	-	-	-	-
133.0	35.0	0.0	-	0.0	0.0	-	-	3.5	-	0.0	-	0.0
133.0	40.0	0.0	-	0.0	0.0	-	0.0	3.4	-	0.0	0.0	0.0
133.0	55.0	0.0	-	0.0	3.4	-	0.0	0.0	-	0.0	-	-
133.0	60.0	0.0	-	2.9	0.0	-	0.0	0.0	-	0.0	0.0	-
137.0	30.0	0.0	-	0.0	0.0	-	0.0	49.4	-	0.0	0.0	0.0
137.0	50.0	0.0	-	0.0	0.0	-	0.0	0.0	-	2.8	0.0	-
137.0	60.0	0.0	-	3.7	0.0	-	0.0	0.0	-	0.0	0.0	-
143.0	60.0	-	-	-	-	-	-	-	-	-	3.2	-
147.0	20.0	-	-	-	-	-	-	-	-	-	3.2	-
153.0	50.0	-	-	-	-	-	-	-	-	-	2.9	-

Citharichthys spp.

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	50.0	-	-	0.0	-	0.0	0.0	-	-	0.0	-	7.3
60.0	52.0	13.2	-	0.0	-	0.0	0.0	-	-	0.0	-	5.1
60.0	55.0	19.7	-	0.0	-	0.0	0.0	-	-	23.8	-	2.6
60.0	60.0	3.0	-	0.0	-	0.0	35.1	-	-	12.5	-	5.5
60.0	70.0	0.0	-	0.0	-	4.1	0.0	-	-	33.5	-	17.8
60.0	80.0	0.0	-	-	-	0.0	0.0	-	-	7.5	-	6.0
60.0	90.0	0.0	-	-	-	0.0	0.0	-	-	0.0	-	2.4
63.0	52.0	6.5	-	0.0	-	0.0	0.0	-	-	17.3	-	21.9
63.0	55.0	0.0	-	0.0	-	0.0	0.0	-	-	3.2	-	17.6
63.0	60.0	0.0	-	3.2	-	19.4	9.9	-	-	0.0	-	3.1
63.0	65.0	-	-	23.4	-	2.8	-	-	-	-	-	-
63.0	70.0	-	-	19.4	-	2.9	0.0	-	-	-	-	9.2
67.0	48.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	7.5
67.0	50.0	0.0	-	8.7	-	0.0	0.0	-	-	8.8	-	11.5
67.0	55.0	0.0	-	6.1	-	0.0	0.0	-	-	9.4	-	0.0
67.0	58.0	-	-	-	-	-	-	-	-	22.1	-	-
67.0	60.0	10.2	-	23.8	-	3.1	7.2	-	-	-	-	0.0
67.0	65.0	-	-	17.9	-	0.0	-	-	-	-	-	-

TABLE 4. (cont.)

Citharichthys spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
67.0	70.0	-	-	8.9	-	49.0	12.2	-	-	211.4	-	5.8
67.0	80.0	-	-	0.0	-	3.3	0.0	-	-	0.0	-	-
70.0	51.0	37.0	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
70.0	53.0	40.4	-	12.0	-	3.1	3.8	-	-	6.4	-	9.1
70.0	60.0	0.0	-	31.0	-	3.3	14.2	-	-	-	-	3.4
70.0	65.0	0.0	-	5.8	-	0.0	-	-	-	-	-	-
70.0	70.0	0.0	-	17.4	-	0.0	0.0	-	-	6.7	-	6.1
70.0	80.0	3.6	-	3.0	-	0.0	0.0	-	-	13.2	-	0.0
70.0	90.0	0.0	-	-	-	9.1	0.0	-	-	0.0	-	36.7
73.0	50.0	2.3	-	13.4	-	0.0	0.0	-	-	0.0	-	0.0
73.0	53.0	0.0	-	0.0	-	3.3	3.3	-	-	8.0	-	0.0
73.0	60.0	0.0	-	11.4	-	0.0	0.0	-	-	27.0	-	0.0
73.0	70.0	-	-	11.2	-	3.2	10.9	-	-	3.0	-	0.0
73.0	80.0	-	-	5.5	-	0.0	6.6	-	-	0.0	-	-
73.0	90.0	-	-	8.6	-	0.0	0.0	-	-	-	-	-
77.0	48.0	-	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
77.0	51.0	-	-	5.8	-	10.1	0.0	-	-	10.0	-	46.7
77.0	55.0	6.1	-	10.1	-	10.5	6.6	-	-	0.0	-	6.0
77.0	60.0	20.5	-	5.4	-	6.5	0.0	-	-	0.0	-	8.8
77.0	65.0	-	-	2.7	-	0.0	-	-	-	-	-	-
77.0	70.0	-	-	0.0	-	3.0	10.1	-	-	6.4	-	0.0
77.0	80.0	0.0	-	17.0	-	3.3	3.4	-	-	12.8	-	-
77.0	90.0	0.0	-	2.8	-	0.0	0.0	-	-	17.9	-	-
80.0	51.0	7.5	-	0.0	-	22.6	0.0	3.6	6.5	0.0	-	3.0
80.0	52.0	4.8	-	0.0	-	0.0	0.0	0.0	17.1	0.0	-	9.2
80.0	55.0	21.5	-	0.0	-	0.0	2.7	3.2	0.0	26.2	-	19.3
80.0	60.0	-	-	3.1	-	5.7	0.0	13.1	0.0	3.1	-	0.0
80.0	65.0	0.0	-	4.8	-	0.0	0.0	3.3	3.1	0.0	-	0.0
80.0	70.0	0.0	-	0.0	-	20.2	0.0	0.0	3.2	0.0	-	3.3
80.0	80.0	0.0	-	0.0	-	0.0	0.0	0.0	3.2	0.0	-	0.0
80.0	90.0	0.0	-	17.1	-	0.0	0.0	0.0	0.0	0.0	-	0.0
82.0	47.0	1.6	-	3.1	-	0.0	3.1	3.3	0.0	0.0	-	11.9
83.0	40.0	1.0	-	0.0	-	1.4	-	1.2	6.4	0.0	-	0.0
83.0	43.0	4.9	-	0.0	-	5.4	-	25.8	0.0	0.0	-	3.2
83.0	51.0	1.6	-	3.1	-	0.0	17.1	46.0	2.7	3.5	-	5.7
83.0	55.0	0.0	-	0.0	-	0.0	0.0	0.0	2.8	0.0	-	6.2
83.0	60.0	0.0	-	0.0	-	2.8	3.3	26.9	2.7	0.0	-	0.0
83.0	65.0	0.0	-	0.0	-	0.0	16.8	6.3	3.2	10.6	-	0.0
83.0	70.0	0.0	-	0.0	-	2.8	0.0	6.3	9.1	0.0	-	0.0
83.0	80.0	0.0	-	0.0	-	0.0	0.0	0.0	0.0	3.5	-	0.0
83.0	90.0	0.0	-	0.0	-	0.0	6.5	0.0	0.0	0.0	-	-
87.0	33.0	6.8	-	-	-	3.3	-	0.0	0.0	2.9	-	0.0
87.0	35.0	1.7	-	0.0	-	2.7	12.5	23.8	3.0	3.2	-	10.0
87.0	40.0	0.0	-	0.0	-	11.4	0.0	0.0	0.0	0.0	-	0.0
87.0	45.0	0.0	-	0.0	-	0.0	3.4	0.0	0.0	0.0	-	17.8
87.0	50.0	0.0	-	0.0	-	2.8	0.0	0.0	6.1	0.0	-	4.1

TABLE 4. (cont.)

Citharichthys spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
87.0 55.0	-	0.0	-	0.0	0.0	0.0	10.6	0.0	3.3	0.0	-	0.0
87.0 60.0	-	0.0	-	0.0	0.0	0.0	10.0	6.3	0.0	0.0	-	0.0
87.0 65.0	-	0.0	-	0.0	0.0	0.0	3.2	0.0	0.0	0.0	-	0.0
87.0 70.0	-	0.0	0.0	-	0.0	0.0	0.0	10.2	3.3	0.0	-	0.0
87.0 80.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	5.6	0.0	-	0.0
90.0 28.0	-	0.0	2.6	-	0.0	2.8	10.1	35.4	0.0	3.1	-	0.0
90.0 32.0	-	0.0	0.0	-	0.0	0.0	13.0	0.0	0.0	0.0	-	6.4
90.0 37.0	-	0.0	0.0	-	0.0	0.0	9.8	0.0	0.0	0.0	-	0.0
90.0 45.0	-	0.0	0.0	-	0.0	2.8	0.0	35.6	3.2	0.0	-	0.0
90.0 50.0	-	0.0	-	-	0.0	-	-	3.2	0.0	-	-	0.0
90.0 53.0	-	-	0.0	-	-	8.7	0.0	-	-	0.0	-	0.0
90.0 55.0	-	3.4	-	-	0.0	-	6.2	0.0	3.4	-	-	0.0
90.0 60.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0 65.0	-	0.0	0.0	-	0.0	6.5	0.0	0.0	3.3	9.8	-	0.0
90.0 70.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0 90.0	22.3	2.5	-	-	0.0	0.0	6.1	0.0	3.1	0.0	-	6.2
93.0 27.0	0.0	2.6	0.0	-	0.0	5.8	21.7	0.0	0.0	3.3	-	0.0
93.0 28.0	2.9	0.0	9.6	-	0.0	0.0	12.5	0.0	0.0	0.0	-	0.0
93.0 30.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0 35.0	0.0	3.4	0.0	-	3.3	0.0	0.0	6.6	0.0	0.0	-	0.0
93.0 45.0	0.0	0.0	0.0	-	0.0	6.2	3.2	0.0	0.0	0.0	-	0.0
93.0 55.0	0.0	5.6	0.0	-	0.0	0.0	6.4	0.0	0.0	0.0	-	0.0
93.0 60.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0 70.0	0.0	0.0	0.0	-	0.0	0.0	-	3.6	0.0	-	-	0.0
93.0 80.0	0.0	0.0	0.0	-	0.0	0.0	9.5	5.9	0.0	-	-	0.0
93.0 100.0	-	-	-	-	3.4	-	-	-	-	0.0	-	0.0
97.0 29.0	0.0	0.0	-	0.0	7.9	0.0	0.0	0.0	0.0	4.3	-	2.2
97.0 30.0	1.4	0.0	-	0.0	50.7	9.2	0.0	0.0	0.0	0.0	-	0.0
97.0 32.0	0.0	-	4.2	-	-	3.3	0.0	-	-	0.0	-	2.5
97.0 35.0	0.0	0.0	0.0	-	13.2	-	0.0	0.0	0.0	0.0	5.6	0.0
97.0 40.0	14.3	0.0	0.0	-	3.3	8.9	7.2	0.0	0.0	0.0	-	0.0
97.0 50.0	0.0	0.0	0.0	-	0.0	2.9	0.0	0.0	0.0	0.0	-	0.0
100.0 29.0	0.0	0.0	-	0.0	0.0	8.7	0.0	0.0	0.0	15.1	-	16.4
100.0 30.0	0.0	3.0	-	0.0	21.4	10.0	0.0	0.0	0.0	10.1	-	0.0
100.0 35.0	0.0	0.0	-	0.0	3.0	0.0	3.4	3.2	0.0	6.9	0.0	0.0
100.0 40.0	0.0	5.2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
100.0 45.0	0.0	3.4	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
100.0 50.0	0.0	2.7	-	0.0	0.0	0.0	1.6	0.0	6.5	0.0	-	0.0
103.0 29.0	3.2	1.0	-	0.0	0.0	-	4.1	0.0	0.0	0.0	-	0.0
103.0 30.0	4.8	0.0	-	0.0	5.1	-	0.0	0.0	0.0	0.0	0.0	5.1
103.0 35.0	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
103.0 40.0	0.0	0.0	-	0.0	0.0	-	0.0	0.0	6.5	0.0	0.0	2.6
103.0 45.0	0.0	0.0	-	0.0	0.0	-	0.0	32.2	3.1	0.0	-	0.0
103.0 55.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	3.1	-	0.0
103.0 60.0	2.7	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	3.1	-	0.0

TABLE 4. (cont.)

Citharichthys spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
107.0	31.0	15.7	-	2.9	0.0	-	0.0	6.0	2.5	0.0	-	5.0
107.0	32.0	7.0	-	3.2	19.7	-	0.0	0.0	0.0	9.8	-	0.0
107.0	35.0	0.0	-	3.4	0.0	-	3.2	0.0	0.0	0.0	0.0	0.0
107.0	40.0	0.0	-	0.0	0.0	-	0.0	6.1	0.0	0.0	-	0.0
107.0	45.0	0.0	-	0.0	0.0	-	0.0	9.6	0.0	0.0	0.0	0.0
107.0	55.0	0.0	-	0.0	0.0	-	0.0	0.0	3.1	0.0	0.0	0.0
107.0	60.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0	32.0	3.0	0.0	0.0	0.0	-	0.0	2.6	0.0	1.2	-	6.6
110.0	35.0	151.0	0.0	3.1	0.0	-	0.0	3.2	35.2	3.4	0.0	0.0
110.0	40.0	0.0	5.4	0.0	0.0	-	-	3.2	0.0	0.0	-	0.0
110.0	41.0	-	-	-	-	-	2.6	-	-	-	-	-
110.0	45.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	3.2	0.0	0.0
110.0	50.0	5.9	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0	60.0	0.0	0.0	0.0	0.0	-	3.0	0.0	0.0	0.0	-	2.7
110.0	65.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	5.7
113.0	25.0	0.0	0.0	0.0	0.0	-	3.8	122.8	0.0	0.0	-	1.7
113.0	30.0	0.0	8.4	0.0	0.0	-	42.6	247.9	0.0	5.3	0.0	47.3
113.0	35.0	9.3	3.2	4.1	58.4	-	32.5	0.0	9.7	0.0	0.0	0.0
113.0	40.0	0.0	0.0	0.0	12.3	-	3.0	0.0	0.0	0.0	0.0	11.8
113.0	45.0	3.0	0.0	0.0	10.2	-	5.7	0.0	0.0	0.0	0.0	17.2
113.0	50.0	0.0	0.0	0.0	0.0	-	0.0	25.2	3.0	0.0	-	2.6
113.0	55.0	0.0	0.0	2.6	0.0	-	3.1	0.0	0.0	0.0	-	0.0
113.0	60.0	0.0	0.0	0.0	-	-	0.0	3.0	5.6	0.0	-	2.8
113.0	65.0	0.0	0.0	0.0	0.0	-	0.0	0.0	35.0	0.0	-	0.0
113.0	70.0	3.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
117.0	25.0	0.0	4.4	67.2	0.0	-	0.0	0.0	0.0	0.0	-	0.0
117.0	26.0	0.0	127.4	47.9	6.2	-	38.1	23.9	6.9	0.0	-	0.0
117.0	30.0	39.2	48.2	720.0	9.0	-	171.7	151.8	0.0	0.0	0.0	0.0
117.0	35.0	90.6	591.4	12.5	12.0	-	80.9	213.6	9.1	3.1	0.0	0.0
117.0	40.0	0.0	55.4	10.8	19.1	-	51.4	190.3	13.1	7.4	0.0	0.0
117.0	45.0	3.2	3.2	16.7	0.0	-	79.2	41.8	0.0	0.0	0.0	0.0
117.0	50.0	2.9	0.0	0.0	0.0	-	40.6	3.2	3.2	0.0	0.0	2.5
117.0	55.0	0.0	0.0	0.0	0.0	-	0.0	3.2	2.9	0.0	-	0.0
117.0	60.0	0.0	0.0	0.0	0.0	-	0.0	0.0	2.9	0.0	-	8.3
117.0	65.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	2.9
117.0	70.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
118.0	39.0	0.0	-	13.0	16.6	-	43.3	25.3	9.3	0.0	-	0.0
120.0	24.0	74.6	153.5	0.0	20.7	-	21.7	308.5	80.3	15.1	0.0	0.0
120.0	33.0	103.8	35.3	0.0	13.1	-	0.0	106.3	0.0	2.2	0.0	2.0
120.0	25.0	278.8	332.3	55.4	5.7	-	36.5	389.8	15.9	0.0	13.1	0.0
120.0	30.0	86.1	301.6	57.6	0.0	-	131.0	552.2	27.7	0.0	0.0	0.0
120.0	35.0	136.3	869.1	50.6	0.0	-	49.9	100.0	2.9	0.0	0.0	1.4
120.0	40.0	130.7	31.1	6.7	11.3	-	101.8	14.4	-	19.8	0.0	2.8
120.0	45.0	56.9	6.6	0.0	44.3	-	6.6	5.7	-	0.0	0.0	5.5
120.0	50.0	9.0	0.0	0.0	0.0	-	19.0	8.6	-	0.0	-	5.2
120.0	55.0	0.0	3.1	0.0	0.0	-	13.0	19.2	-	0.0	-	0.0
120.0	60.0	2.6	0.0	0.0	0.0	-	0.0	0.0	-	-	-	0.0

TABLE 4. (cont.)

Citharichthys spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
120.0	65.0	2.3	-	0.0	0.0	-	6.4	0.0	-	3.2	-	0.0
123.0	36.0	13.5	-	3.4	9.7	-	0.0	5.7	-	11.5	-	0.0
123.0	37.0	-	-	5.0	54.4	-	1.8	6.0	-	0.0	38.6	0.0
123.0	40.0	37.7	-	-	3.3	-	-	25.6	-	-	0.0	-
123.0	42.0	-	-	2.6	-	-	10.6	-	-	0.0	-	27.7
123.0	45.0	18.6	-	0.0	10.2	-	6.0	0.0	-	0.0	-	3.1
123.0	50.0	3.0	-	0.0	0.0	-	0.0	3.1	-	0.0	0.0	0.0
123.0	60.0	0.0	-	0.0	0.0	-	0.0	0.0	-	5.8	0.0	0.0
123.0	70.0	5.1	-	-	0.0	-	0.0	-	-	-	-	-
125.0	35.5	-	-	-	-	-	-	-	-	-	5.6	-
127.0	33.0	21.9	-	0.0	2.3	-	0.0	2.6	-	192.2	-	72.2
127.0	34.0	66.7	-	12.4	5.8	-	0.0	0.0	-	38.6	23.8	183.4
127.0	40.0	0.0	-	54.8	0.0	-	0.0	0.0	-	0.0	0.0	2.9
127.0	45.0	9.8	-	0.0	3.4	-	6.3	0.0	-	0.0	-	0.0
127.0	50.0	0.0	-	0.0	0.0	-	38.6	0.0	-	5.4	0.0	0.0
127.0	55.0	0.0	-	0.0	0.0	-	27.2	0.0	-	0.0	0.0	0.0
127.0	60.0	0.0	-	0.0	0.0	-	45.6	0.0	-	0.0	0.0	0.0
127.0	65.0	0.0	-	-	0.0	-	57.0	-	-	-	-	-
127.0	70.0	0.0	-	-	0.0	-	3.0	-	-	-	-	-
130.0	28.0	4.6	-	0.0	1.8	-	0.0	91.5	-	20.8	-	97.3
130.0	30.0	38.4	-	0.0	2.8	-	0.0	27.9	-	26.8	19.0	7.4
130.0	35.0	2.9	-	6.7	2.7	-	0.0	0.0	-	38.4	16.3	0.0
130.0	40.0	8.5	-	10.6	0.0	-	0.0	0.0	-	4.8	18.7	2.5
130.0	45.0	0.0	-	-	0.0	-	0.0	0.0	-	2.9	-	0.0
131.5	37.5	-	-	-	-	-	-	-	-	132.8	-	-
133.0	23.0	12.6	-	20.7	0.0	-	0.0	19.7	-	58.3	-	9.2
133.0	25.0	26.9	-	0.0	0.0	-	0.0	0.0	-	25.2	0.0	112.2
133.0	30.0	13.0	-	0.0	0.0	-	0.0	6.2	-	25.4	0.0	0.0
133.0	35.0	0.0	-	7.0	0.0	-	0.0	3.5	-	0.0	0.0	15.6
133.0	40.0	0.0	-	120.1	0.0	-	8.6	0.0	-	0.0	0.0	5.8
133.0	45.0	0.0	-	91.1	0.0	-	0.0	0.0	-	0.0	-	-
133.0	50.0	0.0	-	3.9	0.0	-	2.9	0.0	-	0.0	0.0	-
133.0	55.0	0.0	-	7.6	0.0	-	0.0	0.0	-	0.0	-	-
137.0	22.0	3.1	-	18.1	2.1	-	40.1	108.8	-	9.1	-	30.0
137.0	23.0	0.0	-	25.4	0.0	-	2.7	65.3	-	29.3	41.8	38.5
137.0	30.0	3.2	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	42.9
137.0	35.0	13.8	-	0.0	0.0	-	2.8	0.0	-	0.0	0.0	0.0
137.0	46.0	-	-	-	-	-	12.7	0.0	-	-	-	-
137.0	50.0	0.0	-	0.0	0.0	-	0.0	0.0	-	2.8	0.0	-
137.0	60.0	0.0	-	0.0	0.0	-	2.6	0.0	-	0.0	0.0	-
140.0	30.0	-	-	-	-	-	-	-	-	-	11.2	-
143.0	26.0	-	-	-	-	-	-	-	-	-	52.7	-
143.0	30.0	-	-	-	-	-	-	-	-	-	17.6	-

TABLE 4. (cont.)

Citharichthys stigmaeus

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	55.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	5.3
60.0	60.0	0.0	-	0.0	-	0.0	6.4	-	-	0.0	-	0.0
60.0	65.0	0.0	-	0.0	-	3.2	-	-	-	-	-	-
60.0	70.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	5.9
63.0	55.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	7.5
63.0	60.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	3.1
63.0	70.0	0.0	-	0.0	-	0.0	0.0	-	-	-	-	3.1
67.0	50.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	2.9
67.0	55.0	0.0	-	0.0	-	0.0	3.5	-	-	53.2	-	8.8
67.0	58.0	0.0	-	0.0	-	-	-	-	-	34.7	-	-
67.0	60.0	0.0	-	3.0	-	0.0	0.0	-	-	-	-	0.0
67.0	70.0	0.0	-	0.0	-	3.3	0.0	-	-	3.4	-	0.0
67.0	90.0	0.0	-	0.0	-	0.0	0.0	-	-	3.3	-	0.0
70.0	60.0	0.0	-	0.0	-	0.0	14.2	-	-	-	-	6.8
70.0	65.0	0.0	-	2.9	-	0.0	-	-	-	-	-	-
70.0	70.0	0.0	-	0.0	-	0.0	0.0	-	-	10.1	-	0.0
70.0	80.0	0.0	-	0.0	-	0.0	0.0	-	-	9.9	-	0.0
73.0	50.0	0.0	-	0.0	-	0.0	2.9	-	-	10.0	-	0.0
73.0	55.0	0.0	-	0.0	-	0.0	0.0	-	-	13.3	-	0.0
73.0	60.0	0.0	-	0.0	-	0.0	0.0	-	-	18.0	-	0.0
73.0	80.0	0.0	-	0.0	-	0.0	3.3	-	-	0.0	-	0.0
77.0	51.0	0.0	-	0.0	-	0.0	0.0	-	-	10.0	-	29.2
77.0	55.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	9.0
77.0	60.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	2.9
77.0	65.0	0.0	-	2.7	-	0.0	-	-	-	-	-	-
77.0	80.0	0.0	-	0.0	-	0.0	0.0	-	-	8.9	-	0.0
80.0	51.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
80.0	52.0	1.6	-	3.0	-	0.0	0.0	-	-	0.0	-	0.0
80.0	55.0	0.0	-	0.0	-	0.0	0.0	-	-	11.2	-	0.0
80.0	60.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
80.0	65.0	0.0	-	0.0	-	0.0	0.0	-	-	3.1	-	0.0
80.0	70.0	1.7	-	2.7	-	0.0	0.0	-	-	0.0	-	0.0
80.0	90.0	0.0	-	0.0	-	0.0	3.2	-	-	0.0	-	0.0
82.0	47.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	14.9
83.0	43.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
83.0	51.0	0.0	-	0.0	-	0.0	0.0	-	-	52.4	-	0.0
83.0	55.0	0.0	-	0.0	-	0.0	0.0	-	-	23.3	-	2.9
83.0	60.0	1.5	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
83.0	65.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	3.1
83.0	70.0	1.6	-	0.0	-	0.0	0.0	-	-	2.7	-	0.0
83.0	80.0	0.0	-	0.0	-	0.0	0.0	-	-	3.2	-	0.0
83.0	90.0	0.0	-	0.0	-	0.0	0.0	-	-	10.5	-	0.0
87.0	33.0	0.0	-	0.0	-	0.0	3.2	-	-	0.0	-	0.0
87.0	40.0	0.0	-	0.0	-	0.0	2.5	-	-	5.9	-	0.0
87.0	45.0	0.0	-	0.0	-	0.0	0.0	-	-	3.5	-	0.0
87.0	50.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
87.0	50.0	0.0	-	0.0	-	0.0	0.0	-	-	15.1	-	0.0

TABLE 4. (cont.)

Citharichthys stigmaeus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
87.0	55.0	0.0	-	0.0	0.0	0.0	0.0	6.3	0.0	6.7	-	0.0
87.0	65.0	0.0	-	3.5	0.0	0.0	0.0	6.0	0.0	3.1	-	0.0
87.0	70.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.4	-	0.0
87.0	80.0	3.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	32.0	0.0	0.0	-	0.0	0.0	0.0	3.8	0.0	0.0	-	0.0
90.0	37.0	0.0	0.0	-	0.0	0.0	3.3	3.5	0.0	0.0	-	0.0
90.0	45.0	0.0	0.0	-	0.0	2.8	0.0	32.7	6.4	0.0	-	0.0
90.0	53.0	-	0.0	-	-	2.9	0.0	-	-	0.0	-	0.0
90.0	55.0	0.0	0.0	-	0.0	2.9	3.1	3.2	0.0	-	-	-
90.0	60.0	0.0	0.0	-	0.0	0.0	0.0	3.5	0.0	0.0	-	0.0
90.0	70.0	0.0	0.0	-	0.0	0.0	0.0	3.1	0.0	0.0	-	3.3
90.0	80.0	0.0	0.0	-	0.0	2.9	0.0	6.4	0.0	0.0	-	0.0
93.0	30.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	6.3
93.0	35.0	0.0	0.0	-	0.0	2.8	0.0	0.0	0.0	6.4	-	12.2
93.0	40.0	0.0	0.0	-	0.0	2.9	-	3.4	0.0	0.0	-	0.0
93.0	45.0	3.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	55.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.2	0.0	-	0.0
93.0	60.0	0.0	0.0	-	0.0	0.0	0.0	28.7	0.0	0.0	-	0.0
93.0	65.0	0.0	3.2	-	0.0	0.0	3.1	0.0	0.0	2.9	-	0.0
97.0	40.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	50.0	0.0	0.0	-	0.0	0.0	3.3	0.0	0.0	0.0	-	0.0
97.0	55.0	3.0	3.1	-	0.0	0.0	3.5	0.0	3.0	0.0	-	0.0
100.0	29.0	0.0	0.0	0.0	0.0	2.9	4.1	0.0	0.0	0.0	-	0.0
100.0	30.0	0.0	-	0.0	0.0	0.0	2.4	0.0	0.0	0.0	-	0.0
100.0	35.0	3.2	-	0.0	0.0	0.0	0.0	3.2	0.0	0.0	3.0	0.0
100.0	40.0	0.0	-	5.8	0.0	6.7	6.8	0.0	0.0	3.4	-	0.0
100.0	45.0	0.0	-	0.0	3.2	0.0	3.0	0.0	6.4	0.0	0.0	0.0
100.0	50.0	0.0	-	0.0	0.0	0.0	3.4	0.0	9.8	0.0	-	0.0
100.0	55.0	3.5	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	60.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	2.5
103.0	30.0	0.0	-	0.0	0.0	-	1.4	0.0	0.0	0.0	-	0.0
103.0	35.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	2.5
103.0	40.0	0.0	-	0.0	0.0	-	1.7	0.0	0.0	0.0	0.0	2.5
103.0	50.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.1	3.5	-	0.0
103.0	55.0	0.0	-	0.0	0.0	-	0.0	0.0	3.2	0.0	-	0.0
107.0	50.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
110.0	35.0	-	0.0	0.0	0.0	-	0.0	6.5	0.0	0.0	0.0	2.9
110.0	40.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	-
110.0	41.0	-	0.0	-	-	-	7.9	0.0	3.3	0.0	0.0	0.0
110.0	45.0	0.0	0.0	0.0	0.0	-	0.0	3.2	0.0	0.0	0.0	0.0
113.0	40.0	-	0.0	0.0	0.0	-	2.8	0.0	0.0	0.0	0.0	0.0
113.0	45.0	0.0	0.0	0.0	0.0	-	3.2	0.0	0.0	0.0	-	0.0
113.0	50.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.2	0.0	-	0.0
113.0	65.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
117.0	25.0	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
117.0	30.0	2.3	5.4	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0

TABLE 4. (cont.)

Citharichthys stigmaeus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
117.0	35.0	0.0	0.0	0.0	0.0	—	5.1	0.0	0.0	0.0	2.7	0.0
117.0	40.0	0.0	0.0	0.0	3.2	—	0.0	0.0	0.0	0.0	—	0.0
117.0	50.0	0.0	0.0	0.0	0.0	—	3.1	3.2	0.0	0.0	—	0.0
117.0	55.0	0.0	0.0	0.0	0.0	—	0.0	3.0	0.0	0.0	—	0.0
118.0	39.0	—	0.0	0.0	0.0	—	0.0	0.0	3.1	0.0	—	0.0
119.0	33.0	0.0	0.0	0.0	0.0	—	0.0	0.0	0.0	3.0	0.0	0.0
120.0	35.0	0.0	0.0	0.0	0.0	—	329.6	0.0	0.0	0.0	0.0	0.0
120.0	50.0	0.0	0.0	0.0	0.0	—	12.6	2.9	—	0.0	0.0	0.0
123.0	40.0	0.0	—	—	0.0	—	—	3.2	—	—	0.0	—
123.0	45.0	0.0	—	0.0	0.0	—	3.0	0.0	—	0.0	0.0	0.0
127.0	34.0	0.0	—	0.0	2.9	—	0.0	0.0	—	0.0	0.0	0.0
127.0	40.0	0.0	—	0.0	0.0	—	0.0	0.0	—	3.1	0.0	0.0
127.0	55.0	0.0	—	0.0	0.0	—	2.7	0.0	—	0.0	—	0.0
130.0	40.0	—	—	0.0	0.0	—	0.0	3.1	—	0.0	0.0	0.0
130.0	60.0	—	—	0.0	0.0	—	0.0	0.0	—	8.4	0.0	0.0
137.0	30.0	—	—	0.0	0.0	—	0.0	0.0	—	5.3	0.0	0.0
137.0	35.0	—	—	0.0	0.0	—	0.0	0.0	—	0.0	0.0	18.4

Hippoglossina stomata

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	52.0	—	—	0.0	—	0.0	3.0	—	—	0.0	—	0.0
80.0	51.0	0.0	—	0.0	0.0	0.0	0.0	1.8	0.0	3.5	—	0.0
80.0	52.0	—	—	0.0	0.0	0.0	0.0	0.0	13.6	0.0	—	0.0
80.0	55.0	0.0	—	0.0	0.0	0.0	0.0	6.4	0.0	0.0	—	0.0
80.0	65.0	—	—	0.0	0.0	0.0	0.0	3.3	0.0	0.0	—	0.0
82.0	47.0	—	—	0.0	0.0	5.7	0.0	0.0	0.0	0.0	—	0.0
83.0	40.0	—	—	0.0	0.0	0.0	—	1.2	0.0	2.6	—	0.0
83.0	43.0	—	—	0.0	0.0	0.0	0.0	0.0	3.3	0.0	—	0.0
83.0	51.0	—	—	0.0	0.0	0.0	0.0	0.0	2.7	0.0	—	0.0
83.0	60.0	—	—	0.0	0.0	0.0	3.3	0.0	0.0	0.0	—	0.0
87.0	33.0	—	—	—	0.0	0.0	0.0	0.0	2.6	5.9	—	0.0
90.0	50.0	—	—	—	0.0	—	—	0.0	3.2	—	—	—
90.0	60.0	—	—	—	0.0	—	—	0.0	0.0	0.0	—	0.0
97.0	29.0	0.0	0.0	—	0.0	0.0	3.1	0.0	0.0	0.0	—	0.0
100.0	29.0	0.0	—	0.0	0.0	5.5	6.2	0.0	0.0	0.0	—	0.0
107.0	31.0	0.0	—	0.0	2.9	0.0	0.0	0.0	2.8	0.0	—	0.0
107.0	35.0	0.0	—	0.0	0.0	—	0.0	0.0	0.0	2.3	—	0.0
110.0	32.0	0.0	—	0.0	0.0	—	0.0	3.3	0.0	0.0	0.0	0.0
110.0	35.0	—	0.0	0.0	0.0	—	0.0	1.3	0.0	0.0	—	0.0
110.0	60.0	—	0.0	0.0	0.0	—	0.0	0.0	3.2	0.0	—	0.0
113.0	30.0	0.0	—	0.0	0.0	—	0.0	0.0	6.1	0.0	—	0.0
113.0	25.0	—	—	0.0	0.0	—	4.5	5.2	0.0	0.0	0.0	0.0
117.0	26.0	—	—	0.0	0.0	—	2.8	0.0	1.7	0.0	—	0.0
117.0	30.0	0.0	—	0.0	0.0	—	0.0	2.5	0.0	0.0	0.0	2.3
117.0	30.0	0.0	0.0	0.0	0.0	—	0.0	8.4	0.0	3.1	0.0	3.0

TABLE 4. (cont.)

Hippoglossina stomata (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
117.0	35.0	0.0	0.0	0.0	0.0	-	15.4	0.0	0.0	0.0	0.0	0.0
117.0	40.0	0.0	0.0	0.0	0.0	-	6.6	0.0	0.0	0.0	0.0	0.0
117.0	45.0	0.0	0.0	0.0	0.0	-	0.0	3.2	0.0	0.0	0.0	0.0
119.0	33.0	0.0	0.0	0.0	0.0	-	0.0	12.4	0.0	0.0	0.0	0.0
120.0	25.0	0.0	0.0	0.0	0.0	-	0.0	5.3	0.0	0.0	5.2	0.0
120.0	30.0	0.0	0.0	0.0	0.0	-	0.0	6.2	3.2	5.6	0.0	2.4
120.0	35.0	0.0	0.0	0.0	0.0	-	0.0	2.5	0.0	2.6	2.8	0.0
120.0	36.0	0.0	0.0	0.0	3.2	-	0.0	0.0	0.0	0.0	0.0	0.0
123.0	37.0	0.0	-	0.0	5.4	-	1.8	0.0	-	3.2	0.0	0.0
123.0	40.0	3.1	-	-	0.0	-	0.0	0.0	-	0.0	0.0	-
123.0	45.0	0.0	-	0.0	0.0	-	3.0	0.0	-	0.0	-	0.0
127.0	33.0	2.2	-	0.0	0.0	-	0.0	0.0	-	0.0	-	0.0
127.0	34.0	5.6	-	0.0	0.0	-	6.7	0.0	-	2.8	3.0	2.6
127.0	45.0	3.3	-	0.0	0.0	-	0.0	0.0	-	0.0	-	0.0
127.0	55.0	0.0	-	0.0	0.0	-	5.4	0.0	-	0.0	-	0.0
130.0	28.0	0.0	-	0.0	1.8	-	0.0	3.0	-	0.0	-	0.0
130.0	30.0	3.0	-	0.0	0.0	-	0.0	2.5	-	0.0	0.0	0.0
131.5	37.5	-	-	-	-	-	-	-	-	-	5.4	-
133.0	23.0	0.0	-	0.0	0.0	-	0.0	33.7	-	2.3	6.9	-
133.0	25.0	0.0	-	0.0	0.0	-	2.8	0.0	-	2.5	0.0	26.2
137.0	22.0	0.0	-	2.3	0.0	-	10.5	8.4	-	0.0	0.0	0.0
137.0	23.0	0.0	-	4.2	0.0	-	0.0	0.0	-	4.2	0.0	4.3
137.0	30.0	0.0	-	4.1	0.0	-	0.0	0.0	-	0.0	0.0	0.0
140.0	30.0	0.0	-	-	-	-	-	-	-	-	16.9	-
143.0	26.0	-	-	-	-	-	-	-	-	-	7.5	-
147.0	20.0	-	-	-	-	-	-	-	-	-	3.2	-

Paralichthys californicus

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	52.0	-	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
70.0	53.0	0.0	-	0.0	-	3.1	0.0	-	-	0.0	-	0.0
73.0	50.0	0.0	-	2.7	-	0.0	0.0	-	-	0.0	-	0.0
77.0	55.0	0.0	-	0.0	-	0.0	3.3	-	-	0.0	-	0.0
80.0	51.0	0.0	-	0.0	0.0	0.0	6.5	0.0	0.0	0.0	-	0.0
80.0	52.0	0.0	-	0.0	3.1	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	40.0	10.9	-	5.9	0.9	12.2	-	1.2	3.5	2.6	-	0.0
83.0	43.0	0.0	-	0.0	0.0	2.7	0.0	0.0	0.0	0.0	-	0.0
87.0	33.0	0.0	-	-	0.0	1.6	0.0	2.9	0.0	0.0	-	0.0
87.0	35.0	0.0	-	0.0	0.0	2.7	0.0	0.0	0.0	0.0	-	5.0
87.0	45.0	0.0	-	2.8	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	28.0	3.5	0.0	-	0.0	5.5	0.0	0.0	0.0	0.0	-	0.0
93.0	27.0	0.0	-	-	0.0	2.7	0.0	0.0	0.0	0.0	-	0.0
97.0	29.0	1.4	-	0.0	9.4	0.0	3.1	0.0	0.0	0.0	-	0.0
97.0	30.0	1.4	-	0.0	5.3	0.0	0.0	0.0	0.0	0.0	-	0.0

TABLE 4. (cont.)

Paralichthys californicus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
100.0	30.0	0.0	—	2.9	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0
100.0	45.0	0.0	—	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
103.0	29.0	7.5	—	0.0	2.7	—	0.8	0.0	0.0	0.0	—	1.1
107.0	31.0	81.8	—	0.0	0.0	—	7.3	0.0	0.0	0.0	—	0.0
107.0	32.0	5.1	—	0.0	0.0	—	0.0	0.0	0.0	0.0	—	0.0
107.0	45.0	0.0	—	0.0	0.0	—	2.8	0.0	0.0	0.0	0.0	0.0
110.0	32.0	2.3	—	0.0	0.0	—	1.2	0.0	2.2	0.0	—	0.0
113.0	29.0	0.0	—	0.0	0.0	—	0.0	0.0	0.0	0.0	—	0.0
113.0	30.0	0.0	—	0.0	0.0	—	6.7	0.0	0.0	0.0	0.0	0.0
117.0	25.0	0.0	—	2.9	0.0	—	8.5	8.0	0.0	0.0	0.0	0.0
117.0	26.0	0.0	—	0.0	0.0	—	3.0	0.0	0.0	0.0	0.0	0.0
117.0	30.0	0.0	—	0.0	0.0	—	7.8	0.0	0.0	0.0	0.0	0.0
117.0	40.0	0.0	—	0.0	0.0	—	3.3	0.0	0.0	0.0	0.0	0.0
117.0	45.0	0.0	—	0.0	0.0	—	3.1	0.0	0.0	0.0	0.0	0.0
118.0	39.0	—	—	0.0	0.0	—	6.2	0.0	0.0	0.0	—	0.0
120.0	24.0	—	—	24.8	3.3	—	0.0	0.0	0.0	0.0	—	0.0
120.0	25.0	2.8	—	0.0	1.9	—	7.7	34.7	0.0	0.0	0.0	0.0
120.0	30.0	—	—	0.0	3.2	—	10.4	0.0	0.0	0.0	0.0	0.0
120.0	35.0	—	—	0.0	0.0	—	13.9	0.0	0.0	0.0	0.0	0.0
120.0	40.0	—	—	13.5	4.5	—	1.6	2.1	0.0	0.0	0.0	0.0
120.0	45.0	—	—	3.3	0.0	—	0.0	0.0	—	0.0	0.0	0.0
123.0	36.0	—	—	0.0	0.0	—	0.0	0.0	—	0.0	—	0.0
127.0	33.0	2.2	—	0.0	0.0	—	2.4	0.0	—	0.0	—	0.0
130.0	30.0	3.0	—	0.0	0.0	—	0.0	0.0	—	0.0	—	0.0
133.0	23.0	2.5	—	5.9	0.0	—	0.0	0.0	—	0.0	0.0	0.0
137.0	22.0	—	—	2.3	0.0	—	0.0	0.0	—	0.0	—	4.0
137.0	23.0	—	—	4.2	0.0	—	0.0	0.0	—	0.0	0.0	0.0
137.0	35.0	—	—	0.0	0.0	—	0.0	0.0	—	0.0	0.0	0.0
143.0	26.0	—	—	—	—	—	—	—	—	—	2.5	—

Syacium ovale

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
133.0	25.0	—	—	0.0	0.0	—	0.0	0.0	—	0.0	2.9	0.0
143.0	30.0	—	—	—	—	—	—	—	—	—	2.9	—
150.0	25.0	—	—	—	—	—	—	—	—	—	3.0	—

Xystreureys liolepis

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
87.0	33.0	—	—	—	0.0	0.0	0.0	2.9	0.0	0.0	—	0.0
90.0	37.0	—	—	—	0.0	0.0	0.0	0.0	3.3	0.0	—	0.0
97.0	29.0	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0	0.0	—	2.2
97.0	30.0	1.4	—	0.0	0.0	0.0	0.0	0.0	0.0	0.0	—	0.0

TABLE 4. (cont.)

Xystreureys liolepis (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
103.0	30.0	0.0	2.5	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	31.0	0.0	0.0	0.0	8.2	-	0.0	0.0	2.5	0.0	-	0.0
110.0	32.0	0.0	0.0	0.0	1.4	-	0.0	0.0	0.0	0.0	-	0.0
113.0	29.0	0.0	0.0	0.0	0.0	-	2.6	14.0	0.0	0.0	-	0.0
113.0	30.0	0.0	0.0	0.0	0.0	-	6.7	13.0	0.0	0.0	0.0	0.0
117.0	25.0	0.0	0.0	0.0	0.0	-	9.9	21.3	0.0	0.0	-	0.0
117.0	26.0	0.0	0.0	0.0	0.0	-	3.0	2.5	0.0	0.0	0.0	0.0
117.0	30.0	0.0	0.0	0.0	0.0	-	2.6	0.0	0.0	0.0	0.0	0.0
118.0	39.0	-	-	0.0	0.0	-	6.2	0.0	0.0	0.0	-	0.0
119.0	33.0	0.0	3.0	0.0	0.0	-	3.1	0.0	0.0	0.0	0.0	0.0
120.0	24.0	0.0	0.0	0.0	0.0	-	0.0	13.9	0.0	0.0	-	0.0
120.0	30.0	2.7	0.0	0.0	0.0	-	6.2	0.0	0.0	0.0	0.0	0.0
123.0	36.0	-	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
123.0	37.0	2.9	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
130.0	28.0	0.0	-	0.0	0.0	-	0.0	0.0	-	2.3	-	0.0
130.0	30.0	0.0	-	0.0	0.0	-	0.0	5.1	-	2.7	0.0	0.0
137.0	22.0	0.0	-	0.0	0.0	-	2.1	0.0	-	0.0	-	6.0

Glyptocephalus zachirus

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	52.0	-	-	0.0	-	0.0	3.0	-	-	0.0	-	0.0
60.0	55.0	-	-	0.0	-	3.2	3.1	-	-	0.0	-	0.0
60.0	60.0	-	-	0.0	-	2.8	0.0	-	-	0.0	-	0.0
60.0	65.0	-	-	0.0	-	3.2	-	-	-	-	-	-
60.0	70.0	-	-	0.0	-	8.3	9.6	-	-	0.0	-	0.0
60.0	80.0	-	-	-	-	3.0	0.0	-	-	0.0	-	0.0
60.0	90.0	-	-	-	-	3.7	0.0	-	-	0.0	-	0.0
63.0	55.0	-	-	5.9	-	0.0	0.0	-	-	0.0	-	0.0
63.0	60.0	-	-	0.0	-	19.4	0.0	-	-	0.0	-	0.0
63.0	65.0	-	-	14.6	-	2.8	-	-	-	-	-	-
63.0	70.0	-	-	0.0	-	5.8	0.0	-	-	0.0	-	0.0
67.0	50.0	-	-	34.7	-	0.0	0.0	-	-	0.0	-	0.0
67.0	55.0	-	-	3.0	-	0.0	0.0	-	-	0.0	-	0.0
67.0	60.0	-	-	26.8	-	0.0	0.0	-	-	-	-	0.0
67.0	65.0	-	-	11.9	-	0.0	3.6	-	-	-	-	0.0
67.0	70.0	-	-	5.9	-	0.0	-	-	-	0.0	-	0.0
70.0	53.0	-	-	9.0	-	3.3	0.0	-	-	0.0	-	0.0
70.0	60.0	-	-	6.2	-	0.0	0.0	-	-	-	-	0.0
70.0	65.0	-	-	5.8	-	0.0	-	-	-	-	-	-
70.0	70.0	-	-	7.4	-	0.0	0.0	-	-	0.0	-	0.0
70.0	80.0	-	-	0.0	-	6.6	0.0	-	-	0.0	-	0.0
73.0	50.0	-	-	16.1	-	0.0	0.0	-	-	0.0	-	0.0
73.0	53.0	-	-	3.0	-	0.0	0.0	-	-	0.0	-	0.0
73.0	58.0	-	-	5.7	-	0.0	0.0	-	-	0.0	-	0.0

TABLE 4. (cont.)

Glptocephalus zachirus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
77.0	60.0	-	-	2.7	-	0.0	0.0	-	-	0.0	-	0.0
80.0	51.0	0.0	-	0.0	2.1	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	52.0	0.0	-	0.0	3.1	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	60.0	0.0	-	3.1	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
82.0	47.0	0.0	-	0.0	2.8	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	50.0	3.3	-	-	0.0	-	-	0.0	0.0	-	-	-

Hypopsetta guttulata

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
87.0	35.0	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	2.5
97.0	30.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	2.0

Lepidopsetta bilineata

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	50.0	0.0	-	2.8	-	0.0	0.0	-	-	0.0	-	0.0
67.0	50.0	0.0	-	5.8	-	0.0	0.0	-	-	0.0	-	0.0
73.0	50.0	-	-	2.7	-	0.0	0.0	-	-	0.0	-	0.0

Lyopsetta exilis

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	50.0	0.0	-	0.0	-	8.1	0.0	-	-	0.0	-	0.0
60.0	52.0	0.0	-	15.3	-	3.2	0.0	-	-	0.0	-	0.0
60.0	55.0	0.0	-	0.0	-	3.2	6.3	-	-	0.0	-	0.0
60.0	65.0	0.0	-	3.0	-	0.0	-	-	-	-	-	-
60.0	70.0	0.0	-	3.0	-	0.0	0.0	-	-	0.0	-	0.0
60.0	80.0	0.0	-	-	-	0.0	3.2	-	-	0.0	-	0.0
63.0	52.0	0.0	-	4.8	-	0.0	0.0	-	-	0.0	-	0.0
63.0	55.0	0.0	-	17.8	-	0.0	0.0	-	-	0.0	-	0.0
63.0	60.0	0.0	-	3.2	-	0.0	0.0	-	-	0.0	-	0.0
63.0	65.0	-	-	14.6	-	0.0	-	-	-	-	-	-
63.0	70.0	-	-	0.0	-	2.9	0.0	-	-	-	-	0.0
67.0	50.0	2.8	-	26.0	-	3.5	0.0	-	-	0.0	-	0.0
67.0	60.0	0.0	-	11.9	-	0.0	0.0	-	-	-	-	0.0
67.0	65.0	-	-	6.0	-	0.0	-	-	-	-	-	-
70.0	51.0	-	-	26.4	-	0.0	0.0	-	-	0.0	-	0.0
70.0	53.0	-	-	3.0	-	0.0	0.0	-	-	0.0	-	0.0
70.0	60.0	0.0	-	9.3	-	3.3	0.0	-	-	-	-	0.0
73.0	50.0	0.0	-	2.7	-	0.0	2.9	-	-	0.0	-	0.0
73.0	53.0	-	-	3.0	-	0.0	0.0	-	-	0.0	-	0.0
73.0	60.0	-	-	0.0	-	0.0	3.4	-	-	0.0	-	0.0

TABLE 4. (cont.)

Lyopsetta exilis (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
77.0	55.0	0.0	-	5.0	-	0.0	3.3	-	-	0.0	-	0.0
77.0	65.0	-	-	2.7	-	0.0	-	-	-	-	-	-
80.0	51.0	0.0	-	2.7	2.1	3.2	3.0	0.0	0.0	0.0	-	0.0
80.0	60.0	0.0	-	6.2	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	90.0	1.6	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
82.0	47.0	0.0	-	3.1	19.3	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	40.0	0.0	-	0.0	0.9	0.0	-	0.0	0.0	0.0	-	0.0
83.0	43.0	0.0	-	0.0	20.6	8.0	0.0	0.0	0.0	0.0	-	0.0
83.0	51.0	1.5	-	0.0	3.1	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	55.0	0.0	-	2.9	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	65.0	0.0	-	0.0	3.4	3.1	0.0	0.0	0.0	0.0	-	0.0
87.0	35.0	0.0	-	0.0	3.5	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	40.0	0.0	-	0.0	0.0	2.9	0.0	0.0	0.0	0.0	-	0.0
87.0	45.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	28.0	0.0	0.0	2.8	6.6	2.8	0.0	0.0	0.0	0.0	-	0.0
90.0	37.0	0.0	3.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	27.0	0.0	0.0	-	0.0	2.7	0.0	0.0	0.0	0.0	-	0.0
93.0	28.0	0.0	0.0	-	1.5	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	30.0	0.0	0.0	-	1.5	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	30.0	0.0	0.0	-	1.4	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	50.0	0.0	0.0	-	-	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	32.0	-	4.2	-	-	0.0	0.0	-	-	0.0	-	0.0
97.0	50.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	25.0	0.0	0.0	6.0	0.0	2.9	0.0	0.0	0.0	0.0	-	0.0
100.0	30.0	0.0	-	0.0	21.4	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	40.0	0.0	-	0.0	3.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	45.0	0.0	-	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	0.0
107.0	32.0	0.0	-	6.3	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
107.0	35.0	0.0	-	0.0	3.5	-	0.0	0.0	0.0	0.0	0.0	0.0
110.0	35.0	-	0.0	0.0	0.0	-	2.6	0.0	0.0	0.0	0.0	0.0
113.0	45.0	-	0.0	0.0	3.4	-	0.0	0.0	0.0	0.0	0.0	0.0
117.0	45.0	0.0	0.0	0.0	0.0	-	3.1	0.0	0.0	0.0	0.0	0.0
118.0	35.0	-	-	0.0	3.3	-	0.0	0.0	0.0	0.0	-	0.0
119.0	33.0	-	0.0	0.0	0.0	-	0.0	2.9	0.0	0.0	0.0	0.0
123.0	45.0	0.0	-	0.0	3.4	-	0.0	0.0	-	0.0	-	0.0

Microstomus pacificus

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	60.0	-	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
60.0	65.0	0.0	-	3.0	-	3.2	-	-	-	-	-	-
60.0	70.0	0.0	-	0.0	-	0.0	3.2	-	-	0.0	-	0.0
60.0	80.0	0.0	-	-	-	3.0	0.0	-	-	0.0	-	0.0
60.0	90.0	0.0	-	-	-	7.4	0.0	-	-	0.0	-	0.0
63.0	65.0	-	-	46.7	-	0.0	-	-	-	-	-	-
63.0	70.0	-	-	5.5	-	0.0	0.0	-	-	-	-	0.0

TABLE 4. (cont.)

Microstomus pacificus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
67.0	48.0	0.0	-	1.5	-	0.0	-	-	-	0.0	-	0.0
67.0	50.0	0.0	-	5.8	-	0.0	0.0	-	-	0.0	-	0.0
67.0	55.0	0.0	-	9.1	-	3.0	0.0	-	-	0.0	-	0.0
67.0	60.0	0.0	-	6.0	-	3.1	0.0	-	-	-	-	0.0
67.0	65.0	-	-	3.0	-	0.0	-	-	-	-	-	-
67.0	70.0	-	-	5.9	-	6.5	0.0	-	-	0.0	-	0.0
67.0	80.0	-	-	0.0	-	3.3	0.0	-	-	0.0	-	-
70.0	53.0	0.0	-	3.0	-	0.0	0.0	-	-	0.0	-	0.0
70.0	60.0	0.0	-	15.5	-	0.0	0.0	-	-	-	-	0.0
70.0	65.0	0.0	-	8.7	-	0.0	-	-	-	-	-	-
70.0	70.0	0.0	-	7.4	-	0.0	0.0	-	-	0.0	-	0.0
70.0	80.0	0.0	-	3.0	-	0.0	3.3	-	-	0.0	-	0.0
70.0	90.0	0.0	-	-	-	3.0	0.0	-	-	0.0	-	0.0
73.0	50.0	0.0	-	2.7	-	0.0	0.0	-	-	0.0	-	0.0
73.0	53.0	0.0	-	5.9	-	0.0	0.0	-	-	0.0	-	0.0
73.0	60.0	0.0	-	5.7	-	0.0	0.0	-	-	0.0	-	0.0
73.0	70.0	-	-	8.4	-	0.0	0.0	-	-	0.0	-	0.0
73.0	80.0	-	-	0.0	-	3.1	3.3	-	-	0.0	-	-
73.0	90.0	-	-	2.9	-	3.3	0.0	-	-	-	-	-
77.0	60.0	0.0	-	2.7	-	0.0	0.0	-	-	0.0	-	0.0
77.0	70.0	-	-	2.8	-	0.0	0.0	-	-	0.0	-	-
80.0	51.0	0.0	-	2.7	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	52.0	0.0	-	3.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	55.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	3.7	-	0.0
80.0	60.0	0.0	-	0.0	0.0	2.8	0.0	0.0	0.0	0.0	-	0.0
80.0	70.0	0.0	-	0.0	0.0	2.9	3.6	0.0	0.0	0.0	-	0.0
80.0	80.0	0.0	-	0.0	6.9	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	90.0	0.0	-	0.0	3.1	0.0	0.0	0.0	0.0	0.0	-	0.0
82.0	47.0	0.0	-	3.1	0.0	0.0	3.1	0.0	0.0	0.0	-	0.0
83.0	55.0	0.0	-	0.0	0.0	0.0	0.0	3.5	0.0	0.0	-	0.0
87.0	65.0	0.0	-	0.0	0.0	2.9	0.0	0.0	0.0	0.0	-	0.0
93.0	55.0	3.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	80.0	0.0	0.0	-	0.0	0.0	3.2	0.0	0.0	-	-	0.0
97.0	80.0	0.0	0.0	-	0.0	0.0	0.0	0.0	2.9	0.0	-	0.0

Parophrys vetulus

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	50.0	-	-	8.4	-	0.0	0.0	-	-	4.5	-	22.0
60.0	55.0	-	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
60.0	60.0	-	-	0.0	-	0.0	0.0	-	-	11.9	-	0.0
60.0	70.0	-	-	0.0	-	0.0	0.0	-	-	0.0	-	3.0
63.0	50.0	-	-	1.1	-	1.2	0.0	-	-	0.0	-	10.8
63.0	52.0	-	-	9.6	-	0.0	3.1	-	-	0.0	-	0.0

TABLE 4. (cont.)

Parophrys vetulus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
63.0	0.0	-	-	5.9	-	0.0	0.0	-	-	0.0	-	0.0
65.0	-	-	-	2.9	-	0.0	-	-	-	-	-	-
67.0	6.4	-	-	0.0	-	0.0	-	-	-	0.0	-	0.0
67.0	0.0	-	-	78.0	-	0.0	0.0	-	-	0.0	-	0.0
67.0	55.0	-	-	15.2	-	0.0	0.0	-	-	0.0	-	0.0
67.0	7.6	-	-	11.9	-	0.0	0.0	-	-	-	-	-
67.0	60.0	-	-	6.0	-	0.0	-	-	-	-	-	-
67.0	65.0	-	-	41.0	-	6.0	0.0	-	-	0.0	-	0.0
70.0	51.0	-	-	15.0	-	0.0	0.0	-	-	0.0	-	0.0
70.0	53.0	-	-	3.1	-	0.0	0.0	-	-	-	-	0.0
70.0	60.0	-	-	2.9	-	0.0	-	-	-	-	-	-
70.0	65.0	-	-	37.5	-	0.0	0.0	-	-	0.0	-	0.0
73.0	53.0	-	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
73.0	70.0	-	-	7.2	-	3.2	0.0	-	-	0.0	-	0.0
73.0	48.0	-	-	12.6	-	0.0	0.0	-	-	0.0	-	0.0
77.0	55.0	-	-	8.2	-	0.0	0.0	-	-	0.0	-	0.0
77.0	70.0	-	-	2.7	-	0.0	0.0	-	-	0.0	-	0.0
80.0	51.0	-	-	2.7	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	52.0	-	-	6.1	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
80.0	60.0	-	-	3.1	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
82.0	47.0	-	-	21.5	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	43.0	-	-	9.2	2.9	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	51.0	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	65.0	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	35.0	-	-	0.0	0.0	8.1	0.0	0.0	0.0	0.0	-	0.0
87.0	40.0	-	-	3.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	45.0	-	-	0.0	3.2	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	28.0	-	-	0.0	13.2	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	32.0	-	-	0.0	27.4	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	27.0	-	-	0.0	32.4	2.9	0.0	0.0	0.0	0.0	-	0.0
93.0	28.0	-	-	0.0	13.8	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	32.0	-	-	0.0	3.3	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	35.0	-	-	0.0	7.9	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	29.0	-	-	3.8	13.4	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	30.0	-	-	3.0	-	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	32.0	-	-	4.2	-	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	35.0	-	-	0.0	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
100.0	29.0	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	30.0	-	-	5.7	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	40.0	-	-	2.9	3.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	23.0	-	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
103.0	30.0	-	-	1.0	5.1	-	0.0	0.0	0.0	0.0	-	0.0
103.0	31.0	-	-	0.0	4.1	-	1.5	0.0	0.0	0.0	-	0.0
107.0	31.0	-	-	5.6	0.0	-	0.0	0.0	0.0	0.0	-	0.0
107.0	32.0	-	-	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
110.0	32.0	-	-	0.0	1.7	-	0.0	0.0	0.0	0.0	-	0.0
110.0	40.0	-	-	2.7	0.0	-	-	0.0	0.0	0.0	-	0.0

TABLE 4. (cont.)

Parophrys vetulus (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
117.0	30.0	0.0	0.0	78.8	3.0	-	0.0	0.0	0.0	0.0	0.0	0.0
119.0	33.0	0.0	0.0	0.0	3.0	-	0.0	0.0	0.0	0.0	0.0	0.0
120.0	25.0	0.0	0.0	0.0	1.9	-	0.0	0.0	0.0	0.0	0.0	0.0

Platichthys stellatus

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	50.0	0.0	-	64.2	-	0.0	0.0	-	-	0.0	-	0.0
63.0	50.0	0.0	-	1.1	-	0.0	0.0	-	-	0.0	-	0.0
67.0	48.0	2.1	-	0.0	-	0.0	-	-	-	0.0	-	0.0

Pleuronichthys coenosus

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
63.0	60.0	0.0	-	0.0	-	0.0	0.0	-	-	2.9	-	0.0
70.0	51.0	0.0	-	2.9	-	0.0	0.0	-	-	0.0	-	0.0
70.0	70.0	0.0	-	0.0	-	3.2	0.0	-	-	0.0	-	0.0
77.0	48.0	0.0	-	0.0	-	2.5	0.0	-	-	0.0	-	0.0
77.0	55.0	0.0	-	0.0	-	3.5	0.0	-	-	0.0	-	0.0
80.0	65.0	-	-	0.0	0.0	0.0	3.1	0.0	0.0	0.0	-	0.0
82.0	47.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.2	0.0	-	0.0
83.0	43.0	0.0	-	0.0	2.9	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	60.0	-	-	3.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87.0	40.0	0.0	-	0.0	3.3	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	30.0	0.0	-	0.0	0.0	-	1.4	0.0	0.0	0.0	-	0.0

Pleuronichthys decurrens

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	65.0	-	-	0.0	-	3.2	0.0	-	-	-	-	-
63.0	70.0	-	-	2.8	-	0.0	0.0	-	-	-	-	0.0
67.0	65.0	-	-	3.0	-	0.0	0.0	-	-	-	-	0.0
73.0	60.0	0.0	-	2.8	-	0.0	0.0	-	-	0.0	-	0.0
73.0	80.0	-	-	2.8	-	0.0	0.0	-	-	0.0	-	-
77.0	65.0	-	-	2.7	-	0.0	0.0	-	-	-	-	-
77.0	80.0	-	-	2.8	-	0.0	0.0	-	-	0.0	-	0.0
80.0	80.0	0.0	-	3.4	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	55.0	-	-	0.0	0.0	0.0	0.0	0.0	0.0	3.8	-	0.0
87.0	35.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	2.5
87.0	55.0	-	-	3.1	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0

TABLE 4. (cont.)

Pleuronichthys ritteri

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
93.0	30.0	2.9	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
117.0	25.0	0.0	0.0	0.0	0.0	-	1.4	0.0	0.0	0.0	-	0.0
117.0	30.0	2.8	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
120.0	25.0	0.0	0.0	0.0	0.0	-	0.0	2.7	0.0	0.0	2.6	0.0
120.0	40.0	0.0	1.4	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
123.0	37.0	0.0	-	0.0	0.0	-	0.0	3.0	0.0	0.0	0.0	0.0
130.0	28.0	-	-	0.0	0.0	-	0.0	0.0	-	2.3	-	0.0

Pleuronichthys verticalis

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
67.0	48.0	0.0	-	3.1	-	5.8	-	-	-	0.0	-	0.0
73.0	50.0	0.0	-	0.0	-	0.0	0.0	-	-	3.0	-	0.0
77.0	48.0	0.0	-	2.1	-	2.5	0.0	-	-	0.0	-	0.0
80.0	51.0	-	-	0.0	0.0	0.0	0.0	0.0	0.0	3.5	-	0.0
80.0	55.0	0.0	-	0.0	0.0	0.0	0.0	6.4	0.0	0.0	-	0.0
80.0	60.0	0.0	-	0.0	0.0	0.0	3.3	0.0	3.2	0.0	-	0.0
82.0	47.0	0.0	-	0.0	0.0	5.7	0.0	0.0	0.0	0.0	-	0.0
83.0	40.0	0.5	-	2.2	0.9	13.5	-	0.0	0.0	0.0	-	0.0
83.0	43.0	0.0	-	0.0	0.0	10.7	0.0	0.0	0.0	0.0	-	0.0
87.0	33.0	3.4	-	0.0	0.0	0.0	17.3	11.4	0.0	0.0	-	0.0
87.0	35.0	0.0	-	0.0	0.0	8.1	0.0	3.4	0.0	3.2	-	0.0
87.0	55.0	0.0	-	0.0	0.0	0.0	3.5	0.0	0.0	0.0	-	0.0
90.0	28.0	0.0	2.6	-	0.0	8.3	0.0	0.0	0.0	0.0	-	0.0
90.0	32.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.4	-	0.0
93.0	27.0	0.0	0.0	-	3.2	0.0	0.0	7.2	0.0	0.0	-	0.0
97.0	29.0	1.4	-	0.0	1.6	102.1	0.0	2.2	0.0	0.0	-	0.0
97.0	30.0	0.0	-	2.2	2.7	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	32.0	0.0	0.0	-	-	0.0	0.0	-	-	0.0	-	0.0
100.0	29.0	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	30.0	3.0	-	2.9	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
103.0	29.0	1.0	-	0.0	1.3	0.0	2.4	0.0	0.0	0.0	-	0.0
103.0	30.0	0.0	-	0.0	2.5	-	0.0	0.0	0.0	0.0	-	1.9
107.0	31.0	24.0	-	11.5	10.3	-	4.4	4.0	2.5	0.0	-	0.0
107.0	32.0	5.1	-	3.2	9.9	-	6.0	0.0	0.0	0.0	-	0.0
110.0	32.0	-	0.0	0.0	4.3	-	0.0	0.0	0.0	3.7	-	2.2
110.0	35.0	-	0.0	3.1	0.0	-	0.0	0.0	0.0	0.0	0.0	1.7
113.0	29.0	-	0.0	0.0	0.0	-	6.4	2.3	0.0	0.0	-	0.0
113.0	30.0	-	0.0	0.0	0.0	-	4.5	13.0	0.0	0.0	0.0	0.0
117.0	25.0	-	0.0	0.0	0.0	-	2.8	8.0	0.0	0.0	0.0	0.0
117.0	26.0	-	0.0	0.0	0.0	-	3.0	12.6	0.0	0.0	0.0	0.0
117.0	30.0	-	0.0	18.8	0.0	-	7.8	0.0	0.0	0.0	0.0	0.0
117.0	45.0	0.0	0.0	3.3	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
119.0	33.0	-	0.0	0.0	3.0	-	0.0	0.0	0.0	0.0	-	0.0
120.0	24.0	-	0.0	11.3	0.0	-	0.0	0.0	0.0	0.0	-	0.0

TABLE 4. (cont.)

Pleuronichthys verticalis (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
120.0	25.0	0.0	0.0	2.8	0.0	—	0.0	5.3	0.0	0.0	0.0	0.0
120.0	30.0	0.0	0.0	0.0	0.0	—	0.0	3.1	0.0	0.0	0.0	0.0
120.0	40.0	0.0	0.0	0.0	0.0	—	1.6	0.0	0.0	0.0	0.0	0.0
120.0	45.0	0.0	0.0	0.0	0.0	—	2.8	2.9	—	0.0	0.0	0.0
123.0	36.0	0.0	—	0.0	0.0	—	0.0	—	—	0.0	—	0.0
130.0	28.0	0.0	—	0.0	0.0	—	0.0	8.9	—	0.0	—	0.0
130.0	30.0	0.0	—	0.0	0.0	—	0.0	0.0	—	0.0	0.0	7.4

Psettichthys melanostictus

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	50.0	—	—	0.0	—	0.0	0.0	—	—	2.3	—	0.0
60.0	52.0	0.0	—	0.0	—	3.2	0.0	—	—	0.0	—	0.0
63.0	50.0	0.0	—	0.0	—	0.0	0.0	—	—	2.0	—	0.0
63.0	52.0	0.0	—	19.1	—	0.0	0.0	—	—	0.0	—	0.0
67.0	48.0	—	—	0.0	—	8.7	—	—	—	0.0	—	0.0
67.0	50.0	0.0	—	26.0	—	0.0	0.0	—	—	0.0	—	0.0
77.0	48.0	0.0	—	1.0	—	0.0	2.2	—	—	0.0	—	0.0

Symphurus spp.

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
67.0	48.0	0.0	—	0.0	—	0.0	—	—	—	0.0	—	2.5
70.0	51.0	0.0	—	0.0	—	0.0	0.0	—	—	0.0	—	5.5
73.0	53.0	0.0	—	0.0	—	0.0	0.0	—	—	2.7	—	0.0
73.0	60.0	0.0	—	0.0	—	0.0	0.0	—	—	6.0	—	0.0
80.0	52.0	—	—	0.0	0.0	0.0	0.0	0.0	17.1	0.0	—	0.0
80.0	55.0	0.0	—	0.0	0.0	0.0	0.0	0.0	9.4	3.7	—	0.0
80.0	60.0	0.0	—	0.0	0.0	0.0	0.0	0.0	6.4	0.0	—	3.0
80.0	65.0	0.0	—	0.0	0.0	0.0	0.0	0.0	0.0	0.0	—	3.0
82.0	47.0	0.0	—	0.0	0.0	0.0	0.0	0.0	3.2	3.2	—	0.0
83.0	40.0	0.0	—	0.0	0.0	0.0	—	0.0	0.0	5.2	—	0.0
83.0	43.0	0.0	—	0.0	0.0	2.7	0.0	16.1	0.0	0.0	—	0.0
83.0	51.0	0.0	—	0.0	0.0	0.0	0.0	3.5	16.1	0.0	—	0.0
83.0	55.0	0.0	—	0.0	0.0	0.0	0.0	3.5	2.8	0.0	—	0.0
83.0	65.0	0.0	—	0.0	0.0	0.0	0.0	0.0	6.5	0.0	—	0.0
83.0	70.0	0.0	—	0.0	0.0	0.0	0.0	0.0	3.0	0.0	—	0.0
87.0	33.0	0.0	—	—	0.0	0.0	0.0	2.9	0.0	0.0	—	0.0
87.0	35.0	0.0	—	0.0	0.0	0.0	0.0	6.8	69.5	0.0	—	0.0
87.0	45.0	0.0	—	0.0	0.0	0.0	0.0	2.8	0.0	0.0	—	0.0
87.0	55.0	0.0	—	0.0	0.0	0.0	7.1	0.0	0.0	0.0	—	0.0
87.0	65.0	0.0	—	0.0	0.0	0.0	0.0	0.0	3.1	0.0	—	0.0
90.0	28.0	0.0	0.0	—	0.0	0.0	0.0	21.2	0.0	0.0	—	0.0
90.0	30.0	—	—	—	0.0	—	—	7.4	—	—	—	—

TABLE 4. (cont.)

Symphurus spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
90.0	32.0	0.0	0.0	-	0.0	0.0	3.3	0.0	2.9	0.0	-	3.2
90.0	37.0	0.0	0.0	-	0.0	0.0	3.3	0.0	16.4	3.3	-	0.0
90.0	70.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.1	0.0	-	0.0
93.0	27.0	0.0	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	3.1
93.0	28.0	0.0	0.0	-	0.0	0.0	3.1	0.0	0.0	0.0	-	0.0
93.0	30.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.0	-	0.0
93.0	35.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	3.0
93.0	65.0	0.0	0.0	-	0.0	0.0	3.1	0.0	0.0	0.0	-	0.0
93.0	29.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	-	0.0
97.0	30.0	0.0	-	0.0	0.0	0.0	0.0	8.1	0.0	0.0	-	0.0
97.0	35.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	7.0	0.0	0.0
97.0	40.0	0.0	0.0	-	0.0	0.0	0.0	0.0	3.4	0.0	-	0.0
97.0	45.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0
97.0	65.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0
100.0	35.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.5	0.0	0.0
100.0	40.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	6.9	-	0.0
100.0	45.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0
100.0	60.0	0.0	-	0.0	0.0	0.0	0.0	3.1	0.0	0.0	-	0.0
103.0	45.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	0.0
107.0	32.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	3.3	-	0.0
107.0	40.0	0.0	-	0.0	0.0	-	0.0	6.1	3.0	3.2	-	0.0
107.0	45.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	3.3	0.0	0.0
110.0	32.0	0.0	0.0	0.0	0.0	-	0.0	2.6	0.0	0.0	-	0.0
110.0	35.0	0.0	0.0	0.0	0.0	-	0.0	0.0	9.6	0.0	0.0	0.0
110.0	35.0	0.0	0.0	0.0	0.0	-	0.0	20.9	3.4	0.0	0.0	0.0
113.0	30.0	0.0	0.0	0.0	0.0	-	0.0	3.1	0.0	0.0	0.0	0.0
113.0	35.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.0	0.0	0.0	0.0
113.0	45.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.0	0.0	0.0	0.0
113.0	50.0	0.0	0.0	0.0	0.0	-	8.9	10.1	3.1	0.0	0.0	0.0
117.0	26.0	0.0	0.0	0.0	0.0	-	7.8	11.2	3.0	0.0	0.0	0.0
117.0	30.0	0.0	0.0	0.0	0.0	-	0.0	27.6	0.0	2.5	0.0	0.0
117.0	35.0	0.0	0.0	0.0	0.0	-	0.0	11.2	3.3	0.0	-	0.0
117.0	40.0	0.0	0.0	0.0	0.0	-	0.0	38.9	0.0	0.0	-	0.0
117.0	50.0	0.0	0.0	0.0	0.0	-	0.0	3.0	2.9	0.0	-	0.0
117.0	55.0	0.0	0.0	0.0	0.0	-	0.0	11.2	3.1	0.0	-	0.0
118.0	39.0	0.0	-	0.0	0.0	-	27.8	11.2	3.1	0.0	-	0.0
119.0	33.0	0.0	0.0	0.0	0.0	-	37.2	37.8	0.0	0.0	0.0	0.0
120.0	24.0	0.0	0.0	0.0	0.0	-	0.0	18.5	0.0	0.0	0.0	0.0
120.0	25.0	0.0	0.0	0.0	0.0	-	1.9	40.1	0.0	0.0	2.6	0.0
120.0	30.0	0.0	0.0	0.0	0.0	-	4.2	9.4	0.0	0.0	0.0	0.0
120.0	35.0	0.0	0.0	0.0	0.0	-	11.1	15.0	3.1	0.0	0.0	0.0
120.0	40.0	0.0	0.0	0.0	0.0	-	8.0	10.3	0.0	2.0	-	0.0
120.0	45.0	0.0	0.0	0.0	0.0	-	0.0	5.7	-	9.9	0.0	0.0
120.0	50.0	0.0	0.0	0.0	0.0	-	0.0	5.7	-	0.0	-	0.0
120.0	55.0	0.0	0.0	0.0	0.0	-	0.0	51.2	-	0.0	-	0.0
120.0	60.0	0.0	0.0	0.0	0.0	-	0.0	6.5	-	-	-	0.0
123.0	37.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	3.0	0.0

TABLE 4. (cont.)

Symphurus spp. (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
123.0	40.0	0.0	-	-	0.0	-	-	3.2	-	-	0.0	-
123.0	45.0	9.3	-	0.0	0.0	-	0.0	3.2	-	0.0	-	0.0
127.0	33.0	0.0	-	0.0	0.0	-	0.0	0.0	-	10.7	-	0.0
127.0	34.0	2.8	-	0.0	0.0	-	0.0	0.0	-	5.5	-	0.0
127.0	40.0	5.1	-	0.0	0.0	-	3.0	5.9	-	0.0	5.9	0.0
127.0	60.0	0.0	-	0.0	0.0	-	2.7	0.0	-	0.0	0.0	0.0
130.0	28.0	0.0	-	0.0	0.0	-	0.0	35.4	-	0.0	0.0	0.0
130.0	30.0	0.0	-	0.0	0.0	-	0.0	43.2	-	26.8	3.8	0.0
130.0	35.0	0.0	-	0.0	0.0	-	0.0	0.0	-	2.6	9.8	0.0
130.0	40.0	0.0	-	0.0	0.0	-	0.0	0.0	-	7.2	9.3	0.0
130.0	50.0	0.0	-	0.0	0.0	-	0.0	0.0	-	5.9	0.0	0.0
130.0	60.0	0.0	-	0.0	0.0	-	0.0	0.0	-	8.4	0.0	0.0
131.5	37.5	-	-	-	-	-	-	16.9	-	-	19.0	-
133.0	23.0	0.0	-	0.0	0.0	-	0.0	0.0	-	4.7	0.0	0.0
133.0	25.0	0.0	-	0.0	0.0	-	0.0	0.0	-	32.8	5.7	0.0
133.0	30.0	0.0	-	0.0	0.0	-	0.0	9.4	-	0.0	0.0	0.0
133.0	35.0	0.0	-	0.0	0.0	-	0.0	7.0	-	0.0	-	0.0
133.0	35.0	0.0	-	0.0	0.0	-	0.0	0.0	-	15.9	-	2.0
137.0	22.0	0.0	-	0.0	0.0	-	0.0	0.0	-	2.1	2.8	2.1
137.0	30.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
137.0	35.0	0.0	-	0.0	0.0	-	0.0	6.2	-	0.0	0.0	0.0
143.0	26.0	0.0	-	0.0	-	-	-	-	-	-	7.5	-
143.0	30.0	-	-	-	-	-	-	-	-	-	2.9	-
150.0	19.0	-	-	-	-	-	-	-	-	-	2.3	-

Disintegrated fish larva

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	50.0	10.1	-	0.0	-	0.0	0.0	-	-	0.0	-	2.4
60.0	52.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	2.5
60.0	55.0	0.0	-	0.0	-	0.0	0.0	-	-	3.0	-	0.0
60.0	60.0	0.0	-	2.9	-	0.0	0.0	-	-	0.0	-	0.0
60.0	65.0	0.0	-	3.0	-	6.5	-	-	-	-	-	-
60.0	70.0	0.0	-	3.0	-	0.0	0.0	-	-	0.0	-	0.0
60.0	80.0	0.0	-	-	-	3.0	0.0	-	-	0.0	-	0.0
60.0	90.0	0.0	-	-	-	0.0	3.6	-	-	0.0	-	0.0
63.0	50.0	1.5	-	0.0	-	0.0	1.2	-	-	0.0	-	4.3
63.0	52.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	7.3
63.0	55.0	2.5	-	3.0	-	3.3	0.0	-	-	0.0	-	0.0
63.0	60.0	0.0	-	6.4	-	3.2	0.0	-	-	0.0	-	3.1
63.0	65.0	-	-	17.5	-	0.0	-	-	-	-	-	-
67.0	48.0	0.0	-	0.0	-	0.0	-	-	-	0.0	-	5.0
67.0	50.0	0.0	-	17.3	-	0.0	0.0	-	-	0.0	-	0.0
67.0	60.0	0.0	-	3.0	-	0.0	0.0	-	-	-	-	0.0
67.0	65.0	-	-	6.0	-	0.0	-	-	-	-	-	-

TABLE 4. (cont.)

Disintegrated fish larva (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
67.0	70.0	-	-	0.0	-	0.0	3.0	-	-	0.0	-	0.0
70.0	53.0	-	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
70.0	60.0	4.0	-	0.0	-	0.0	0.0	-	-	-	-	-
70.0	65.0	0.0	-	2.9	-	0.0	-	-	-	-	-	-
70.0	70.0	0.0	-	5.0	-	0.0	6.2	-	-	0.0	-	3.0
70.0	80.0	0.0	-	0.0	-	0.0	3.3	-	-	0.0	-	2.9
70.0	90.0	0.0	-	-	-	3.0	0.0	-	-	0.0	-	0.0
73.0	50.0	0.0	-	0.0	-	2.7	0.0	-	-	0.0	-	3.0
73.0	53.0	10.7	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
73.0	70.0	-	-	2.8	-	0.0	0.0	-	-	0.0	-	0.0
77.0	51.0	-	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
77.0	55.0	0.0	-	5.0	-	10.5	0.0	-	-	0.0	-	0.0
77.0	70.0	-	-	2.7	-	0.0	0.0	-	-	0.0	-	0.0
77.0	90.0	-	-	0.0	-	3.1	0.0	-	-	0.0	-	-
80.0	51.0	-	-	0.0	-	3.2	0.0	-	-	0.0	-	0.0
80.0	52.0	8.1	-	3.0	-	0.0	0.0	1.8	0.0	3.4	-	0.0
80.0	55.0	0.0	-	6.7	-	0.0	0.0	0.0	0.0	3.7	-	0.0
80.0	60.0	1.7	-	0.0	-	2.8	0.0	0.0	0.0	0.0	-	0.0
80.0	65.0	1.7	-	2.4	-	0.0	3.1	0.0	0.0	0.0	-	0.0
80.0	70.0	1.9	-	5.4	-	2.9	0.0	0.0	0.0	0.0	-	0.0
80.0	80.0	0.0	-	0.0	-	8.6	0.0	0.0	0.0	0.0	-	0.0
82.0	47.0	1.6	-	6.1	-	5.5	0.0	0.0	0.0	3.2	-	0.0
83.0	40.0	0.7	-	1.5	-	1.4	-	0.0	0.0	0.0	-	0.0
83.0	43.0	1.6	-	0.0	-	5.4	0.0	1.2	0.0	3.1	-	0.0
83.0	51.0	0.0	-	0.0	-	3.0	0.0	9.7	0.0	0.0	-	0.0
83.0	55.0	0.0	-	0.0	-	0.0	0.0	0.0	8.3	0.0	-	0.0
83.0	60.0	3.1	-	0.0	-	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	65.0	0.0	-	6.0	-	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	80.0	0.0	-	0.0	-	0.0	0.0	0.0	0.0	0.0	-	0.0
83.0	90.0	0.0	-	2.9	-	0.0	3.2	0.0	0.0	0.0	-	0.0
87.0	33.0	1.7	-	5.9	-	0.0	0.0	8.6	0.0	0.0	-	0.0
87.0	35.0	0.0	-	0.0	-	0.0	3.1	0.0	0.0	3.2	-	0.0
87.0	40.0	0.0	-	0.0	-	0.0	0.0	2.9	0.0	0.0	-	0.0
87.0	45.0	1.7	-	2.8	-	0.0	0.0	0.0	3.3	0.0	-	0.0
87.0	50.0	7.6	-	0.0	-	0.0	0.0	3.1	0.0	0.0	-	0.0
87.0	55.0	2.3	-	0.0	-	0.0	3.5	0.0	3.3	0.0	-	0.0
87.0	60.0	7.7	-	0.0	-	0.0	3.2	0.0	0.0	0.0	-	0.0
87.0	65.0	0.0	-	0.0	-	2.9	0.0	0.0	0.0	0.0	-	0.0
87.0	70.0	0.0	-	0.0	-	3.0	6.1	0.0	0.0	0.0	-	0.0
87.0	80.0	0.0	-	-	-	3.0	0.0	0.0	0.0	0.0	-	0.0
90.0	28.0	10.6	-	-	-	2.6	0.0	24.8	3.0	0.0	-	6.6
90.0	32.0	6.3	-	-	-	3.3	3.3	0.0	6.8	0.0	-	3.2
90.0	37.0	6.5	-	-	-	0.0	0.0	0.0	0.0	10.0	-	0.0
90.0	45.0	3.5	-	-	-	0.0	0.0	0.0	3.2	0.0	-	0.0
90.0	50.0	3.3	-	-	-	0.0	0.0	0.0	9.5	0.0	-	0.0
90.0	53.0	-	-	-	-	17.3	0.0	0.0	-	0.0	-	3.2

TABLE 4. (cont.)

Disintegrated fish larva (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
90.0	55.0	0.0	-	-	0.0	5.7	-	3.2	0.0	-	-	-
90.0	60.0	0.0	0.0	-	7.3	-	0.0	0.0	6.5	0.0	-	0.0
90.0	65.0	0.0	0.0	-	3.4	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	70.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	-	-	3.3
90.0	80.0	6.0	0.0	-	10.5	0.0	0.0	0.0	0.0	0.0	-	0.0
90.0	90.0	0.0	0.0	-	0.0	2.9	3.0	0.0	3.1	0.0	-	0.0
90.0	110.0	-	-	-	-	-	-	-	-	0.0	-	3.1
90.0	120.0	-	-	-	-	-	-	-	-	0.0	-	3.2
93.0	27.0	12.4	-	-	16.2	2.7	0.0	0.0	0.0	0.0	-	0.0
93.0	28.0	5.1	0.0	-	16.5	0.0	6.2	0.0	0.0	0.0	-	0.0
93.0	30.0	0.0	12.8	-	1.5	2.9	6.3	0.0	0.0	0.0	-	0.0
93.0	35.0	2.2	0.0	-	3.3	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	40.0	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	-	0.0
93.0	45.0	0.0	0.0	-	0.0	0.0	0.0	6.6	0.0	0.0	-	0.0
93.0	55.0	0.0	0.0	-	3.6	0.0	0.0	0.0	3.2	0.0	-	0.0
93.0	60.0	0.0	0.0	-	1.7	0.0	0.0	6.4	0.0	0.0	-	0.0
93.0	65.0	0.0	0.0	-	3.3	2.7	0.0	0.0	0.0	0.0	-	0.0
93.0	70.0	0.0	2.7	-	0.0	0.0	0.0	0.0	0.0	-	-	0.0
93.0	80.0	0.0	0.0	-	0.0	3.1	3.2	0.0	3.2	0.0	-	0.0
93.0	90.0	0.0	0.0	-	0.0	8.3	3.0	-	-	0.0	-	0.0
93.0	110.0	-	-	-	0.0	-	-	-	-	3.1	-	0.0
93.0	120.0	-	-	-	-	-	-	-	-	3.1	-	0.0
97.0	29.0	-	-	-	-	8.3	-	4.5	0.0	0.0	-	2.6
97.0	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	32.0	0.0	4.2	-	10.7	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	35.0	0.0	2.9	-	-	-	5.4	9.2	3.3	0.0	0.0	0.0
97.0	40.0	0.0	0.0	-	3.3	3.0	3.6	3.1	0.0	0.0	0.0	0.0
97.0	45.0	0.0	0.0	-	0.0	0.0	0.0	0.0	6.5	0.0	0.0	2.5
97.0	50.0	0.0	0.0	-	0.0	2.9	0.0	0.0	0.0	2.0	-	0.0
97.0	55.0	0.0	3.1	-	0.0	3.3	3.5	0.0	3.0	0.0	-	0.0
97.0	60.0	0.0	0.0	-	0.0	0.0	0.0	3.0	3.3	0.0	-	0.0
97.0	65.0	0.0	0.0	-	0.0	3.0	0.0	8.8	0.0	0.0	-	0.0
97.0	70.0	0.0	0.0	-	0.0	0.0	3.1	0.0	3.2	2.3	-	5.4
97.0	80.0	0.0	0.0	-	0.0	8.7	12.3	0.0	2.9	0.0	-	0.0
97.0	90.0	0.0	0.0	-	0.0	0.0	2.0	0.0	-	-	-	-
100.0	29.0	0.0	-	0.0	2.9	0.0	2.4	0.0	0.0	0.0	-	2.9
100.0	30.0	0.0	-	0.0	3.0	0.0	0.0	2.8	0.0	0.0	-	2.7
100.0	35.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0
100.0	40.0	0.0	-	0.0	0.0	6.1	0.0	2.9	0.0	0.0	0.0	0.0
100.0	45.0	0.0	-	3.7	0.0	0.0	0.0	0.0	0.0	11.3	0.0	0.0
100.0	50.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	2.8
100.0	55.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.0	0.0	-	2.3
100.0	60.0	0.0	-	3.5	0.0	0.0	0.0	3.1	0.0	0.0	-	0.0
100.0	65.0	8.7	-	0.0	0.0	0.0	0.0	0.0	3.1	11.7	-	0.0
100.0	70.0	28.1	-	0.0	0.0	0.0	0.0	2.8	0.0	0.0	-	0.0

TABLE 4. (cont.)

Disintegrated fish larva (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
100-0	80.0	0.0	6.2	0.0	0.0	3.2	0.0	-	-	8.4	-	0.0
100-0	90.0	0.0	-	0.0	0.0	3.4	0.0	-	-	-	-	-
100-0	100.0	0.0	-	-	-	-	0.0	12.6	0.0	0.0	-	1.1
103-0	29.0	1.1	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
103-0	30.0	10.2	-	0.0	7.6	-	5.5	0.0	0.0	0.0	0.0	0.0
103-0	35.0	0.0	-	0.0	0.0	-	6.5	0.0	0.0	0.0	0.0	0.0
103-0	40.0	0.0	-	0.0	0.0	-	1.7	0.0	3.3	0.0	0.0	0.0
103-0	45.0	0.0	-	3.0	0.0	-	3.3	0.0	0.0	0.0	0.0	0.0
103-0	50.0	0.0	-	0.0	0.0	5.7	0.0	3.2	9.4	0.0	0.0	0.0
103-0	55.0	0.0	-	0.0	3.4	3.5	0.0	15.8	0.0	0.0	-	0.0
103-0	60.0	0.0	-	0.0	0.0	6.5	0.0	0.0	0.0	0.0	-	0.0
103-0	65.0	0.0	-	0.0	0.0	3.2	5.1	0.0	3.2	0.0	-	0.0
103-0	70.0	0.0	-	0.0	0.0	0.0	0.0	9.1	3.1	0.0	-	0.0
103-0	75.0	5.9	-	0.0	0.0	6.4	0.0	-	-	-	-	5.4
103-0	80.0	6.1	-	9.7	3.2	3.2	-	-	-	-	-	-
107-0	31.0	0.0	-	5.7	0.0	-	0.0	0.0	0.0	0.0	-	2.5
107-0	32.0	3.3	-	0.0	0.0	-	3.0	0.0	0.0	0.0	-	0.0
107-0	35.0	0.0	-	3.4	0.0	-	3.2	0.0	0.0	0.0	0.0	0.0
107-0	40.0	0.0	-	0.0	0.0	-	0.0	6.1	0.0	0.0	0.0	0.0
107-0	45.0	0.0	-	3.6	6.6	-	0.0	3.2	0.0	0.0	0.0	0.0
107-0	50.0	0.0	-	3.4	0.0	-	0.0	13.4	0.0	0.0	0.0	3.8
107-0	55.0	0.0	-	0.0	0.0	-	0.0	2.7	0.0	7.6	-	2.1
107-0	60.0	0.0	-	0.0	0.0	-	0.0	0.0	3.0	0.0	-	0.0
107-0	65.0	0.0	3.3	3.9	0.0	-	0.0	11.9	15.5	10.9	-	0.0
107-0	70.0	-	0.0	0.0	0.0	-	0.0	0.0	6.2	6.6	-	0.0
107-0	75.0	-	-	0.0	3.0	-	-	-	-	-	-	-
110-0	32.0	0.0	2.1	3.4	0.0	-	0.0	0.0	2.2	0.0	-	2.2
110-0	35.0	5.9	0.0	0.0	6.8	-	0.0	0.0	12.8	0.0	3.2	0.0
110-0	40.0	0.0	0.0	0.0	0.0	-	-	0.0	6.5	0.0	-	0.0
110-0	45.0	0.0	2.9	0.0	0.0	-	3.2	0.0	9.9	0.0	0.0	0.0
110-0	50.0	0.0	0.0	3.2	0.0	-	2.6	0.0	0.0	0.0	-	0.0
110-0	55.0	0.0	0.0	0.0	3.5	-	12.7	6.0	0.0	0.0	-	0.0
110-0	60.0	3.0	0.0	0.0	0.0	-	14.9	6.4	3.1	3.1	-	0.0
110-0	65.0	2.8	3.2	0.0	9.6	-	2.9	16.0	6.0	0.0	-	0.0
110-0	70.0	0.0	0.0	0.0	3.1	-	0.0	0.0	0.0	0.0	-	0.0
110-0	75.0	0.0	0.0	0.0	0.0	-	0.0	-	-	-	-	0.0
113-0	29.0	3.1	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
113-0	30.0	0.0	3.3	0.0	0.0	-	4.5	2.6	0.0	0.0	0.0	0.0
113-0	35.0	3.1	3.2	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
113-0	45.0	0.0	0.0	0.0	20.5	-	0.0	3.2	6.1	0.0	0.0	0.0
113-0	50.0	0.0	0.0	0.0	0.0	-	0.0	12.6	0.0	0.0	-	0.0
113-0	55.0	0.0	3.3	0.0	0.0	-	0.0	0.0	0.0	6.4	-	0.0
113-0	60.0	0.0	3.3	0.0	-	-	9.8	6.0	0.0	0.0	-	0.0
113-0	65.0	0.0	3.3	0.0	3.4	-	0.0	6.0	0.0	0.0	-	0.0
113-0	70.0	3.0	0.0	0.0	0.0	-	6.3	0.6	6.4	6.0	-	0.0
113-0	80.0	8.2	-	0.0	0.0	-	0.0	-	-	-	-	0.0

TABLE 4. (cont.)

Disintegrated fish larva (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
117.0	25.0	0.0	0.0	2.4	0.0	-	1.4	0.0	5.2	0.0	-	0.0
117.0	26.0	0.0	2.8	6.4	0.0	-	0.0	0.0	0.0	0.0	0.0	11.7
117.0	30.0	0.0	2.7	3.8	3.0	-	13.0	0.0	3.0	0.0	0.0	0.0
117.0	35.0	2.8	13.4	0.0	0.0	-	12.8	3.1	0.0	0.0	0.0	0.0
117.0	40.0	0.0	10.4	0.0	3.2	-	3.3	0.0	3.3	0.0	0.0	0.0
117.0	45.0	3.2	0.0	0.0	0.0	-	0.0	0.0	3.2	0.0	0.0	0.0
117.0	50.0	0.0	0.0	0.0	11.4	-	0.0	3.2	2.9	0.0	-	0.0
117.0	55.0	0.0	0.0	0.0	6.5	-	0.0	3.0	2.9	0.0	-	5.5
117.0	60.0	0.0	0.0	0.0	3.3	-	0.0	6.6	5.9	0.0	-	0.0
117.0	65.0	0.0	12.5	0.0	0.0	-	0.0	0.0	0.0	0.0	-	0.0
117.0	70.0	0.0	0.0	0.0	0.0	-	0.0	8.9	0.0	3.1	-	0.0
117.0	80.0	0.0	0.0	0.0	6.1	-	0.0	0.0	0.0	0.0	-	5.6
118.0	39.0	-	-	8.7	3.3	-	3.1	0.0	0.0	0.0	-	2.6
119.0	33.0	-	0.0	7.2	14.8	-	0.0	2.9	0.0	0.0	0.0	2.7
120.0	24.0	0.0	0.0	0.0	1.6	-	0.0	2.3	0.0	0.0	0.0	0.0
120.0	25.0	0.0	0.0	0.0	0.0	-	0.0	10.7	0.0	2.6	0.0	0.0
120.0	30.0	5.4	0.0	6.4	0.0	-	4.2	0.0	0.0	0.0	5.2	0.0
120.0	35.0	0.0	10.0	0.0	0.0	-	8.3	2.5	0.0	0.0	0.0	0.0
120.0	40.0	2.0	0.0	0.0	0.0	-	1.6	2.1	0.0	4.0	0.0	0.0
120.0	45.0	0.0	0.0	3.2	3.7	-	0.0	0.0	-	0.0	0.0	0.0
120.0	50.0	3.0	0.0	0.0	8.9	-	3.2	2.9	-	3.2	0.0	2.8
120.0	55.0	0.0	0.0	0.0	3.5	-	5.2	0.0	-	0.0	-	0.0
120.0	60.0	0.0	2.9	0.0	0.0	-	0.0	0.0	-	12.6	-	3.1
120.0	65.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	-	5.3
120.0	70.0	6.0	-	5.7	3.4	-	0.0	0.0	-	0.0	-	0.0
120.0	80.0	2.9	-	0.0	0.0	-	0.0	-	-	0.0	-	0.0
123.0	36.0	0.0	-	1.7	0.0	-	0.0	5.7	-	1.9	0.0	0.0
123.0	37.0	-	-	2.5	0.0	-	0.0	0.0	-	0.0	0.0	0.0
123.0	40.0	0.0	-	-	6.7	-	0.0	0.0	-	-	0.0	-
123.0	42.0	-	-	0.0	-	-	2.6	-	-	0.0	-	0.0
123.0	45.0	6.2	-	0.0	6.8	-	0.0	0.0	-	0.0	-	0.0
123.0	50.0	0.0	-	6.9	3.4	-	6.2	0.0	-	12.0	0.0	0.0
123.0	55.0	0.0	-	0.0	6.5	-	0.0	0.0	-	6.2	0.0	0.0
123.0	60.0	3.0	-	0.0	6.6	-	0.0	0.0	-	2.9	0.0	0.0
127.0	33.0	0.0	-	0.0	0.0	-	0.0	2.6	-	0.0	0.0	0.0
127.0	34.0	0.0	-	0.0	9.8	-	0.0	8.0	-	0.0	3.3	2.6
127.0	40.0	0.0	-	3.7	0.0	-	0.0	0.0	-	0.0	0.0	0.0
127.0	45.0	0.0	-	0.0	0.0	-	3.1	0.0	-	0.0	0.0	0.0
127.0	50.0	2.6	-	0.0	0.0	-	3.2	6.3	-	0.0	0.0	0.0
127.0	55.0	3.1	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
127.0	60.0	0.0	-	12.0	10.9	-	0.0	0.0	-	0.0	3.2	0.0
127.0	65.0	0.0	-	-	0.0	-	0.0	-	-	0.0	-	0.0
130.0	28.0	-	-	0.0	1.8	-	2.8	-	-	6.9	-	6.2
130.0	30.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	3.8	2.5
130.0	35.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	6.6
130.0	40.0	5.6	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0

TABLE 4. (cont.)

Disintegrated fish larva (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
130.0	45.0	8.3	-	0.0	40.8	-	0.0	0.0	-	5.9	-	0.0
130.0	50.0	6.4	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
130.0	55.0	3.2	-	0.0	7.0	-	0.0	0.0	-	0.0	-	0.0
130.0	60.0	0.0	-	7.3	0.0	-	14.1	0.0	-	0.0	0.0	0.0
130.0	65.0	-	-	-	0.0	-	2.9	-	-	-	-	-
130.0	90.0	0.0	-	-	-	-	2.6	-	-	-	-	-
133.0	23.0	0.0	-	0.0	0.0	-	0.0	11.2	-	7.0	-	2.3
133.0	25.0	0.0	-	0.0	0.0	-	2.8	3.2	-	0.0	8.6	0.0
133.0	30.0	0.0	-	0.0	0.0	-	5.3	25.0	-	2.8	0.0	0.0
133.0	35.0	0.0	-	7.0	3.3	-	0.0	7.0	-	0.0	0.0	0.0
133.0	40.0	3.1	-	0.0	0.0	-	0.0	50.4	-	0.0	0.0	0.0
133.0	45.0	20.5	-	0.0	0.0	-	0.0	0.0	-	0.0	-	-
133.0	50.0	0.0	-	0.0	0.0	-	0.0	3.2	-	0.0	3.0	-
133.0	55.0	0.0	-	0.0	0.0	-	0.0	3.2	-	2.6	-	-
133.0	60.0	0.0	-	0.0	0.0	-	8.8	0.0	-	5.3	0.0	-
137.0	22.0	21.4	-	0.0	0.0	-	4.2	2.8	-	4.5	-	0.0
137.0	23.0	0.0	-	0.0	0.0	-	0.0	84.3	-	4.2	2.8	0.0
137.0	30.0	9.6	-	0.0	0.0	-	0.0	24.7	-	0.0	0.0	2.7
137.0	35.0	13.8	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
137.0	40.0	14.9	-	0.0	0.0	-	0.0	3.0	-	2.6	0.0	0.0
137.0	45.0	0.0	-	3.5	0.0	-	-	0.0	-	0.0	-	-
137.0	50.0	0.0	-	3.6	6.5	-	2.9	6.1	-	0.0	0.0	-
137.0	55.0	0.0	-	0.0	0.0	-	0.0	0.0	-	2.9	-	-
140.0	30.0	-	-	-	-	-	-	-	-	-	2.8	-
143.0	30.0	-	-	-	-	-	-	-	-	-	2.9	-
147.0	30.0	-	-	-	-	-	-	-	-	-	3.1	-
147.0	60.0	-	-	-	-	-	-	-	-	-	6.1	-
153.0	20.0	-	-	-	-	-	-	-	-	-	8.9	-

Unidentified fish larva

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
60.0	50.0	2.9	-	2.8	-	0.0	0.0	-	-	0.0	-	24.4
60.0	52.0	2.6	-	5.1	-	0.0	0.0	-	-	0.0	-	0.0
60.0	55.0	2.8	-	0.0	-	0.0	0.0	-	-	44.7	-	0.0
60.0	60.0	0.0	-	0.0	-	0.0	3.2	-	-	0.0	-	5.5
60.0	70.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	4.3
63.0	50.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
63.0	52.0	0.0	-	4.8	-	2.8	0.0	-	-	2.9	-	0.0
63.0	60.0	0.0	-	0.0	-	0.0	3.3	-	-	0.0	-	0.0
63.0	70.0	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
67.0	48.0	0.0	-	0.0	-	0.0	-	-	-	2.5	-	3.1
67.0	50.0	0.0	-	2.9	-	0.0	0.0	-	-	0.0	-	0.0
67.0	55.0	2.9	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
67.0	60.0	0.0	-	0.0	-	3.1	0.0	-	-	-	-	3.0

TABLE 4. (cont.)

Unidentified fish larva (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
67-0	65.0	-	-	3.0	-	0.0	-	-	-	-	-	2.9
67-0	70.0	-	-	0.0	-	0.0	0.0	-	-	0.0	-	-
67-0	90.0	-	-	-	-	0.0	0.0	-	-	3.3	-	0.0
70-0	51.0	-	-	2.9	-	0.0	0.0	-	-	0.0	-	0.0
70-0	60.0	-	-	3.1	-	0.0	-	-	-	-	-	-
70-0	65.0	-	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
70-0	70.0	-	-	0.0	-	3.2	0.0	-	-	0.0	-	0.0
73-0	70.0	-	-	0.0	-	3.3	0.0	-	-	0.0	-	0.0
73-0	90.0	-	-	0.0	-	5.0	2.2	-	-	2.2	-	0.0
77-0	48.0	-	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0
77-0	55.0	0.0	-	2.5	-	0.0	-	-	-	-	-	-
77-0	55.0	-	-	2.7	-	0.0	-	-	-	-	-	-
80-0	51.0	-	-	0.0	0.0	6.5	0.0	0.0	0.0	0.0	-	3.0
80-0	52.0	-	-	0.0	6.3	3.1	0.0	3.0	17.1	0.0	-	0.0
80-0	55.0	-	-	3.3	0.0	0.0	0.0	0.0	3.1	0.0	-	0.0
80-0	65.0	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
80-0	70.0	-	-	0.0	0.0	2.9	0.0	0.0	0.0	0.0	-	0.0
80-0	90.0	-	-	0.0	0.0	3.0	0.0	0.0	0.0	0.0	-	0.0
83-0	40.0	-	-	5.2	0.0	4.1	-	1.2	0.0	0.0	-	2.0
83-0	43.0	20.3	-	6.1	0.0	24.1	0.0	0.0	3.3	0.0	-	0.0
83-0	51.0	-	-	2.9	3.1	0.0	2.9	0.0	2.7	0.0	-	2.9
83-0	55.0	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83-0	65.0	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
83-0	90.0	-	-	0.0	0.0	0.0	0.0	0.0	0.0	3.3	-	6.1
87-0	33.0	-	-	-	3.3	6.5	4.9	2.9	5.2	2.9	-	0.0
87-0	35.0	-	-	0.0	3.5	0.0	0.0	0.0	15.1	0.0	-	0.0
87-0	40.0	-	-	3.0	3.3	0.0	0.0	0.0	0.0	0.0	-	0.0
87-0	45.0	-	-	0.0	0.0	8.9	0.0	0.0	0.0	0.0	-	0.0
87-0	60.0	-	-	4.0	0.0	0.0	3.2	0.0	0.0	0.0	-	0.0
87-0	65.0	-	-	0.0	0.0	2.9	0.0	0.0	0.0	0.0	-	0.0
87-0	70.0	-	0.0	0.0	0.0	3.0	9.1	0.0	0.0	0.0	-	0.0
87-0	80.0	-	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
87-0	90.0	-	0.0	-	7.3	0.0	0.0	3.2	0.0	0.0	-	0.0
90-0	28.0	-	2.6	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
90-0	30.0	-	-	-	0.0	0.0	6.7	88.5	3.4	0.0	-	0.0
90-0	32.0	-	0.0	-	-	-	-	7.4	2.9	3.4	-	0.0
90-0	50.0	-	0.0	-	6.8	0.0	0.0	0.0	3.2	0.0	-	0.0
90-0	53.0	-	0.0	-	-	5.8	3.6	-	0.0	0.0	-	0.0
90-0	60.0	-	0.0	-	0.0	0.0	3.1	0.0	0.0	0.0	-	0.0
90-0	65.0	-	0.0	-	0.0	2.7	0.0	0.0	0.0	0.0	-	0.0
90-0	80.0	-	0.0	-	0.0	8.4	0.0	0.0	0.0	3.2	-	0.0
90-0	90.0	-	0.0	-	0.0	2.9	0.0	0.0	0.0	0.0	-	0.0
93-0	27.0	7.4	-	-	0.0	10.9	6.1	3.6	0.0	0.0	-	0.0
93-0	28.0	2.5	-	-	38.5	2.9	0.0	0.0	0.0	0.0	-	0.0
93-0	30.0	0.0	0.0	-	0.0	0.0	0.0	6.8	0.0	3.0	-	0.0
93-0	35.0	0.0	0.0	-	0.0	2.8	0.0	0.0	0.0	0.0	-	0.0

TABLE 4. (cont.)

Unidentified fish larva (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
93.0	50.0	0.0	0.0	-	1.8	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	55.0	0.0	0.0	-	17.9	3.1	0.0	0.0	0.0	0.0	-	0.0
93.0	60.0	0.0	3.0	-	1.7	0.0	0.0	0.0	0.0	0.0	-	0.0
93.0	70.0	0.0	0.0	-	0.0	0.0	-	3.6	0.0	-	-	0.0
93.0	80.0	0.0	3.0	-	0.0	0.0	0.0	0.0	0.0	-	-	0.0
93.0	90.0	0.0	0.0	-	0.0	0.0	0.0	-	-	0.0	-	2.6
97.0	29.0	0.0	-	0.0	7.9	82.8	0.0	4.5	0.0	0.0	-	0.0
97.0	30.0	0.0	-	4.3	37.4	24.6	0.0	5.4	0.0	2.4	-	0.0
97.0	32.0	0.0	0.0	-	-	0.0	6.8	-	0.0	0.0	-	0.0
97.0	35.0	0.0	0.0	-	0.0	-	0.0	3.1	0.0	0.0	0.0	0.0
97.0	45.0	3.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
97.0	55.0	3.0	0.0	-	0.0	0.0	0.0	0.0	3.0	1.9	-	0.0
97.0	60.0	0.0	0.0	-	3.5	0.0	3.3	0.0	3.3	0.0	-	0.0
97.0	65.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	70.0	0.0	0.0	-	14.4	0.0	0.0	0.0	0.0	0.0	-	0.0
97.0	80.0	0.0	0.0	-	0.0	11.6	5.7	2.9	0.0	0.0	-	0.0
97.0	90.0	0.0	0.0	-	3.4	6.1	0.0	0.0	2.9	0.0	-	0.0
100.0	29.0	0.0	-	6.0	20.2	5.8	0.0	0.0	0.0	0.0	-	0.0
100.0	30.0	2.8	-	8.6	6.1	6.6	0.0	5.7	0.0	0.0	-	0.0
100.0	40.0	0.0	-	0.0	3.0	0.0	0.0	2.9	0.0	0.0	-	0.0
100.0	45.0	0.0	-	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0
100.0	50.0	0.0	-	0.0	3.9	3.3	0.0	0.0	0.0	0.0	0.0	0.0
100.0	55.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	65.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	5.9	-	0.0
100.0	70.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
100.0	80.0	0.0	-	3.6	7.1	6.5	5.8	5.5	3.2	0.0	-	0.0
100.0	90.0	0.0	-	1.5	0.0	-	3.2	3.1	0.0	0.0	-	0.0
103.0	30.0	0.0	-	0.0	0.0	-	5.5	0.0	0.0	0.0	-	0.0
103.0	35.0	0.0	-	0.0	3.3	-	3.3	0.0	0.0	3.9	0.0	0.0
103.0	45.0	0.0	-	6.1	0.0	-	1.7	0.0	3.1	0.0	3.0	0.0
103.0	50.0	0.0	-	0.0	0.0	-	0.0	9.7	0.0	0.0	-	0.0
103.0	55.0	0.0	-	0.0	3.4	10.4	3.0	0.0	0.0	-	-	0.0
103.0	60.0	0.0	-	0.0	0.0	3.3	3.3	0.0	0.0	0.0	-	0.0
103.0	65.0	0.0	-	0.0	0.0	0.0	0.0	21.1	0.0	0.0	-	0.0
103.0	70.0	0.0	-	0.0	0.0	0.0	0.0	15.1	0.0	0.0	-	0.0
103.0	90.0	0.0	-	0.0	6.3	9.6	-	-	0.0	-	-	0.0
107.0	31.0	0.0	-	0.0	0.0	-	0.0	2.0	0.0	0.0	-	7.5
107.0	35.0	0.0	-	0.0	7.1	-	0.0	10.0	0.0	5.1	0.0	0.0
107.0	40.0	0.0	-	0.0	10.3	-	3.5	3.1	0.0	0.0	-	0.0
107.0	45.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	3.0	0.0
107.0	50.0	0.0	-	0.0	0.0	-	0.0	3.3	0.0	0.0	-	0.0
107.0	55.0	6.6	0.0	0.0	0.0	-	3.2	0.0	0.0	0.0	-	0.0
107.0	65.0	0.0	0.0	0.0	0.0	-	0.0	8.9	0.0	0.0	-	0.0
107.0	70.0	3.0	-	7.4	6.5	-	0.0	2.9	0.0	6.6	-	0.0
107.0	80.0	0.0	0.0	0.0	0.0	-	0.0	-	0.0	0.0	-	0.0
110.0	32.0	0.0	0.0	0.0	0.0	-	0.0	4.0	0.0	0.0	-	0.0

TABLE 4. (cont.)

Unidentified fish larva (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
110.0	35.0	0.0	0.0	0.0	0.0	-	0.0	0.0	3.2	0.0	0.0	0.0
110.0	40.0	0.0	0.0	3.8	0.0	-	-	3.2	0.0	0.0	-	0.0
110.0	41.0	-	-	-	-	-	5.2	-	-	-	-	-
110.0	45.0	2.7	5.9	0.0	3.3	-	0.0	2.9	0.0	0.0	0.0	0.0
110.0	50.0	0.0	0.0	0.0	0.0	-	0.0	2.8	0.0	0.0	-	0.0
110.0	55.0	0.0	0.0	0.0	0.0	-	0.0	6.0	0.0	0.0	-	0.0
110.0	60.0	0.0	0.0	0.0	0.0	-	29.9	3.2	0.0	3.1	-	0.0
110.0	65.0	0.0	0.0	0.0	0.0	-	0.0	6.4	0.0	10.6	-	0.0
110.0	70.0	0.0	0.0	0.0	0.0	-	0.0	3.0	0.0	0.0	-	0.0
110.0	80.0	0.0	3.1	0.0	0.0	-	0.0	-	-	-	-	3.0
110.0	90.0	0.0	-	3.9	0.0	-	-	-	-	-	-	-
110.0	29.0	0.0	0.0	11.0	0.0	-	5.1	44.5	0.0	0.0	-	3.3
111.0	30.0	0.0	0.0	0.0	0.0	-	9.0	28.7	1.7	2.7	0.0	0.0
111.0	35.0	0.0	0.0	0.0	0.0	-	3.3	0.0	3.2	3.2	-	2.3
111.0	40.0	0.0	0.0	3.1	0.0	-	0.0	0.0	0.0	0.0	-	0.0
111.0	45.0	0.0	0.0	0.0	3.4	-	0.0	3.2	0.0	2.9	0.0	0.0
111.0	50.0	0.0	0.0	0.0	0.0	-	0.0	6.3	0.0	0.0	-	0.0
111.0	55.0	0.0	0.0	0.0	3.1	-	0.0	2.7	0.0	0.0	-	0.0
111.0	60.0	3.0	0.0	0.0	-	-	0.0	3.0	0.0	0.0	-	0.0
111.0	65.0	0.0	0.0	0.0	0.0	-	0.0	7.3	0.0	0.0	-	0.0
111.0	70.0	0.0	0.0	0.0	0.0	-	0.0	13.3	0.0	0.0	-	0.0
111.0	80.0	0.0	-	3.0	0.0	-	0.0	-	-	-	-	0.0
111.0	25.0	0.0	1.5	0.0	0.0	-	14.1	0.0	0.0	0.0	-	0.0
111.0	26.0	0.0	0.0	6.4	0.0	-	29.6	30.4	0.0	0.0	-	0.0
111.0	30.0	0.0	0.0	0.0	3.0	-	33.9	0.0	0.0	0.0	0.0	0.0
111.0	35.0	0.0	0.0	0.0	0.0	-	10.3	0.0	9.8	0.0	0.0	0.0
111.0	40.0	0.0	0.0	3.6	0.0	-	26.4	5.6	6.5	0.0	0.0	0.0
111.0	45.0	0.0	0.0	13.4	3.3	-	0.0	3.2	0.0	0.0	0.0	0.0
111.0	50.0	0.0	0.0	0.0	0.0	-	0.0	0.0	2.9	0.0	-	0.0
111.0	55.0	0.0	0.0	0.0	0.0	-	6.5	6.0	0.0	0.0	-	0.0
111.0	65.0	0.0	0.0	0.0	0.0	-	3.3	2.8	0.0	0.0	-	0.0
111.0	70.0	0.0	0.0	3.2	0.0	-	0.0	26.7	0.0	3.1	-	0.0
111.0	39.0	-	-	0.0	0.0	-	9.3	5.6	0.0	2.7	-	0.0
118.0	33.0	0.0	0.0	0.0	20.7	-	3.1	8.7	0.0	6.1	2.9	0.0
119.0	33.0	0.0	0.0	40.5	3.3	-	2.6	0.0	0.0	0.0	-	0.0
120.0	24.0	0.0	0.0	0.0	1.9	-	7.7	40.1	0.0	0.0	0.0	0.0
120.0	25.0	0.0	0.0	6.4	0.0	-	0.0	28.1	0.0	0.0	0.0	0.0
120.0	30.0	0.0	0.0	12.6	7.0	-	2.8	2.5	6.2	0.0	0.0	0.0
120.0	35.0	0.0	0.0	4.5	11.3	-	3.2	14.4	2.9	0.0	1.4	0.0
120.0	40.0	0.0	8.1	6.6	0.0	-	6.6	2.9	0.0	6.6	0.0	0.0
120.0	45.0	0.0	0.0	0.0	0.0	-	9.5	0.0	-	0.0	2.8	0.0
120.0	50.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0
120.0	55.0	0.0	0.0	0.0	0.0	-	3.1	9.7	-	0.0	-	0.0
120.0	60.0	0.0	0.0	3.6	0.0	-	3.2	0.0	-	0.0	-	0.0
120.0	65.0	0.0	-	0.0	3.4	-	0.0	0.0	-	0.0	-	5.3
120.0	70.0	0.0	-	0.0	3.4	-	0.0	5.8	-	0.0	-	0.0
120.0	80.0	0.0	-	0.0	3.3	-	0.0	-	-	-	-	0.0

TABLE 4. (cont.)

Unidentified fish larva (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
123.0	36.0	0.0	-	0.0	0.0	-	5.6	22.7	-	15.4	-	0.0
123.0	37.0	0.0	-	5.0	8.2	-	0.0	3.0	-	0.0	5.9	0.0
123.0	40.0	0.0	-	0.0	0.0	-	0.0	3.2	-	0.0	0.0	0.0
123.0	45.0	0.0	-	0.0	3.4	-	0.0	0.0	-	5.4	0.0	0.0
123.0	50.0	3.0	-	0.0	0.0	-	6.2	0.0	-	0.0	3.0	0.0
123.0	55.0	0.0	-	3.3	3.3	-	2.9	0.0	-	3.1	0.0	0.0
123.0	60.0	0.0	-	0.0	0.0	-	0.0	0.0	-	2.9	0.0	0.0
123.0	70.0	0.0	-	-	0.0	-	2.9	-	-	-	-	-
123.0	80.0	2.9	-	-	0.0	-	7.4	-	-	-	-	-
127.0	33.0	6.6	-	2.2	0.0	-	2.4	38.4	-	40.1	-	20.6
127.0	34.0	2.8	-	0.0	0.0	-	0.0	50.5	-	27.6	0.0	18.3
127.0	40.0	2.5	-	3.7	0.0	-	0.0	5.9	-	3.1	0.0	0.0
127.0	45.0	6.5	-	0.0	0.0	-	0.0	0.0	-	24.2	0.0	0.0
127.0	50.0	0.0	-	0.0	0.0	-	0.0	6.3	-	2.7	0.0	0.0
127.0	55.0	0.0	-	0.0	0.0	-	16.3	0.0	-	0.0	0.0	0.0
127.0	60.0	0.0	-	0.0	0.0	-	0.0	3.0	-	0.0	0.0	0.0
127.0	80.0	0.0	-	0.0	0.0	-	8.1	-	-	-	-	-
130.0	28.0	16.1	-	0.0	0.0	-	0.0	23.6	-	9.2	-	6.2
130.0	30.0	14.8	-	0.0	0.0	-	0.0	61.0	-	2.7	3.8	27.1
130.0	35.0	5.7	-	6.7	0.0	-	6.2	0.0	-	0.0	0.0	3.3
130.0	40.0	0.0	-	3.5	0.0	-	0.0	0.0	-	0.0	0.0	4.9
130.0	45.0	0.0	-	0.0	0.0	-	2.6	0.0	-	2.9	0.0	0.0
130.0	50.0	3.2	-	0.0	3.6	-	0.0	6.4	-	2.9	3.1	0.0
130.0	55.0	0.0	-	0.0	3.5	-	0.0	2.9	-	0.0	0.0	0.0
130.0	60.0	11.7	-	0.0	0.0	-	2.8	0.0	-	0.0	15.1	0.0
130.0	80.0	0.0	-	-	-	-	2.7	-	-	-	-	-
130.0	90.0	0.0	-	-	-	-	7.8	-	-	-	-	-
131.5	37.5	-	-	-	-	-	-	-	-	-	2.7	-
133.0	23.0	7.6	-	11.8	0.0	-	21.7	92.7	-	2.3	-	0.0
133.0	25.0	0.0	-	0.0	0.0	-	44.0	6.3	-	15.1	5.7	0.0
133.0	30.0	0.0	-	0.0	0.0	-	0.0	6.2	-	0.0	0.0	0.0
133.0	35.0	0.0	-	0.0	3.3	-	3.0	0.0	-	0.0	0.0	0.0
133.0	40.0	18.4	-	2.9	0.0	-	0.0	0.0	-	3.0	0.0	0.0
133.0	45.0	37.5	-	2.9	0.0	-	0.0	6.6	-	0.0	0.0	-
133.0	50.0	0.0	-	0.0	0.0	-	2.9	3.2	-	2.7	0.0	-
133.0	55.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	-	-
133.0	60.0	0.0	-	0.0	0.0	-	2.9	3.4	-	0.0	0.0	-
137.0	22.0	0.0	-	0.0	0.0	-	31.6	47.4	-	4.5	-	20.0
137.0	23.0	0.0	-	0.0	0.0	-	8.2	364.5	-	23.0	27.9	6.4
137.0	30.0	3.2	-	0.0	0.0	-	2.9	3.1	-	0.0	0.0	8.0
137.0	35.0	13.8	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
137.0	40.0	3.9	-	3.9	0.0	-	2.5	3.0	-	0.0	0.0	0.0
137.0	45.0	5.9	-	0.0	0.0	-	6.3	8.5	-	17.1	-	-
137.0	46.0	0.0	-	-	-	-	5.9	-	-	-	-	-
137.0	50.0	0.0	-	0.0	0.0	-	5.9	0.0	-	0.0	0.0	-
137.0	55.0	0.0	-	0.0	0.0	-	2.8	0.0	-	0.0	-	-

TABLE 4. (cont.)

Unidentified fish larva (cont.)

STATION	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
137.0	60.0	0.0	-	0.0	0.0	-	2.6	27.9	-	5.5	0.0	-
140.0	30.0	-	-	-	-	-	-	-	-	-	14.1	-
140.0	45.0	-	-	-	-	-	-	-	-	-	3.1	-
143.0	26.0	-	-	-	-	-	-	-	-	-	12.6	-
143.0	30.0	-	-	-	-	-	-	-	-	-	5.9	-
143.0	35.0	-	-	-	-	-	-	-	-	-	3.0	-
144.5	23.0	-	-	-	-	-	-	-	-	-	2.9	-
147.0	20.0	-	-	-	-	-	-	-	-	-	9.5	-
147.0	25.0	-	-	-	-	-	-	-	-	-	3.0	-
147.0	60.0	-	-	-	-	-	-	-	-	-	6.1	-
150.0	19.0	-	-	-	-	-	-	-	-	-	34.6	-
150.0	30.0	-	-	-	-	-	-	-	-	-	3.1	-
153.0	16.0	-	-	-	-	-	-	-	-	-	6.1	-
153.0	20.0	-	-	-	-	-	-	-	-	-	3.0	-
153.0	50.0	-	-	-	-	-	-	-	-	-	2.9	-
153.0	60.0	-	-	-	-	-	-	-	-	-	12.2	-

TABLE 5. Summary of pooled occurrences of all larval fish taxa taken on CalCOFI surveys from 1961 to 1969. Taxa are listed in the same order as Table 4.

NAME	1961	1962	1963	1964	1965	1966	1967	1968	1969
Anguilliformes	7	8	20	8	24	17	5	3	13
<i>Etrumeus acuminatus</i>	4	7	36	37	35	26	7	1	9
<i>Opisthonema</i> spp.	-	-	-	-	2	3	-	-	-
<i>Sardinops sagax</i>	53	58	99	88	104	143	31	10	79
<i>Engraulis mordax</i>	408	454	567	707	618	987	150	188	880
<i>Argentina stialis</i>	18	49	33	37	49	93	21	18	98
<i>Microstoma microstoma</i>	12	19	11	31	17	48	9	19	73
<i>Nansenia candida</i>	9	13	5	7	9	39	6	12	32
<i>Nansenia crassa</i>	29	15	30	33	22	48	8	5	40
<i>Bathylagus</i> spp.	18	1	54	1	7	18	6	35	215
<i>Bathylagus milleri</i>	-	-	2	3	1	1	-	-	33
<i>Bathylagus ochotensis</i>	57	66	98	196	127	260	28	106	359
<i>Bathylagus pacificus</i>	5	7	8	38	3	26	99	15	80
<i>Bathylagus wesethi</i>	149	168	160	235	220	461	99	90	328
<i>Leuroglossus stilbius</i>	202	225	236	360	300	449	43	116	498
<i>Dolichopteryx</i> spp.	-	-	-	-	-	-	-	-	1
<i>Macropinna microstoma</i>	1	-	-	-	-	-	-	-	1
Osmeriidae	12	4	3	6	1	6	9	1	4
Stomiiformes	2	5	12	8	18	8	-	4	126
Conostomatidae	214	277	241	247	265	593	80	65	346
<i>Cyclothone</i> spp.	5	5	7	-	3	11	1	1	7
<i>Diplophos taenia</i>	4	11	11	13	7	35	5	2	34
<i>Ichthyococcus</i> spp.	342	371	383	369	436	828	121	82	479
<i>Vinciguerria lucetia</i>	3	7	3	4	3	6	-	-	1
<i>Vinciguerria poweriae</i>	-	-	1	-	-	-	-	-	-
<i>Woodsia nonsuchae</i>	54	71	45	79	59	250	28	48	469
Sternoptychidae	-	2	-	-	-	-	-	-	1
Astronesthidae	28	28	31	68	57	171	9	46	189
<i>Chauliodon macouni</i>	48	43	26	32	33	72	15	22	114
<i>Idiacanthus antrostomus</i>	9	10	9	6	9	12	2	-	11
<i>Aristostomias scintillans</i>	5	10	4	3	4	5	2	1	2
<i>Bathophilus</i> spp.	1	1	1	1	1	-	-	-	-
<i>Eustomias</i> spp.	7	3	2	2	6	4	3	-	-
<i>Photoneustes</i> spp.	7	4	-	4	2	16	3	-	4
<i>Tactostoma macropus</i>	58	76	98	81	100	326	24	46	214
<i>Stomias atriporter</i>	1	3	1	1	1	-	-	-	-
Evermannellidae	1	3	5	10	3	-	-	3	6
Paralepididae	50	80	58	63	67	232	36	52	231
<i>Lestidiops ringens</i>	9	12	9	7	9	12	2	8	18
<i>Notolepis risso</i>	-	-	-	-	1	-	-	1	1
<i>Paralepis atlantica</i>	4	6	-	2	6	5	-	-	-
<i>Stemonosudis macrura</i>	2	4	-	2	4	-	-	-	-
<i>Sudis atrox</i>	2	4	-	-	-	-	-	-	-
<i>Aulopus</i> spp.	16	10	8	16	19	21	6	3	36
<i>Scopelosaurus</i> spp.	67	60	50	21	33	114	29	13	93
Scopelarchidae	-	-	-	-	-	-	-	-	-

TABLE 5. (cont.)

NAME	1961	1962	1963	1964	1965	1966	1967	1968	1969
Myctophidae									
<i>Ceratoscopelus townsendi</i>	165	151	179	220	222	346	33	79	329
<i>Diaphus</i> spp.	149	157	128	146	156	302	37	23	153
<i>Lampadena urophaos</i>	77	56	46	101	80	187	46	34	110
<i>Lampantus</i> spp.	53	45	50	25	32	62	10	1	23
<i>Lampantus regalis</i>	148	139	199	155	183	401	67	65	550
<i>Lampantus ritteri</i>	13	12	2	20	9	46	12	11	19
<i>Motolichnus validiviae</i>	154	204	120	189	234	523	43	72	155
<i>Notoscopelus resplendens</i>	29	13	22	16	21	22	7	1	10
<i>Parvilux ingens</i>	59	41	50	39	44	54	11	3	29
<i>Stenobrachius leucopsarus</i>	-	-	-	-	-	-	-	-	1
<i>Triphoturus mexicanus</i>	177	179	186	342	263	420	31	127	390
<i>Triphoturus nigrescens</i>	407	422	451	448	494	990	142	92	556
<i>Benthosema pterota</i>	4	-	-	-	1	3	-	-	-
<i>Centrobranchus</i> spp.	-	-	-	2	2	-	-	-	2
<i>Diogenichthys</i> spp.	54	62	88	61	11	165	16	13	79
<i>Diogenichthys atlanticus</i>	102	155	92	111	116	171	38	46	210
<i>Diogenichthys lateratus</i>	94	127	161	163	249	361	63	32	210
<i>Electrona rissoi</i>	3	5	-	3	2	3	-	-	7
<i>Goniichthys tenuiculus</i>	20	24	29	46	81	146	16	12	48
<i>Hygophum</i> spp.	4	3	29	6	11	4	-	-	13
<i>Hygophum atratum</i>	27	38	41	44	103	178	21	6	81
<i>Hygophum reinhardtii</i>	39	58	27	20	27	9	7	-	10
<i>Loweina rara</i>	8	4	5	4	8	6	1	-	11
<i>Myctophum nitidulum</i>	46	42	31	32	19	58	11	8	59
<i>Protomycetophum crockeri</i>	247	252	225	292	261	671	109	139	717
<i>Protomycetophum thompsoni</i>	-	-	-	-	-	-	-	-	9
<i>Synbolophorus californiensis</i>	82	140	78	116	111	291	38	61	157
<i>Tarletonbeania crenularis</i>	160	115	111	140	132	208	10	73	277
<i>Synodus</i> spp.	19	23	41	35	42	121	23	-	54
<i>Bregmaceros</i> spp.	-	-	-	-	-	2	-	-	-
<i>Microgadus proximus</i>	152	228	229	290	290	398	25	95	361
<i>Merluccius productus</i>	-	-	1	1	3	2	1	-	2
<i>Physiculus</i> spp.	4	6	6	5	3	5	2	3	14
<i>Macrouridae</i>	16	16	35	49	37	69	10	16	45
<i>Ophidiiformes</i>	-	2	3	3	7	17	5	8	16
<i>Brosomphycis marginata</i>	-	-	-	-	-	-	-	-	-
<i>Carapidae</i>	12	31	15	11	29	55	15	-	28
<i>Chilara taylori</i>	2	10	61	19	40	67	-	-	34
<i>Ophidion scrippsae</i>	-	-	-	-	-	-	-	-	2
<i>Porichthys</i> spp.	15	26	17	7	18	43	-	-	30
<i>Ceratioidei</i>	3	-	5	8	9	12	-	-	1
<i>Gobiesocidae</i>	2	-	1	3	2	10	-	2	5
<i>Exocoetidae</i>	-	-	-	-	-	-	-	-	-
<i>Hemiramphidae</i>	11	6	13	22	9	31	3	10	32
<i>Coelacanthidae</i>	-	-	9	23	8	11	2	2	5
<i>Atherinidae</i>	27	27	20	22	19	75	6	9	80
<i>Trachipteridae</i>	-	-	-	-	-	-	-	-	5
<i>Eutaeniophoridae</i>	-	-	-	-	-	-	-	-	-

TABLE 5. (cont.)

NAME	1961	1962	1963	1964	1965	1966	1967	1968	1969
<i>Melamphaes</i> spp.	117	106	134	114	151	340	68	84	333
<i>Poromitra</i> spp.	13	18	28	28	32	51	6	14	27
<i>Scopeloberyx robustus</i>	4	2	2	-	7	-	2	-	2
<i>Scopelogadus bispinosus</i>	18	34	10	31	13	60	4	5	17
<i>Macroramphosus gracilis</i>	3	6	6	3	7	6	7	-	11
<i>Syngnathus</i> spp.	6	5	8	12	12	15	6	3	10
Agonidae	3	6	16	24	22	20	5	4	9
<i>Anoplopoma fimbria</i>	-	-	-	1	-	-	-	12	-
Cottidae	11	21	33	45	37	43	5	-	40
<i>Scorpaenichthys marmoratus</i>	3	3	7	13	20	15	-	5	24
Cyclopteridae	8	2	12	14	16	14	4	4	17
Hexagrammidae	-	1	-	2	1	1	-	1	6
<i>Ophiodon elongatus</i>	-	-	-	-	-	1	-	1	1
<i>Oxylebius pictus</i>	6	3	7	27	13	7	-	5	20
<i>Zaniolepis</i> spp.	2	9	12	11	7	26	7	3	19
Scorpaenidae	-	1	2	-	-	1	1	-	-
<i>Scorpaena</i> spp.	11	11	17	16	25	62	8	3	12
<i>Sebastes</i> spp.	311	273	289	492	387	698	81	207	705
<i>Sebastolobus</i> spp.	8	2	17	20	20	87	4	14	47
<i>Prionotus</i> spp.	10	9	40	15	30	25	-	-	19
Acanthuridae	-	-	1	-	-	-	-	-	-
Blennioidei	1	-	14	6	4	-	3	-	4
<i>Hypsoblennius</i> spp.	11	14	68	69	73	77	19	6	61
Clinidae	12	21	31	44	64	51	9	10	51
Gobiidae	31	41	87	80	104	198	36	19	138
<i>Icosteus aenigmaticus</i>	1	1	1	1	-	3	-	-	1
Labridae	-	2	9	-	7	-	2	3	-
<i>Halichoeres</i> spp.	12	12	40	18	36	50	4	1	28
<i>Oxyjulis californica</i>	23	22	34	15	31	97	23	15	58
<i>Semicossyphus pulcher</i>	6	10	21	7	27	28	4	-	8
Pomacentridae	-	-	10	4	8	5	-	-	-
<i>Chromis punctipinnis</i>	3	21	42	13	39	105	5	1	54
<i>Hypsopops rubicundus</i>	-	-	1	-	8	1	1	-	-
Augil spp.	-	-	-	1	1	5	1	-	-
Apogonidae	-	-	-	-	-	1	-	-	-
<i>Howella brodiei</i>	16	7	-	5	4	3	1	1	4
<i>Brama</i> spp.	21	17	17	7	9	21	1	-	12
Carangidae	-	1	20	14	25	13	2	-	3
<i>Seriola lalandi</i>	5	12	15	7	14	30	5	4	9
<i>Trachurus symmetricus</i>	144	208	199	206	214	503	76	85	248
<i>Caristius macropus</i>	-	-	-	1	1	1	-	-	-
<i>Coryphaena hippurus</i>	-	7	2	1	10	5	1	-	1
<i>Chaetodipterus zonatus</i>	-	-	1	-	-	-	-	-	-
Gerreidae	-	2	15	10	14	12	2	-	4
Haemulidae	-	1	13	16	11	17	-	-	4
<i>Girella nigricans</i>	5	1	11	3	3	4	3	7	7
<i>Medialuna californiensis</i>	4	11	13	4	5	22	6	3	12
<i>Caulolatilus princeps</i>	4	3	2	3	7	5	1	-	2
Mullidae	-	-	2	-	-	-	-	-	-

TABLE 5. (cont.)

NAME	1961	1962	1963	1964	1965	1966	1967	1968	1969
Sciaenidae	28	42	85	135	147	157	32	38	195
Serranidae	10	6	68	38	59	91	23	2	72
Sparidae	-	-	1	-	-	1	-	-	-
Polynemidae	-	-	6	-	-	7	-	-	1
Gempylidae	7	15	3	5	8	4	8	2	2
Scombridae	3	-	2	2	4	-	-	-	1
Auxis spp.	-	-	10	8	8	4	-	-	2
<i>Sarda chiliensis</i>	7	3	2	-	9	29	1	-	30
<i>Scomber japonicus</i>	26	32	57	39	34	68	14	-	24
<i>Scomberomorus</i> spp.	1	-	1	1	5	3	-	-	-
Trichiuridae	10	23	27	17	27	74	10	-	23
<i>Sphyræna argentea</i>	6	6	22	10	25	31	7	4	15
<i>Ichthyos lockingtoni</i>	38	39	52	78	53	131	18	48	202
Nomeidae	-	-	1	1	1	2	-	-	1
<i>Peprilus simillimus</i>	2	19	19	18	45	52	22	11	45
<i>Tetragnonurus cuvieri</i>	45	76	98	46	31	74	36	5	48
Chasmodontidae	25	22	39	13	40	60	6	10	41
Pleuronectiformes	2	-	13	7	4	-	1	1	7
<i>Bothus</i> spp.	-	-	2	-	-	-	-	-	-
<i>Citharichthys</i> spp.	186	221	281	243	342	590	108	101	611
<i>Citharichthys stigmæus</i>	50	97	65	73	65	171	19	42	269
<i>Hippoglossina stomata</i>	24	15	44	42	44	83	12	5	52
<i>Paralichthys californicus</i>	21	37	57	96	107	81	13	13	60
<i>Syacium ovale</i>	-	-	3	-	1	3	-	-	-
<i>Xystreus lyolepis</i>	1	9	15	18	8	30	4	-	22
<i>Glyptocephalus zachirus</i>	2	-	9	18	4	36	-	14	15
<i>Hypopsetta guttulata</i>	1	-	4	5	10	3	-	-	6
<i>Lepidopsetta bilineata</i>	32	31	33	46	33	72	2	2	1
<i>Lepidopsetta exilis</i>	2	-	11	13	16	52	13	20	65
<i>Microstomus pacificus</i>	14	32	41	41	81	80	6	21	56
<i>Parophrys vetulus</i>	-	-	-	-	-	3	-	-	80
<i>Platichthys stellatus</i>	4	3	10	12	1	-	10	3	1
<i>Pleuronichthys</i> spp.	2	2	6	9	5	11	1	3	15
<i>Pleuronichthys coenosus</i>	1	1	-	1	4	11	2	2	11
<i>Pleuronichthys decurrens</i>	5	3	12	12	9	8	2	1	7
<i>Pleuronichthys ritteri</i>	10	47	56	74	88	81	24	18	66
<i>Pleuronichthys verticalis</i>	1	1	5	12	9	10	-	4	14
<i>Psettichthys melanostictus</i>	18	41	73	48	75	138	10	-	71
<i>Symphurus</i> spp.	-	-	-	-	1	-	-	-	-
Soleidae	-	-	-	-	3	-	-	-	-
Tetraodontidae	-	-	-	-	-	-	-	-	-
Disintegrated fish larva	184	223	274	311	319	542	84	74	458
Unidentified fish larva	147	147	256	217	263	485	60	72	422

TABLE 6. List of stations which were occupied twice in one month during 1966.

Station		Month
80.0	51.0	2
80.0	52.0	2
80.0	60.0	2
80.0	65.0	2
80.0	70.0	2
80.0	80.0	2
80.0	90.0	2
80.0	100.0	2
82.0	47.0	2
83.0	40.0	2
83.0	43.0	2
83.0	51.0	2
83.0	55.0	2
83.0	60.0	2
83.0	65.0	2
83.0	70.0	2
83.0	80.0	2
83.0	90.0	2
87.0	33.0	2
87.0	35.0	2
87.0	40.0	2
87.0	45.0	2
87.0	50.0	2
87.0	55.0	2
93.0	28.0	5
93.0	30.0	5
93.0	40.0	5
93.0	50.0	5
93.0	60.0	5
93.0	70.0	5
93.0	80.0	5
93.0	90.0	5
103.0	30.0	7
103.0	35.0	7
103.0	40.0	7
103.0	45.0	7
127.0	50.0	11

INDEX

This index lists taxa included in Table 4 with their page numbers.

	Page
Anguilliformes	86
Clupeiformes	
Clupeidae	
<i>Etrumeus acuminatus</i>	86
<i>Opisthonema</i> spp.	86
<i>Sardinops sagax</i>	87
Engraulidae	
<i>Engraulis mordax</i>	88
Salmoniformes	
Argentinidae	
<i>Argentina sialis</i>	93
<i>Microstoma microstoma</i>	94
<i>Nansenia candida</i>	95
<i>Nansenia crassa</i>	96
Bathylagidae	
<i>Bathylagus</i> spp.	97
<i>Bathylagus milleri</i>	98
<i>Bathylagus ochotensis</i>	98
<i>Bathylagus pacificus</i>	100
<i>Bathylagus wesethi</i>	101
<i>Leuroglossus stilbius</i>	105
Stomiiformes	108
Gonostomatidae	108
<i>Cyclothone</i> spp.	109
<i>Diplophos taenia</i>	113
<i>Ichthyococcus</i> spp.	113
<i>Vinciguerria lucetia</i>	114
<i>Vinciguerria poweriae</i>	119
Sternoptychidae	119
Stomiatoidea	
Chauliodontidae	
<i>Chauliodus macouni</i>	122
Idiacanthidae	
<i>Idiacanthus antrostomus</i>	125
Malacosteidae	
<i>Aristostomias scintillans</i>	126
Melanostomiidae	
<i>Bathophilus</i> spp.	126
<i>Photonectes</i> spp.	126
<i>Tactostoma macropus</i>	126
Stomiidae	
<i>Stomias atriventer</i>	127
Myctophiformes	
Alepisauroides	
Paralepididae	
<i>Lestidiops ringens</i>	130
<i>Notolepis risso</i>	133

	Page
<i>Stemonosudis macrura</i>	133
Aulopoidei	
Aulopidae	
<i>Aulopus</i> spp.	133
Chlorophalmoidei	
Notosudidae	
<i>Scopelosaurus</i> spp.	133
Scopelarchidae	134
Myctophoidei	
Myctophidae	136
Lampanyctinae	
<i>Ceratoscopelus townsendi</i>	140
<i>Diaphus</i> spp.	143
<i>Lampadena urophaos</i>	145
<i>Lampanyctus</i> spp.	147
<i>Lampanyctus regalis</i>	151
<i>Lampanyctus ritteri</i>	152
<i>Notolychnus valdiviae</i>	156
<i>Notoscopelus resplendens</i>	157
<i>Stenobranchius leucopsarus</i>	158
<i>Triphoturus mexicanus</i>	161
Myctophinae	
<i>Benthosema pterota</i>	166
<i>Diogenichthys</i> spp.	166
<i>Diogenichthys atlanticus</i>	168
<i>Diogenichthys laternatus</i>	170
<i>Electrona rissoi</i>	173
<i>Gonichthys tenuiculus</i>	173
<i>Hygophum</i> spp.	175
<i>Hygophum atratum</i>	175
<i>Hygophum reinhardtii</i>	177
<i>Loweina rara</i>	178
<i>Myctophum nitidulum</i>	178
<i>Protomyctophum crockeri</i>	179
<i>Symbolophorus californiensis</i>	183
<i>Tarletonbeania crenularis</i>	186
Synodontoidi	
Synodontidae	
<i>Synodus</i> spp.	188
Gadiformes	
Bregmacerotidae	
<i>Bregmaceros</i> spp.	189
Gadidae	
<i>Microgadus proximus</i>	189
Merlucciidae	
<i>Merluccius productus</i>	189
Moridae	
<i>Physiculus</i> spp.	194
Macrouridae	194
Ophidiiformes	194
Bythitidae	
<i>Brosomphycis marginata</i>	195

	Page
Ophidiidae	
<i>Chilara taylori</i>	195
<i>Ophidion scrippsae</i>	197
Batrachoidiformes	
Batrachoididae	
<i>Porichthys</i> spp.	197
Lophiiformes	
Ceratioidei	198
Gobiesociformes	
Gobiesocidae	198
Beloniformes	
Exocoetidae	199
Scomberesocidae	
<i>Cololabis saira</i>	199
Atheriniformes	
Atherinidae	200
Lampriformes	
Trachipteridae	200
Beryciformes	
Melamphidae	
<i>Melamphaes</i> spp.	201
<i>Poromitra</i> spp.	205
<i>Scopelogadus bispinosus</i>	206
Syngnathiformes	
Macroramphosidae	
<i>Macroramphosus gracilis</i>	207
Syngnathidae	
<i>Syngnathus</i> spp.	208
Scorpaeniformes	
Cottoidei	
Agonidae	208
Cottidae	209
<i>Scorpaenichthys marmoratus</i>	209
Cyclopteridae	210
Hexagrammidae	210
<i>Ophiodon elongatus</i>	210
<i>Oxylebius pictus</i>	210
<i>Zaniolepis</i> spp.	210
Scorpaenoidei	
Scorpaenidae	211
<i>Scorpaena</i> spp.	211
<i>Sebastes</i> spp.	212
<i>Sebastolobus</i> spp.	216
Triglidae	
<i>Prionotus</i> spp.	218
Perciformes	
Blennioidei	
Blenniidae	
<i>Hypsoblennius</i> spp.	218
Clinidae	219
Gobioidei	
Gobiidae	220

Icosteoidei	
Icosteidae	
<i>Icosteus aenigmaticus</i>	222
Labroidei	
Labridae	
<i>Halichoeres</i> spp.	222
<i>Oxyjulis californica</i>	223
<i>Semicossyphus pulcher</i>	225
Pomacentridae	225
<i>Chromis punctipinnis</i>	226
<i>Hypsypops rubicundus</i>	227
Mugiloidei	
Mugilidae	
<i>Mugil</i> spp.	227
Percoidei	
Apogonidae	228
<i>Howella brodiei</i>	228
Bramidae	
<i>Brama</i> spp.	228
Carangidae	228
<i>Seriola lalandi</i>	229
<i>Trachurus symmetricus</i>	229
Caristiidae	
<i>Caristius macropus</i>	233
Coryphaenidae	
<i>Coryphaena hippurus</i>	233
Gerreidae	233
Haemulidae	234
Kyphosidae	
<i>Girella nigricans</i>	234
<i>Medialuna californiensis</i>	234
Malacanthidae	
<i>Caulolatilus princeps</i>	235
Sciaenidae	235
Serranidae	237
Polynemoidei	
Polynemidae	238
Scombroidei	
Gempylidae	239
Scombridae	
<i>Auxis</i> spp.	239
<i>Sarda chiliensis</i>	239
<i>Scomber japonicus</i>	240
<i>Scomberomorus</i> spp.	241
Trichiuridae	241
Sphyraenoidei	
Sphyraenidae	
<i>Sphyraena argentea</i>	242
Stromateoidei	
Centrolophidae	
<i>Icichthys lockingtoni</i>	243
Nomeidae	245
Stromateidae	

	Page
<i>Peprilus simillimus</i>	245
Tetragonuridae	
<i>Tetragonurus cuvieri</i>	246
Trachinoidei	
Chiasmodontidae	247
Pleuronectiformes	
Pleuronectoidei	
Paralichthyidae	
<i>Citharichthys</i> spp.	248
<i>Citharichthys stigmaeus</i>	253
<i>Hippoglossina stomata</i>	255
<i>Paralichthys californicus</i>	256
<i>Syacium ovale</i>	257
<i>Xystreureys liolepis</i>	257
Pleuronectidae	
<i>Glyptocephalus zachirus</i>	258
<i>Hypsopsetta guttulata</i>	259
<i>Lepidopsetta bilineata</i>	259
<i>Lyopsetta exilis</i>	259
<i>Microstomus pacificus</i>	260
<i>Parophrys vetulus</i>	261
<i>Platichthys stellatus</i>	263
<i>Pleuronichthys coenosus</i>	263
<i>Pleuronichthys decurrens</i>	263
<i>Pleuronichthys ritteri</i>	264
<i>Pleuronichthys verticalis</i>	264
<i>Psettichthys melanostictus</i>	265
Soleoidei	
Cynoglossidae	
<i>Symphurus</i> spp.	265
Disintegrated fish larva	267
Unidentified fish larva	272

RECENT TECHNICAL MEMORANDUMS

Copies of this and other NOAA Technical Memorandums are available from the National Technical Information Service, 5285 Port Royal Road, Springfield, VA 22167. Paper copies vary in price. Microfiche copies cost \$4.50. Recent issues of NOAA Technical Memorandums from the NMFS Southwest Fisheries Center are listed below:

- NOAA-TM-NMFS-SWFC- 87 Ichthyoplankton and station data for California Cooperative Oceanic Fisheries Investigations survey cruises in 1959.
E.G. STEVENS, R.L. CHARTER, H.G. MOSER, and M.S. BUSBY
(September 1987)
- 88 Ichthyoplankton and station data for California Cooperative Oceanic Fisheries Investigations survey cruises in 1960.
D.A. AMBROSE, R.L. CHARTER, H.G. MOSER, and C.R. SANTOS
METHOT
(September 1987)
- 89 Summary of distribution records of the spinner dolphin, *Stenella longirostris*, and the pantropical spotted dolphin, *S. attenuata*, from the western Pacific Ocean, Indian Ocean and Red Sea.
J.W. GILPATRICK, JR., W.F. PERRIN, S. LEATHERWOOD, and L. SHIROMA
(October 1987)
- 90 Summary of worldwide locality records of the striped dolphin, *Stenella coeruleoalba*.
C.E. WILSON, W.F. PERRIN, J.W. GILPATRICK, JR., and
S. LEATHERWOOD
(December 1987)
- 91 Micropatch sampler data.
R.W. OWEN and C.A. KIMBRELL
(December 1987)
- 92 Ichthyoplankton and station data for California Cooperative Oceanic Fisheries Investigations survey cruises in 1961.
E.M. SANDKNOP, R.L. CHARTER, H.G. MOSER, C.A. MEYER,
and A.E. HAYS
(January 1988)
- 93 Ichthyoplankton and station data for California Cooperative Oceanic Fisheries Investigations survey cruises in 1962.
B.Y. SUMIDA, R.L. CHARTER, H.G. MOSER, and D.L. SNOW
(January 1988)
- 94 Ichthyoplankton and station data for California Cooperative Oceanic Fisheries Investigations survey cruises in 1963.
D.A. AMBROSE, R.L. CHARTER, H.G. MOSER, and B.S. EARHART
(January 1988)
- 95 Ichthyoplankton and station data for California Cooperative Oceanic Fisheries Investigations survey cruises in 1964.
E.M. SANDKNOP, R.L. CHARTER, H.G. MOSER, C.A. MEYER,
and A.E. HAYS
(January 1988)
- 96 Ichthyoplankton and station data for California Cooperative Oceanic Fisheries Investigations survey cruises in 1965.
E.G. STEVENS, R.L. CHARTER, H.G. MOSER, and L.R. ZINS
(January 1988)

